Assignment 3

Steven Tran

February 7, 2018

```
BP2010 <- read.csv("BP Apprehensions 2010.csv", header = TRUE, stringsAsFactors = FALSE)
rownames(BP2010) <- BP2010[,1]
barplot(BP2010[1:9,13], names.arg = rownames(BP2010)[1:9])
```




```
x <- barplot(BP2010[1:9,13], names.arg = rownames(BP2010)[1:9],
        las=2,
        axisnames=TRUE,
        main="2010 Border Patrol Apprehensions by Sector",
        border="blue",
        col="yellow")
```




```
PB2017 <- read.csv("PB Apprehensions 2017.csv", header = TRUE, stringsAsFactors = TRUE)
rownames(PB2017) <- PB2017[,1]
barplot(PB2017[1:9,13], names.arg = rownames(PB2017)[1:9],
        las=2,
        axisnames=TRUE,
        main="2017 Border Patrol Apprehensions by Sector",
        border="blue",
        col="yellow")
```




```
PBmonthly <- read.csv("monthly_sum.csv", header = TRUE, stringsAsFactors = TRUE)
rownames(PBmonthly) <- PBmonthly[,1]
barplot(PBmonthly[1:9,13], names.arg = rownames(PBmonthly)[1:9],
        las=2,
        axisnames=TRUE,
        main="2010 Border Patrol Apprehensions by Year",
        border="blue",
        col="yellow")
```


2010 Border Patrol Apprehensions by Year
30000
20000
10000
0
2017
2016
2015
2014
2013
2012
2011
2010
2009