

STYLE COLLECTION

Spring / Summer 2026

Women's Apparel | OEM & ODM Services

Contact Us

Email: sales@yourcompany.com

Guangzhou, China



STYLE NO.

251KZ65215-A199

Description Women's Casual Apparel

Fabric Contact for details

Composition Contact for details

Available Colors Custom colors available

Size Range 0XL-4XL(EU 34-46)

Detailed size chart shown on the next page

MOQ 100 pcs per color

Sample Lead Time 7 - 10 days

Bulk Lead Time 25 - 35 days

Packing 1 pc / polybag, standard carton

Payment T/T 40% deposit,60% before shipment

Notes:

- OEM & ODM services available
- Custom labels, tags and packaging
- Fabric swatches available upon request

STYLE NO.
251KZ65215-A199

SIZE CHART

STYLE NO. 251KZ65215-A199 | Women's Casual Pants All measurements are taken flat in CM.
Manual measurement tolerance: ±2cm. Waist (Stretched): Max stretch measurement without seam breakage.

Size Code	EU	Waist(Rlx)	Waist(Str)	Hip	Outseam	Inseam	Thigh	Leg Opening
0XL	34	78	124	194	101.3	69	128.2	86
1XL	36	84	130	200	102.0	69	132.0	88
2XL	38	90	136	206	102.7	69	135.8	90
3XL	42	96	142	212	103.4	69	139.6	92
4XL	46	102	148	218	104.1	69	143.4	94

Side drawstring:106cm; Front decorative string:90cm

Sizing conversion (EU/US/UK) for reference only, flat measurements prevail. We can customize size label printing according to customer requirements for bulk orders.



STYLE NO.

2525TZ63224-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)
MOQ	100 pcs per color

Detailed size chart shown on the next page

Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

Notes:

- OEM & ODM services available
- Custom labels, tags and packaging
- Fabric swatches available upon request



STYLE NO. **2525TZ63224-A008**

STYLE NO. 2525TZ63224-A008 Women's Casual Two-piece Set All measurements are taken flat in cm. Tolerance: ±2cm.

Part	Measurement Method	S	M	L	XL	Grade	Tolerance	
Front length	Shoulder point to hem	52.5	53.5	55.0	56.5	1.5	±2 cm	
Neck width	Left shoulder point to right	17.0	17.5	18.0	18.5	0.5	±0.8 cm	
Bust	Full bust circumference	96.0	100.0	106.0	112.0	6.0	±2 cm	
Hem circumference	Full hem (measured flat ×2)	91.3	95.3	101.3	107.3	6.0	±2 cm	
Raglan sleeve length	Neckline to sleeve opening	28.0	28.8	29.8	30.8	1.0	±1 cm	
Sleeve opening	Full circumference at edge	40.0	41.4	43.6	45.8	2.2	±1 cm	
Back neck (bound)	Finished measurement	20.0	20.5	21.0	21.5	0.5	±0.5 cm	
Outseam	Side waist to bottom hem	104.0	104.9	105.5	106.1	0.6	±2 cm	
Waist	Full circumference at waist top	64.0	68.0	74.0	80.0	6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	71.0	75.0	81.0	87.0	6.0	±2 cm	
Hip	Full circumference at hip position	105.5	109.5	115.5	121.5	6.0	±2 cm	
Hip position	Up from crotch	9.0	9.4	10.0	10.6	0.6	±0.01 cm	
Thigh circumference	Full circumference at crotch	70.0	72.4	76.2	80.0	3.8	±1 cm	
Leg opening	Full circumference at hem	63.5	64.7	66.7	68.7	2.0	±1 cm	
Front rise (incl. waistband)	Waistband top to crotch	31.8	32.3	33.2	34.1	0.9	±0.6 cm	

* Grade = size increment between adjacent sizes. All measurements in cm.



STYLE NO.

265KZ02112-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XXS - XXL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265KZ02112-A008

Part	Method	Sample(S)	XXS	XS	S	M	L	XL	XXL	Grade	Tolerance	
Outseam	Side waist to bottom hem	80.0	79.2	79.6	80.0	80.4	81.0	81.6	82.2	0.4 / 0.6	±1 cm	
Inseam	Crotch to leg opening, inseam	49.5	49.5	49.5	49.5	49.5	49.5	49.5	49.5	0 / 0	±1 cm	
Waist	Full circumference at waist top	64.0	56.0	60.0	64.0	68.0	74.0	80.0	86.0	4 / 6	±2 cm	
Waist (stretched)	Waist stretch capacity	100.0	92.0	96.0	100.0	104.0	110.0	116.0	122.0	4 / 6	±2 cm	
Hip	Pleated style hip (see spec)	102.0	94.0	98.0	102.0	106.0	112.0	118.0	124.0	4 / 6	±2 cm	
Front rise	Waistband top to crotch seam	32.0	31.0	31.5	32.0	32.5	33.4	34.3	35.2	0.5 / 0.9	±0.5 cm	
Back rise	Back waistband to crotch seam	42.0	40.6	41.3	42.0	42.7	43.8	44.9	46.0	0.7 / 1.1	±0.7 cm	
Thigh circumference	1" below crotch, full circ.	103.0	98.2	100.6	103.0	105.4	109.2	113.0	116.8	2.4 / 3.8	±1 cm	
Leg opening	Leg opening circumference	109.0	104.2	106.6	109.0	111.4	115.2	119.0	122.8	2.4 / 3.8	±1.5 cm	
Back waist elastic	Back waist elastic (finished)	28.0	24.0	26.0	28.0	30.0	33.0	36.0	39.0	2 / 3	±1 cm	

* Grade = size increment between adjacent sizes. Sample(S) = base sample size. All measurements in cm.



STYLE NO.

265KZ03007-A886

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XXL (EU 34-46)
Detailed size chart shown on the next page	
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265KZ03007-A886

Part	Method	Sample(1XL)	0XL	1XL	2XL	3XL	Grade	Tolerance	
Outseam	Side waist to bottom hem	105.0	104.3	105.0	105.7	106.4	0.7 / 0.7	±2 cm	
Waist	Full circumference at waist top	90.0	84.0	90.0	96.0	102.0	6 / 6	±2 cm	
Waist (stretched)	Waist stretch capacity	100.0	94.0	100.0	106.0	112.0	6 / 6	±2 cm	
Hip	Full hip at fullest point	122.0	116.0	122.0	128.0	134.0	6 / 6	±2 cm	
Thigh circumference	Full circumference at crotch	126.0	122.2	126.0	129.8	133.6	3.8 / 3.8	±1 cm	
Leg opening	Full circumference at leg opening	116.5	114.5	116.5	118.5	120.5	2 / 2	±1 cm	
Inseam	Crotch to leg opening, inseam	73.0	73.0	73.0	73.0	73.0	0 / 0	±1 cm	
Front rise	Waistband top to crotch seam	34.0	33.0	34.0	35.0	36.0	1 / 1	±0.5 cm	
Back rise	Back waistband to crotch seam	48.0	46.8	48.0	49.2	50.4	1.2 / 1.2	±0.6 cm	
Front lower gathers	Finished, one side	31.0	29.5	31.0	32.5	34.0	1.5 / 1.5	±1 cm	
Back lower gathers	Finished, one side	34.0	32.6	34.0	35.4	36.9	1.4 / 1.5	±0.5 cm	
Back center zipper	Opening length	18.0	17.5	18.0	18.5	19.0	0.5 / 0.5	±0.5 cm	

* Grade = size increment between adjacent sizes. Sample(1XL) = base sample size. All measurements in cm.



STYLE NO.

265KZ102299-A899

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	0XL - 4XL (EU 34-46) Detailed size chart shown on the next page
MOQ	100 pcs per color 7 - 10 days
Sample Lead Time	25 - 35 days
Bulk Lead Time	1 pc / polybag, standard carton
Packing	T/T 30% deposit, 70% before shipment

Payment

Notes:

- OEM & ODM services available
- Custom labels, tags and packaging
- Fabric swatches available upon request

STYLE NO.

265KZ102299-A899

Part	Method	Sample	(1XL) 0XL	1XL	2XL	3XL	4XL	Grade	Tolerance	
Outseam	Side waist to bottom hem	68.0	67.3	68.0	68.7	69.4	70.1	0.7	±1 cm	
Waist	Full circumference at waist top	84.0	78.0	84.0	90.0	96.0	102.0	6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	118.0	124.0	118.0	130.0	136.0	142.0	6.0	±2 cm	
Hip	Pleated style hip (see spec)	180.0	174.0	180.0	186.0	192.0	198.0	6.0	±2 cm	
Leg opening	Full circumference at leg opening	94.5	90.7	94.5	98.3	102.1	105.9	3.8	±1.5 cm	
Front rise	Waistband top to crotch seam	35.0	34.0	35.0	36.0	37.0	38.0	1.0	±0.5 cm	
Back rise	Back waistband to crotch seam	48.0	46.8	48.0	49.2	50.4	51.6	1.2	±0.7 cm	
Inseam	Crotch to leg opening, inseam	19.0	19.0	19.0	19.0	19.0	19.0	0.0	±1 cm	
Front waist drawstring	Finished measurement	90.0	90.0	90.0	90.0	90.0	90.0	0.0	±0.5 cm	
Side drawstring	Total length per piece	66.0	66.0	66.0	66.0	66.0	66.0	0.0	±0.5 cm	

* Grade = size increment between adjacent sizes. Sample(1XL) = base sample size. All measurements in cm.



STYLE NO.

265SY02419-A886

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)

Detailed size chart shown on the next page

MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265SY02419-A886

Part	Measurement Method	S	M	L	XL	Grade	Tolerance	
Front length	Shoulder point to hem (on mannequin)	85.0	86.0	87.0	88.0	1.0 / 1.0	±2 cm	
Bust	Underarm, edge to edge flat (ref.)	93.0	97.0	103.0	109.0	4.0 / 6.0	±2 cm	
Hem sweep	Widest hem point, edge to edge (asymmetric)	240.0	244.0	250.0	256.0	4.0 / 6.0	±2 cm	
Neckline (asymmetric)	Along neckline curve incl. elastic	76.0	78.8	82.7	86.6	2.8 / 3.9	±1 cm	
Right underarm binding	Finished measurement	47.0	48.8	51.5	54.2	1.8 / 2.7	±1 cm	
Hem elastic (inside)	Finished measurement	64.0	68.0	74.0	80.0	4.0 / 6.0	±2 cm	

* Grade = size increment between adjacent sizes. All measurements in cm. Asymmetric style — hem measured at widest point.

Asymmetric style — hem measured at widest poin



STYLE NO.

265TZ00934-A888

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)
Detailed size chart shown on the next page	
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ00934-A888

Part	Measurement Method	S	M	L	XL	Grade	Tolerance	
Front length	Shoulder point to hem, straight	38.0	39.0	40.0	41.0	1.0 / 1.0	±0.8 cm	
Neck width	Shoulder point to shoulder point (upper collar)	17.0	17.5	18.0	18.5	0.5 / 0.5	±0.5 cm	
Shoulder width	Back shoulder point to point, flat	30.0	31.0	32.0	33.0	1.0 / 1.0	±0.5 cm	
Bust	Underarm, edge to edge flat	80.0	84.0	90.0	96.0	4.0 / 6.0	±1 cm	
Hem sweep	Edge to edge flat	64.0	68.0	74.0	80.0	4.0 / 6.0	±2 cm	
Armhole (binding)	Along armhole bone, curved	45.0	46.8	49.5	52.2	1.8 / 2.7	±2 cm	
Front skirt length	Front waist top to hem, straight	105.0	106.0	107.5	109.0	1.0 / 1.5	±2 cm	
Waist	Full circumference at waist top	63.0	67.0	73.0	79.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	96.0	100.0	106.0	112.0	4.0 / 6.0	±2 cm	
Hip position	Down from side waist top	20.0	20.0	20.0	20.0	0.0 / 0.0	±0.5 cm	
Hip	At hip position, edge to edge flat (skirt ref.)	140.0	144.0	150.0	156.0	4.0 / 6.0	±2 cm	

* Grade = size increment between adjacent sizes. Two-piece set: top (rows 1-6) + skirt (rows 7-11). All measurements in cm.



STYLE NO.

265TZ01791-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XS - XXL (EU 34-46)
MOQ	Detailed size chart shown on the next page 100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ01791-A008

Part	Method	Sample	XS	S	M	L	XL	XXL	Grade	Tolerance	
Front length	Shoulder to longest hem (on mannequin)	74.0	74.0	75.0	76.0	77.5	79.0	80.5	1.0 / 1.5	±2 cm	
Zipper length	Actual zipper opening length	32.0	32.0	31.5	32.0	33.0	33.5	34.0	0.5 / 0.5	±0.5 cm	
Neckline (asymmetric)	Along upper edge, full circumference	97.0	97.0	94.2	97.0	103.7	107.6	111.5	2.8 / 3.9	±1 cm	
Bust	Underarm, edge to edge flat (ref.)	95.0	95.0	91.0	95.0	105.0	111.0	117.0	4.0 / 6.0	±1 cm	
Waist	Narrowest point, edge to edge flat	82.0	82.0	78.0	82.0	92.0	98.0	104.0	4.0 / 6.0	±2 cm	
Armhole	Along right armhole, curved (ref.)	48.0	48.0	46.2	48.0	52.5	55.2	57.9	1.8 / 2.7	±2 cm	
Hem sweep	Along bottom edge, curved (ref.)	115.0	115.0	111.0	115.0	125.0	131.0	137.0	4.0 / 6.0	±2 cm	
Front left underarm binding	Along edge, curved	26.0	26.0	25.1	26.0	28.25	29.6	30.95	0.9 / 1.35	±1 cm	
Back left underarm binding	Along edge, curved	28.5	28.5	27.6	28.5	30.75	32.1	33.45	0.9 / 1.35	±1 cm	
Outseam	Side waist to bottom, curved (side seam)	34.0	34.0	33.6	34.0	35.0	35.6	36.2	0.4 / 0.6	±2 cm	
Inseam	Crotch to leg opening, inseam	6.0	6.0	6.0	6.0	6.0	6.0	6.0	0.0 / 0.0	±1 cm	
Waist (lower)	Along waist top, elastic measured	66.0	66.0	62.0	66.0	76.0	82.0	88.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	98.0	98.0	102.0	106.0	112.0	118.0	124.0	4.0 / 6.0	±2 cm	
Hip position	Up from crotch	9.0	9.0	8.6	9.0	10.0	10.6	11.2	0.4 / 0.6	±0.5 cm	
Hip	Full circumference at crotch level (pants)	110.0	110.0	106.0	110.0	120.0	126.0	132.0	4.0 / 6.0	±2 cm	
Front rise (incl. waistband)	Waistband top to crotch, curved	31.0	31.0	30.5	31.0	32.4	33.3	34.2	0.5 / 0.9	±0.5 cm	
Back rise (incl. waistband)	Waistband top to crotch, curved	41.0	41.0	40.3	41.0	42.8	43.9	45.0	0.7 / 1.1	±0.7 cm	
Leg opening	Full circumference at leg opening	71.0	71.0	68.6	71.0	77.2	81.0	84.8	2.4 / 3.8	±1.5 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (XS). All measurements in cm.



STYLE NO.

265TZ01961-A882

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XS - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

Part	Method	Sample	XS	S	M	L	XL	Grade	Tolerance	
Front length	Shoulder to hem, straight (on mannequin)	70.0	69.0	70.0	71.0	72.5	74.0	1.0 / 1.5	±2 cm	
Bust	Underarm, edge to edge flat (ref.)	86.0	82.0	86.0	90.0	96.0	102.0	4.0 / 6.0	±2 cm	
Waist position	Down from underarm	15.0	15.0	15.0	15.0	15.0	15.0	0.0 / 0.0	±0.5 cm	
Waist	At waist position, edge to edge flat	72.0	68.0	72.0	76.0	82.0	88.0	4.0 / 6.0	±2 cm	
Hem sweep	Widest hem point, edge to edge (asymmetric ref.)	72.0	72.0	76.0	80.0	86.0	92.0	4.0 / 6.0	±2 cm	
Front neckline binding	Finished measurement	35.0	33.6	35.0	36.4	38.35	40.3	1.4 / 1.95	±1 cm	
Back neckline binding	Finished measurement	39.0	37.6	39.0	40.4	42.35	44.3	1.4 / 1.95	±1 cm	
Right armhole binding	Finished measurement	52.0	50.2	52.0	53.8	56.5	59.2	1.8 / 2.7	±1 cm	
Left zipper length	Finished measurement	26.0	25.5	26.0	26.5	27.0	27.5	0.5 / 0.5	±1 cm	
Left smocking	Along smocking position	6.0	6.0	6.0	6.0	6.0	6.0	0.0 / 0.0	±0.5 cm	
Front lower lace trim	Along bone position	55.5	53.7	55.5	57.3	60.1	62.9	1.8 / 2.8	±1 cm	
Back lower lace trim	Along bone position	55.5	53.6	55.5	57.4	60.3	63.2	1.9 / 2.9	±1 cm	
Outseam	Side waist to leg opening, curved	34.5	34.1	34.5	34.9	35.5	36.1	0.4 / 0.6	±2 cm	
Waist (lower)	Edge to edge, relaxed	68.0	64.0	68.0	72.0	78.0	84.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	96.0	92.0	96.0	100.0	106.0	112.0	4.0 / 6.0	±2 cm	
Hip position	Up from crotch	9.0	9.0	9.0	9.0	9.0	9.0	0.0 / 0.0	±0.5 cm	
Hip	At crotch level, 3-point V measure (ref.)	102.0	98.0	102.0	106.0	112.0	118.0	4.0 / 6.0	±2 cm	
Thigh circumference	At crotch, edge to edge flat	65.0	62.6	65.0	67.4	71.2	75.0	2.4 / 3.8	±1 cm	
Leg opening	Edge to edge flat	63.5	61.1	63.5	65.9	69.7	73.5	2.4 / 3.8	±1 cm	
Front rise	Waistband top to crotch	32.5	32.0	32.5	33.0	33.9	34.8	0.5 / 0.9	±0.6 cm	
Back rise	Waistband top to crotch	42.0	41.3	42.0	42.7	43.8	44.9	0.7 / 1.1	±0.8 cm	
Inseam	Crotch to leg opening, inseam	5.0	5.0	5.0	5.0	5.0	5.0	0.0 / 0.0	±0.5 cm	
Back waist elastic	Finished measurement	32.0	30.0	32.0	34.0	37.0	40.0	2.0 / 3.0	±1 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (S). All measurements in cm.



STYLE NO.

265TZ02058-A008 (1)

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	0XL - 3XL (EU 34-46)

Detailed size chart shown on the next page

MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ02058-A008 (1)

Part	Method	Sample	0XL	1XL	2XL	3XL	Grade	Tolerance	
Front length	Shoulder to hem, straight	58.0	56.5	58.0	59.5	61.0	1.5	±1.5 cm	
Neck width	Left shoulder point to right	23.0	22.5	23.0	23.5	24.0	0.5	±1 cm	
Shoulder width	Back shoulder point to point	39.0	38.0	39.0	40.0	41.0	1.0	±1 cm	
Bust	Underarm, edge to edge flat (w/ darts)	121.0	115.0	121.0	127.0	133.0	6.0	±2 cm	
Armhole	Along edge, full circumference	58.0	55.3	58.0	60.7	63.4	2.7	±1 cm	
Sleeve length	Sleeve top to cuff, curved	36.5	35.8	36.5	37.2	37.9	0.7	±1 cm	
Cuff elastic	Edge to edge flat	36.0	33.8	36.0	38.2	40.4	2.2	±1 cm	
Hem sweep	Along bottom edge, curved	130.0	124.0	130.0	136.0	142.0	6.0	±2 cm	
Front V-neck binding	Finished, one side	9.0	9.0	9.0	9.0	9.0	0.0	±0.5 cm	
Sleeve top smocking	Finished inside notch	12.0	12.0	12.0	12.0	12.0	0.0	±0.5 cm	
Outseam	Side waist to bottom hem (side seam)	104.0	103.3	104.0	104.7	105.4	0.7	±1 cm	
Inseam	Crotch to leg opening	76.0	76.0	76.0	76.0	76.0	0.0	±1 cm	
Waist (elastic)	Along waist top, full circumference	82.0	77.0	82.0	87.0	92.0	5.0	±2 cm	
Waist (stretched)	Stretch capacity, no thread break	124.0	118.0	124.0	130.0	136.0	6.0	±2 cm	
Hip position	Up from crotch	12.0	11.4	12.0	12.6	13.2	0.6	±0.01 cm	
Hip	At crotch level, 3-point V full circ.	106.0	100.0	106.0	112.0	118.0	6.0	±2 cm	
Front rise (incl. WB)	Waistband top to crotch	29.0	28.0	29.0	30.0	31.0	1.0	±0.5 cm	
Back rise (incl. WB)	Waistband top to crotch	41.0	39.8	41.0	42.2	43.4	1.2	±0.7 cm	
Thigh circumference	At crotch, edge to edge flat	70.5	66.7	70.5	74.3	78.1	3.8	±1 cm	
Leg opening	Edge to edge flat	61.0	59.0	61.0	63.0	65.0	2.0	±1.5 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (1XL). All measurements in cm.



STYLE NO.

265TZ02058-A008 (9)

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ02058-A008 (9)

Part	Method	Sample	S	M	L	XL	Grade	Tolerance	
Neck width	Shoulder point to point, flat	20.5	20.5	21.0	21.5	22.0	0.5 / 0.5	±1 cm	
Bust	Underarm, edge to edge flat (spread)	82.0	82.0	86.0	92.0	98.0	4.0 / 6.0	±2 cm	
Waist	Narrowest point, edge to edge flat	64.0	64.0	68.0	74.0	80.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Stretch capacity, no thread break	96.0	96.0	100.0	106.0	112.0	4.0 / 6.0	±2 cm	
Hip position	Down from underarm	35.0	35.0	35.4	36.2	37.0	0.4 / 0.8	±0.1 cm	
Hip	At hip position, edge to edge flat	85.0	85.0	89.0	95.0	101.0	4.0 / 6.0	±2 cm	
Hem sweep	Along bottom edge, curved	79.0	79.0	83.0	89.0	95.0	4.0 / 6.0	±2 cm	
Back length	Back shoulder point to hem, straight	132.0	132.0	133.0	134.0	135.0	1.0 / 1.0	±1.5 cm	
Front shoulder elastic	Finished measurement	11.5	11.5	11.75	12.0	12.25	0.25 / 0.25	±0.5 cm	
Front right underarm binding	Finished measurement	19.0	19.0	19.9	21.25	22.6	0.9 / 1.35	±0.5 cm	
Front left upper elastic	Finished measurement	30.0	30.0	30.4	31.2	32.0	0.4 / 0.8	±0.5 cm	
Front left neckline clear strap	Finished measurement	34.0	34.0	34.9	36.2	37.5	0.9 / 1.3	±0.5 cm	
Front left armhole binding	Finished measurement	18.5	18.5	19.4	20.75	22.1	0.9 / 1.35	±0.5 cm	
Back underarm binding	Finished measurement	23.0	23.0	23.9	25.25	26.6	0.9 / 1.35	±0.5 cm	
Back neckline binding	Finished measurement	22.5	22.5	23.0	23.5	24.0	0.5 / 0.5	±0.5 cm	
Back vent	Finished vent opening	44.0	44.0	44.0	44.0	44.0	0.0 / 0.0	±0.5 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (S). All measurements in cm.



STYLE NO.

265TZ02058-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XS - XXL (EU 34-46)
Detailed size chart shown on the next page	
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ02058-A008

Part	Method	Sample	XS	S	M	L	XL	XXL	Grade	Tolerance	
Front length	Shoulder to hem, straight	67.0	66.0	67.0	68.0	69.5	71.0	72.5	1.0 / 1.5	±1.5 cm	
Neck width	Shoulder point to point, flat	18.0	17.5	18.0	18.5	19.0	19.5	20.0	0.5 / 0.5	±1 cm	
Shoulder width	Back shoulder point to point	43.0	42.0	43.0	44.0	45.0	46.0	47.0	1.0 / 1.0	±1 cm	
Bust	Underarm, edge to edge (back ×2)	87.0	83.0	87.0	91.0	97.0	103.0	109.0	4.0 / 6.0	±2 cm	
Waist	Narrowest point, edge to edge flat	79.0	75.0	79.0	83.0	89.0	95.0	101.0	4.0 / 6.0	±2 cm	
Armhole	Along armhole bone, curved (ref.)	46.0	44.2	46.0	47.8	50.5	53.2	55.9	1.8 / 2.7	±2 cm	
Hem sweep	Along bottom edge, curved (back ×2)	102.0	98.0	102.0	106.0	112.0	118.0	124.0	4.0 / 6.0	±2 cm	
Underarm binding	Finished measurement	49.0	47.2	49.0	50.8	53.5	56.2	58.9	1.8 / 2.7	±1 cm	
Waist sash	Highest point, flat	65.0	64.0	65.0	66.0	67.5	69.0	70.5	1.0 / 1.5	±1 cm	
Outseam	Side waist to leg opening (side seam)	62.0	61.6	62.0	62.4	63.0	63.6	64.2	0.4 / 0.6	±1 cm	
Inseam	Crotch to leg opening	31.0	31.0	31.0	31.0	31.0	31.0	31.0	0.0 / 0.0	±1 cm	
Waist (lower)	Along waist top, full circumference	67.0	63.0	67.0	71.0	77.0	83.0	89.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Stretch capacity, no thread break	98.0	102.0	98.0	106.0	112.0	118.0	124.0	4.0 / 6.0	±2 cm	
Hip position	Up from crotch	9.0	8.6	9.0	9.4	10.0	10.6	11.2	0.4 / 0.6	±0.01 cm	
Hip	At crotch level, 3-point V full circ.	121.0	117.0	121.0	125.0	131.0	137.0	143.0	4.0 / 6.0	±2 cm	
Front rise	Waistband top to crotch	32.0	31.5	32.0	32.5	33.4	34.3	35.2	0.5 / 0.9	±0.5 cm	
Back rise	Waistband top to crotch	42.0	41.3	42.0	42.7	43.8	44.9	46.0	0.7 / 1.1	±0.7 cm	
Thigh circumference	At crotch, edge to edge flat	76.0	73.6	76.0	78.4	82.2	86.0	89.8	2.4 / 3.8	±1 cm	
Leg opening	Edge to edge flat	68.0	65.6	68.0	70.4	74.2	78.0	81.8	2.4 / 3.8	±1.5 cm	
Back waist elastic	Finished measurement	31.0	29.0	31.0	33.0	36.0	39.0	42.0	2.0 / 3.0	±1 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (S). All measurements in cm.



STYLE NO.

265TZ02196-A882

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	0XL - 3XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ02196-A882

Part	Method	Sample	0XL	1XL	2XL	3XL	Grade	Tolerance	
Back length	Shoulder point to hem, straight	52.5	51.0	52.5	54.0	55.5	1.5	±2 cm	
Neck width	Shoulder point to point, flat	21.0	20.5	21.0	21.5	22.0	0.5	±0.8 cm	
Shoulder width	Back shoulder point to point	37.5	36.5	37.5	38.5	39.5	1.0	±1 cm	
Bust	Underarm, edge to edge flat (ref.)	110.0	104.0	110.0	116.0	122.0	6.0	±2 cm	
Waist	At waist seam, edge to edge flat	89.0	83.0	89.0	95.0	101.0	6.0	±2 cm	
Hem sweep	Along bottom edge, curved (ref.)	178.0	172.0	178.0	184.0	190.0	6.0	±2 cm	
Armhole	Along armhole bone, curved (ref.)	59.5	56.8	59.5	62.2	64.9	2.7	±1 cm	
Sleeve length	Sleeve top to cuff, curved (puff sleeve)	30.0	29.3	30.0	30.7	31.4	0.7	±1 cm	
Sleeve opening	Edge to edge, relaxed	38.0	35.8	38.0	40.2	42.4	2.2	±1 cm	
Back neckline binding	Finished measurement	23.0	22.5	23.0	23.5	24.0	0.5	±0.5 cm	
Front upper waist elastic	Finished, one side	24.0	22.5	24.0	25.5	27.0	1.5	±0.5 cm	
Front lower waist elastic	Finished, one side	23.5	22.0	23.5	25.0	26.5	1.5	±0.5 cm	
Back waist elastic	Finished measurement	42.5	39.5	42.5	45.5	48.5	3.0	±1 cm	
Front center tie	Finished measurement	50.0	50.0	50.0	50.0	50.0	0.0	±1 cm	
Sleeve top smocking	Finished measurement	9.0	9.0	9.0	9.0	9.0	0.0	±0.5 cm	
Chest bottom smocking	Finished measurement	7.0	7.0	7.0	7.0	7.0	0.0	±0.5 cm	
Sleeve cuff elastic	Finished measurement	38.0	35.8	38.0	40.2	42.4	2.2	±0.5 cm	
Outseam	Side waist to leg opening, curved	40.5	39.8	40.5	41.2	41.9	0.7	±2 cm	
Waist (elastic)	Full circumference at waist top	84.0	78.0	84.0	90.0	96.0	6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	126.0	120.0	126.0	132.0	138.0	6.0	±2 cm	
Hip position	Up from crotch	12.0	11.5	12.0	12.5	13.0	0.5	±0.5 cm	
Hip	At crotch level, 3-point V full circ.	144.0	138.0	144.0	150.0	156.0	6.0	±2 cm	
Leg opening	Edge to edge flat	100.0	96.2	100.0	103.8	107.6	3.8	±1 cm	
Front rise	Waistband top to crotch	36.0	35.0	36.0	37.0	38.0	1.0	±0.6 cm	
Back rise	Waistband top to crotch	50.0	48.8	50.0	51.2	52.4	1.2	±0.8 cm	



STYLE NO.

265TZ70203-A886

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XS - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

265TZ70203-A886

Part	Method	XS	S	M	L	XL	Grade	Tolerance	
Front length	Shoulder point to hem, straight	43.8	43.8	44.4	45.1	45.8	0.6 / 0.7	±2 cm	
Neck width	Shoulder point to point, flat	17.8	17.8	18.3	18.8	19.3	0.5 / 0.5	±0.5 cm	
Bust	Full circumference at underarm (ref.)	88.0	88.0	92.0	98.0	104.0	4.0 / 6.0	±2 cm	
Raglan sleeve length	Neckline to cuff, straight	35.0	35.0	36.2	37.4	38.6	1.2 / 1.2	±1 cm	
Sleeve opening	Full circumference at edge	41.5	41.5	42.5	44.0	45.5	1.0 / 1.5	±1 cm	
Hem circumference	Full bottom circumference	75.0	75.0	79.0	85.0	91.0	4.0 / 6.0	±2 cm	
Front waist dart	Finished measurement	16.3	16.3	16.3	16.3	16.3	0.0 / 0.0	±0.5 cm	
Back waist dart	Finished measurement	14.7	14.7	14.7	14.7	14.7	0.0 / 0.0	±0.5 cm	
Front skirt length	Waist top to hem, straight	94.0	94.0	95.0	96.5	98.0	1.0 / 1.5	±2 cm	
Waist (elastic)	Full circumference at waist top	64.0	64.0	68.0	74.0	80.0	4.0 / 6.0	±2 cm	
Waist (stretched)	Waist stretch capacity	96.0	96.0	100.0	106.0	112.0	4.0 / 6.0	±2 cm	
Hem sweep	Full hem circumference	220.0	220.0	224.0	230.0	236.0	4.0 / 6.0	±1 cm	
Side waist elastic	Finished measurement	16.0	16.0	17.0	18.5	20.0	1.0 / 1.5	±0.5 cm	
Side waistband elastic	Finished measurement	21.0	21.0	22.0	23.5	25.0	1.0 / 1.5	±0.5 cm	
Side waist smocking	Finished measurement	21.0	21.0	22.0	23.5	25.0	1.0 / 1.5	±0.5 cm	

* Grade = size increment between adjacent sizes. Base size: S. All measurements in cm.



STYLE NO.

266LQ02834-A899

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	0XL - 4XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

266LQ02834-A899

Part	Method	Sample	0XL	1XL	2XL	3XL	4XL	Grade	Tolerance	
Back center length	Back neckline to hem, straight	120.0	118.0	120.0	122.0	124.0	126.0	2.0	±1.5 cm	
Neck width	Shoulder point to point, flat	20.5	20.0	20.5	21.0	21.5	22.0	0.5	±1 cm	
Neck stretch	Stretch capacity, no thread break	60.0	58.8	60.0	61.2	62.4	63.6	1.2	±0.1 cm	
Shoulder width	Back shoulder point to point, flat	30.0	29.0	30.0	31.0	32.0	33.0	1.0	±1 cm	
Bust	Underarm, bone to bone flat	96.0	90.0	96.0	102.0	108.0	114.0	6.0	±2 cm	
Armhole binding	Along armhole bone, curved	60.0	57.3	60.0	62.7	65.4	68.1	2.7	±1 cm	
Waist (elastic)	Waist bone to bone, flat	84.0	78.0	84.0	90.0	96.0	102.0	6.0	±2 cm	
Waist (stretched)	Stretch capacity, no thread break	116.0	110.0	116.0	122.0	128.0	134.0	6.0	±2 cm	
Hem sweep	Along bottom edge, curved (inner)	102.0	96.0	102.0	108.0	114.0	120.0	6.0	±2 cm	
Front/back left elastic	Finished measurement	34.5	32.0	34.5	37.0	39.5	42.0	2.5	±0.5 cm	
Front/back right elastic	Finished measurement	32.5	30.0	32.5	35.0	37.5	40.0	2.5	±0.5 cm	
Front center elastic	Finished measurement	20.0	19.0	20.0	21.0	22.0	23.0	1.0	±0.5 cm	

* Grade = size increment between adjacent sizes. Sample = base sample size (1XL). All measurements in cm.



STYLE NO.

266LQ03104-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	XS - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

266LQ03104-A008

Part	Method	XS	S	M	L	XL	Grade	Tolerance	
Front length (ref.)	Shoulder point to floor, straight	146.0	147.0	148.0	149.0	150.0	1.0	±2 cm	
Neckline (asymmetric)	Along neckline, curved	77.2	80.0	82.8	86.7	90.6	3.9	±1 cm	
Bust	Full circumference at underarm	71.0	75.0	79.0	85.0	91.0	6.0	±2 cm	
Left armhole	Along armhole bone, curved	47.2	49.0	50.8	53.5	56.2	2.7	±1 cm	
Waist position	Down from underarm	15.0	15.0	15.0	15.2	15.4	0.2	±0.01 cm	
Waist	Full circumference at waist, horizontal	58.0	62.0	66.0	72.0	78.0	6.0	±2 cm	
Waist (stretched)	Stretch capacity, no thread break	92.0	96.0	100.0	106.0	112.0	6.0	±2 cm	
Hip position	Down from underarm	34.6	35.0	35.4	36.2	37.0	0.8	±0.01 cm	
Hip	Full circumference at hip, horizontal	78.0	82.0	86.0	92.0	98.0	6.0	±2 cm	
Hem sweep	Full bottom circumference	202.0	206.0	210.0	216.0	222.0	6.0	±2 cm	
Front neckline elastic	Finished, excl. sleeve	27.0	27.9	28.8	30.1	31.4	1.3	±0.5 cm	
Back neckline elastic	Finished, excl. sleeve	25.6	26.5	27.4	28.7	30.0	1.3	±0.5 cm	
Front arm elastic	Finished measurement	10.8	11.3	11.8	12.55	13.3	0.75	±0.5 cm	

* Grade = size increment between adjacent sizes. Base size: XS. All measurements in cm.



STYLE NO.

266LQ04239-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

- Notes:
- OEM & ODM services available
 - Custom labels, tags and packaging
 - Fabric swatches available upon request

STYLE NO.

266LQ04239-A008

Part	Method	S	M	L	XL	Grade	Tolerance	
Front length (ref.)	Shoulder point to hem, straight	139.0	139.0	139.0	139.0	0.0 / 0.0	±2 cm	
Neck width	Shoulder point to point, flat	19.0	19.5	20.0	20.5	0.5 / 0.5	±0.5 cm	
Shoulder width	Back shoulder point to point, flat	35.5	36.5	37.5	38.5	1.0 / 1.0	±1 cm	
Bust	Underarm, edge to edge flat (ref.)	90.0	94.0	100.0	106.0	4.0 / 6.0	±2 cm	
Waist	At waist seam, edge to edge flat	61.5	65.5	71.5	77.5	4.0 / 6.0	±2 cm	
Hip	20cm below waist, edge to edge flat (ref.)	83.0	87.0	93.0	99.0	4.0 / 6.0	±2 cm	
Hem sweep	Edge to edge flat	85.0	89.0	95.0	101.0	4.0 / 6.0	±2 cm	
Armhole	Along armhole bone, curved	43.7	45.5	48.2	50.9	1.8 / 2.7	±1 cm	
Sleeve length	Sleeve top to cuff, straight	62.5	63.5	64.5	65.5	1.0 / 1.0	±1 cm	
Sleeve arm circ.	Underarm, vertical to sleeve center line	27.0	28.4	30.6	32.8	1.4 / 2.2	±1 cm	
Sleeve opening	Edge to edge flat	18.0	19.0	20.5	22.0	1.0 / 1.5	±1 cm	
Back binding	Along edge, curved	84.0	84.0	84.0	84.0	0.0 / 0.0	±2 cm	
Back waist elastic	Finished measurement	30.0	32.0	35.0	38.0	2.0 / 3.0	±1 cm	
Front waist smocking	Finished measurement	24.6	25.4	26.6	27.8	0.8 / 1.2	±0.5 cm	
Front center smocking	Finished measurement	5.0	5.0	5.0	5.0	0.0 / 0.0	±0.5 cm	

* Grade = size increment between adjacent sizes. Base size: S. All measurements in cm.



STYLE NO.

266LQ04104-A008

Description	Women's Casual Apparel
Fabric	Contact for details
Composition	Contact for details
Available Colors	Custom colors available
Size Range	S - XL (EU 34-46)
	Detailed size chart shown on the next page
MOQ	100 pcs per color
Sample Lead Time	7 - 10 days
Bulk Lead Time	25 - 35 days
Packing	1 pc / polybag, standard carton
Payment	T/T 30% deposit, 70% before shipment

Notes:

- OEM & ODM services available
- Custom labels, tags and packaging
- Fabric swatches available upon request

STYLE NO.

266LQ04104-A008

Part	Method	S	M	L	XL	Grade	Tolerance	
Front length (ref.)	Shoulder to hem, straight (mannequin ref.)	135.0	136.0	137.0	138.0	1.0 / 1.0	±1.5 cm	
Neck width	Shoulder point to point, flat (bound neckline)	17.0	17.5	18.0	18.5	0.5 / 0.5	±1 cm	
Neck circumference	Along neckline, curved (bound neckline)	40.0	41.2	42.4	43.6	1.2 / 1.2	±1 cm	
Shoulder width	Back shoulder point to point, straight	37.0	38.0	39.0	40.0	1.0 / 1.0	±1 cm	
Bust	Underarm, edge to edge flat	78.0	82.0	88.0	94.0	4.0 / 6.0	±2 cm	
Waist position	Down from underarm	15.0	15.0	15.2	15.4	0.0 / 0.2	±0.1 cm	
Waist	At waist position, edge to edge flat	63.0	67.0	73.0	79.0	4.0 / 6.0	±2 cm	
Hip position	Down from underarm	35.0	35.4	36.2	37.0	0.4 / 0.8	±0.1 cm	
Hip	At hip position, edge to edge flat	86.0	90.0	96.0	102.0	4.0 / 6.0	±2 cm	
Hem sweep	Edge to edge flat	83.0	87.0	93.0	99.0	4.0 / 6.0	±2 cm	
Armhole	Along armhole bone, curved	44.0	45.8	48.5	51.2	1.8 / 2.7	±1 cm	
Sleeve length	Sleeve top to cuff, straight	60.0	61.0	62.0	63.0	1.0 / 1.0	±1 cm	
Sleeve arm circ.	Underarm, perp. to sleeve CL, flat	27.5	28.9	31.1	33.3	1.4 / 2.2	±1 cm	
Sleeve opening	Along cuff edge	19.0	20.0	21.5	23.0	1.0 / 1.5	±1 cm	
Front chest smocking	Finished measurement	7.0	7.0	7.0	7.0	0.0 / 0.0	±0.5 cm	
Back right smocking	Finished measurement	7.0	7.0	7.0	7.0	0.0 / 0.0	±0.5 cm	
Back panel smocking	Finished measurement	18.0	18.4	19.2	20.0	0.4 / 0.8	±0.5 cm	
Neckline binding	Along edge, curved	40.0	41.2	42.4	43.6	1.2 / 1.2	±1 cm	

* Grade = size increment between adjacent sizes. Base size: S. All measurements in cm.

Get In Touch

Contact Information

Email	sales@yourcompany.com
WhatsApp	+86 138-XXXX-XXXX
WeChat	your_wechat_id
Tel	+86-20-XXXXXXXX
Address	XXX Industrial Park, Baiyun District Guangzhou, Guangdong, China

About Us

Professional women's apparel manufacturer based in Guangzhou, China.

Services:

- OEM & ODM production
- In-house design team
- AQL 2.5 quality control
- Flexible MOQ for growing brands
- 7-10 day sample turnaround