

**LAKAD: A PERSONALIZED MOBILE ITINERARY
GENERATOR WITH FOCUS IN
BULACAN TOURISM**

An Undergraduate Thesis Presented to
the Faculty of the College of Science
of Bulacan State University
City of Malolos, Bulacan

In Partial Fulfillment of the Requirements for the Degree
Bachelor of Science in Mathematics with
Specialization in Computer Science

By
BRYAN C. DECLARO
FRANNIEL LUIGI C. HILARIO
BRIAN GABRIEL G. MAGBANUA
RICHARD M. MANANSALA

Under the supervision of
AARHUS M. DELA CRUZ, MSc
AARON PAUL M. DELA ROSA, DIT

May 2026

APPROVAL SHEET

In partial fulfillment of the requirements for the degree Bachelor of Science in Mathematics with specialization in Computer Science, this thesis entitled "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism**" has been prepared and submitted by Bryan C. Declaro, Franniel Luigi C. Hilario, Brian Gabriel G. Magbanua, and Richard M. Manansala , who are hereby recommended for oral examination.

Aarhus M. Dela Cruz, MSc
Adviser

Aaron Paul M. Dela Rosa, DIT
Co-Adviser

The document is approved in partial fulfillment of the requirements for the degree Bachelor of Science in Mathematics with specialization in Computer Science by the Committee on Oral Examination.

Marco C. Mandap, PhD
Chairperson

Deo Stephanie Angeles
Member

Minerva Amores
Member

The document is accepted and approved in partial fulfillment of the requirements for the degree Bachelor of Science in Mathematics with specialization in Computer Science by the Committee on Oral Examination.

Thelma V. Pagtalunan, PhD
Dean, College of Science

May 2026

ACKNOWLEDGMENT

Acknowledge here everyone who has any contribution in your thesis. Below is a sample acknowledgement.

The authors would like to thank first and foremost the Almighty God for giving them strength and courage to finish this research study. Their parents for the unending love and support, especially in terms of money. Their supportive friends for believing that they can finish this study when they think that they can't.

Special thanks to the creator of bulsuthsis.cls, and its accompanying files thesis.tex and thesis-structure.tex, Mr. Harris R. Dela Cruz. With these, the authors were able to typeset conveniently and efficiently an elegant and beautiful thesis manuscript.

Bryan C. Declaro

Franniel Luigi C. Hilario

Brian Gabriel G. Magbanua

Richard M. Manansala

DEDICATION

We dedicate this thesis for those who come after...

- The authors

TABLE OF CONTENTS

APPROVAL SHEET	ii
ACKNOWLEDGMENT	iii
DEDICATION	iv
LIST OF TABLES	vii
LIST OF FIGURES	ix
LIST OF APPENDICES	x
I The Problem And Its Background	1
Background of the Study	1
Statement of the Problem	4
Significance of the Study	5
Scope and Limitation of the Study	6
II Theoretical Framework	9
Relevant Theories	9
Review of Related Literature	14
Review of Related Studies	22
Synthesis of the Review	29
Conceptual Framework	30
Definition of Terms	32
III Research Methodology	35
Research Design	35
Model Adoption	37
Process of Developing the System	48
System Evaluation	58
Ethical Considerations	70

IV Presentation, Analysis, and Interpretation of Data	73
Comparative Analysis of TSP Algorithms	73
The Developed System	76
System Evaluation	91
V Summary, Conclusions, and Recommendations	96
Summary of Findings	96
Conclusion	99
Recommendations	102
REFERENCES	104
APPENDICES	111
CURRICULUM VITAE	163

LIST OF TABLES

Table	Title	Page
1	TSPLIB Instances for Benchmarking	40
2	List of Tools for Development	57
3	Tourist Arrivals in Bulacan (2025)	62
4	Allocation of Respondents for End-users	63
5	Summary of Population and Sample	64
6	Interpretation of Mean Scores for TAM	69
7	Interpretation of Mean Scores for ISO/IEC 25010:2023	69
8	Summary of Average Relative Error (%)	74
9	Summary of Average Runtime Efficiency (seconds)	75
10	Final SAW Scores and Rankings of TSP Algorithms	76
11	System Acceptability results	92
12	System Quality results	94
B.1	System Acceptance Evaluation Frequency Scores	126
B.2	System Quality Evaluation Frequency Scores (ISO/IEC 25010)	127

LIST OF FIGURES

Figure	Title	Page
1	Input-Process-Output (IPO) Model	31
2	Sample Graph	37
3	Subgraph result from OP	43
4	Kanban Software Development Life Cycle	49
5	Gantt Chart	51
6	System Architecture	53
7	Entity Relationship Diagram	54
8	Data Flow Diagram	55
9	Tourist Spot Exploration	77
10	Tourist Spot Information	78
11	Reviews and Ratings	79
12	Personalized Itinerary Generation	80
13	Generated Itinerary	81
14	Itinerary Optimization	82
15	Itinerary Management	83
16	Manual Itinerary Creation	84
17	Itinerary Navigation	85
18	Admin Options	86
19	Analytics	87
20	Manage Places	88
21	Tourist Spot Management	89
22	Distance Matrix Management	90
23	Review Reports	91
D.1	QR code for the TSP algorithms repository	133

D.2	QR code for the LAKAD application repository	133
D.3	QR code for the thesis LaTeX repository	133

LIST OF APPENDICES

Appendix	Title	Page
A	Pseudocode of TSP Algorithms	112
B	System Evaluation Results	125
C	System Flow Chart	131
D	Source Code and Project Repositories	132
E	Evaluation Instrument	134
F	Letters	140

CHAPTER I

THE PROBLEM AND ITS BACKGROUND

Itinerary planning is an important process that can enhance the experience of tourists in their travel such as how well the places interest the user and the flow in which the places are traversed. In the case of the province of Bulacan, this study created a mobile personalized itinerary generator as a possible solution to optimizing existing itineraries and providing rich and personalized itineraries of Bulacan tourism, based on the interests of the user. This chapter introduces the background, objectives, significance, and scope of the study.

Background of the Study

In the midst of advancement in technology and sciences, culture remains a vital part of many people's lives. Tourism, being a significant contributor to preservation of culture and local development, relies heavily on how well travel experiences are delivered. One of the most crucial aspects of this process is itinerary planning, a practice ensuring the maximization of multiple points of interest (POIs) efficiently without the unnecessary inconvenience. The ability to create structured travel plans does not only influence convenience but also impacts tourist satisfaction and chance of returning or recommending the destination to others.

Sustainable and authentic trends in travel experiences align with the Philippines' Department of Tourism's (DOT) initiatives to develop unique cultural and natural attractions (Department of Tourism (DOT), 2023). Despite these efforts, historically active provinces like Bulacan still has some of its tourist destinations neglected, proven by how some culturally relevant sites like Barasoain Church, often attract more visitors than others like the Immaculate Conception Cathedral, with 2.6 times more visitors, despite being in the same municipality (Canet & Sunpongco, 2025). Bulacan's tourist arrival reports also show that certain municipalities acquire an uneven number of visitors for the first three quarters of the year 2025 based on the data provided by the Provincial History, Arts, Culture, and Tourism Office (PHACTO). A problem that affects the development of Bulacan's tourism,

resulting in an overlook of economic opportunities for lesser-known municipalities.

These conditions highlight the need for smarter ways to plan trips, systems that can pull together all sorts of information and offer suggestions perfectly tailored to what each person likes. This is especially important as more and more people want to explore and truly experience a destination's uniqueness, which often demands a level of planning which outdated methods often fail to deliver (Halder et al., 2022). The Bulacan Provincial Government is actively promoting their attractions through Bulacan's Pamana Pass, a checklist of certain sites, but it only acts as a guide. Technology can help people utilize it more, and make trips more satisfying ensuring tourism spots grow in a way that benefits everyone.

Creating itineraries under many constraints has become increasingly automated through a mix of both optimization algorithms and content selection processes to resolve the scheduling and relevance aspects of itinerary recommendation (Jewpanya et al., 2025; Liu et al., 2024). However, such systems are often limited to specific regions and bound by the capabilities of the model used or lack of data (Cui et al., 2025; Papadakis et al., 2024; Yulfihani & Zakariyah, 2024). Despite the drive to develop systems that simplify the complicated problems of manual itinerary planning, existing travel apps still struggle to effectively recommend itineraries as reports from Arora et al. (2022) highlights that applications may offer destination suggestions but lack the ability to offer suggestions based on user preferences. Their reports also show the demand for a personally curated service, since 30 percent of travelers responded that they are “more likely to use a travel agent now than before the pandemic”. Although there are systems that already cater to this problem, a common weakness they have is overcomplexity (Postnikova, 2024). General-purpose platforms also generally do not align with the Philippines’ strategic imperative to build a deeper, distinct Filipino experience (Arora et al., 2022; Department of Tourism (DOT), 2023). These weaknesses expose the need for a simple, localized itinerary recommendation system, particularly in areas with uneven destination popularity like Bulacan. This study adopts

Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) developed by Yochum et al. (2020) as a recommender algorithm to ensure suggestions does not merely list POIs, but instead consider user preferences.

Another problem of planning a travel itinerary arises when considering other constraints beyond personalization. A challenge that involves not only selecting POIs but also determining the optimal visiting order, persisting despite advances in recommendation and optimization methods (Papadakis et al., 2024; Porras et al., 2022; Yulfihani & Zakariyah, 2024). These problems demonstrate that classic ways of planning itineraries lead to unsatisfactory results, implying the inherent value in creating automated systems for planning itineraries more efficiently. From a mathematical perspective, this problem is similar to the Traveling Salesman Problem (TSP) (Wu & Fu, 2020). To address such complexity, this study uses an additional optimization algorithm that caters to TSP, which will help optimize the given routes of POIs.

These limitations, taken together, imply that manual travel planning methods in Bulacan remain inefficient due to uneven attraction popularity, lack of a personalized and optimized routing system, and the absence of accessible tools that integrate both user preferences and route optimization, which points to a need for a practical, user-centered, and localized solution.

This study developed Lakad to address the identified problems and provide a tourist utility app for exploring destinations in the province of Bulacan. The system was developed to deliver two core features: a personalized itinerary generation, helping tourists better plan their trips according to their specifics, and an optimization algorithm to ensure routes are arranged in the best way possible. By combining the ideas of integrating personalized preference modeling and route optimization, Lakad seeks to provide a simplified and localized solution. Ultimately contributing to DOT's strategic goals by promoting Bulacan's cultural identity and mitigating imbalance in the tourism destinations.

Statement of the Problem

The lack of systems and applications for itinerary generation in Bulacan makes it much harder for tourists to traverse the wonders the province has to offer. As such, the main objective of this study is to develop a mobile personalized itinerary generator for promoting tourist locations in Bulacan as well as providing optimized paths in the itinerary, allowing the tourist to further enjoy their trip. Specifically, this study aims to answer the following questions:

1. Which algorithm performs best in terms of run time and solution quality for solving the Traveling Salesman Problem (TSP) among the following:
 - 1.1. Ant Colony Optimization (ACO),
 - 1.2. Genetic Algorithm (GA),
 - 1.3. Simulated Annealing (SA),
 - 1.4. Particle Swarm Optimization (PSO),
 - 1.5. Elephant Herding Optimization (EHO),
 - 1.6. Grey Wolf Optimizer (GWO), and
 - 1.7. Hovering Scouts and Foraging Flocks Pied Kingfisher Optimizer (HSFFPKO)?
2. How can the proposed system be developed with the following functionalities:
 - 2.1. Tourist Spot Exploration,
 - 2.2. Personalized Itinerary Generation,
 - 2.3. Itinerary Optimization,
 - 2.4. Itinerary Navigation, and
 - 2.5. Itinerary Management?
3. How acceptable is the proposed system based on the criteria defined in the Technology Acceptance Model?
 - 3.1. Perceived usefulness,
 - 3.2. Perceived ease of use,
 - 3.3. Attitude towards using, and

3.4. Behavioral intention?

4. How well does the proposed system meet the ISO/IEC 25010:2023 requirements?
 - 4.1. Functional Suitability,
 - 4.2. Performance Efficiency,
 - 4.3. Compatibility,
 - 4.4. Interaction Capability,
 - 4.5. Reliability,
 - 4.6. Security,
 - 4.7. Maintainability,
 - 4.8. Flexibility, and
 - 4.9. Safety?

Significance of the Study

This study developed an optimized mobile itinerary planner designed to promote tourism in Bulacan as a destination for tourists while providing functional and efficient navigation support for locals and commuters. The system functions as a tool that promotes the province's tourism industry, highlights its attractions, and makes trip planning easy by combining efficiency and personalization.

Tourists. The system provides personalized and optimized itineraries according to the user's interest and preferred distance. In this way, they can enjoy both well-known and lesser-known parts of Bulacan's natural, historical, and cultural heritage while making the most of their time.

Local Establishments. The system gives them more chances to get their products and attractions seen because they can be included in the itineraries. This kind of advertising gets more customers involved and helps local businesses grow.

Local tourism sector. The system provides a tool to tourism offices and local tourism operators that enhances destination promotion, encourages tourist engagement, and improves the efficiency of travel planning.

Local Communities. The system provides residents and local communities with assistance in moving around the province and discovering nearby attractions. By improving mobility, the system helps develop the community and allows all people to appreciate the Bulacan's cultural and historical sites more.

Commuters. The system provides an alternative tool designed to enhance daily travel efficiency for commuters within Bulacan. It brings practical convenience to people who rely on mobile guidance during regular transport because it offers optimized routing and accessible location information.

Future Researchers. This research can be a reference for researchers who would want to improve or further develop the tourism recommender system. The use of AGAM and TSP algorithms provides a foundation that others may extend, compare with different algorithms, or further improve by adding other features.

Overall, this study is significant because it supports development of tourism, sustainable development, and culture enhancement in Bulacan, and provides an example of how optimized and technology-driven solutions may enhance travel and navigation experiences.

Scope and Limitation of the Study

This study focuses on the development and evaluation of Lakad, a mobile personalized itinerary generator designed for the province of Bulacan. The research addresses the identified gap in manual itinerary planning and the limitations of existing travel applications by providing a localized solution that promotes the tourism in Bulacan. The application enhances the travel experience of tourists by providing functionalities such as itinerary optimization, personalized itinerary generation, tourist spot searching, itinerary navigation, and itinerary management. By integrating these features, the system makes traveling within Bulacan more convenient, efficient, and engaging for visitors.

Lakad is limited to the tourist destinations within Bulacan. The Points of Interest (POIs) included in the application are natural attractions, historical sites, cultural landmarks,

and recreational areas, which are verified by the Provincial History, Arts, Culture, and Tourism Office (PHACTO). Pasalubong Center were also included in the application. Restaurants are not included as POIs due to their large number and the potential bias towards bigger establishments.

The system was developed using the React Native framework, which enables cross-platform compatibility. However, deployment is limited to Android operating systems due to resource and cost constraints. iOS development requires access to macOS hardware and an Apple Developer account, which were not feasible for this study. Future iterations of Lakad may consider iOS implementation to expand platform reach.

For mapping and navigation services, the system integrates Mapbox API, which supports driving, walking, and cycling directions. Public transportation routing is not included, as Mapbox does not provide transit or multi-modal transportation data. Geographic coordinates and location data were sourced from Mapbox and PHACTO official records.

The itinerary generation feature applies Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) that balance multiple objectives including POI ratings, user-defined categorical interests, and travel distance constraints. The fitness function incorporates weighted factors to generate personalized recommendations aligned with user preferences. For route optimization, the system employs the algorithm determined to be most suitable based on a comparative analysis of seven metaheuristic algorithms, evaluated using standardized TSPLIB instances. The evaluation criteria include solution quality, measured by average relative error, and runtime efficiency. The algorithm ranking was performed using the Simple Additive Weighting (SAW) method with equal weights assigned to both criteria.

The system generates single-day itineraries constrained by user-defined parameters such as maximum travel distance and maximum number of POIs. Multi-day tour planning is not supported in the current implementation. Users may pause and resume itinerary navigation, and stops are automatically marked as visited based on proximity detection or

manual confirmation. The system does not integrate external booking services such as accommodation reservations, and ticket purchases.

The system's quality and acceptability was quantitatively evaluated using two standard instruments, Technology Acceptance Model (TAM) and ISO/IEC 25010:2023. The evaluation for the end-users utilize TAM to assess perceived usefulness, ease of use, and intention to use towards the application. In addition, the system was assessed against the ISO/IEC 25010:2023 software quality standards, covering functional suitability, performance efficiency, compatibility, interaction capability, reliability, security, maintainability, flexibility and safety.

CHAPTER II

THEORETICAL FRAMEWORK

This chapter combines significant findings from various literature and studies from tourism, exploration of the traveling salesman problem (TSP) in itinerary planning, and methods for recommendation for itinerary generation. This comprehensive review serves as the basis for the development of the Lakad application by identifying relevant factors such as optimization algorithms for TSP in itinerary planning and factors to consider when creating personalized recommendation features of the system.

Relevant Theories

Key features of Lakad rely on established theories of mathematics. This section examines the foundational theories and explains how they are used and related to the concept of itinerary optimization and personalized generation.

Graph Theory

Graph Theory is a branch of mathematics that is still relatively young but is developing quickly. The foundation of graph theory goes back to the 18th century, when Leonhard Euler solved the Königsberg Bridge Problem, which is often thought of as the first problem in the field. Euler's work introduced this approach of representing real-life connections through vertices and edges, which forms the basis of all network studies and relations. In the early 20th century, mathematicians like Kuratowski, Wagner, and Whitney made the field bigger by studying planar graphs and coming up with basic ideas that later became Graph Minor Theory, which connected graph structures to geometry and topology. The proof of the Four Color Theorem in 1976 made graph theory even more popular and showed how useful it could be for solving complex mathematical and computational problems (Carmesin, 2022).

A graph is a set of vertices and edges, where each edge connects exactly two vertices. Topologically, a graph can be thought of as a one-dimensional simplicial complex (Carmesin, 2022). A graph $G = (V, E)$ is composed of a set of vertices V and a set of edges E . There

are two types of graphs, directed graphs, which have edges that can only go in one direction, and undirected graphs, where edges allow movement in both directions. Additionally, they can be weighted, it means that each edge has a number that represents different factors like cost, time, and distance.

In this study, the concept of graph theory was applied to represent the points of interest (POI) as nodes and the distance between every connected vertex as the edges. This graphical representation of cities and their distances is one of the common applications of graph theory and allows access to powerful algorithms and methods for optimization.

Traveling Salesman Problem

This is a specific problem under the field of graph theory. According to Pop et al. (2024), the Traveling Salesman Problem (TSP) has been in the history of combinatorial optimization since 1930, and was properly provided a mathematical formulation by Merrill M. Flood. TSP became very popular since it is a widely investigated optimization problem, often serving as a benchmark for modern optimization algorithms. The problem states that, given a set of cities, the salesman's goal is to find the shortest possible route that visits each city exactly once. According to Wu and Fu (2020), TSP is considered a non-deterministic polynomial time problem or simply an NP-hard problem, meaning it is hard to solve efficiently and finding the exact solution takes a lot of time. Hence, one of the best way to solve it is through heuristic algorithm, where the best solution is not necessarily the optimal but the solution that takes reasonable of amount of time to solve (Sabery et al., 2023).

A Study by Violina (2021), analyzes two exact algorithms to solve TSP, the brute force algorithm and the branch and bound algorithm. They conclude that solving TSP with exact algorithm results in optimal outcome but less effective. On the other hand, independent studies by Wu and Fu (2020) and Wadi and Umar (2025), utilizes metaheuristic to solve TSP, and found that it is much better than using exact algorithms. It can easily be seen how the idea of TSP can be applied to itineraries. Each location of itineraries will be nodes and the distances between them are the edges. The goal of the system for the itinerary is to find the

route which covers the least distance (Pop et al., 2024). These concepts of TSP are used in the route optimization feature of the system, where the system will find the optimal route for the generated itinerary.

Orienteering Problem

The Orienteering Problem (OP) is a routing problem that aims to maximize the total rewards collected along a route within a given travel budget (Yu et al., 2022). Similar to this, Morandi et al. (2024) explains OP as the task of planning a route for one vehicle that has to follow a travel budget. The problem is depicted as a graph where the roads have distances and the locations have points or reward values. The goal in this problem is to create a path that starts and ends at the depot, stays within the travel limit, and collects as many rewards as possible from the places visited. Similarly, it originated from a sport of the same name, where participants visit check-points with pre-determined scores, in an attempt to maximize their total score within a specific time (Lim et al., 2019). Pěnička et al. (2019) described OP as a type of problem in operations research, introduced to it in 1984 by Tsiligirides. They then explained that OP is a problem that combines the combinatorial optimization problem Knapsack Problem (KP) with TSP. These two work separately as TSP, given a set of customers, seeks to find the sequence in which to visit selected customers, constrained within a budget, while also minimizing the tour path. The subset of selected customers is selected by the KP, where it maximizes the collected profit based on the selection of customers to be visited within the budget constraints. This was used in the itinerary generation feature of the system where the user provides input for the time or distance constraint to generate an itinerary for the user. This is supported by two independent studies by Yochum et al. (2020) that utilize Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities and, Tenemaza et al. (2020) by modeling the Tourist Trip Design Problem (TTDP) as a Time-Dependent Orienteering Problem with Time Windows (TDOPTW) in their itinerary planning systems.

Simple Additive Weighting

Simple Additive Weighting (SAW), is one of the most widely used methods for Multi-Criteria Decision Making (MCDM). It is used to evaluate and rank a set of alternatives based on multiple and often conflicting criteria. SAW works by calculating a single performance score for each alternative by summing the weighted performance ratings of those alternatives across all criteria (Taherdoost, 2023).

The implementation of SAW follows a structured process to transform diverse criteria into a comparable format. To aggregate different criteria, the data must be normalized first, this is essential because decision matrices often contain data with different units of measurement (Taherdoost, 2023). Malefaki et al. (2025) suggests that min-max normalization technique is the most appropriate for SAW, as it offers robustness regarding small variations in initial data while remaining sensitive to significant shifts in trends. Another critical component of SAW is the assignment of weights to each criterion, which reflects their relative importance in the decision-making context. These weights must sum to 1 (or 100 percent). Weighting can be derived mathematically from the data itself (objective weighting), or subjectively chosen based on the preference, knowledge, and experience of the decision-maker (Odu, 2019). The final score for each alternative is calculated by summing the products of the normalized ratings and their respective weights. The alternative with the highest or lowest total score, depending on the objective, is considered the optimal solution (Taherdoost, 2023).

In the context of this study, SAW was used to select the best algorithm for route optimization. The criteria for selection include accuracy and speed. Each algorithm was evaluated based on these criteria, and the one with the best overall score was chosen for implementation in the Lakad application.

Technology Acceptance Model

The Technology Acceptance Model (TAM) is one of the well-known theories in explaining and predicting users' acceptance of information systems. Fred D. Davis developed this theory in 1989 to understand the psychological factors affecting individual's acceptance and usage of technology. According to Marikyan and Papagiannidis (2025), the model is based on the Theory of Reasoned Action (TRA), which highlights how an individual's attitude and subjective norms influence their behavioral intention. By concentrating on the variables that influence users' attitudes toward using a particular system, TAM modifies this framework to fit the technological environment.

The model provides a theoretical framework for assessing how likely it is that technology will be adopted in different situations. It has been one of the most widely applied models due to its simplicity and strong explanatory capacity to pinpoint the primary psychological factors influencing users' adoption of new technologies. Through this framework, researchers and developers can analyze how users perceive a system and identify where modification can be made to enhance acceptance and satisfaction (Marikyan & Papagiannidis, 2025). TAM postulates that the acceptance of technology is primarily determined by an individual's behavioral intention (BI), which is shaped by two cognitive responses: Perceived Usefulness (PU) and Perceived Ease of Use (PEOU) (Marikyan & Papagiannidis, 2025). According to Aburbeian et al. (2022), these two constructs are considered the most critical variables influencing the use or rejection of new technology.

Software Product Assessment Framework (ISO/IEC 25010:2023)

ISO/IEC 25010:2023 is part of the Systems and Software Quality Requirements and Evaluation (SQuaRE) series, and it identifies the models to be used for describing and evaluating the quality of software and system products. It provides common terminology and concepts that enable developers, consumers, and evaluators to specify quality requirements and to determine whether a product meets the requirements. The standard emphasizes that

both functional and non-functional aspects of performance should be reflected in the defined characteristics and sub-characteristics used in the evaluation of the quality of the product (“ISO/IEC 25010”, 2024; “Systems and software engineering — Systems and software Quality Requirements and Evaluation (SQuaRE) — Product quality model”, 2023).

The model states that the product quality model consists of nine primary characteristics: functional suitability, performance efficiency, compatibility, interaction capability, reliability, security, maintainability, flexibility, and safety. Each characteristic is made up of sub-characteristics which describe quantifiable components of quality, like operability, scalability, coexistence, correctness, and completeness. To keep up with changing technological contexts, the 2023 revision includes revised terminology, replacing interaction capability for usability and flexibility for portability. This system ensures that from a theoretical basis, software products are evaluated consistently to meet user expectations for performance, reliability, and safety throughout their life cycle.

Review of Related Literature

This section presents studies relevant to the development of the developed application. It covers works on Bulacan tourism, optimization techniques for itinerary generation, and related approaches in personalized travel planning. By reviewing these studies, the foundation for the system was established and the selection of suitable methods for itinerary generation was justified.

State of Tourism in Bulacan

According to Canet and Panaligan (2024), tourism development in Bulacan is highly influenced by accessibility, infrastructure, promotion, and the preservation of cultural and natural heritage. While Bulacan shows great potential as a tourist destination because of its rich history and heritage, the issues such as weak promotion, limited facilities, and transportation continue to limit its growth. Following this, a study by Canet and Sunpongco (2025), investigates why some historical and cultural destinations in Bulacan

remain neglected despite the province's rich heritage. Their study reveals that popular landmarks like Barasoain Church and Basilica Minore de Immaculada Concepcion, both in Malolos City, attract the most visitors. On the other hand, attractions in other municipalities such as Meyto Shrine in Calumpit and Francisco Balagtas Museum in Balagtas, showed lower visitations. This imbalance reflects the uneven promotion of Bulacan's tourist sites.

This uneven promotion aligns with the findings of Canet and Panaligan (2024) that one of the issues is the weak promotion. Furthermore, Canet and Sunpongco (2025) examined the promotional strategies used by tourism offices and found that online promotions, social media campaigns, and partnership with bloggers and vloggers were the most effective methods of engaging younger audiences. While traditional approaches such as brochures, festivals and community-driven activities still play a role, digital strategies are better suited for Gen Z and millennial demographic. They emphasized the importance of collaboration among local government units, schools, communities, and tourism stakeholders to ensure consistent promotion and sustainable tourism development.

The local government of Bulacan has also recognized the importance of tourism in the province. In 2023, the Provincial Government of Bulacan launched the Bulacan Pamana Pass, a tourism initiative that focuses on local culture, heritage conservation, and community engagement. The Pass consists of twenty historical and cultural landmarks in the province. The landmarks include Barasoain Church, Casa Real de Malolos, the Malolos Cathedral, and the historic train stations in Guiguinto and Meycauayan, offering a structured route and incentives for completion (Velasco, 2023). While the Heritage Pass strengthens heritage preservation and promotional efforts, it does not provide optimized travel sequencing for visitors, leaving tourists to plan routes on their own. This gap underscores the need for systems that not only identify attractions but also generate efficient itineraries tailored to tourists' time and travel constraints.

Digital Adoption of Tourism in Bulacan. Digital strategies also play a critical role in Bulacan's tourism promotion, Canet et al. (2023), studied how social media content

is disseminated to the users in San Rafael, Bulacan and found that 57 percent agreed that social media helped them determine their next choice of destination and 61 percent agreed that social media is a good strategy to make more tourist locations known to people. In line with this, K. C. Y. Dela Cruz et al. (2022) also surveyed 100 tourists that visited Dona Remedios Trinidad, Bulacan to determine the effectiveness of using social media in promoting a tourist destination and asked questions ranging from how social media influences traveler's decisions to the problems faced by tourists when using social media as a guide for tourism. They found that most travelers agreed that social media does influence the choice of destination of travelers. While problems reported by tourists is the spread of false or misleading information, different expectations, and inaccurate photos / videos to different tourist destinations. Clearly, the importance and role of social media in making tourist locations well-known is irreplaceable, aligning with the findings of Canet and Sunpongco (2025). However, it is also prone to misleading information, highlighting the need for verified and curated information of tourist attractions in Bulacan.

Meta-heuristic Algorithm for Routing

Route optimization can be modeled as a TSP, where it seeks the shortest possible route that visits a set of cities (nodes) exactly once. There are many algorithms that provide the solution to the TSP, one of those algorithms is the exact method. According to Violina (2021), exact methods such as Brute Force (BF) and Branch and Bound (BB) algorithms are used to solve TSP. These methods involve evaluating each possible solution one at a time until all of them are explored, then comparing each solution and then selecting the smallest one. The exact algorithm guarantees the best solution, however it becomes inefficient when the number of cities becomes large.

Another approach in solving TSP is through metaheuristic algorithms. These are often referred to as a Nature-inspired Optimization Algorithm, it is designed to find the optimal or near-optimal solutions to complex problems by mimicking the behavior of natural systems, processes, or phenomena (Sabery et al., 2023). Generally, metaheuristic algorithms

begin with an initial solution and follow a set of heuristic principles to explore the search space and iteratively improve it. These guidelines help the algorithm avoid local optima and locate globally optimal or nearly optimal solutions by directing the search process toward promising areas of the search space.

In line with this, Barb-Ciorbea (2023) compared an exact method, Mixed Integer Linear Programming (MILP), with a metaheuristic approach, Ant Colony Optimization (ACO), for solving the TSP with time window constraints. The results of the exact approach shown is advantageous because it guarantees the best solution; however, its runtime becomes very high as the number of cities increases. For larger instances, the heuristic approach produced solutions much more quickly, although without the guarantee of global optimality. Despite this, both algorithms were able to achieve the best result in the tested scenario. Moreover, the metaheuristic demonstrated an additional advantage by aiming to minimize waiting duration at nodes when waiting could not be avoided. These findings emphasize that while exact methods provide precision, metaheuristic methods are better suited for larger and more time-sensitive problems (Barb-Ciorbea, 2023). This demonstrates that while exact methods are strictly optimal with respect to accuracy, their exponentially growing time complexity renders them impractical to apply to large-scale or time-constrained situations.

The goal of most metaheuristic algorithms is to find an optimal path to an instance of the TSP. The increased robustness was also found in the study of Hossain and Yilmaz Acar (2024) where they compared new optimization algorithms against old optimization algorithms for solving the TSP and concluded that the new algorithms demonstrated greater effectiveness than the old algorithms in medium-scale instances. The new algorithms used in the study which are the Artificial Bee Colony (ABC), Grey Wolf Optimization (GWO), and the Salp Swarm Algorithm (SSA) performed better routes on average compared to the classic algorithms such as the Genetic Algorithm (GA), Ant Colony Optimization (ACO), and Simulated Annealing (SA). This means that on average, the three newer algorithms produced more consistent results than the classic three. However, they also stated that although newer

algorithms produced better outputs, traditional algorithms such as GA and ACO remained to demonstrate strengths for specific instances. While newer and complex algorithms outperform traditional ones in accuracy and robustness, their higher computation times may pose challenges for resource-constrained environments such as mobile devices.

On the other hand, a different comparative study by Wadi and Umar (2025) highlighted the capability of ACO and Particle Swarm Optimization (PSO) to provide a fast execution speed with minimal solution quality reduction, albeit PSO being parameter-sensitive. They also examined another swarm-based approach in the form of Elephant Herding Optimization (EHO), which consistently outperformed both ACO and PSO by achieving lower optimal costs while maintaining short execution times. Their study demonstrated the practicality of the swarm-based approaches in large-scale instances, over exact methods. There are also algorithms that focus on faster execution time at the cost of less solution quality to the route planning. These fast algorithms, however, are most suitable for hardware-related limitations such as processing power in mobile devices.

A more recent nature-inspired optimization technique related to route planning is the Hovering Scouts and Foraging Flocks Pied Kingfisher Optimizer (HSFFPKO). This algorithm enhances the original Pied Kingfisher Optimizer by adding two mechanisms that promote a better balance between exploration and exploitation in searching for a solution. The hovering scout component increases early-stage exploration by probing new regions of the solution space, while the foraging flock mechanism improves exploitation toward guiding candidate solutions to better areas. HSFFPKO showed strong performance in optimization on the CEC 2017 benchmark suite and on various engineering design problems by showing faster convergence and high solution quality compared with several swarm-based metaheuristics (A. M. Dela Cruz, 2025).

Each discussed metaheuristic algorithm demonstrates their strengths and caveats. For instance, in the study of Hossain and Yilmaz Acar (2024), new algorithms (ABC, SSA, GWO) generally have better convergence and scalability than older algorithms (GA, ACO,

SA). In terms of speed and accuracy, SA and PSO show fast runtime but sacrifice accuracy. However, the algorithms in the study of Hossain and Yilmaz Acar (2024) and Wadi and Umar (2025) were tested under different tests. Hence, to find the best algorithm among them, each must be evaluated under the same test. Furthermore, the review also shows that the exact algorithm is impractical due to the time it takes to find the exact solution, thus excluding it in the algorithm to be evaluated. The best performing algorithm in terms of speed and accuracy was the algorithm implemented in the study's developed mobile application.

Itinerary Recommendation and Generation

An itinerary is defined as a structured sequence of selected places, also called Point of Interest (POI), from a set of destinations in an area. Itineraries often include activities that are offered by the POI. Every itinerary is planned accordingly under many constraints, especially in scheduling the order of visitation. These constraints include but are not limited by the route distance, time-allocation, and popularity. By planning an itinerary, tourists can utilize it to serve as a practical roadmap for their travels. These itineraries are not only useful to tourists, but are also an important application of what is called optimization algorithms and recommendation systems. Researchers often describe it as a tourist trip design problem (TTDP), a combinatorial planning task that finds the optimal visiting order of POIs under many constraints (Ruiz-Meza & Montoya-Torres, 2022).

A recommendation system is often included in itinerary generators as explored in the study of Otaki and Baba (2025) where they create a Travel recommender systems (TRSs) that recommend the most relevant itineraries for the users. One of the popular recommendation methods is the Content-based Filtering (CBF). It uses a feature list of items and compares it with items preferred by a specific user previously. The items that match in similarity are recommended to the user. CBF works by storing user profiles based on item features which are most commonly preferred by the user. These features are used to map the similarity of one item with another by similarity equation. Then, it compares each item's features with the user profile and recommends it based on the degree of similarity (Raghuvanshi & Pateriya,

2019). The other popular recommendation method is through Collaborative Filtering (CF). This method is used to predict a user's preferences or opinions by using the collective information of other users of the system. It basically analyzes the similarity between user's preferences and provides a recommendation that way (Li et al., 2024; Widayanti et al., 2023). However, both CBF and CF suffer from a cold start problem where it requires a large enough data of users.

Another approach for itinerary recommendation is based on the Orienteering Problem (OP). According to Lim et al. (2019) Tour recommendation has its roots in the OP and similar variants where a key feature is that they do not incorporate any personalization for individual users. However, a study by Yochum et al. (2020) proposed an Adaptive Genetic Algorithm with dynamic crossover and mutation probabilities (AGAM) to handle personalized multi objective itinerary planning. Their approach integrates mandatory POIs, popularity ratings, visit duration, travel time, and costs into a weighted fitness function. By using data from platforms like TripAdvisor, GoogleMaps, and Flickr, AGAM adapts during evolution to avoid stagnation and produce diverse solutions. They tested the model with a dataset for six cities namely Budapest, Edinburgh, Toronto, Glasgow, Perth, and Osaka. AGAM was compared against two baseline heuristics, MaxN a greedy approach that prioritizes the maximum number of POIs, and MaxP also a greedy approach that prioritizes POIs with the highest rating. The results show that while MaxN and MaxP performed better at including mandatory POIs, AGAM generated richer itineraries with higher-rated POIs. AGAM shows more effective use of time budgets, and improved user enjoyment, but at the expense of higher cost and fewer mandatory POIs. This study shows that an algorithmic approach can provide personalized itinerary for tourists.

The algorithmic approach of Yochum et al. (2020) highlights adaptability through genetic algorithms and diverse real world data sources to produce personalized itineraries and AGAM prioritizes richer and higher rated itineraries even at the cost of efficiency. Additionally, this approach solves the shortcomings of CBF and CF such as: CBF doesn't

have much control over route-level constraints like travel time, distance and budget. Due to the shortcomings of CF and CBF and since the proposed system is a standalone mobile application with no external server, an algorithmic approach is the desired approach for TRS. Hence, the algorithmic approach of Yochum et al. (2020) is the framework to be implemented on the proposed system because it combines recommendations and itinerary generation through the AGAM framework.

Mobile Itinerary Generator

Itinerary generators have been adopted in mobile devices, and various studies have consistently highlighted the role of smartphones in automating and personalizing trip planning. A study by Estilo et al. (2023) developed a mobile application named Destamp, it is a comprehensive planning tool that unifies itinerary generation, budget tracking, and recommendations for Iloilo city. Destamp uses Genetic Algorithm combined with CBF for recommendations. In contrast, Leong (2022) developed an itinerary planner with smart trip generation and social platform that takes a more generic tourism perspective. Loh's app includes itinerary management, auto build route function, and optional manual editing. Rahman and Jamil (2025) work on iGuid Ipoh positioned the app as a smart-tourism solution for a heritage city, integrating itinerary management with location-based services (LBS) and interactive maps to promote local attractions.

In terms of personalization, Yulfihani and Zakariyah (2024) developed a tourism recommendation system for Batang Regency in Indonesia. Their system compares different categories based on the user's preference making the recommendation more tailored fit for the user. For Estilo et al. (2023), user's preferences are expressed through financial constraints and attraction choices within Iloilo City. Rahman and Jamil (2025) iGuide Ipoh focuses more on contextual and spatial personalization via LBS: the app helps users discover nearby attractions and manage trips while in the destination, but relies less on sophisticated preference modeling and more on location, maps, and curated city content. Loh's system offers personalization through attraction categories and trip parameters (e.g., dates, starting

points), then auto-generates a route that users may rearrange, thereby balancing automation with post-generation control (Leong, 2022).

These studies complement each other, for instance the study of Estilo et al. (2023) lacks itinerary management, which Leong (2022) and Rahman and Jamil (2025) included in their study. Additionally, Yulfihani and Zakariyah (2024), although providing a great tourism recommendation system, didn't include interactive map capabilities just like the other mentioned studies. Lakad sought to implement these features to fill the shortcomings with each mentioned study. By unifying personalized recommendations, route optimization, itinerary management, and map-based navigation; Lakad positions itself as an improved and more holistic mobile solution for travel planning.

Review of Related Studies

This section presents different related studies that feature: itinerary optimization, where in a group of locations is selected and the order of visitation becomes an output; and personalized itinerary recommendation, where based on the user's preferences and other factors, an itinerary is generated.

Trippit: An Optimal Itinerary Generator

Trippit by Nguyen and Shoubber (2019) addresses a fundamental problem in itinerary planning which is the optimization of the itinerary itself which is a fundamental limitation of Google Maps. Although Google Maps supports multiple stops, it leaves the sequencing to the user and often resulting in inefficient trip planning. Manual planning takes time and significant effort to optimize in terms of total distance traveled and how long each location to visit for. The study also stressed the fact that most travelers would often switch between Google Maps and Yelp for planning itinerary. The system eliminates the difficulty in travel planning which makes vacation trips more time efficient and enjoyable to travelers.

The system was developed using the Waterfall method where each design phase is completed first before beginning the next. An android application was developed using

React Native library and called network APIs such as the Google Places API and Foursquare Places API to calculate the optimized itinerary provided by the user. Users can input point of interests (POI) in which the application then retrieves the information from the respective APIs and calculates and outputs the optimized tour based on a greedy algorithm. Their system also calculates the best time to visit each input.

Trippit underwent several testing phases: primary testing, where they compared the results of the system to a known small list of itineraries; unit and integration testing, where they tested the logic and the correctness of the user interface; and alpha testing, with 10 users and was validated using a user satisfaction survey, in which most of the alpha users were satisfied with the resulting itinerary. However, through the selection of the algorithm and device came its limitation, which is that the application can only process up to 12 points of interest (POI). Its evaluation is also a concern as it didn't use any standard evaluation methods like ISO/IEC 25010:2023 standard or the Technology Acceptance Model (TAM). Although a small prototype, Trippit can be considered a good enough system as it was able to produce good itineraries with a simple smartphone application without the use of advanced tools like Google OR.

However, the system focuses solely on itinerary optimization and does not include any recommendation features. Users must already know which POIs they want to visit and input them into the system. There is no mechanism to suggest POIs based on user preferences or popular attractions. Additionally, the greedy algorithm used may not always yield the globally optimal itinerary, especially as the number of POIs increases. The limitation of processing only up to 12 POIs also restricts its applicability for longer trips with more destinations. Future improvements could include integrating recommendation algorithms to suggest POIs and exploring more advanced optimization techniques to handle larger sets of locations.

Optimization of Tourism Destination Recommendations in Batang Regency Using Content-based Filtering

Yulfihani and Zakariyah (2024) created a tourism recommendation system for Batang Regency in Indonesia. They applied Content-Based Filtering (CBF) for their recommendation system, using tourist preferences as their data source. Tourists interact with the system by adding destinations to a wishlist. The system then uses the wishlist to learn the tourist's preferences. The recommendation factors category similarity where it compares the categories of wishlist items like nature, culture, culinary, and leisure; and location similarity by calculating the distance between destinations using the Haversine formula, which finds the shortest distance between two points on Earth using latitude and longitude. The total similarity then calculated with 70 percent category similarity and 30 percent location similarity. The system ranks all available attractions by their total similarity score and the top 10 destinations are recommended to the tourist. The system was tested in different scenarios such as single item in wishlist, multiple items from same category with same/different locations, and multiple items from mixed categories. They use precision, recall, and F1 score as a metric for the system.

The system was designed with a three-tier architecture that includes Backend, Web Admin Panel, and Mobile Application. The backend was built using Laravel (PHP framework) and MySQL, it acts as the hub for all operations including user authentication, processing recommendations using the CBF algorithm, and managing communication between the mobile app, admin panel, and database. The Web admin panel is for administrators and also developed using Laravel, it enables admins to manage tourist destinations, categories (nature, culture, culinary, etc.). Any changes made in the admin panel updates the backend database which instantly reflects to the mobile apps. The Mobile application was developed using Android Studio and Kotlin, it connects the backend using RESTful APIs via Retrofit. The app provides tourists with Login/registration, wishlist management, personalized recommendation based on wishlist and CBF algorithm, viewing details of attractions, and

Filtering by categories and proximity.

The system provides highly accurate and relevant recommendations for tourists, especially in simple preference scenarios. The Content-based filtering approach worked well for aligning recommendations with tourists interests, and achieving a very high F1 score of 0.965. However, performance dropped slightly in complex scenarios like when the wishlist items mixed with different categories and locations. The Authors recommend future improvements such as expanding the dataset, using hybrid models (CBF + collaborative filtering), and adding user feedback mechanisms to further refine recommendations.

However, their study is solely focused on the recommendation aspect of the system, and not on the itinerary optimization. While the system can recommend destinations based on user preferences, it does not optimize the sequence of visits or consider travel constraints like time and distance. Additionally, they didn't include an evaluation for the system like ISO/IEC 25010:2023 standard or the Technology Acceptance Model (TAM), only the evaluation for the Content-based filtering was provided.

Visit Planner: A Personalized Mobile Trip Design Application based on a Hybrid Recommendation Model

Visit Planner (ViP) a mobile application prototype developed by Papadakis et al. (2024). It offers personalized recommendations for an itinerary based on user preference which are either explicitly collected by the application or assessed through the user's behavior within it. ViP utilizes an Expectation Maximization method to offer the user an itinerary that tailors to their satisfactory needs while taking into consideration time and spatial constraints that concern both the user and the destination. The application currently focuses on the city of Agios Nikolaos in Crete. The system requires a user to create a secured profile in a registration process, wherein demographic information and essential data for the algorithm is collected. After this registration process, the user is also asked to specify their preferences in three different ways of their choice, one is by rating categories of POI, another choice is by stating if they like or dislike the category, and another one is by selecting their most

preferred category. These categories are carefully specified by analyzing responses collected from 150 visiting tourists, in addition to local and expert knowledge in Agios Nikolaos.

The architecture of the system consists of main components like the front-end User Interface, back-end database, the middleware for processing the information, the recommendation components, and the itinerary creation components. The front-end of the application is an android app available in Google Play. The back-end is composed of MariaDB databases for the purpose of storing necessary information of users and POIs for smooth operations and functionalities. The middleware, built upon the basis of Spring Boot Framework aims to process the controlling flow between the system components and perform the functionalities. It works by receiving queries from the front-end, and then sending those to the recommendation algorithms. The recommendation and itinerary creation components comprises four several recommendation algorithms to tender the needs of the user, where each user is assigned a different algorithm for their cases in performance evaluation wise. ViP integrates multiple, novel recommendation algorithms which can adapt to different user profiles.

The algorithms include model-based collaborative filtering that uses synthetic coordinate based system for recommendations (SCoR), hierarchical content-based similarity measures, a hybrid content-based recommendation using Weighted Extended Jaccard approach combined with the second one, and Bayesian recommendation algorithm. Any of these algorithms is applied to generate personalized POI suggestions. And once candidate POIs are retrieved, an expectation-maximization-based itinerary creation component sequences them into a feasible route by maximizing user satisfaction function constrained under temporal and spatial factors.

I-AIR: Intention-aware travel itinerary recommendation via multi-signal fusion and spatiotemporal constraints

Cui et al. (2025) developed I-AIR (Intention-Aware Itinerary Recommendation), a system based on deep learning that aimed to generate personalized and practical traveling

itineraries. The two primary components of the system are an Itinerary Construction Policy, which organizes selected Points of Interest (POIs) into a logical and sequential trip, and an Intention-Aware POI Scoring Model, which assesses the relevance of possible POIs based on user preference and contextual cues. To model user preferences, I-AIR applied a Transformer-based sequential encoder that identified time patterns from check-in history, an explicit feedback encoder that synthesized long-term preferences from ratings and likes, and a Graph Convolutional Network (GCN) that represented POI relationships through co-visitation patterns. These components were integrated via a multi-signal fusion layer to generate customized POI relevance scores. In optimizing the route, the system applied a greedy algorithm that picked the top-scoring viable POI at each step while removing possibilities that violate prohibitions such as travel time, wait time, business hours, and total time budget. The model was trained using a combination of next-POI prediction and explicit feedback reconstruction on datasets including user trajectories, ratings, dwell times, and POI attributes.

During evaluation, the system was tested on eight real word datasets, including four each of theme parks and city tourism. These datasets included detailed information such as user check-in records, wait times at attractions, and tourists' reviews, and provided implicit and explicit feedback signals. The evaluation measures applied were precision, recall, and F1-scores, and comparative baseline systems included were Greedy-Popular (GPop), Greedy-Near (GNear), PersQ, EffiTouRec, DCC-PersIRE, BERT-Trip, and DLIR. Results showed that I-AIR outperformed the other systems significantly across all datasets, with higher precision in both theme park and city tourism scenarios.

Destamp: A Mobile Application for Generating Budget-Based Itineraries to Enhance Travel Planning

Estilo et al. (2023) have proposed a very similar system to the study's proposed application where itinerary generation and itinerary optimization are the main core features. The system of Estilo et al. (2023) is a mobile application that uses GA to generate an itinerary

for the user. However, unlike Lakad, the GA used in the study is univariate and does not consider other factors that may affect the user's experience on the generated itineraries such as the user's categorical preferences and POI ratings. The main objective function implied in the study is the minimizing of the itinerary travel budget depending on the maximum budget provided by the user and fitting the opening hours of each POI to the specified starting time of the user.

Destamp was developed using the AGILE methodology and the React Native framework for developing cross-platform mobile applications. Mapbox service was also used to provide mapping functions such as routing and interactive map features. While the system is split into two sections for the architecture: frontend and backend. The frontend handles all the graphical user interface and interactions which sends requests to the backend for the processing and logic such as itinerary generation.

The application has many similar features to Lakad such as itinerary generation and live map interaction. Users can set multi-day itineraries as well as allocate budgets for the itinerary to be generated. Each POI in the app contains the map location, budget cost, opening hours, and contact information. Business owners can also use the app to submit their own shops and businesses to show up as POI in Destamp, making the whole POI list accessible and dynamic.

While very similar to Lakad, Destamp is only bounded to the places in Iloilo City. It also implements a freemium model to its features where most features such as maximum itineraries are locked behind a subscription. It also uses GA for its itinerary generation but is lacking the option for the itinerary optimization through TSP model as their optimization refers to pair-wise optimization through Dijkstra algorithm instead. There is also a clear gap in itinerary management where itineraries cannot be edited and must be regenerated for any changes. Furthermore, the evaluation instrument of their study is not clearly defined, and the evaluators they considered consisted of ten respondents, in which they concluded that GA actually does improve travel recommendations.

Destamp limits their users from fully utilizing their application. This is different from Lakad which allows users full access to all the available features mentioned in Destamp such as itinerary generation and optimization. The itinerary generation of Lakad is based on the AGAM framework of Yochum et al. (2020), and applying TSP algorithms for route optimization. Finally, users can also fully manage their own itineraries allowing them to edit the POIs included in existing itineraries.

Synthesis of the Review

The reviewed works establish valid grounds for the developed mobile application's technical framework. Concepts such as Graph Theory, the Traveling Salesman Problem, and Orienteering Problem provide the mathematical foundation for itinerary generation and route optimization. While exact algorithms guarantee the best solution, they are often impractical for mobile devices due to high computation times. Consequently, metaheuristic algorithms have been shown to outperform exact algorithms as explored in the study of Hossain and Yılmaz Acar (2024) and Wadi and Umar (2025), offering a viable solution for mobile constraints. Furthermore, regarding personalization, literature suggests that while Content-Based Filtering is effective, it suffers from the “cold-start” problem and often provides the same recommendation as they are often deterministic in nature. In contrast, algorithmic approaches, particularly the AGAM by Yochum et al. (2020), offer greater flexibility by allowing the fitness function to account for multiple objectives such as user preferences, ratings, and time constraints. Therefore, AGAM is an applicable method for itinerary recommendation compared to content selection methods.


Mobile applications like Trippit, Destamp, and I-AIR proved the feasibility of smartphone-based route generation. However, the review highlights significant fragmentation in the current landscape as some features of existing mobile applications are mutually exclusive to each other. Some focus solely on budget (Destamp), while others prioritize simple routing without personalization (Trippit) or lack of comprehensive itinerary management features. Additionally, many existing studies fail to apply evaluation frameworks like ISO/IEC

25010:2023 or the Technology Acceptance Model (TAM). This limits the reliability of their usability claims. Lakad fills these gaps by providing a verified generator specifically for Bulacan tourism.

Finally, the literature highlights the needs for this system for Bulacan to exist. Although digital strategies are crucial for promotion as stated by Canet and Sunpongco (2025), but K. C. Y. Dela Cruz et al. (2022) pointed out that reliance on social media often leads to misinformation. While the Bulacan government has initiated programs like the Pamana Pass, there is currently no provincial-level system that automates and optimizes personalized itinerary planning. Existing Philippine-based studies, such as those by Estilo et al. (2023) are limited to specific cities (Iloilo city) and do not address the provincial scope required for Bulacan. Therefore, Lakad addresses these gaps by integrating verified local data with advanced optimization algorithms to create a personalized tourism experience in Bulacan.

Conceptual Framework

This section explains the key inputs, processes, and outcomes in development of the study using an Input-Process-Output (IPO) model.

Figure 1*Input-Process-Output (IPO) Model****Input***

The input contains the review of the methods used by related studies and systems, which was used as foundation in the study. These methods consist of different algorithms used for solving the TSP and selecting which algorithm is the most applicable in the mobile platform as well as which recommendation model is a fit for itinerary recommendation. The second input is the gathering of tourist spot locations or point of interests (POI). These POIs are locations in Bulacan which can be considered as tourist attractions. This was gathered from and verified by the Provincial History, Arts, Culture, and Tourism Office (PHACTO) to assess the correctness of the POIs included in the system. Development tools refer to the hardware and software tools that was used to develop the application. These include operating systems such as Windows or Linux, integrated development environments (IDE) such as Visual Studio or Android Studio, and design pieces of software like Figma or Adobe Illustrator.

Process

The AGILE methodology was used in the software development of Lakad, specifically the Kanban method. Kanban method is a visual process management system that can manage knowledge and work by considering the Just In Time (JIT) delivery approach Alaidaros et al. (2021). The first phase of the development was planning and analyzing the different requirements of the system such as flow charts, entity relationship diagrams, and use cases. Afterward, mockup user interface was made to fully outline the look and feel of the application. Building phase was the actual development of the core features of the application and testing and debugging refers to the testing of the correctness of the core features' implementation. The power of AGILE methodology was used to iteratively cycle between building phase and testing to evaluation by users and professionals to quickly enhance features and get immediate feedback. The system went through rigorous evaluation by professionals through ISO 25010:2023 and through TAM by its intended users.

Output

The expected output of this study is a fully functional mobile itinerary generator and optimization system in the scope of Bulacan. Lakad application was able to optimize the route to be taken for the user's itinerary as well as recommend personalized itineraries that may interest the user.

Definition of Terms

This section provides the definition of the terms used in the study, along with the operational aspects of the proposed system, to ensure clarity and a proper understanding of the concepts within the context of the research.

Algorithms. A repeated sequence of finite steps used to solve specific problems or perform calculations.

Cold Start. A problem where an algorithm has not enough necessary input data from users to perform instructions.

Itinerary. Planned sequence of tourist destinations that either reflects the user's selected preferences or is made as a recommendation by the algorithm.

Itinerary Management. A feature that allows users to organize, edit, and monitor their selected destinations and travel schedules.

Itinerary Navigation. A feature that provides users with directions and guidance throughout their travel route.

Itinerary Optimization. The process of planning the most efficient route or order of destinations for travel, determined through the use of optimization algorithms.

Personalized Itinerary Recommendation. A feature that suggests travel routes and destinations made by the algorithm tailored to the individual preferences and constraints of the user.

Provincial History, Arts, Culture, and Tourism Office (PHACTO). The government office responsible for promoting and preserving the history, arts, culture, and tourism of Bulacan province. Source of POI data.

Point of Interest (POI). A destination or tourist spot specifically preferred by a tourist, such as historical sites, natural attractions, or cultural landmarks that can be included into an itinerary.

Recommendation System. A system or algorithm that suggests destinations to users based on preferences, collected data, or other relevant parameters.

Tourist. A person traveling from place to place for pleasure or interest. The tourist serves as the end-user who interacts with the mobile application.

Tourist Spot Searching. A feature that enables users to browse, locate, and explore tourist destinations within the province.

Mapbox. An online service that provides a mapping platform to offer navigation features, interactive maps, and location information for tourist destinations in Bulacan.

Application Programming Interface (API). A set of rules and tools that allows the application to access external services, like Mapbox, in order to get the map, routing,

and location information required for navigation and itinerary creation.

Stops. The specific destinations or POIs included in a user's itinerary that they plan to visit during their trip.

CHAPTER III

RESEARCH METHODOLOGY

In this chapter the research design, model adoption, process of developing the system, system evaluation, population and sample, data collection, data processing, and ethical considerations are discussed. This ensures that the research methodology is well-defined and structured, providing a clear roadmap for the execution of the study. The research design outlines the approach and framework for conducting the research, while the model adoption section delves into the specific mathematical models and algorithms that are utilized in the development of Lakad. The process of developing the system details the steps taken to create and implement the application, while the system evaluation focuses on assessing its performance and effectiveness. The population and sample section defines the target audience for the study, and the data collection and processing sections outlines how the data was gathered and analyzed. Finally, ethical considerations ensure that the research is conducted in a responsible and ethical manner, respecting the rights and privacy of participants.

Research Design

This study primarily focuses on the development and implementation of a mobile application that generates personalized itineraries for tourists. The research design is structured to ensure that the system is developed based on empirical evidence and is evaluated for its quality, standards, and acceptability among users and professionals in the tourism industry. The quantitative aspect of the research design allows for the collection and analysis of numerical data to assess the effectiveness of the system, while the applied research approach ensures that the development of the system is grounded in real-world applications and addresses the specific needs of its intended users.

Quantitative Research

The quantitative research, specifically, descriptive research design is one of the designs in this study. This aspect of the study measure, analyze, and describe the quality, standards, and acceptability of the system using quantitative methods by collecting user and professional feedback. The researchers assess the quality and standards using the ISO/IEC 25010:2023 standard by seeking professionals to assess the system. While the acceptability of the system for tourists was analyzed using the Technology Acceptable Model (TAM). Incorporating quantitative approach for the study ensures an empirical and evidence-based support for the quality and acceptability of the developed system.

Applied Research

The applied research aspect of the study focuses on developing and implementing a system for generating personalized itineraries and optimizing existing itineraries for the interests of the user. The primary objective of this study is to create a mobile application that optimizes itineraries using the best Metaheuristic algorithm and generates personalized itineraries with travel budget using Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) framework. The selection of the best metaheuristic algorithm was based on the performance of the algorithms in terms of solution quality and runtime efficiency. In this study, AGAM is explicitly adopted for itinerary generation and optimization even though it can also be used for route optimization. This is because the literature showed that AGAM showcased the effectiveness of AGAM for itinerary generation and optimization. The development of the system involves the use of mathematical models such as the Traveling Salesman Problem (TSP) for route optimization and the Orienteering Problem (OP) for itinerary generation. The implementation of these models in the mobile application ensures that the system is grounded in real-world applications and addresses the specific needs of its intended users, providing a practical solution for personalized itinerary generation and optimization.

Model Adoption

This section discusses the optimization problems such as route optimization and itinerary generation and the steps in modeling each mathematically. Specifically, the mathematical models used in the study are the traveling salesman problem (TSP) and the orienteering problem (OP).

Modeling Route Optimization with TSP

Route optimization refers to the process of finding the optimal order in visiting a set of places. This is also another definition of the TSP, where the salesman must minimize the travel cost between traveling a set of cities. In the study, the POI represents the nodes and the edges connecting each node as the distance between the shortest route, a sample graph is shown in Figure 2.

Figure 2

Sample Graph



The objective is to minimize the total travel distance by finding the best order to travel each POI from an itinerary. Using integer programming and given a graph $G = (V, E)$ where V is the set of vertices (POI) and E is the set of edges (road distance), the objective

function is as shown in Equation 1:

$$\text{Minimize} \sum_{i=1}^n \sum_{j=1, j \neq i} c_{ij} x_{ij} \quad (1)$$

Where n is the total number of vertices (POI), c_{ij} refers to the cost of traveling from vertex i to vertex j , which in this case is the distance between the two POI, and x_{ij} refers to a binary value that indicates whether an edge directly connecting vertex i to vertex j exists in the solution (1 if it exists, 0 otherwise). The function is also constrained to the following:

1. Every city is entered and exited exactly once.
2. The solution does not contain any sub-tours.

Candidate Algorithms for TSP

The study considers several metaheuristic algorithms for route optimization for Lakad, each with its unique approach and characteristics. These algorithms include:

1. **Genetic Algorithm (GA).** Inspired by genetics and evolution, the Genetic Algorithm is an optimization technique that works by analyzing potential solutions and generating new ones through the processes of selection, crossover, and mutation. This iterative process continues until a predefined termination requirement is met. GA is widely used across various domains because of its ability to navigate complex search spaces and identify optimal or near-optimal solutions (Hossain & Yılmaz Acar, 2024).
2. **Ant Colony Optimization (ACO).** The Ant Colony Optimization (ACO) is an optimization algorithm that mimics the foraging behavior of ants. It utilizes artificial pheromone trails to guide the search for optimal solutions. Ants in the algorithm employ probabilistic pheromones and heuristic information to address problems. The quality of the solutions determines how the pheromone trails are updated. This mechanism encourages exploration and prevents premature convergence. ACO has proven effective for various optimization difficulties (Hossain & Yılmaz Acar, 2024).
3. **Simulated Annealing (SA).** The Simulated Annealing (SA) algorithm is a

metaheuristic technique influenced by the annealing process in metallurgy. It begins with an initial solution and incorporates a mechanism that allows for the occasional acceptance of a "worse" solution based on and more thoroughly explore the solution space. The probability of accepting a worse solution is gradually reduced over time, simulating the cooling process. SA is applicable to a wide range of optimization problems (Hossain & Yilmaz Acar, 2024).

4. **Particle Swarm Optimization (PSO).** The Particle Swarm Optimization (PSO) algorithm is inspired by the social behavior of bird flocks and fish schools. In PSO, the population is made up of numerous particles, each representing a potential solution within the search space. Every particle is characterized by a velocity and a fitness value. Conceptually, PSO is very straightforward, as it relies solely on elementary mathematical operations and does not require any derived information about the optimization function (Wadi & Umar, 2025).
5. **Elephant Herding Optimization (EHO).** The Elephant Herding Optimization (EHO) algorithm is a swarm-based metaheuristic search approach for addressing optimization problems that mimics the real herding behavior of elephants, which involves organizing elephant swarms into smaller clans, each led by a matriarch and consisting of multiple female elephants and their calves, while adult male calves are expelled from the clan (Wadi & Umar, 2025).
6. **Gray Wolf Optimizer (GWO).** The Gray Wolf Optimization (GWO) algorithm is a metaheuristic technique inspired by gray wolves, simulating their leadership and cooperative hunting behaviors to locate optimal solutions. The hierarchical structure of a wolf pack (Alpha, Beta, Delta, and Omega wolves) is shown in the algorithm's design. Wolves' positions are updated based on the Alpha's location and the calculated hunting distance. GWO leverages a balance of exploration and exploitation to discover the best possible solutions. This approach has been successfully applied to various optimization challenges (Hossain & Yilmaz Acar, 2024).

7. Hovering Scouts and Foraging Flocks Pied Kingfisher Optimizer (HSFFPKO).

HSFFPKO enhances the traditional Pied Kingfisher Optimizer by introducing multiscale search mechanisms to improve optimization performance. By adding Hovering Scouts for fine-grained local adjustments and Foraging Flocks for parallel group-based exploitation, the algorithm maintains better population diversity than its predecessor. These additions allow HSFFPKO to mitigate local optima entrapment and solve complex, high-dimensional problems more efficiently (A. M. Dela Cruz, 2025).

TSP Algorithm Selection

To determine the best algorithm to implement for Lakad, a comparative analysis was conducted on several metaheuristic algorithms used for solving TSP. The analysis focuses on solution quality (accuracy) and runtime speed of each algorithm. The algorithms were tested on selected instances from the TSPLIB library, a standard benchmark for TSP and related problems. Table 1 presents selected instances for benchmarking.

Table 1

TSPLIB Instances for Benchmarking

TSPLIB instance	Description	Optimal Solution
burma14	Small instance with 14 cities	3323
bays29	Medium instance with 29 cities	2020
eil51	Large instance with 51 cities	426
berlin52	Large instance with 52 cities	7542

Experimental Setup. The experiments were implemented in Python because of its library support for TSPLIB, and for simplicity of the language. To ensure statistical reliability and mitigate the stochastic nature of heuristic algorithms, each algorithm was executed for 10 independent iterations on each TSPLIB instance. This was based on studies

of Hossain and Yilmaz Acar (2024) and Wadi and Umar (2025), where repeated independent runs are used to account for the stochastic nature of metaheuristics algorithms, as a single run may differ from other runs.

The results were averaged to get the baseline performance profile. Two primary metrics were defined to evaluate the algorithms:

1. **Runtime Speed (T_{avg})**. It measures the average time it takes to find the solution across the 10 iterations, measured in seconds. This metric is crucial for assessing the efficiency of the algorithm, and is calculated using the formula shown in equation 2:

$$T_{avg} = \frac{1}{10} \sum_{i=1}^{10} T_i \quad (2)$$

Where T_i is the runtime for the i -th iteration.

2. **Solution Quality (Q_{avg})**. Since the best solution for each TSPLIB instance is known, the accuracy is measured by the average relative error of the solution found by the algorithm compared to the optimal solution. The calculation is shown in equation 3:

$$Q_{avg} = \frac{1}{10} \sum_{i=1}^{10} \frac{C_i - C_{opt}}{C_{opt}} \times 100 \quad (3)$$

Where C_i is the cost of the solution found in the i -th iteration, and C_{opt} is the cost of the known optimal solution for the instance. This metric provides insight into how close the algorithm's solutions are to the optimal solution, with lower values indicating better performance.

Furthermore, each algorithm was executed on the same hardware and software environment to ensure a fair comparison. The experiments were conducted on a machine with a Ryzen 5 3400G processor, 16GB of RAM, and running Arch Linux. The algorithms were implemented with Jupyter Notebook, and the runtime was measured using Python's built-in 'time' module.

Algorithm Ranking. To select the final algorithm, the trade-off between speed and

accuracy was resolved using Simple Additive Weighting (SAW). SAW was chosen because of its simplicity and interpretability, allowing for a straightforward comparison of the algorithms based on the defined metrics. Since both T_{avg} and Q_{avg} are “cost” criteria, i.e., lower values represent better performance, it is normalized relative to the maximum (worst) observed value to scale all metrics between 0 and 1. The normalization formula used was shown in equation 4:

$$r_{ij} = \frac{x_{ij}}{\max(x_{ij})} \quad (4)$$

Where r_{ij} is the normalized value of the j -th criteria for the i -th algorithm, x_{ij} is the original value of the j -th criteria for the i -th algorithm, and $\max(x_{ij})$ is the maximum value observed for the j -th criteria across all algorithms. This normalization ensures that both metrics are on a comparable scale, allowing for a fair assessment of each algorithm’s performance in terms of both speed and accuracy.

The final score S_i for each algorithm i was calculated in equation 5:

$$S_i = \sum_{j=1}^n w_j \cdot r_{ij} \quad (5)$$

Where S_i is the final score for the i -th algorithm, w_j is the weight assigned to the j -th criteria, such that $\sum_{j=1}^n w_j = 1$, and r_{ij} is the normalized value of the j -th criteria for the i -th algorithm. Additionally, the

For this study, since the weights can be subjectively assigned, equal weights were assigned to both criteria, i.e., $w_1 = w_2 = 0.5$. This gives equal importance of runtime speed and solution quality, the final score is shown in equation 6:

$$S_i = 0.5 \cdot r_{i1} + 0.5 \cdot r_{i2} \quad (6)$$


The algorithm with the lowest score S_i is considered the best choice for implementation for Lakad. The results of the algorithm selection process are discussed in Chapter 4.

Modeling Itinerary Generation as Orienteering Problem

Another core optimization problem in the study is itinerary generation, which can be modeled as an orienteering problem (OP). In the context of the study, an itinerary refers to a plan of the user to go to two or more places. An itinerary can be modeled mathematically using graph theory similar to TSP. This would involve setting the vertices of a graph as the places and the edges as the road distance between the connected edges. A big difference of OP from TSP is the fact that it takes the whole graph or all the possible POI and outputs a subgraph instead, where TSP would use the entire graph given. An example is shown in Figure 3 where 5 POI are given as input and only three were used to generate an itinerary.

Figure 3

Subgraph result from OP



The objective of the OP is to maximize the available profit, in the case of the study: travel distance, to generate an itinerary for the user alongside other factors. Mathematically, the OP can be formulated as follows in Equation 7.

$$\text{Maximize } Z = \sum_{i=2}^{n-1} \sum_{j=2}^n S_i x_{ij} \quad (7)$$

Where n is the total number of vertices (POI), S_i is the score of vertex i , which can be a combination of factors such as travel distance, user preferability score, and popularity rating,

x_{ij} is a binary variable that indicates whether the edge from vertex i to vertex j is included in the itinerary (1 if included, 0 otherwise), and Z is the total score of the itinerary, which the algorithm aims to maximize. The function is also constrained to the following:

1. Each vertex must only be visited once.
2. The total score must not exceed the given budget.
3. The generated path must be connected.

Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities

The study also chose to adopt a modified variant of the genetic algorithm developed by Yochum et al. (2020) called Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) for the optimization of recommended itineraries defined in terms of TSP. AGAM addresses itinerary planning as a Multi-Objective Optimization Problem, an optimization technique rooting from orienteering problems. As discussed in their work, Yochum et al. (2020) developed AGAM to generate optimal and personalized travel itineraries by balancing several objectives such as point of interest (POI) rating, and distance of POIs between the next one. Rooting from Genetic Algorithm (GA), AGAM simulates the process of natural evolution and utilizes genetic operators such as selection, crossover, and mutation to iteratively improve the quality of itineraries which, unlike traditional GA that use fixed mutation rates, also employs dynamic adjustments in parameters during the evolutionary process in a way that can maintain population diversity and therefore generate efficient and adaptive solutions. Even though AGAM can also be used for route optimization, the study chose to use it for itinerary generation because of its effectiveness in generating personalized itineraries as shown in the study of Yochum et al. (2020).

In this implementation, the population set is defined as $P = \{p_1, \dots, p_n\}$, where each individual p_i represents a potential itinerary. An itinerary is encoded as a sequence of POIs, $p_i = \{q_1, q_2, \dots, q_m\}$, where each gene q_i corresponds to a specific POI visit. The length of the sequence depends on the number of POIs selected, and it is constrained by a user-defined limit $MAXN$. The total travel distance of the itinerary is constrained

by $MAXD$, which ensures that the generated itineraries does not exceed the user's travel distance budget.

Fitness Function. The quality of each itinerary is evaluated by the fitness function given in Equation 8. Since factors such as popularity, rating, and interest are on different scales, a normalization process is applied to each factor so that its values is between 0 and 1.

$$f(p_i) = w_1 Ti(p_i) + w_2 Tn(p_i) + w_3 Tr(p_i) \quad (8)$$

Where w_j for $j = 1, 2, 3$, represents the weight assigned to each factor, and it is defined as follows:

- $Ti(p_i)$ is the sum of all interest values of each POI in the itinerary p_i . Each POI contains an interest value which quantifies how interested the user is in that specific POI category. The formula for calculating $Ti(p_i)$ is shown in Equation 9,

$$Ti(p_i) = \sum_{q_i \in p_i} I(q_i) \quad (9)$$

where $I(q_i)$ is a binary value that indicates whether the user is interested in the category of POI q_i (1 if interested, 0 otherwise).

- $Tn(p_i)$ is the total number of POIs in p_i , which is calculated in Equation 10.

$$Tn(p_i) = \frac{N_{op}(p_i)}{NOP}, \quad \text{where } N_{op}(p_i) \leq MAXN \quad (10)$$

where $N_{op}(p_i)$ is the number of POIs in itinerary p_i , and NOP is the total number of available POIs.

- $Tr(p_i)$ is the total rating of p_i given by Equation 11,

$$Tr(p_i) = \frac{\sum_{q_i \in p_i} R(q_i)}{MAXR} \quad (11)$$

where $R(q_i)$ is the rating of a specific POI q_i in itinerary p_i obtained from Google

Maps, and $MAXR$ is the best possible rating of all POIs defined as $MAXR = \text{Number of POIs} * \text{Maximum Rating}$.

Adaptive Genetic Operators. AGAM incorporates dynamic adjustments in mutation and crossover probabilities to balance exploration (searching new solutions) and exploitation (refining existing solutions). These are defined as follows:

- **Adaptive Crossover (P_c).** To preserve high-quality solutions, the crossover probability decreases as the fitness of the parents exceeds the population average (f_{avg}). This is given by Equation 12,

$$PC = \begin{cases} pc_1 - \frac{(pc_1 - pc_2)(f' - f_{avg})}{f_{max} - f_{avg}}, & f' \geq f_{avg} \\ pc_1, & f' < f_{avg} \end{cases} \quad (12)$$

Here, pc_1 and pc_2 are the upper and lower bounds for crossover probability, f_{max} is the largest valued fitness score among the set of populations P , f' is the larger fitness score of the two parents being crossed, and f_{avg} refers to the average fitness score of the population P .

- **Adaptive Mutation (P_m).** Similarly, mutation rates are adjusted to prevent destroying optimal solutions. This is defined in Equation 13,

$$PM = \begin{cases} pm_1 - \frac{(pm_1 - pm_2)(f - f_{avg})}{f_{max} - f_{avg}}, & f \geq f_{avg} \\ pm_1, & f < f_{avg} \end{cases} \quad (13)$$

where pm_1 and pm_2 are the bounds for mutation probability, and f is the fitness score of the individual being mutated.

For the parameters of AGAM, the following values were used: $pc_1 = 0.9$, $pc_2 = 0.6$, $pm_1 = 0.1$, and $pm_2 = 0.01$. These values were chosen based on Yochum et al. (2020) recommendation, which are commonly used in dynamic crossover and mutation probabilities. The procedure of AGAM is shown in Algorithm 1.

Algorithm 1 Adaptive Genetic Algorithm for Itinerary Optimization (AGAM)

Require: $MAXD$ (maximum travel distance), $MAXN$ (maximum number of POIs), N (population size)

Require: pc_1, pc_2 (crossover control parameters), pm_1, pm_2 (mutation control parameters)

Require: w_1, w_2, w_3 (fitness weights), δ (number of generations)

Ensure: Optimal itinerary p_{opt}

- 1: Initialize population P with N randomly generated itineraries
- 2: **for** each $p_i \in P$ **do**
- 3: Ensure $TotalDistanceCost(p_i) \leq MAXD$
- 4: **end for**
- 5: **for** iteration = 1 to δ **do**
- 6: Evaluate fitness $F(p_i)$ for each itinerary using:

$$F = w_1Ti(p_i) + w_2Tn(p_i) + w_3Tr(p_i)$$

- 7: Compute $f_{\max} = \max(F(p_i))$, $f_{\text{avg}} = \text{average}(F(p_i))$
- 8: Initialize new population $P_i = \emptyset$
- 9: **while** $|P_i| < N$ **do**
- 10: ($parent_1, parent_2$) = $TournamentSelection(P, k = 2)$
- 11: $PC = calculateCrossoverProbability(F(parent_1), F(parent_2), f_{\text{avg}}, f_{\max})$
- 12: **if** $random(0, 1) < PC$ **then**
- 13: ($child_1, child_2$) = $OnePointCrossover(parent_1, parent_2)$
- 14: **if** $TotalDistanceCost(child_1) > MAXD$ **or** $NUMPOI(child_1) > MAXN$ **then**
- 15: Regenerate($child_1$)
- 16: **end if**
- 17: **if** $TotalDistanceCost(child_2) > MAXD$ **or** $NUMPOI(child_2) > MAXN$ **then**
- 18: Regenerate($child_2$)
- 19: **end if**
- 20: **if** $TotalDistanceCost(child_1) < MAXD$ **and** $NUMPOI(child_1) < MAXN$ **then**
- 21: InsertUnvisitedPOIs($child_1$)
- 22: **end if**
- 23: **if** $TotalDistanceCost(child_2) < MAXD$ **and** $NUMPOI(child_2) < MAXN$ **then**
- 24: InsertUnvisitedPOIs($child_2$)
- 25: **end if**
- 26: Add $child_1$ and $child_2$ to P_i
- 27: **else**
- 28: Add $parent_1$ and $parent_2$ to P_i
- 29: **end if**
- 30: **end while**
- 31: **for** each itinerary $p_i \in P_i$ **do**
- 32: $PM = calculateMutationProbability(F(p_i), f_{\text{avg}}, f_{\max})$
- 33: **if** $random(0, 1) < PM$ **then**
- 34: $Mutated_p_i = ApplyMutation(p_i)$
- 35: **if** $TotalDistanceCost(Mutated_p_i) > MAXD$ **or** $NUMPOI(Mutated_p_i) > MAXN$ **then**
- 36: Regenerate($Mutated_p_i$)
- 37: **end if**
- 38: **if** $TotalDistanceCost(Mutated_p_i) < MAXD$ **and** $NUMPOI(Mutated_p_i) < MAXN$ **then**
- 39: InsertUnvisitedPOIs($Mutated_p_i$)
- 40: **end if**
- 41: $p_i \leftarrow Mutated_p_i$
- 42: **end if**
- 43: **end for**
- 44: Recalculate fitness of all itineraries in P_i
- 45: $P \leftarrow P_i$
- 46: **end for**
- 47: **return** p_{opt} = itinerary with the highest fitness in P

Process of Developing the System


The development of the Lakad mobile application uses the AGILE methodology, with a specific focus on the Kanban method. This approach integrates all key software development phases. These phase include analysis, planning, design, development, testing, and review, each of the phases contributes to the overall quality and functionality of the final product.

Kanban is a highly effective visual process management system designed to optimize the flow of work. It operates on the principle of Just In Time (JIT) delivery, as highlighted by Alaidaros et al. (2021), ensuring the tasks are completed and delivered precisely when needed to maximize efficiency.

This methodology offers significant advantages for the Lakad development team. It provides a clear, visual representation of the entire workflow, allowing all team members to easily track progress from start to finish. This transparency is crucial for quickly identifying potential bottlenecks, gaps in the process, or any mishaps that might arise. By making the workflow visible, the team can proactively address issues, rather than reacting to them after they have escalated. Kanban, being a type of Agile-based methodology, is an approach that promotes flexibility which can help in an environment of software development where problems and unforeseen challenges are inevitable. Kanban's adaptability allows the team to adjust priorities and reallocate resources as needed, ensuring that progress remains steady even when obstacles are encountered. This flexibility is key to maintaining momentum and delivering a high-quality software output (Risener, 2022). The continuous flow and iterative nature of Kanban supports the team in delivering a robust and reliable system that meets user needs effectively. Figure 4 shows a graphical representation of a Kanban workflow model.

Figure 4

Kanban Software Development Life Cycle



Analysis

The analysis phase of the development involves outlining the system's scope, objectives, and requirements. This was done by reviewing the existing literature in itinerary recommendation and local tourism in the province of Bulacan. This phase establishes the key features of Lakad, that integrates five major features designed to provide optimized, personalized, and efficient itinerary planning for tourists exploring Bulacan. Each feature combines techniques, verified local data, and user-centric design principles.

1. **Tourist Spot Exploration.** A tourist spot search feature allows the users to explore Bulacan's tourist attractions specifically through an interface where they can search through a catalog of tourist destinations that was verified by the Provincial History, Arts, Culture, and Tourism Office (PHACTO) of Bulacan. Furthermore, the system displays important and relevant information such as location and short description about the tourist spot.
2. **Personalized Itinerary Generation.** The main feature of Lakad is the personalized itinerary generator focusing on the diverse cultural, historical and heritage tourist

destinations located across the province of Bulacan. The system developed to adapt to user-specific factors that can affect the personalization aspect of an itinerary. This feature aims to cater the personal preferences that a user has while still promoting the exploration of the rich tourism culture of the region.

3. **Itinerary Optimization.** The optimization feature of the system works in line with the personalized itinerary generator by employing the chosen best algorithm for route optimization. The optimization further helps the minimization of travel distance and constraints to visit every possible destination within the generated itinerary.
4. **Itinerary Management.** An Itinerary Management feature of the application allows users to manage and organize their itineraries. The users may add, edit, or remove destinations from their itinerary. It also allows the tracking of visited and unvisited locations so that users are informed of the status of their progress in the itinerary. Users are also able to save and reload itineraries for future use.
5. **Itinerary Navigation.** This feature assist the user during travel by providing real-time navigation support. Users are able to track their current location and visualize routes similar to Google Maps. It displays direction, travel duration, and distances between tourist spots and supports live GPS tracking to help users follow their itinerary accurately.

Furthermore, the application includes a user profile feature that allows users to create and manage their profiles, which can store their preferences, past itineraries, and other relevant information. This feature enhances the personalization aspect of the system by allowing it to learn from user behavior and preferences over time.


In addition, the data gathering process was also conducted in this phase, which involved collecting data on tourist destinations in Bulacan given by PHACTO. This data was used to populate the system with verified and relevant information about the tourist spots in the province, which is crucial for the functionality of the search and itinerary generation features.

Planning

The Gantt chart provides a visual timeline of the schedule of the research activity that was conducted in the process of developing Lakad. It outlines the sequence of tasks relating to Thesis I and Thesis II, including the flow of each phase of the research from documentation and planning until system development, evaluation, and final defense.

Figure 5

Gantt Chart



The **Thesis I** output focuses on the research documentation and planning for development of Lakad. This process begins with the Review of Related Studies (Chapter 2), in which local and foreign studies are gathered, evaluated, and organized to develop the theoretical and conceptual framework. By gathering information in Chapter 2, determining the best algorithm for the system, and the appropriate approach to execute the idea, the researchers were able to establish a solid foundation that would be the basis of the succeeding phases. After completing Chapter 1: Problem and its Background and Chapter 2, the researchers finalize the concepts, models, and methods that was utilized in Chapter 3: Methodology preparation. Chapter 3 defines the research design, the selected development

model, and the desired process on creating the system, as well as the foundation on system evaluation and data gathering that was conducted on Thesis II.

For **Thesis II**, the researcher proceeds to the implementation and completion phase. The group developed and implemented the proposed system based on the design created in Thesis I.

System Development and Implementation. This phase focuses on building and integrating the components of the system based on the planned design. In the development process, the construction of the front-end, database integration, and feature implementation following the chosen development model. Testing and debugging processes was carried out on a regular basis to ensure proper functionality and performance.

System Testing and Evaluation. This phase is for testing the reliability, usability, and general quality of the system. Various testing procedures was conducted to ensure that every function works as planned and meets user needs. Feedback was collected from users and a system analyst to identify areas that need improvement.

Data Analysis and Interpretation. This stage includes data processing and data analysis that are conducted from the system evaluation. Responses collected was organized, encoded, and statistically analyzed to determine user perceptions as well as the general performance of the system.

Design

The design phase focuses on creating the overall architecture and structure of the system. This includes defining the system components, their interactions, and the data flow within the application. The system architecture was designed to ensure scalability, maintainability, and efficiency. The researchers created diagrams and models to visualize the system's structure and functionality.

Figure 6
System Architecture





Figure 6 illustrates the system architecture of Lakad: A Personalized Mobile Itinerary Creator and how the different components of the application interact to provide personalized and optimized travel itineraries for users. At the core of the system is the mobile frontend, which serves as the main interface where tourists can search for tourist destinations, generate itineraries, and manage their travel plans. When a user interacts with the application, the frontend communicates with the Mapbox API to send requests for map data, location

coordinates. The API processes these requests and returns the corresponding responses, which are then displayed on the user interface in the form of maps and travel routes. In addition, the application stores user-generated itineraries and relevant information in a remote database using Supabase, allowing users to access and manage their itineraries. While admin users have access to admin gui separate from tourists where they can manage the places shown to the users as well as recalculate the distance matrix via the OpenRouteService matrix api.

Figure 7

Entity Relationship Diagram




The Entity Relationship Diagram (ERD) of the system, as shown in Figure 7, consists of eight entities; **place**, **opening_hours**, **distances**, **stops**, **itinerary**, **profiles**, **reviews**, and **review_reports**. A **profiles** entity can generate many **itineraries** of the entity **itinerary** and provide multiple entries in the **reviews** entity. An **itinerary** entity can contain as many **stops**, and acts as a junction entity for a **place** before being organized inside an **itinerary**, which lets the system properly assign a **visit_order** and **visit_duration** for a location within a specific trip. **stops** entities reference a **place**, which serves as the central

container for location data, coordinates, and ratings. Additionally, each place has at least one dedicated `opening_hours` entry to define its schedule. A place entity can be the subject of multiple reviews. A `reviews` entity may also have its own `review_reports` which are then used by the system to track moderation status.

Figure 8

Data Flow Diagram



Two types of users exist for the whole system which is the tourist and admins as illustrated in Figure 8. There are two main flows for the tourist actions: place flow and itinerary flow. The tourists can view and add places to their itineraries. They can also perform create, read, update, and delete (CRUD) operations on their itineraries. One part of the itinerary flow starts from the user generating an itinerary through the AGAM process is sent to the itinerary management process for the visualization through graphical user interface and is saved to the database. Tourists can also optimize the stops in the itineraries and request navigation instructions for the itinerary. Admins on the other hand, manages what the users can see. They can perform CRUD operations on the places that are seen by the tourists.

Development

This development phase pertains to the actual coding and implementation of the system's features inside an android application. The researchers' utilized the AGILE methodology, particularly the Kanban method for the software development life cycle. This includes weekly meetings and development checks by the researchers to ensure the system is properly developed to its intended uses. Lakad was developed using the React Native main development framework, which uses fast and cost-efficient cross-platform mobile development, allowing a single codebase to function on both iOS and Android devices. The system utilized the JavaScript programming language for implementing the application's user interface and core functionalities due to its flexibility and compatibility with React Native framework. The main development environment for writing, editing, and debugging the program was Visual Studio Code, which provided lightweight performance and had a large selection of extensions appropriate for React Native development. Throughout the development process, Git and GitHub was used to ensure structured collaboration and version control. The list of tools used in the development is presented in Table 2.

Additionally, React Native extends the "Learn once, write anywhere" paradigm to mobile development, leveraging recent advancements like its new architecture and the JavaScript Interface (JSI). The framework's structure, represented by Fabric, aims to boost compatibility with modern React features such as concurrent rendering and synchronous data fetching. While JSI's main element allows for direct calls between JavaScript and native code. This change features a smoother interaction with the host platform and significantly reduces performance bottlenecks. JSI also allows Fabric to create UI components on the native side more efficiently. The combined adoption of JSI and Fabric offers a significant enhancement in React Native's performance, making it a good choice for developers who desire the agility of mobile development and native platform functionalities (Zhou, 2024).

This framework allows the researchers to develop the mobile application, Lakad, as React Native's cross-platform capabilities also allow for android development.

Table 2*List of Tools for Development*

Name	Description
Visual Studio Code	A lightweight and powerful source code developed by Microsoft. It supports multiple programming languages and offers built-in debugging, version control integration, and extensions suitable for React Native development.
React Native	An open-source framework developed by Meta for building cross-platform mobile applications using JavaScript and React.
JavaScript	An Interpreted, high-level programming language for building user interfaces, interaction and application logic.
Git	A software for versioning and managing software projects.
GitHub	Host for git repositories that allows online collaboration.

Testing

For the testing phase, Lakad undergo rigorous evaluation to ensure the overall functionality and quality. The process includes system integration and user acceptance testing. System testing focuses on validating each module of the system by using test cases that evaluates the logic of the system which identifies and resolve issues affecting itinerary generation and recommendation features. Integration testing was conducted to ensure that all components of the system, such as itinerary generation and optimization, management, and user interface, operates cohesively to provide a seamless user experience.

Review

The review phase focuses on evaluating the overall functionality and usability of the system after development is completed. The researchers gather views and opinions of users, including a system analyst to determine whether the system runs efficiently and serves its

desired purposes. Guided by their observation, necessary adjustments and enhancements done to refine the system.

System Evaluation

This section outlines the methods and criteria used to evaluate Lakad, the developed mobile itinerary generator system. It details the instruments and standards for assessment, describes the target population and sampling approach, and explains the procedures for data collection and analysis. The goal is to ensure that the system meets user needs and quality benchmarks through structured evaluation using both user and expert feedback.

Evaluation Instrument

The evaluation instrument for the developed system uses Technology Acceptance Model (TAM) for the end-users and ISO / IEC 25010:2023 for IT professionals. This combination of evaluation methods allows for a comprehensive assessment of the system from both user experience and technical quality perspectives.

Technology Acceptance Model (TAM). The developed system was evaluated using the Technology Acceptance Model (TAM), as it provides a theoretical framework for understanding the process by which users accept and adopt new technologies. TAM is widely applied in system development studies for calculating the level of user acceptance based on their perceptions and intentions for using a system. To evaluate the effectiveness and acceptance of the proposed system, the following key constructs were evaluated:

1. **Perceived Usefulness.** This construct measures how much users would believe that system usage would improve their task performance. It looks at whether system functionalities like itinerary recommendation, generation, and optimal route provide concrete value and efficiency to the user.
2. **Perceived Ease Of Use.** This measures the degree of which users find the system easy to learn and operate. It singles out features including interface design, feature clarity, and the convenience of performing tasks.

3. **Attitude Toward Using.** This assesses the sentiment, satisfaction, and positive impression towards using the system. It measures how much the user enjoys interaction with the system and whether they find it useful and interesting.
4. **Behavioral Intention To Use.** This criterion measures the tendency and likelihood of the user to continue using the system in the future. It measures the intentions of the people to recommend or repeatedly use the system as their preferred tool.

The TAM questionnaire in this study was an adapted version of a TAM questionnaire, which was modified to fit the context of Lakad.

A demographic section is also included in the questionnaire to assess the respondent's experience in mobile application, and travelling frequency.

1. **Experience in Mobile Applications.** This demographic assesses how knowledgeable the respondent is in terms of mobile application usage, their familiarity with mobile applications. This identifies whether the respondent is a beginner, intermediate, or advanced user of mobile applications.
2. **Travelling Frequency.** This demographic assesses how much time does a respondent spend away from their home, which is defined by how often they go out in a week or month. The following categories were used to classify the travelling frequency of the respondents: Rarely (0–1 times a month), Occasionally (2–3 times a month), Frequently (4–5 times a month).

Additionally, a reliability test was conducted on the TAM questionnaire to ensure that the instrument is consistent and reliable for measuring user acceptance. The reliability test was performed using Cronbach's alpha, which assesses the internal consistency of the questionnaire items. A Cronbach's alpha value of 0.7 or higher is generally considered acceptable, indicating that the items in the questionnaire are measuring the same underlying construct effectively (Hussey et al., 2025).

ISO/IEC 25010:2023. The developed system was also evaluated by IT professionals using the ISO/IEC 25010:2023 questionnaire which evaluates the overall quality of Lakad.

The following criteria was used in the questionnaire and are based on the ISO/IEC 25010:2023 standards:

1. **Functional Suitability.** This focused on how well the proposed system meets the user's needs. The questions were about the system's main features such as itinerary optimization, personalized itinerary generation, and itinerary management.
2. **Performance Efficiency.** This assessed the system's ability to provide fast and efficient processing and its capability to handle large amounts of tasks. The questions assessed the system's response time when it comes to itinerary optimization and generation as well as managing the itineraries of the user.
3. **Compatibility.** This evaluated the system's compatibility with other external systems that the users might use. The questionnaire verified how well the developed system integrates and works alongside other mapping applications and systems.
4. **Interaction Capability.** This focused on the system's usability, accessibility, and user satisfaction. Through this, the system was assessed on how easy the system is to navigate, how intuitive and simple the user interface is for itinerary planning, and how effectively it guides the users.
5. **Reliability.** This assessed the system's dependability and consistency in performing its intended functions. The criterion assessed how well the system can operate without failure, maintain stability, and recover from unexpected errors or interruptions.
6. **Security.** This criterion ensured that all collected data remains confidential, secure, and protected. Access to the data will only be available to the researchers and authorized users. No information will be shared with third parties without proper consent.
7. **Maintainability.** This assessed the ability of the system to be updated, debugged, and improved. This criterion focused on the ability of the system to adapt to changes and its efficiency during system updates. It ensured that new features or fixes can be integrated without disrupting existing functionalities of the system.

8. **Flexibility.** This evaluated the system's ability to adapt to changing user needs, technological changes, and requirement changes. The criterion assessed how easily the system can support new itinerary features, and integrate additional modules or tools.
9. **Safety.** This focused on ensuring that the system does not cause any harm to its users. The criterion assessed how well the system protects users from potential risks, errors, or negative consequences that may arise from using the system.

Population and Sample

The respondents of this study consist of the end-users or the tourists in Bulacan and IT professionals for evaluating Lakad. The tourists are the primary users of the application, while the IT professionals are the secondary users who evaluates the technical aspects of the system.

End-Users. The End-users or the tourists are the primary users of the application. The acceptance of the application, measured by TAM, were evaluated by the end-users.

A multi-stage non-probability sampling technique was used to select the respondents for the end-users. First, municipalities in Bulacan were classified based on their 2025 tourist arrivals (low, medium, high), see Table 3. These classifications were based on the data provided by PHACTO, such that < 100,000 arrivals is classified as low, 100,000 to 500,000 arrivals is classified as medium, and > 500,000 arrivals is classified as high. Selected municipalities were chosen from different tourist arrival classifications to ensure a diverse representation of tourists. This approach helps to reduce sampling bias and ensures that the sample reflects the diversity of tourists visiting different areas of Bulacan.

Table 3*Tourist Arrivals in Bulacan (2025)*

Municipality	No. of Arrivals	Classification
Hagonoy	1,105	Low
Obando	5,190	Low
Guiguinto	7,907	Low
Plaridel	25,323	Low
San Ildefonso	40,715	Low
Baliwag	42,775	Low
Paombong	43,510	Low
Bulakan	49,078	Low
San Rafael	59,044	Low
Balagtas	85,236	Low
San Miguel	104,990	Medium
Santa Maria	110,279	Medium
Calumpit	114,000	Medium
Pulilan	130,222	Medium
Pandi	200,667	Medium
Angat	233,255	Medium
Meycauayan	278,211	Medium
Bustos	295,682	Medium
DRT	750,233	High
Malolos	816,299	High
Norzagaray	1,048,633	High
Marilao	1,116,989	High
CSJDM	1,128,736	High
Bocaue	1,335,539	High
Total	8,023,618	

The selected municipalities for the study were Baliwag, Bocaue, Bustos, Calumpit, Guiguinto, Malolos, Marilao, Plaridel, Pulilan, and San Rafael. These municipalities were chosen to represent a range of tourist arrival classifications (low, medium, high) to ensure that the sample of end-users reflects the diversity of tourists visiting different areas of Bulacan.

Within these selected municipalities, respondents were allocated proportionately based on the tourist arrivals of each municipality. This proportional allocation ensures that the sample size from each municipality is representative of the actual distribution of tourists across the region.

A total sample size of 150 end-users was determined to be appropriate for the study. While standard probability sampling formulas for a population of $N = 8,023,618$ would typically suggest a sample of approximately 400 respondents to achieve a 5% margin of error. However, the researchers also consider the practical logistical constraints in conducting face-to-face tourist data collection. Hence, a more manageable target of 150 respondents was established, which accepts an approximate margin of error of 8% at a 95% confidence level.

Table 4

Allocation of Respondents for End-users

Municipality	Proportion (%)	No. of Respondents
Baliwag	1.08	2
Bocae	33.86	51
Bustos	7.50	11
Calumpit	2.89	4
Guiguinto	0.20	1
Malolos	20.70	31
Marilao	28.32	42
Plaridel	0.64	1
Pulilan	3.30	5
San Rafael	1.50	1
Total	100.00	150

Table 4 shows the allocation of respondents for end-users based on the proportion of tourist arrivals in each selected municipality. This ensures that the 150 respondents accurately reflect the true geographical distribution of tourist arrivals across the selected municipalities significantly reduces sampling bias and prioritizing a highly representative

sample.

Furthermore, this sample size is justified for evaluating the Technology Acceptance Model (TAM). According to Memon et al. (2020), a sample sizes of 30 to 500 are appropriate for most behavioral studies based on Roscoe's (1975) guidelines, which TAM falls under. Hence, a sample size of 150 is well within the recommended range for TAM studies. This aligns with methodological recommendations emphasizing that survey sample sizes should be driven by the specific analytical approach and research objectives rather than rigid population proportions (Memon et al., 2020). It is also consistent with recent regional tourism technology research by Rayner et al. (2025), which successfully validated TAM constructs using 80 respondents, further indicating that 150 is more than adequate for achieving reliable results.

IT Professionals. IT professionals evaluates the quality of Lakad using the ISO/IEC 25010:2023. A total of 22 IT experts were chosen based on their qualification and relevant experiences. This includes but not limited to computer programmers, UI/UX, and selected faculty members from The College of Information and Communications Technology (CICT) at Bulacan State University (BulSU). Additionally, they also provide qualitative feedback on the system's strengths and areas for improvement.

Table 5

Summary of Population and Sample

Respondent Group	Population	Sample Size
End-users (Tourists)	Tourists visiting Bulacan tourist spots	150
IT Professionals	Software engineers, QA, UX professionals, CICT Faculties	22
Total		172

To summarize, the total sample size for the study consists of 172 respondents, with

150 end-users and 22 IT professionals as shown in Table 5.

Data Collection

The data collection process of this study was divided into two parts: one for the end-users (tourists) and another for the IT professionals. Each group was evaluated using different instruments to gather relevant data for assessing the system from both user experience and technical quality perspectives. The end-users were evaluated using TAM, while the IT professionals were evaluated using ISO/IEC 25010:2023.

Both instruments utilized Likert scales to measure the responses of the respondents. The TAM questionnaire for end-users and the ISO/IEC 25010:2023 evaluation for IT professionals uses 5-point Likert scale. These scales were adopted from existing instruments and were modified to fit the context of this study especially for the TAM questionnaire. The use of Likert scales allows for quantifying the perceptions and evaluations of the respondents, providing a structured way to analyze the data collected from both groups.

Preparation and Pilot Testing. Before the actual data collection, a formal permission was requested and obtained from the local government units (LGUs) of the selected municipalities to conduct the survey among tourists. After obtaining the necessary permissions, pilot testing was conducted to ensure the reliability and validity of the TAM questionnaire. The pilot test was done with a small group of respondents who were similar to the target population. A total of 20 respondents from the municipality of Pandi were selected for the pilot test because it is excluded from the main data collection to avoid bias. The Cronbach alpha of the pilot test results was calculated to make sure that the TAM questionnaire is reliable. The calculated Cronbach's alpha result yielded a value of 0.881 which is above the acceptable threshold of 0.7, indicating that the TAM questionnaire has good internal consistency and is reliable for measuring user acceptance. For the ISO/IEC 25010:2023, since it is a standardized evaluation method, a pilot test was not conducted for this instrument.

Administration to End-users. The data collection for end-users was conducted

through face-to-face surveys in various tourist spots across the selected municipalities in Bulacan. The researchers approached tourists along with the informed consent and invited them to participate in the survey, which included a brief introduction to the Lakad application and its features. After exploring the application, the respondents were asked to complete the TAM questionnaire, which assessed their perceptions of the system's usefulness, ease of use, attitude towards using it, and behavioral intention to use it in the future. Additionally, demographic information such as age bracket, travelling frequency, and technological proficiency was collected to analyze potential correlations between these factors and the TAM constructs.

Administration to IT Professionals. Permissions to conduct the survey among IT professionals was requested and obtained from the Information and Communications Technology Office (ICTO) of BulSU and to the dean of CICT. The data collection for IT professionals was conducted through an online survey or in-person sessions, depending on the availability and preference of the respondents. The IT professionals were provided with access to the Lakad application and were given a brief overview of its features and functionalities. After exploring the application, they were asked to complete the ISO/IEC 25010:2023 evaluation, which assessed the system's functional suitability, performance efficiency, compatibility, interaction capability, reliability, security, maintainability, flexibility, and safety. In addition to the quantitative evaluation, IT professionals were also encouraged to provide qualitative feedback on the system's strengths and areas for improvement based on their technical expertise.

Data Processing and Analysis

The researchers conducted systematic data processing and analysis of data from the Technology Acceptance Model (TAM) questionnaire and ISO/IEC 25010:2023 system quality evaluation instrument to evaluate user acceptance rates and the total system quality of the Lakad application.

The TAM questionnaire utilized a five-point Likert-type scale to measure respondents'

perception towards Lakad. The response categories were coded numerically as follows: 1 (Strongly disagree); 2 (Disagree); 3 (Neutral); 4 (Agree); and 5 (Strongly agree). The instrument consists of declarative statements that is designed to measure the four TAM constructs (Perceived Usefulness, Perceived Ease of Use, Attitude Towards Using, and Behavioral Intention to Use).

The ISO/IEC 25010:2023 evaluation instrument used a five-point performance rating scale to evaluate system quality constructs through expert assessment. The scale was coded as: 1 (Poor); 2 (Fair); 3 (Good); 4 (Very good); and 5 (Excellent). The experts used this instrument to assess system quality attributes which included Functional Suitability Performance Efficiency Compatibility Reliability Security Maintainability Flexibility and Safety.

Since responses to individual questionnaire items are ordinal in nature, descriptive statistics were utilized to summarize the data without assuming equal intervals between response categories. At the item level, frequency distributions and median values were computed to describe response patterns and determine the central tendency of each item.

To obtain construct-level measures, composite scores were computed by averaging responses across items corresponding to each construct. For both TAM and ISO/IEC 25010:2023 instruments, the composite score for the i -th respondent was calculated using in Equation 14,

$$X_i = \frac{\sum_{j=1}^n Y_{ij}}{n} \quad (14)$$

Where, X_i is the composite score for the i -th respondent, Y_{ij} is the rating of the i -th respondent on the j -evaluation item, and n is the total number of item to evaluated for a given construct.

Although individual items were ordinal, aggregating multiple items to a composite score allows the resulting construct-level scores to be treated as continuous approximation interval data. This approach was supported by the study of Huh and Gim (2025), which found

that merging multiple Likert variables into a total score not only preserves the underlying correlation structures but also increases overall statistical power.

The overall mean score for each construct was computed by taking the mean of the composite scores of all respondents, this is given by Equation 15,

$$\bar{X} = \frac{\sum_{i=1}^m X_i}{m} \quad (15)$$

Where, \bar{X} is the overall mean score for a given construct, X_i is the composite score for the i -th respondent, and m is the total number of respondents. The mean provided a summary measure of overall user acceptance (for TAM constructs) and overall system quality (for ISO/IEC 25010:2023 constructs).

The sample standard deviation was also calculated to get the variability of response among the evaluators. A lower standard deviation indicates that the respondents were in strong agreement regarding Lakad's system acceptance and quality. The formula for sample standard deviation is given by Equation 16,

$$s = \sqrt{\frac{\sum_{i=1}^m (X_i - \bar{X})^2}{m - 1}} \quad (16)$$

Where, s is the sample standard deviation, X_i is the composite score for the i -th respondent, \bar{X} is the overall mean score for a given construct, and m is the total number of respondents.

The interpretation of the mean scores for both TAM and ISO/IEC 25010:2023 was based on a predefined scale that categorizes the mean scores into descriptive ratings and interpretations. The interpretation tables for both TAM and ISO/IEC 25010:2023 are presented in Table 6 and Table 7, respectively.

Table 6*Interpretation of Mean Scores for TAM*

Mean Score	Descriptive Rating	Interpretation
4.21–5.00	Highly acceptable	The system is highly acceptable and meets user expectations
3.41–4.20	Acceptable	The system is generally acceptable and meets user expectations with minor issues
2.61–3.40	Fairly acceptable	The system is somewhat acceptable but has room for improvement
1.81–2.60	Slightly acceptable	The system is barely acceptable and needs significant improvements
1.00–1.80	Not acceptable	The system is not acceptable and requires major redesign

Table 7*Interpretation of Mean Scores for ISO/IEC 25010:2023*

Mean Score	Descriptive Rating	Interpretation
4.21–5.00	Excellent	The quality of the system is outstanding and exceeds expectations
3.41–4.20	Very Good	The quality of the system is above average and meets expectations
2.61–3.40	Good	The quality of the system is average and meets basic expectations
1.81–2.60	Fair	The quality of the system is below average and needs improvement
1.00–1.80	Poor	The quality of the system is poor and requires major redesign

This scale helps to contextualize the numerical results and provides a clear understanding of what the mean scores indicate about user acceptance and system quality.

Ethical Considerations

Ethical considerations played a crucial role in the conduct of this study, especially since it involved the participation of real people, and government institutions and offices. The ethical guidelines were strictly followed in compliance with the Data Privacy Act of 2012 (Republic Act No. 10173) and Bulacan State University's (BulSU) College of Science (CS) Ethical Committee, to uphold the integrity of the research and to ensure the privacy and security of all collected data. Obtaining informed consent, implementing data encryption, and enforcing strict access controls were observed to safeguard the rights and confidentiality of all individuals and institutions involved in the evaluation and development of the system.

Informed Consent

Participants of the study were required to give informed consent before responding to any personally identifying data or opinions that were collected for the study, usability testing, and system evaluation. Consent materials informed respondents about the study purpose, what data would be collected, how the data would be used, risks and benefits, and contact details for further questions regarding the study. The project followed recognized Philippine guidance on ethical review and informed consent processes such as the Data Privacy Act of 2012 (Republic Act No. 10173). Participants were also given the freedom to withdraw their responses at will, at which point the collected data from them would be discarded and deleted.

In addition to individual respondents, the study also involved data collection from government offices, particularly from the Bulacan Provincial History, Arts, Culture, and Tourism Office (PHACTO) and other related agencies that maintained official records on local attractions and tourism statistics. As per the request of the PHACTO, a letter required to be sent formally addressed the Provincial Governor and the Head of the Provincial Tourism Department to request permission to access relevant datasets or documents. These data included, but were not limited to, lists of Points of Interest (POIs), and visitor statistics of

tourism establishments.

The request letters clearly outlined the purpose of the data use, the scope of the requested information, and the intended outcomes of the study. Only publicly shareable or officially permitted data were considered and were used in compliance with all terms set by the concerned government offices. The use of such data was limited strictly to academic and system development purposes.

Confidentiality and Privacy

All personal or sensitive information collected during the study remained confidential. Any identifiable data from participants or government records such as names or addresses were anonymized before analysis or publication by not digitizing said fields and replacing them with code or identifiers instead. Access to raw data was restricted to authorized research team members only, and all information was securely stored in digital repositories.

Data Protection

All collected data were processed and stored in compliance with the Data Privacy Act of 2012 (Republic Act No. 10173) and its Implementing Rules and Regulations (IRR). The principles of transparency and legitimate purpose in handling personal and institutional data were followed. Appropriate technical and organizational security measures, such as encrypted file storage and secure data transmission, were implemented to protect information from unauthorized access or loss. The collected physical data were safely compiled in one clear book folder which was stored inside a vault for the duration of the study and would be disposed of one month after the final defense, and digitally collected data were encrypted in a spreadsheet file only accessible by the researchers, and would be deleted one month after the final defense.

Ethical Data Collection

The data collection process was guided by integrity and accountability. Only information relevant to the objectives of the system was gathered. The collection of data did

not include sensitive personal information unless necessary and, if in any case it was, it was collected under the permission of the respondent. In compliance with Philippine regulations, the consenting respondents that were considered for the survey were strictly 18 years old and above.

For survey and usability testing activities, participation was entirely voluntary, and responses were treated as confidential. For institutional data, such as those obtained from PHACTO or other local government offices, the researchers followed the formal request procedures and upheld any data-sharing agreements or confidentiality clauses that were imposed by the office.

Transparency and Integrity

The researchers maintained transparency throughout the conduct of the study. All research methods, procedures, data sources, and analytical processes were accurately documented and reported. The team strictly avoided misrepresentation of data, selective reporting of results, or exaggeration of the system's capabilities.

Acknowledgment was given to all sources of information, including government offices and online databases. Conflicts of interest, if any, were disclosed openly. All representations made to data providers, research participants, and readers were honest and verifiable.

The study upheld the principles of academic integrity, guided by the ethical standards outlined by the Data Privacy Act of 2012 (Republic Act No. 10173), Republic Act No. 8293 (Intellectual Property Code of the Philippines), and institutional research ethics guidelines of Bulacan State University (BulSU).

CHAPTER IV

PRESENTATION, ANALYSIS, AND INTERPRETATION OF DATA

This chapter presents the results of the study, including a comparative analysis of TSP algorithms, the developed application, and the evaluation of system acceptability and software quality. The findings are interpreted in the context of the research objectives and questions outlined in Chapter 1.

Comparative Analysis of TSP Algorithms

This section presents the performance evaluation of the selected metaheuristic algorithms for solving the Traveling Salesman Problem (TSP). The algorithms were tested on four standard instances from the TSPLIB library: burma14, bays29, eil51, and berlin52. The primary goal was to identify the most suitable algorithm for the Lakad mobile application, balancing solution quality (minimizing travel distance) and runtime efficiency (minimizing user wait time).

Analysis of Solution Quality (Accuracy)

The solution quality is measured by the average relative error (%) compared to the optimal solution for each TSP instance.

Table 8*Summary of Average Relative Error (%)*

Algorithm	TSPLIB Instances				Average
	burma14	bays29	eil51	berlin52	
GA	0.00	0.03	0.38	0.00	0.10
SA	0.00	0.42	2.77	3.15	1.59
ACO	0.53	1.50	5.49	2.49	2.50
EHO	0.00	3.71	20.47	23.36	11.27
PSO	0.99	12.74	36.88	43.46	23.77
HSFFPKO	1.88	20.18	127.28	95.07	61.11
GWO	6.32	33.67	145.85	181.36	91.80

Table 8 summarizes the results of each algorithm showing their performance across the four TSPLIB instances and their average relative error. The results indicate that the Genetic Algorithm (GA) consistently achieved the highest solution quality, with an average relative error of 0.10%. Simulated Annealing (SA) and Ant Colony Optimization (ACO) also performed well, with average errors of 1.59% and 2.50%, respectively. The Elephant Herding Optimization (EHO), Particle Swarm Optimization (PSO), Hovering Scouts and Foraging Flocks Pied Kingfisher Optimizer (HSFFPKO), and Grey Wolf Optimizer (GWO) showed significantly higher errors, indicating lower solution quality for the tested TSP instances.

Analysis of Runtime Efficiency

Runtime efficiency is critical for the Lakad application, as users expect quick responses when optimizing their travel itineraries.

Table 9*Summary of Average Runtime Efficiency (seconds)*

Algorithm	TSPLIB Instances			
	burma14	bays29	eil51	berlin52
EHO	0.17	0.27	0.44	0.45
SA	0.49	1.04	1.82	1.90
GWO	0.51	1.02	1.73	1.75
HSFFPKO	1.16	1.42	1.78	1.76
PSO	3.36	4.77	6.30	6.84
ACO	2.51	9.67	28.62	29.23
GA	3.79	26.31	168.15	196.59

Table 9 summarizes the average runtime (in seconds) for each algorithm across the four TSPLIB instances. While GA achieved the best solution quality, its runtime increased exponentially with the problem size. For the berlin52 instance, GA required approximately 196.59 seconds (over 3 minutes) to complete. In contrast, EHO had the lowest runtime across all instances, with a runtime of < 0.5 seconds even for the largest instance. SA and GWO also demonstrated low runtimes, while ACO and PSO showed moderate to high runtimes, especially as the problem size increases.

Algorithm Ranking

To select the most suitable algorithm for the Lakad application, a multi-criteria decision analysis (MCDA) approach was used to rank the algorithms based on both solution quality and runtime efficiency, particularly the Simple Additive Weighting (SAW) method. The per instance scores and rankings are presented in Table 10. Equal weights ($w_i = 0.5$) were assigned to both criteria.

Table 10

Final SAW Scores and Rankings of TSP Algorithms

Algorithm	TSPLIB Instances				Rank
	burma14	bays29	eil51	berlin52	
SA	0.06	0.03	0.01	0.01	1st
EHO	0.02	0.06	0.07	0.07	2nd
ACO	0.37	0.21	0.10	0.08	3rd
PSO	0.52	0.28	0.14	0.14	4th
HSFFPKO	0.30	0.33	0.44	0.33	5th
GA	0.50	0.50	0.50	0.50	6th
GWO	0.56	0.51	0.51	0.50	7th

Based on the SAW scores, Simulated Annealing (SA) emerged as the top-ranked algorithm, offering a strong balance between solution quality and runtime efficiency. Although GA achieved the best accuracy, its long runtime makes it resulted in a consistently high SAW score, placing it in the 6th position. EHO performed well on small instances, but its accuracy degraded on larger instances, making it less reliable for complex itineraries.

In conclusion, Simulated Annealing (SA) was the selected route optimization algorithm for Lakad. It provides a good trade-off between solution quality and runtime efficiency, ensuring that users receive optimized itineraries in a reasonable time frame, enhancing the overall user experience of the Lakad application.


The Developed System

The developed system, Lakad, was developed as both a place explorer and itinerary planner with route optimization capabilities. It allows tourists to search tourist spots within Bulacan and plan their itineraries by generating one for them and gives out navigation instructions for travel. The Lakad application has five key features, which are described in the following subsections.


Tourist Spot Exploration

Figure 9


Tourist Spot Exploration



Lakad allows user to explore tourist spots in Bulacan in an interactive manner. Figure 9a shows a map which has markers for the respective tourist spots with their images. There is also a search bar that allows user to search for tourist spots by name, as shown in Figure 9b. The user can also view the list of all tourist spots with their images, categories, locations, and ratings, as shown in Figure 9c. This feature provides users with a comprehensive overview of the available tourist spots in Bulacan.

Figure 10*Tourist Spot Information*

The tourist spot markers on the map are interactive, allowing users to click on them to view detailed information about the tourist spot, including its name, category, location, description, and user reviews and ratings as shown in Figure 10a. There is also a button that allows users to quickly add the tourist spot to their itinerary. Scrolling down, users can view the reviews and ratings of the tourist spot, as shown in Figure 10b. This feature provides users with valuable insights from other travelers. Figure 10c shows more comprehensive reviews and ratings of the tourist spot by clicking the “See all reviews” button. The “All Reviews” shows the reviews and ratings of other users and allows sorting and filtering of the reviews.

Figure 11*Reviews and Ratings*

Users of Lakad can also create their own reviews and ratings for the tourist spots they have visited. They can rate the tourist spot using a star rating, write a review, and upload photos of their experience, as shown in Figure 11a. Additionally, users can report inappropriate reviews to maintain the quality of reviews in the application, as shown in Figure 11b. This encourages user engagement and helps build a community of travelers sharing their experiences while maintaining a healthy review environment.

Personalized Itinerary Generation

Figure 12

Personalized Itinerary Generation


The figure consists of three side-by-side screenshots of a mobile application interface titled "Agam Planner".

- (a) Generate Itinerary:** This screen shows the initial setup. At the top right, a green button displays "POOL SIZE 0 / 144". Below it are dropdown menus for "Location (Districts & Municipalities)" and "Types". A "Max Distance (KM)" input field is set to 100, with a note below stating "Set the maximum total distance you are willing to travel for this itinerary." A "Max Stopovers" input field is set to 10, with a note below stating "Set the maximum number of stopovers (landmarks) to include in your route." A yellow button at the bottom says "Select more filters to generate a valid route." A large green "Generate Itinerary" button is at the bottom.
- (b) Select Location:** This screen shows the user selecting locations from a list. The "Location" dropdown is expanded, showing five districts: District 1 (Bulakan, Calumpit, Hagonoy, Malolos, Paombong, Pulilan), District 2 (Baliwag, Bustos, Plaridel), District 3 (DRT, San Ildefonso, San Miguel, San Rafael), District 4 (Marilao, Meycauayan, Obando), and District 5. Each district has a "Select All" button. A "SELECT ALL DISTRICTS" button is located above the districts. The top right still shows "POOL SIZE 0 / 144".
- (c) Select Type:** This screen shows the user selecting types of tourist spots. The "Types" dropdown is expanded, showing categories: Historical, Landmark, Nature, Religious, Museum, and Mall. Each category has a "Select All" button. A "Select All" button is located at the top right of the dropdown. The top right now shows "POOL SIZE 16 / 144". The "Max Distance (KM)" and "Max Stopovers" fields are identical to screen (a). A large green "Generate Itinerary" button is at the bottom.

One of the core features of Lakad is its ability to generate personalized itineraries for users based on their preferences and selected tourist spots. The Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) is the one responsible for generating personalized itineraries, and the required parameters are filled by the user, as shown in Figure 12a. Users can select their preferred tourist spots location which are based on the districts and municipalities of Bulacan, as shown in Figure 12b. Next, users must select the type of tourist spots they want to visit, which are based on the categories of the tourist spots, as shown in Figure 12c. The maximum travel distance and the number of tourist spots to visit are also required parameters for itinerary generation. After filling in the required parameters, users can click the “Generate Itinerary” button to receive a personalized itinerary that optimizes their travel route based on their preferences and selected tourist

spots.

Figure 13
Generated Itinerary




After generating the itinerary, a card view of a tourist spot in the itinerary is shown where users can swipe left or right to reject or accept the tourist spot, respectively, as shown in Figure 13a. If the user accepts the tourist spot, it will be added to their itinerary, and they can view the generated itinerary (Figure 13b). An autogenerated name for the generated itinerary is also provided, but users can edit it to their preference. The estimated time to complete the itinerary is also shown, and users can set a duration for each tourist spot in the itinerary. This feature allows users to have control over their itinerary and make adjustments based on their preferences and distance constraints.

Itinerary Optimization

Figure 14

Itinerary Optimization



The initial generated itinerary only considers the maximum travel distance, ensuring that the total distance of the itinerary does not exceed the specified limit. However, it does not optimize the travel route between the selected tourist spots. Hence, Lakad incorporates the Simulated Annealing (SA) algorithm to optimize the travel route of the generated itinerary. Figure 14a shows the initial arrangement of the tourist spots in the itinerary generated by AGAM. The “Optimize” button can then be clicked to optimize the travel route of the itinerary using SA. Figure 14b shows the optimized arrangement of the tourist spots in the itinerary after applying SA. The first tourist spot in the itinerary is based on the shortest distance from the user’s current location, and the subsequent tourist spots are arranged in a way that minimizes the total travel distance. As shown in Figure 14, from 71.326 km


to 31.250 km, the total travel distance for this itinerary was significantly reduced. This shows the effectiveness of the SA algorithm. Additionally, optimization process is done in a reasonable time frame.

There are also instances where the initial generated itinerary is the optimal solution, thus no changes are made to the arrangement of the tourist spots in the itinerary after optimization.

Itinerary Management

Figure 15

Itinerary Management




Users can see and manage their generated itineraries in the “Itineraries” page, as shown in Figure 15a. The users can view their existing itineraries, including the details of each itinerary such as the number of tourist spots, total travel distance, date created, current progress, and the name of the itinerary. It also has a button to start or continue the itinerary,

which will give navigation instructions to the user to travel to the tourist spots in the itinerary. Clicking the “New” button will prompt the user to create a new itinerary manually or smart generate an itinerary using the AGAM, as shown in Figure 15b. Swiping left on an existing itinerary will show the delete button, allowing users to delete their itineraries, as shown in Figure 15c.

Figure 16


Manual Itinerary Creation



If the user chooses to create a new itinerary manually, they can select the tourist spots they want to visit and search it by name, as shown in Figure 16. On the other hand, if the user chooses to smart generate an itinerary, they will be directed to the AGAM itinerary generation page (Figure 12a) where they can fill in the required parameters and generate a personalized itinerary based on their preferences and selected tourist spots. This feature provides users with flexibility in creating their itineraries, allowing them to either have a personalized itinerary generated for them or create their own itinerary based on their preferences and selected tourist spots.

Itinerary Navigation

Figure 17
Itinerary Navigation



Lakad also features navigation of an itinerary by showing the direction to the first unvisited tourist spot in the itinerary. Figure 17a shows the direction by displaying the route from the user's current location to the first unvisited tourist spot in the itinerary. It also shows the estimated time of arrival in the tourist spot and the departure time based on the duration set by the user. Scrolling down, users can view more information such as the entire direction to the tourist spot, the next tourist spot in the itinerary, also a button to mark the tourist spot as visited, as shown in Figure 17b. Users can also change the travel mode for navigation, which includes driving, walking, and bicycling, as shown in Figure 17c. The user can choose to avoid tolls and turn on the voice navigation. This feature provides users with a convenient way to navigate their itineraries and ensures that they can easily find their way to the tourist spots they want to visit.


Additionally, a stop is also marked as visited when the user is detected to be within a certain proximity of the tourist spot. This feature provides users with a seamless navigation experience, allowing them to focus on enjoying their trip while the application automatically tracks their progress through the itinerary.

Admin Side


This is an additional feature of the Lakad application that allows the application to be more manageable and scalable.

Figure 18


Admin Options




The administrator side mainly features the management of the tourist spots that will be shown in the application. Figure 18 shows all the privileges of the administrator such as managing user accounts, managing tourist spots, and managing itineraries.

Figure 19*Analytics*


The administrator can see the summary and reports of the application in the Analytics page, as shown in Figure 19. The summary shows the total number of itineraries, total number of tourist spots, archived tourist spots, and the total kilometers planned in the itineraries. Summary of popular places is also shown along with the least popular places. This feature provides the administrator with insights into the usage of the application and helps them make informed decisions about managing the tourist spots and improving the user experience.

Figure 20*Manage Places*


To keep the application scalable and up-to-date, the administrator can manage the tourist spots in the application by adding new tourist spots, updating existing tourist spots, see Figure 20a. When adding a new tourist spot, the administrator must fill in the required information such as the name, category, location, description, and upload photos of the tourist spot, as shown in Figure 20b. The coordinates of the tourist can either be retrieved manually from Google Maps or other mapping services, or by pinning the location of the tourist spot on the map. This feature allows the administrator to easily manage the tourist spots in the application.

Figure 21*Tourist Spot Management*

Existing tourist spots can also be updated by the administrator, as shown in Figure 21a. The administrator can update the information of the tourist spot such as the name, category, location, description, and photos. Additionally, the analytics of the tourist spot can also be viewed, which shows the total number of visits, total number of reviews, average rating, rating distribution, visit trends, and number of itineraries that include the tourist spot, as shown in Figure 21b. This feature provides the administrator with insights into the performance of each tourist spot.

Figure 22*Distance Matrix Management*

One of the critical components of the Lakad application is the distance matrix, which contains the distances between all pairs of tourist spots. Figure 22 shows the distance matrix management page, where the distance matrix can be recomputed when new tourist spots are added. This approach lowers the API usage from Open Route Service, ensuring that the application can scale without incurring high costs from API calls. Since, it will calculate the distances between all pairs of tourist spots, expect that the recomputation process may take a while, especially as the number of tourist spots increases.

Figure 23*Review Reports*

(a)

(b)

The administrator can also view the reported reviews in the application, as shown in Figure 23a and Figure 23b. Users can report inappropriate reviews, and the administrator can view these reported reviews and take appropriate actions such as deleting the review, hide, or dismiss the report. This feature helps maintain the quality of reviews in the application and ensures that users can rely on the reviews and ratings provided by other travelers.

System Evaluation

This section presents the evaluation results of the Lakad application, focusing on the acceptability of the system among users and the overall software quality. The data collected was processed and analyzed in Jupyter Notebook with the use of Python libraries such as Pandas, Matplotlib, and NumPy. The results are presented in terms of per construct median scores, frequency distributions, mean scores, and standard deviations.

Evaluation of System Acceptability

The acceptability of the Lakad was evaluated with a Technology Acceptance Model (TAM) survey, which was distributed to 150 respondents. The distribution was proportionately done across different tourist spots in a selected municipality in Bulacan.

Table 11

System Acceptability results

Construct	Mean Score	Standard Deviation	Interpretation
Perceived usefulness	4.71	0.34	Highly acceptable
Perceived ease of use	4.71	0.43	Highly acceptable
Attitude towards using	4.72	0.40	Highly acceptable
Behavioral intention to use	4.56	0.47	Highly acceptable
Grand TAM Score	4.67	0.42	Highly acceptable

Table 11 summarizes the results of the TAM survey, showing the mean scores and standard deviations for each construct. All the constructs achieved a high mean which was interpreted as highly acceptable, indicating that users found the Lakad application to be useful, easy to use, and had a positive attitude towards using it. Perceived usefulness, perceived ease of use, and attitude towards using all had a mean score of 4.71 or higher, suggesting that the Lakad application effectively meets user needs and expectations. The behavioral intention to use scored slightly lower than the other constructs but still achieved a high mean score of 4.56, indicating that users are likely to continue using the application in the future. The standard deviations for all constructs were relatively low (ranging from 0.34 to 0.47), suggesting that there was a consensus among respondents regarding their perceptions of the Lakad application. Overall, the results indicate that the Lakad application is well-received by users and has a high level of acceptability with a grand TAM score of 4.67 which is interpreted as highly acceptable.

Table ?? shows the per item median scores and frequency distributions for each item

in the TAM survey. This shows the underlying distribution of responses for each item. The data is heavily skewed towards the higher end of the scale (4 and 5), indicating that most respondents had a positive perception towards Lakad. In the Perceived Usefulness (PU), all items report a median score of 5. The Usefulness item (PU5) has the highest frequency of 5s, with 126 respondents rating it as 5, indicating that users find the system very useful. For the Perceived Ease of Use (PEOU), all items also report a median score of 5. The system is perceived as easy to operate, learn, and master. Ease of Operation (PEU5) has the highest frequency of 5s, with 120 respondents rating it as 5. For the Attitude Towards Using (ATU), all items also report a median score of 5. Users express high satisfaction, enjoyment, and positive feelings towards using the system. Satisfaction (ATU3) has the highest frequency of 5s, with 107 respondents rating it as 5. The Behavioral Intention to Use (BI) items show slightly more variance, this explains the results in the lower mean score for this construct in Table 11. The Intention to Use item (BI1) has a median score of 4, with a significant number of respondents rating it as 4 (67 respondents) and 5 (66 respondents). This suggests that while many users have a strong intention to use the system, there is also a notable portion that is less certain about their intention to use it. The Future Use item (BI2) has a median score of 5, with 95 respondents rating it as 5, indicating that many users are likely to continue using the system in the future.

Software Quality Evaluation

The software quality of the Lakad application was evaluated using a survey based on the ISO/IEC 25010:2023 software quality model. The survey was done by IT experts, Software developers, and selected faculty members in the College of Information and Communications Technology (CICT) of Bulacan State University. The survey was distributed to 22 IT professionals.

Table 12*System Quality results*

Construct	Mean Score	Standard Deviation	Interpretation
Functional Suitability	4.86	0.24	Excellent
Performance Efficiency	4.77	0.39	Excellent
Compatibility	4.66	0.50	Excellent
Interaction Capability	4.76	0.26	Excellent
Reliability	4.82	0.36	Excellent
Security	4.83	0.32	Excellent
Maintainability	4.68	0.32	Excellent
Flexibility	4.75	0.31	Excellent
Safety	4.75	0.45	Excellent
Grand ISO/IEC 25010:2023 Score	4.76	0.36	Excellent

Table 12 summarizes the results of the software quality evaluation based on the ISO/IEC 25010:2023 model. All constructs achieved a high mean score ranging from 4.66 to 4.86, which were interpreted as excellent. The highest mean score was for Functional Suitability (4.86), indicating that the Lakad application effectively meets the functional requirements and provides the necessary features for users. Security (4.83) and Reliability (4.82) also scored very high, suggesting that the application is secure and reliable for users. Compatibility had the lowest mean score (4.66) among the constructs, this is explained by the exclusivity of the app to Android devices, which limits its compatibility with other platforms. But since the app is written in React Native, it can be easily ported to other platforms in the future. The standard deviations for all constructs were relatively low (ranging from 0.24 to 0.50), indicating that there was a consensus among respondents regarding the software quality of the Lakad application. Overall, the results indicate that the Lakad application has excellent software quality across all evaluated constructs, with a grand ISO/IEC 25010:2023 score of 4.76 which is interpreted as excellent.

To provide a more detailed analysis of the software quality evaluation, the per item median scores and frequency distributions for each item in the survey are presented in the following tables. Exploring for deeper understanding of the specific aspects of each construct that contributed to the overall high scores.

All the items in the survey reported a median score of 5, the majority of the respondents rated each item as 5. Figure ?? shows the per item frequency distribution of the ISO/IEC 25010:2023 survey, which illustrates the distribution of responses for each item in the survey. The letter before the item corresponds to the construct, such that (A) is for Functional Suitability, (B) is for Performance Efficiency, (C) is for Compatibility, (D) is for Interaction Capability, (E) is for Reliability, (F) is for Security, (G) is for Maintainability, (H) is for Flexibility, and (I) is for Safety.

The per item frequency distribution in Figure ?? reveals the cause of the high mean scores for each construct. It also shows the strengths and weaknesses of Lakad in terms of software quality. Accountability (F), Functional Appropriateness (A), Testability (G), and Faultlessness (E) achieved the highest frequencies of 5 (Excellent), indicating that the app effectively accomplish the task of planning an itinerary while being reliable. On the other hand, Analysability (G), Replaceability (H), Modularity (G), and Interoperability (C) accumulated the lowest frequencies of 5. Although, those items have the lowest frequencies of 5, most of the response were above average (Very Good). Since Lakad operates exclusively to Android devices, this explains the results in the Interoperability item that the app currently does not work to other devices like iOS. The score in Replaceability suggest that while Lakad shows high Functional suitability score, competing against existing apps like Google Maps and TripAdvisor may be difficult. But since Lakad is written in React Native, it can be easily ported to other platforms in the future, which may improve the score in Interoperability and Replaceability. Overall, the per item frequency distribution provides insights into the specific areas of software quality where Lakad excels and where there may be opportunities for improvement.

CHAPTER V

SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS

Summary of Findings

This study aimed to develop Lakad, a mobile personalized itinerary generator for tourists in the province of Bulacan. The study addressed four research questions concerning the best-performing algorithm for route optimization, the development of the system, its acceptability among end-users, and its software quality as evaluated by IT professionals.

Comparative Analysis of TSP Algorithms

The first objective of the study was to determine the best-performing algorithm among seven metaheuristic algorithms for solving the Traveling Salesman Problem (TSP). The algorithms were evaluated based on two criteria: solution quality, measured by average relative error (%), and runtime efficiency, measured in seconds. Four standard TSPLIB instances were used to test the performance of each algorithm, this includes burma14, bays29, eil51, and berlin52. The Simple Additive Weighting (SAW) method with equal weights ($w = 0.5$) was used for final ranking of each algorithm.

In terms of solution quality, the Genetic Algorithm (GA) achieved the best performance with an average relative error of 0.00% across all instances, followed by Simulated Annealing (SA) at 1.59% and Ant Colony Optimization (ACO) at 2.50%. The remaining algorithms such as Elephant Herding Optimization (EHO), Particle Swarm Optimization (PSO), Hovering Scouts and Foraging Flocks Pied Kingfisher Optimizer (HSFFPKO), and Grey Wolf Optimizer (GWO) exhibited significantly higher relative errors of 11.27%, 23.77%, 61.11%, and 91.80%, respectively.

In terms of runtime efficiency, the Elephant Herding Optimization (EHO) was the fastest algorithm, completing within 0.5 seconds even for the largest instance. However, its solution quality degraded substantially on larger instances. While GA achieved the best solution quality, its runtime scaled exponentially, reaching approximately 196.59 seconds for

the berlin52 instance.

Based on the SAW ranking, **Simulated Annealing (SA)** emerged as the best algorithm, ranking first overall. It provided a strong balance between solution quality (1.59% average relative error) and runtime efficiency, making it the most suitable algorithm for route optimization in the Lakad application.

Development of the System

The Lakad mobile application was developed as an Android-based application using the React Native framework, following the Agile-Kanban methodology. The system was successfully developed with five core features:

1. Tourist Spot Exploration.

Users can explore Bulacan's tourist destinations through an interactive map with markers, a search bar, and a categorized place list. Detailed information, user reviews, and ratings are accessible for each tourist spot. Users can also write their own reviews, upload photos, and report inappropriate content.

2. Personalized Itinerary Generation.

The Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) was implemented to generate personalized itineraries. Users can specify parameters such as preferred location, tourist spot categories, maximum travel distance, and number of places to visit. The resulting itinerary is presented through a swipeable card interface, allowing users to accept or reject suggested stops.

3. Itinerary Optimization.

The Simulated Annealing (SA) algorithm was integrated to optimize the route of a generated itinerary. The optimization significantly reduced total travel distances. In one demonstration, the travel distance was reduced from 71.326 km to 31.250 km, showcasing the effectiveness of the SA algorithm.

4. Itinerary Management.

Users can create, view, edit, and delete itineraries. The feature supports both manual

creation and smart generation with the help of AGAM. Progress tracking allows users to monitor visited and unvisited stops.

5. Itinerary Navigation.

Real-time GPS navigation was implemented using the Mapbox API, providing turn-by-turn directions, estimated arrival times, and support for driving, walking, and cycling travel modes. It also supports voice-guided navigation for hands-free use. Stops are automatically marked as visited when the user is within proximity of a destination.

Additionally, an administrative interface was developed to manage tourist spots, view analytics, handle review reports, and recompute the distance matrix when new places are added. Ensuring the scalability of the system.

System Acceptability

The acceptability of the Lakad application was evaluated using the Technology Acceptance Model (TAM) survey administered to 150 end-users (tourists) across selected municipalities in Bulacan. The results showed that:

- **Perceived Usefulness** obtained a mean score of 4.71 ($s = 0.34$), rated as *Highly Acceptable*.
- **Perceived Ease of Use** obtained a mean score of 4.71 ($s = 0.43$), rated as *Highly Acceptable*.
- **Attitude Towards Using** obtained the highest mean score of 4.72 ($s = 0.40$), rated as *Highly Acceptable*.
- **Behavioral Intention to Use** obtained a mean score of 4.56 ($s = 0.47$), rated as *Highly Acceptable*.

The **Grand TAM Score** was 4.67 ($s = 0.42$), interpreted as *Highly Acceptable*. The slightly lower score in Behavioral Intention to Use was attributed to the travel frequency of the respondents, as many rarely travel. Per-item analysis revealed that responses were heavily skewed towards scores of 4 and 5 across all constructs, with all items recording a median score of 5, except for the Intention to Use item (BI1), which recorded a median of 4. Low

standard deviations across all constructs indicate a strong consensus among respondents in their positive perceptions of the system.

Software Quality

The software quality of the Lakad application was evaluated by 22 IT professionals using the ISO/IEC 25010:2023 standard. The results across all nine quality constructs were rated as *Excellent*:

- **Functional Suitability** achieved the highest mean score of 4.86 ($s = 0.24$).
- **Security** scored 4.83 ($s = 0.32$).
- **Reliability** scored 4.82 ($s = 0.36$).
- **Interaction Capability** scored 4.76 ($s = 0.26$).
- **Performance Efficiency** scored 4.77 ($s = 0.39$).
- **Safety** and **Flexibility** both scored 4.75 ($s = 0.45$ and $s = 0.31$, respectively).
- **Maintainability** scored 4.68 ($s = 0.32$).
- **Compatibility** obtained the lowest mean score of 4.66 ($s = 0.50$), attributed to the application's current exclusivity to the Android platform.

The **Grand ISO/IEC 25010:2023 Score** was 4.76 ($s = 0.36$), interpreted as *Excellent*. Per-item analysis indicated that Functional Appropriateness, Accountability, Testability, and Faultlessness achieved the highest frequencies of excellent ratings. Items related to Analysability, Modularity, Replaceability, and Interoperability received comparatively lower but still above-average ratings, which were attributed to the application's current limitation to Android devices and competition from established platforms such as Google Maps and TripAdvisor.

Conclusion

The study successfully developed Lakad, a mobile personalized itinerary generator for tourists in Bulacan. Based on the findings of this study, the following conclusions were drawn:

1. Among the seven metaheuristic algorithms evaluated for solving the Traveling Salesman Problem, **Simulated Annealing (SA)** was determined to be the most suitable algorithm for route optimization for Lakad. While the Genetic Algorithm (GA) achieved perfect solution quality with a 0.00% average relative error, its exponentially increasing runtime reaching over 196 seconds for the berlinc52 instance renders it impractical for real-time use in a mobile application where users expect responsive feedback. On the other hand, while Elephant Herding Optimization (EHO) demonstrated the fastest runtime, its solution quality degraded significantly on larger problem instances, making it unreliable for complex itineraries. SA achieved a balance between the two criteria, with a low average relative error of 1.59% and a consistently fast runtime across all TSPLIB instances. The Simple Additive Weighting (SAW) rankings confirmed this trade-off, placing SA in first position. These results affirm that for the specific demands of a mobile-based tourism application, runtime efficiency is as critical as solution quality, and SA effectively addresses both requirements.
2. The Lakad mobile application was successfully developed as a personalized tourism planning tool for tourist destinations in the province of Bulacan. The system was built using the React Native framework following the Agile-Kanban methodology, and all five target functionalities were fully implemented such as Tourist Spot Exploration, Personalized Itinerary Generation, Itinerary Optimization, Itinerary Management, and Itinerary Navigation.

The Adaptive Genetic Algorithm with Dynamic Mutation and Crossover Probabilities (AGAM) was successfully implemented for generating personalized itineraries, effectively balancing multiple objectives such as POI ratings, user-defined interests, and travel distance constraints. The integration of Simulated Annealing (SA) for route optimization demonstrated improvements in travel distance by lowering the total distance for the entire itinerary. The system further provides real-time GPS navigation through the Mapbox API, supporting multiple travel modes and automatic progress

tracking. The development of an administrative interface additionally ensures that the application is scalable and maintainable as new tourist spots are added over time. All in all, these functionalities demonstrate that the system is a practical and complete solution for addressing the identified gaps in tourism planning in Bulacan.

3. The Lakad application achieved a Grand TAM Score of **4.67** ($s = 0.42$), interpreted as *Highly Acceptable*, demonstrating a strong level of acceptance among end-users. All four TAM constructs such as Perceived Usefulness (4.71), Perceived Ease of Use (4.71), Attitude Towards Using (4.72), and Behavioral Intention to Use (4.56) were rated Highly Acceptable, with low standard deviations reflecting a strong consensus among the 150 respondents. The slightly lower score in Behavioral Intention to Use is attributed to the travel frequency of the respondents and does not negatively reflect on the system's usability or design. The heavy skew of responses towards scores of 4 and 5 across all constructs, particularly in Perceived Usefulness and Perceived Ease of Use, validates that Lakad is intuitive, useful, and well-aligned with the needs of tourists in Bulacan. These results demonstrate that the application successfully meets the expectations of its intended users.
4. The Lakad application demonstrated excellent software quality, achieving a Grand ISO/IEC 25010:2023 Score of **4.76** ($s = 0.36$), interpreted as *Excellent*, as evaluated by 22 IT professionals. All nine quality constructs were rated Excellent, with Functional Suitability (4.86) receiving the highest rating, confirming that the system comprehensively fulfills its intended functional requirements. The high scores in Security (4.83) and Reliability (4.82) further indicate that the system is robust, trustworthy, and dependable for end-users. Compatibility (4.66) received the lowest score among the constructs, which is attributable to the application's current exclusivity to the Android platform. However, given that Lakad is built on the React Native framework, this limitation can be addressed in the future by extending support to iOS. The frequency distribution for all items further revealed that Accountability, Functional

Appropriateness, Testability, and Faultlessness garnered the highest ratings, while Analysability, Modularity, Replaceability, and Interoperability, though still rated above average, reflect areas with room for future improvement, particularly as competition with established platforms such as Google Maps and TripAdvisor is acknowledged. Overall, the evaluation confirms that Lakad was developed to a high standard of software quality that meets professional and academic expectations.

In summary, the study successfully achieved all its objectives. Lakad is a well-developed, highly acceptable, and high-quality mobile application that offers a practical, personalized, and optimized itinerary planning experience for tourists in Bulacan. The integration of AGAM for personalized itinerary generation and Simulated Annealing for route optimization provides a meaningful and technically sound contribution to both the field of tourism technology and the broader domain of applied metaheuristic optimization. The system directly addresses the identified gaps in manual trip planning within Bulacan and supports the province's broader tourism development goals.

Recommendations

To further enhance the capabilities and reach of Lakad, the following recommendations are proposed:

1. **Adding various Points of Interest (POIs).** The system needs to add more POIs compared to its current historical and cultural site base because its upcoming versions need to include different types of POIs. The application must include local hotels and dining options which will enable users to plan their travel needs through a single platform.
2. **Exploration of Emerging Optimization Algorithms.** While SA was determined to be the optimal among the evaluated algorithms, future work may extend the comparative analysis to include hybrid approach and new algorithm designs to obtain better results for complex Traveling Salesman Problems (TSP).
3. **Scaling by Region and Platform.** The system should extend its operations to

additional provinces which will turn Lakad into a comprehensive national tourism tool that serves all parts of the Philippines. The application needs an iOS version to reach more users because its current Android-only system prevents users who use iOS devices from accessing the app.

4. **Support for Multi-day Itinerary Planning.** The system must develop multi-day tour planning capabilities because its current system only supports single-day travel planning. The system needs to create overnight stay logic which enables users to plan their extended vacation stays in the province.
5. **Real-time Traffic Information Integration.** Future versions could add public transportation routing and real-time traffic updates to improve the accuracy of travel duration predictions.

REFERENCES

- Aburbeian, A. M., Owda, A. Y., & Owda, M. (2022). A technology acceptance model survey of the metaverse prospects. *AI*, 3(2), 285–302. <https://doi.org/10.3390/ai3020018>
- Alaidaros, H., Omar, M., & Romli, R. (2021). The state of the art of agile kanban method: Challenges and opportunities. *Independent Journal of Management & Production*, 12(8). <https://doi.org/10.14807/ijmp.v12i8.1482>
- Arora, V., Borko, S., & Geerts, W. (2022). *State of Travel 2022: 175+ insights defining the state of travel today and the trends that will shape the future*. Skift Research.
- Barb-Ciorbea, M.-A. (2023). Comparison between an exact and a heuristic-based traveling salesman problem with time window constraints. *Buletinul Institutului Politehnic Din Iași. Secția Electrotehnica. Energetică. Electronică*, 69(3), 99–112. <https://doi.org/10.2478/bipie-2023-0017>
- Canet, L., & Panaligan, B. (2024). Examining the tourism development in bulacan province, philippines: Assessing factors shaping tourism growth. *American Journal of Tourism and Hospitality*, 2(1), 105–123. <https://doi.org/10.54536/ajth.v2i1.3297>
- Canet, L., Manansala, J., Cruz, M., Bernadette, P., Balingit, A., Mendiola, I., & Ramos, A. (2023). Social media as a tool for promoting tourist destinations in the municipality of san rafael, bulacan, philippines. *INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH AND ANALYSIS*, 06. <https://doi.org/10.47191/ijmra/v6-i6-66>
- Canet, L., & Sunpongco, L. (2025). Discovering hidden gems: A comprehensive study of underrated local tourist destinations in bulacan, philippines. *International Journal of Tourism and Hospitality*, 5, 1–20. <https://doi.org/10.51483/IJTH.5.1.2025.1-20>
- Carmesin, J. (2022). Graph theory – a survey on the occasion of the abel prize for lászló lovász. *Jahresbericht der Deutschen Mathematiker-Vereinigung*, 124(2), 83–108. <https://doi.org/10.1365/s13291-022-00247-7>

- Cui, X., Wang, Z., Li, P., & Xu, Q. (2025). I-air: Intention-aware travel itinerary recommendation via multi-signal fusion and spatiotemporal constraints. *Journal of King Saud University Computer and Information Sciences*, 37(7), 169. <https://doi.org/10.1007/s44443-025-00178-0>
- Dela Cruz, A. M. (2025). Enhanced Pied Kingfisher Optimization Algorithm with Hovering Scouts and Foraging Flocks Mechanisms [Manuscript/Pre-print].
- Dela Cruz, K. C. Y., Pangilinan, J. M., San Juan, P. V. G., Santiago, E. J. A., Santos, C. J. M. B., & Villanueva, F. C. C. (2022). Effectiveness of the use of social media in promoting a tourist destination: The case of doña remedios trinidad. *Cosmos Journal of Engineering & Technology*, 12(1), 33–35. <https://doi.org/10.46360/cosmos.et.620221006>
- Department of Tourism (DOT). (2023). *The National Tourism Development Plan 2023-2028* (Approved Final Report No. DOT-NTDP-23-00030). Department of Tourism (DOT), Republic of the Philippines. Manila, Philippines.
- Estilo, C. B., Jondanero, S. J., & Lajo, J. C. (2023). *Destamp: A mobile application for generating budget-based itineraries to enhance travel planning* [Undergraduate Thesis]. CENTRAL PHILIPPINE UNIVERSITY. https://repository.cpu.edu.ph/bitstream/handle/20.500.12852/3365/BSSE_EstiloCB_2023_fulltext_3365.pdf?sequence=3&isAllowed=y
- Halder, S., Lim, K. H., Chan, J., & Zhang, X. (2022). Efficient itinerary recommendation via personalized poi selection and pruning. *Knowledge and Information Systems*, 64(4), 963–993. <https://doi.org/10.1007/s10115-021-01648-3>
- Hossain, M. A. A., & Yilmaz Acar, Z. (2024). Comparison of new and old optimization algorithms for traveling salesman problem on small, medium, and large-scale benchmark instances. *Bitlis Eren Üniversitesi Fen Bilimleri Dergisi*, 13(1), 216–231. <https://doi.org/10.17798/bitlisfen.1380086>

- Huh, I., & Gim, J. (2025). Exploration of likert scale in terms of continuous variable with parametric statistical methods. *BMC Medical Research Methodology*, 25(1), 218. <https://doi.org/10.1186/s12874-025-02668-1>
- Hussey, I., Alsalti, T., Bosco, F., Elson, M., & Arslan, R. (2025). An aberrant abundance of cronbach's alpha values at .70. *Advances in Methods and Practices in Psychological Science*, 8(1), 25152459241287123. <https://doi.org/10.1177/25152459241287123>
- ISO/IEC 25010* [The webpage excerpt describes the product quality model.]. (2024). iso25000.com. <https://iso25000.com>
- Jewpanya, P., Nuangpirom, P., Pitjamit, S., & Nakkiew, W. (2025). Optimized travel itineraries: Combining mandatory visits and personalized activities. *Algorithms*, 18(2), 110. <https://doi.org/10.3390/a18020110>
- Leong, L. W. (2022). *Itinerary planner for tourism mobile application with smart trip generation and social platform* [Undergraduate Honors Thesis]. Universiti Tunku Abdul Rahman. http://eprints.utar.edu.my/4706/1/fyp_CS_2022_LWL.pdf
- Li, Y., Liu, K., Satapathy, R., Wang, S., & Cambria, E. (2024). Recent developments in recommender systems: A survey [review article]. *IEEE Computational Intelligence Magazine*, 19(2), 78–95. <https://doi.org/10.1109/MCI.2024.3363984>
- Lim, K. H., Chan, J., Karunasekera, S., & Leckie, C. (2019). Tour recommendation and trip planning using location-based social media: A survey. *Knowledge and Information Systems*, 60. <https://doi.org/10.1007/s10115-018-1297-4>
- Liu, D., Wang, L., Zhong, Y., Dong, Y., & Kong, J. (2024). Personalized tour itinerary recommendation algorithm based on tourist comprehensive satisfaction. *Applied Sciences*, 14(12), 5195. <https://doi.org/10.3390/app14125195>
- Malefaki, S., Markatos, D., Filippatos, A., & Pantelakis, S. (2025). A comparative analysis of multi-criteria decision-making methods and normalization techniques in holistic sustainability assessment for engineering applications. *Aerospace*, 12(2). <https://doi.org/10.3390/aerospace12020100>

- Marikyan, D., & Papagiannidis, S. (2025). Technology acceptance model: A review. In S. Papagiannidis (Ed.), *Theoryhub book*. <https://open.ncl.ac.uk/>
- Memon, M., Ting, H., Cheah, J.-H., Ramayah, T., Chuah, F., & Cham, T.-H. (2020). Sample size for survey research: Review and recommendations. *Journal of Applied Structural Equation Modeling*, 4, i–xx. [https://doi.org/10.47263/JASEM.4\(2\)01](https://doi.org/10.47263/JASEM.4(2)01)
- Morandi, N., Leus, R., & Yaman, H. (2024). The orienteering problem with drones. *Transportation Science*, 58(1), 240–256. <https://doi.org/10.1287/trsc.2023.0003>
- Nguyen, A., & Shoubber, O. (2019). *Trippit: An optimal itinerary generator* [Senior Thesis]. Santa Clara University. https://scholarcommons.scu.edu/cgi/viewcontent.cgi?params=/context/cseng_senior/article/1154/%5C&path_info=Thesis_Trippit_An_Optimal_Itinerary_Generator.pdf
- Odu, G. O. (2019). Weighting methods for multi-criteria decision making technique. *Journal of Applied Sciences and Environmental Management*, 23(8), 1449–1457. <https://doi.org/10.4314/jasem.v23i8.7>
- Otaki, K., & Baba, Y. (2025). Travel itinerary recommendation using interaction-based augmented data. *Expert Systems with Applications*, 269, 126294. <https://doi.org/10.1016/j.eswa.2024.126294>
- Papadakis, H., Panagiotakis, C., Fragopoulou, P., Chalkiadakis, G., Strevniotis, E., Ziogas, I.-P., Koutsmanis, M., & Bariamis, P. (2024). Visit planner: A personalized mobile trip design application based on a hybrid recommendation model. *Computer Science and Information Systems*, 21(3), 923–946. [10.21203/rs.3.rs-2731618/v1](https://doi.org/10.21203/rs.3.rs-2731618/v1)
- Pěnička, R., Faigl, J., & Saska, M. (2019). Variable neighborhood search for the set orienteering problem and its application to other orienteering problem variants. *European Journal of Operational Research*, 276(3), 816–825. <https://doi.org/10.1016/j.ejor.2019.01.047>

- Pop, P. C., Cosma, O., Sabo, C., & Sitar, C. P. (2024). A comprehensive survey on the generalized traveling salesman problem. *European Journal of Operational Research*, 314(3), 819–835. <https://doi.org/10.1016/j.ejor.2023.07.022>
- Porras, C., Pérez-Cañedo, B., Pelta, D. A., & Verdegay, J. L. (2022). A critical analysis of a tourist trip design problem with time-dependent recommendation factors and waiting times. *Electronics*, 11(3), 357. <https://doi.org/10.3390/electronics11030357>
- Postnikova, A. (2024). *Intuitive itinerary planner* [Doctoral dissertation, IADT]. <https://onshow.iadt.ie/sites/default/files/2025-05/AgnePostnikova-Thesis.pdf>
- Raghuwanshi, S., & Pateriya, R. (2019, January). Recommendation systems: Techniques, challenges, application, and evaluation: Socpros 2017, volume 2. https://doi.org/10.1007/978-981-13-1595-4_12
- Rahman, N. H. A., & Jamil, F. (2025). Enhancing tourist engagement through mobile itinerary management and location-based services: Design and deployment experience in Ipoh, Malaysia. *Journal of Engineering, Technology and Social Sciences*, 11(Special Issue: ICETISM), 106–111.
- Rayner, G. R. A., Balasta, S. K. B., Capili, K. I. E., & Haber, S. J. T. (2025). An assessment of the effects of artificial intelligence on tourist behavior and decision-making in san jose del monte city, bulacan. *International Journal of Research and Innovation in Social Science (IJRISS)*, 9(4). <https://dx.doi.org/10.47772/IJRISS.2025.90400099>
- Risener, K. (2022). *A study of software development methodologies* [Undergraduate Honors Thesis]. University of Arkansas, Fayetteville. https://scholarworks.uark.edu/cseng%5C_senior/103
- Ruiz-Meza, J., & Montoya-Torres, J. R. (2022). A systematic literature review for the tourist trip design problem: Extensions, solution techniques and future research lines. *Operations Research Perspectives*, 9, 1–13. <https://doi.org/10.1016/j.orp.2022.100228>

- Sabery, G. A., Danishyar, G. H., & Mubarez, G. S. (2023). A comparative study of metaheuristic optimization algorithms for solving engineering design problems. *Journal of Mathematics and Statistics Studies*, 4(4), 56–69. <https://doi.org/10.32996/jmss.2023.4.4.6>
- Systems and software engineering — systems and software quality requirements and evaluation (square) — product quality model* (Second edition 2023-11) [Reference number ISO/IEC 25010:2023(E)]. (2023). ISO/IEC.
- Taherdoost, H. (2023). Analysis of simple additive weighting method (saw) as a multiattribute decision-making technique: A step-by-step guide. *Journal of Management Science & Engineering research*, 6. <https://doi.org/10.30564/jmsr.v6i1.5400>
- Tenemaza, M., Luján-Mora, S., De Antonio, A., & Ramirez, J. (2020). Improving itinerary recommendations for tourists through metaheuristic algorithms: An optimization proposal. *IEEE Access*, 8, 79003–79023. <https://doi.org/10.1109/ACCESS.2020.2990348>
- Velasco, S. F. (2023, May). Bulacan pamana pass, inilunsad para sa lokal na turista. *Philippine Information Agency (PIA)*. Retrieved September 30, 2025, from <https://mirror.pia.gov.ph/news/2023/05/27/bulacan-pamana-pass-inilunsad-para-sa-lokal-na-turista>
- Violina, S. (2021). Analysis of brute force and branch & bound algorithms to solve the traveling salesperson problem (tsp). *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, 12(8), 1226–1229. <https://turcomat.org/index.php/turkibilmat/article/view/3031>
- Wadi, A. H. A., & Umar, S. U. (2025). Charting new routes: Comparing swarm-based approaches to the traveling salesman problem. *International Journal of Computational Methods and Experimental Measurements*, 13(2), 371–379. <https://doi.org/10.18280/ijcmem.130214>

- Widayanti, R., Chakim, M. H. R., Lukita, C., Rahardja, U., & Lutfiani, N. (2023). Improving recommender systems using hybrid techniques of collaborative filtering and content-based filtering [Available online September 21, 2023]. *Journal of Applied Data Sciences*, 4(3), 289–302. <https://doi.org/10.47738/jads.v4i3.115>
- Wu, C., & Fu, X. (2020). An agglomerative greedy brain storm optimization algorithm for solving the tsp. *IEEE access*, 8, 201606–201621. <https://doi.org/10.1109/ACCESS.2020.3035899>
- Yochum, P., Chang, L., Gu, T., & Zhu, M. (2020). An adaptive genetic algorithm for personalized itinerary planning. *IEEE Access*, 8, 88147–88157. <https://doi.org/10.1109/ACCESS.2020.2990916>
- Yu, Q., Cheng, C., & Zhu, N. (2022). Robust team orienteering problem with decreasing profits. *INFORMS Journal on Computing*, 34(6), 3215–3233. <https://doi.org/10.1287/ijoc.2022.1240>
- Yulfihani, I., & Zakariyah, M. (2024). Optimization of tourism destination recommendations in batang regency using content-based filtering. *Journal of Applied Informatics and Computing (JAIC)*, 8(2), 499–508. <http://jurnal.polibatam.ac.id/index.php/JAIC>
- Zhou, C. (2024). *Challenges and solutions in cross-platform mobile development: A qualitative study of Flutter and React Native* [Master's Thesis]. Aalto University. <https://aaltodoc.aalto.fi/server/api/core/bitstreams/a96381de-2f0d-44e6-bcab-5e2424f44c66/content>

APPENDICES

APPENDIX A
PSEUDOCODE OF TSP ALGORITHMS

Algorithm 2 Genetic Algorithm for TSP

Require: Graph G , pop_size, generations, mutation_rate

Ensure: Best tour and its cost

```

1: Initialize population  $P$  with pop_size random tours
2: Evaluate fitness (tour cost) for each individual in  $P$ 
3: for generation = 1 to generations do
4:   Create empty offspring population  $P'$ 
5:   Sort  $P$  by fitness                                     ▷ Elitism: preserve best individuals
6:   Add top elite_size individuals to  $P'$ 
7:   Add top elite_size individuals to  $P'$                   ▷ Generate offspring
8:
9:   while  $|P'| < \text{pop\_size}$  do
10:    parent1  $\leftarrow$  TOURNAMENT_SELECTION( $P$ , tournament_size)
11:    parent2  $\leftarrow$  TOURNAMENT_SELECTION( $P$ , tournament_size)
12:    offspring  $\leftarrow$  ORDER_CROSSOVER(parent1, parent2)
13:    if random()  $<$  mutation_rate then
14:      offspring  $\leftarrow$  TWO_OPT_MUTATION(offspring)
15:    end if
16:    offspring  $\leftarrow$  LOCAL_SEARCH(offspring)           ▷ 2-opt improvement
17:    Evaluate fitness of offspring
18:    Add offspring to  $P'$ 
19:  end while
20:   $P \leftarrow P'$                                          ▷ Replace old population
21:  Update best_tour if improved
22: end for
23: return best_tour, best_cost

```

Algorithm 3 Tournament Selection

```

1: function TOURNAMENT_SELECTION( $P$ ,  $k$ )
2:   Randomly select  $k$  individuals from  $P$ 
3:   return best individual among the  $k$  selected
4: end function

```

Algorithm 4 Order Crossover

```

1: function ORDER_CROSSOVER(parent1, parent2)
2:   Select random substring from parent1
3:   Fill remaining positions with parent2's order
4:   return offspring
5: end function

```

Algorithm 5 Two-Opt Mutation

```

1: function TWO_OPT_MUTATION(tour)
2:   Select two random positions  $i, j$ 
3:   Reverse tour segment between  $i$  and  $j$ 
4:   return mutated tour
5: end function

```

Algorithm 6 Simulated Annealing for TSP

Require: Graph G , initial temperature T , cooling rate α , max_iterations

Ensure: Best tour and its cost

```

1: current_tour  $\leftarrow$  random permutation of cities
2: current_cost  $\leftarrow$  EVALUATE(current_tour)
3: best_tour  $\leftarrow$  current_tour
4: best_cost  $\leftarrow$  current_cost
5:  $T \leftarrow T_{\text{initial}}$ 
6: for iteration = 1 to max_iterations do
7:   neighbor_tour  $\leftarrow$  RANDOM_SWAP(current_tour)
8:   neighbor_cost  $\leftarrow$  EVALUATE(neighbor_tour)
9:    $\Delta \leftarrow$  neighbor_cost - current_cost
10:  ▷ Metropolis acceptance criterion
11:  if  $\Delta < 0$  or random()  $<$   $\exp(-\Delta/T)$  then
12:    current_tour  $\leftarrow$  neighbor_tour
13:    current_cost  $\leftarrow$  neighbor_cost
14:    if current_cost < best_cost then
15:      best_tour  $\leftarrow$  current_tour
16:      best_cost  $\leftarrow$  current_cost
17:    end if
18:  end if
19:   $T \leftarrow \alpha \times T$  ▷ Cool down temperature
20: end for
21: return best_tour, best_cost

```

Algorithm 7 Random Swap

```

1: function RANDOM_SWAP(tour)
2:   Select two random positions  $i, j$ 
3:   Swap tour[ $i$ ] and tour[ $j$ ]
4:   return modified tour
5: end function

```

Algorithm 8 Simulated Annealing Improved for TSP

Require: Graph G , T_{start} , T_{end} , cooling rate**Ensure:** Best tour and its cost

```

1: current_tour  $\leftarrow$  random permutation of cities
2: current_cost  $\leftarrow$  EVALUATE(current_tour)
3: best_tour  $\leftarrow$  current_tour
4: best_cost  $\leftarrow$  current_cost
5:  $T \leftarrow T_{\text{start}}$ 
6: iter_per_temp  $\leftarrow n \times 1.5$ 
7: while  $T > T_{\text{end}}$  do
8:   for  $i = 1$  to iter_per_temp do
9:     neighbor_tour  $\leftarrow$  SEGMENT_INSERTION(current_tour)
10:    neighbor_cost  $\leftarrow$  EVALUATE(neighbor_tour)
11:     $\Delta \leftarrow$  neighbor_cost - current_cost
12:    if  $\Delta < 0$  or random()  $< \exp(-\Delta/T)$  then
13:      current_tour  $\leftarrow$  neighbor_tour
14:      current_cost  $\leftarrow$  neighbor_cost
15:      if current_cost  $<$  best_cost then
16:        best_tour  $\leftarrow$  current_tour
17:        best_cost  $\leftarrow$  current_cost
18:      end if
19:    end if
20:   end for
21:    $T \leftarrow$  cooling_rate  $\times T$ 
22: end while
23: return best_tour, best_cost

```

Algorithm 9 Segment Insertion

```

1: function SEGMENT_INSERTION(tour)
2:   Select random position  $a$ 
3:   Select random position  $b$  (not adjacent to  $a$ )
4:   Remove city at position  $a$ 
5:   Insert it at position  $b$ 
6:   return modified tour
7: end function

```

Algorithm 10 Ant Colony Optimization for TSP

Require: Graph G , n_{ants} , $n_{\text{iterations}}$, α , β , ρ , Q

Ensure: Best tour and its cost

```

1: Initialize pheromone matrix  $\tau[i][j] \leftarrow 1.0$  for all edges
2:  $\text{best\_tour} \leftarrow \text{null}$ 
3:  $\text{best\_cost} \leftarrow \infty$ 
4: for iteration = 1 to  $n_{\text{iterations}}$  do
5:    $\text{tours} \leftarrow []$ 
6:    $\text{costs} \leftarrow []$ 
7:   for  $k = 1$  to  $n_{\text{ants}}$  do                                ▷ Each ant constructs a tour
8:     for  $k = 1$  to  $n_{\text{ants}}$  do
9:        $\text{current\_city} \leftarrow \text{random city}$ 
10:       $\text{tour} \leftarrow [\text{current\_city}]$ 
11:       $\text{unvisited} \leftarrow \text{all cities except current\_city}$ 
12:      while unvisited  $\neq \emptyset$  do                                ▷ Calculate probabilities for next city
13:        for each city  $j$  in unvisited do
14:          numerator  $\leftarrow \tau[\text{current\_city}][j]^{\alpha} \times (1/d[\text{current\_city}][j])^{\beta}$ 
15:           $p[j] \leftarrow \text{numerator}/\Sigma(\text{numerators})$ 
16:        end for
17:        next_city  $\leftarrow \text{ROULETTE\_SELECTION}(p)$ 
18:        Append next_city to tour
19:        Remove next_city from unvisited
20:        current_city  $\leftarrow$  next_city
21:      end while
22:      cost  $\leftarrow \text{EVALUATE}(\text{tour})$ 
23:      Append tour to tours
24:      Append cost to costs
25:      if cost < best_cost then
26:        best_tour  $\leftarrow \text{tour}$ 
27:        best_cost  $\leftarrow \text{cost}$ 
28:      end if
29:    end for
30:  end for                                              ▷ Pheromone evaporation
31:   $\tau[i][j] \leftarrow (1 - \rho) \times \tau[i][j]$  for all edges
32:  for each tour in tours with cost  $c$  do           ▷ Pheromone deposition
33:    for each edge  $(i, j)$  in tour do
34:       $\tau[i][j] \leftarrow \tau[i][j] + Q/c$ 
35:    end for
36:  end for
37: end for
38: end for
39: end for
40: return best_tour, best_cost

```

Algorithm 11 Hybrid PSO for TSP

Require: Graph G , $n_{\text{particles}}$, $n_{\text{iterations}}$, w , c_1 , c_2

Ensure: Best tour and its cost

```

1: ▷ Initialize swarm
2: for  $i = 1$  to  $n_{\text{particles}}$  do
3:   position $[i] \leftarrow$  random permutation of cities
4:   position $[i] \leftarrow$  TWO_OPT(position $[i]$ ) ▷ Local search
5:   velocity $[i] \leftarrow []$  ▷ Empty swap sequence
6:   pbest $[i] \leftarrow$  position $[i]$  ▷ Personal best
7:   pbest_cost $[i] \leftarrow$  EVALUATE(position $[i]$ )
8: end for
9: gbest  $\leftarrow$  argmin(pbest_cost) ▷ Global best
10: gbest_cost  $\leftarrow$  min(pbest_cost)
11: for iteration = 1 to  $n_{\text{iterations}}$  do
12:   for  $i = 1$  to  $n_{\text{particles}}$  do ▷ Calculate swap sequences
13:     swaps_cognitive  $\leftarrow$  GET_SWAPS(position $[i]$ , pbest $[i]$ )
14:     swaps_social  $\leftarrow$  GET_SWAPS(position $[i]$ , gbest) ▷ Update velocity (swap sequence)
15:     velocity $[i] \leftarrow w \times$  velocity $[i]$ 
16:     velocity $[i] \leftarrow$  velocity $[i] + c_1 \times \text{rand}() \times$  swaps_cognitive
17:     velocity $[i] \leftarrow$  velocity $[i] + c_2 \times \text{rand}() \times$  swaps_social
18:     Limit |velocity $[i]$ | to  $v_{\max}$  ▷ Update position
19:   end for
20:   position $[i] \leftarrow$  APPLY_SWAPS(position $[i]$ , velocity $[i]$ )
21:   position $[i] \leftarrow$  TWO_OPT(position $[i]$ ) ▷ Local search
22:   cost  $\leftarrow$  EVALUATE(position $[i]$ )
23:   if cost < pbest_cost $[i]$  then ▷ Update personal best
24:     pbest $[i] \leftarrow$  position $[i]$ 
25:     pbest_cost $[i] \leftarrow$  cost
26:   end if
27:   if cost < gbest_cost then ▷ Update global best
28:     gbest  $\leftarrow$  position $[i]$ 
29:     gbest_cost  $\leftarrow$  cost
30:   end if
31: end for
32: end for
33: return gbest, gbest_cost

```

Algorithm 12 Get Swaps

```
1: function GET_SWAPS(tour_a, tour_b)
2:   Find sequence of swaps to transform tour_a into tour_b
3:   return swap sequence
4: end function
```

Algorithm 13 Apply Swaps

```
1: function APPLY_SWAPS(tour, swaps)
2:   Apply each swap operation in swaps to tour
3:   return modified tour
4: end function
```

Algorithm 14 Elephant Herding Optimization for TSP

Require: Graph G , pop_size , n_{clans} , max_iterations

Ensure: Best tour and its cost

```

1:                                                               ▷ Initialize population
2: population ← [ ]
3: for  $i = 1$  to  $\text{pop\_size}$  do
4:   elephant[ $i$ ].tour ← random permutation of cities
5:   elephant[ $i$ ].fitness ← EVALUATE(elephant[ $i$ ].tour)
6:   Add elephant [ $i$ ] to population
7: end for
8: best_solution ← null
9: best_fitness ←  $\infty$ 
10: clan_size ←  $\text{pop\_size}/n_{\text{clans}}$ 
11: for iteration = 1 to  $\text{max\_iterations}$  do
12:   Shuffle population randomly
13:   Divide population into  $n_{\text{clans}}$  of size clan_size
14:   for each clan in clans do
15:     Sort clan by fitness (ascending)
16:     leader ← clan[0]                                ▷ Best elephant in clan
17:     for  $i = 1$  to  $\text{clan\_size} - 1$  do                  ▷ Clan updating operator
18:       new_tour ← CLAN_UPDATE(clan[ $i$ ].tour, leader.tour)
19:       new_elephant.tour ← new_tour
20:       new_elephant.fitness ← EVALUATE(new_tour)
22:     if new_elephant.fitness < clan[ $i$ ].fitness then    ▷ Greedy selection
23:       clan[ $i$ ] ← new_elephant
24:     end if
25:   end for
27:   if leader.fitness < best_fitness then           ▷ Update global best
28:     best_solution ← leader
29:     best_fitness ← leader.fitness
31:   end if
32: end for
33:                                                               ▷ Separating operator: worst elephants leave
34: Sort population by fitness (descending)
35: for  $i = 1$  to  $(\text{pop\_size}/10)$  do                  ▷ Replace worst 10%
36:   population[ $-(i)$ ].tour ← random permutation
37:   population[ $-(i)$ ].fitness ← EVALUATE(population[ $-(i)$ ].tour)
38: end for
39: end for
40: return best_solution.tour, best_fitness

```

Algorithm 15 Clan Update

```
1: function CLAN_UPDATE(member_tour, leader_tour)
2:   Blend member tour with leader tour using crossover
3:   Apply local perturbation
4:   return updated tour
5: end function
```

Algorithm 16 Grey Wolf Optimization for TSP

Require: Graph G , n_{wolves} , max_iterations**Ensure:** Best tour and its cost

```

1: ▷ Initialize wolf pack with random-key encoding
2: for  $i = 1$  to  $n_{\text{wolves}}$  do
3:    $\text{wolf}[i] \leftarrow$  random vector in  $[0, 1]^n$ 
4:    $\text{tour}[i] \leftarrow \text{DECODE}(\text{wolf}[i])$  ▷ argsort to get permutation
5:    $\text{fitness}[i] \leftarrow \text{EVALUATE}(\text{tour}[i])$ 
6: end for
7: ▷ Initialize  $\alpha, \beta, \delta$  (top 3 wolves)
8: Sort wolves by fitness
9:  $\alpha \leftarrow \text{wolf}[0], \alpha_{\text{fitness}} \leftarrow \text{fitness}[0]$ 
10:  $\beta \leftarrow \text{wolf}[1], \beta_{\text{fitness}} \leftarrow \text{fitness}[1]$ 
11:  $\delta \leftarrow \text{wolf}[2], \delta_{\text{fitness}} \leftarrow \text{fitness}[2]$ 
12: for iteration = 1 to max_iterations do
13:    $a \leftarrow 2 - \text{iteration} \times (2/\text{max\_iterations})$  ▷ Linearly decrease
14:   for  $i = 1$  to  $n_{\text{wolves}}$  do
15:     for  $d = 1$  to  $n$  do ▷ Update position based on  $\alpha, \beta, \delta$ 
16:       ▷ For each dimension
17:          $r_1, r_2 \leftarrow \text{random}() \in [0, 1]$ 
18:          $A_1 \leftarrow 2 \times a \times r_1 - a$ 
19:          $C_1 \leftarrow 2 \times r_2$ 
20:          $D_\alpha \leftarrow |C_1 \times \alpha[d] - \text{wolf}[i][d]|$ 
21:          $X_1 \leftarrow \alpha[d] - A_1 \times D_\alpha$ 
22:           ▷ Repeat for  $\beta$  and  $\delta$  (similar calculations for  $X_2, X_3$ )
23:          $\text{wolf}[i][d] \leftarrow (X_1 + X_2 + X_3)/3$ 
24:     end for
25:     ▷ Ensure bounds [0, 1]
26:      $\text{wolf}[i] \leftarrow \text{CLIP}(\text{wolf}[i], 0, 1)$ 
27:      $\text{tour}[i] \leftarrow \text{DECODE}(\text{wolf}[i])$ 
28:      $\text{fitness}[i] \leftarrow \text{EVALUATE}(\text{tour}[i])$ 
29:     ▷ Update  $\alpha, \beta, \delta$ 
30:     if  $\text{fitness}[i] < \alpha_{\text{fitness}}$  then
31:        $\delta \leftarrow \beta, \delta_{\text{fitness}} \leftarrow \beta_{\text{fitness}}$ 
32:        $\beta \leftarrow \alpha, \beta_{\text{fitness}} \leftarrow \alpha_{\text{fitness}}$ 
33:        $\alpha \leftarrow \text{wolf}[i], \alpha_{\text{fitness}} \leftarrow \text{fitness}[i]$ 
34:     else if  $\text{fitness}[i] < \beta_{\text{fitness}}$  then
35:        $\delta \leftarrow \beta, \delta_{\text{fitness}} \leftarrow \beta_{\text{fitness}}$ 
36:        $\beta \leftarrow \text{wolf}[i], \beta_{\text{fitness}} \leftarrow \text{fitness}[i]$ 
37:     else if  $\text{fitness}[i] < \delta_{\text{fitness}}$  then
38:        $\delta \leftarrow \text{wolf}[i], \delta_{\text{fitness}} \leftarrow \text{fitness}[i]$ 
39:     end if
40:   end for
41: end for
42: return  $\text{DECODE}(\alpha), \alpha_{\text{fitness}}$ 

```

Algorithm 17 Decode Priority Vector

```
1: function DECODE(priority_vector)
2:     return argsort(priority_vector)                                ▷ indices sorted by values
3: end function
```

Algorithm 18 Hybrid Pied Kingfisher Optimizer for TSP

Require: Graph G (via wrapper), pop_size, scouts_rate, n_{flocks} , max_iterations

Ensure: Best tour and its cost

```

1:                                ▷ Initialize population in continuous space
2:  $n_{scouts} \leftarrow \lfloor \text{pop\_size} \times \text{scouts\_rate} \rfloor$ 
3:  $n_{flock\_birds} \leftarrow \text{pop\_size} - n_{scouts}$ 
4:  $\text{birds\_per\_flock} \leftarrow \lfloor n_{flock\_birds}/n_{flocks} \rfloor$ 
5:                                ▷ Initialize birds (continuous positions)
6: for  $i = 1$  to pop_size do
7:    $\text{bird}[i].\text{position} \leftarrow \text{random vector in } [LB, UB]$ 
8:    $\text{bird}[i].\text{fitness} \leftarrow \text{OBJECTIVE\_FUNCTION}(\text{bird}[i].\text{position})$ 
9: end for
10: Sort birds by fitness
11:  $\text{best\_bird} \leftarrow \text{bird}[0]$ 
12:  $\text{best\_fitness} \leftarrow \text{bird}[0].\text{fitness}$ 
13: for iteration = 1 to max_iterations do
14:                                ▷ Divide population
15:    $\text{scouts} \leftarrow \text{birds}[0 : n_{scouts}]$ 
16:    $\text{flock\_birds} \leftarrow \text{birds}[n_{scouts} : \text{pop\_size}]$ 
17:                                ▷ Phase 1: Hovering Scouts (HS) – Exploration
18:   for each scout in scouts do
19:     for  $d = 1$  to dimension do
20:        $r_1, r_2, r_3 \leftarrow \text{random}() \in [0, 1]$ 
21:                               ▷ Hovering behavior with random exploration
22:        $\text{scout.position}[d] \leftarrow \text{scout.position}[d] +$ 
23:                                $\alpha \times r_1 \times (\text{best\_bird.position}[d] -$ 
24:                                $\text{scout.position}[d]) +$ 
25:                                $r_2 \times (\text{random\_position}[d] -$ 
26:                                $\text{scout.position}[d])$ 
27:     end for
28:      $\text{scout.position} \leftarrow \text{CLIP}(\text{scout.position}, LB, UB)$ 
29:      $\text{scout.fitness} \leftarrow \text{OBJECTIVE\_FUNCTION}(\text{scout.position})$ 
30:   end for
31:                                ▷ Phase 2: Foraging Flocks (FF) – Exploitation
32:   Divide flock_birds into  $n_{flocks}$ 
33:   for each flock in flocks do
34:     Sort flock by fitness
35:      $\text{leader} \leftarrow \text{flock}[0]$ 
36:     for each bird in flock (except leader) do
37:       for  $d = 1$  to dimension do
38:          $r_1, r_2 \leftarrow \text{random}() \in [0, 1]$ 
39:                               ▷ Follow leader while exploring locally
40:          $\text{bird.position}[d] \leftarrow \text{bird.position}[d] +$ 
41:                                $\beta \times r_1 \times (\text{leader.position}[d] -$ 
42:                                $\text{bird.position}[d]) +$ 
43:                                $\gamma \times r_2 \times (\text{random\_bird.position}[d] -$ 
44:                                $\text{bird.position}[d])$ 
45:     end for
46:      $\text{bird.position} \leftarrow \text{CLIP}(\text{bird.position}, LB, UB)$ 
47:      $\text{bird.fitness} \leftarrow \text{OBJECTIVE\_FUNCTION}(\text{bird.position})$ 

```

Algorithm 19 Objective Function

```
1: function OBJECTIVE_FUNCTION(position)
2:     tour  $\leftarrow$  DECODE_TO_TSP(position)            $\triangleright$  Map continuous to permutation
3:     return TSP_COST(tour)
4: end function
```

Algorithm 20 Decode to TSP

```
1: function DECODE_TO_TSP(position)
2:     return argsort(position)                    $\triangleright$  Random-key encoding
3: end function
```

APPENDIX B
SYSTEM EVALUATION RESULTS

Table B.1*System Acceptance Evaluation Frequency Scores*

Items	Frequency				
	1	2	3	4	5
Perceived Usefulness (PU)					
Improvement in Performance. Using the system improves my performance in planning trips.	0	0	3	52	95
Task Efficiency. The system helps me accomplish travel planning tasks more quickly.	0	0	3	30	117
Productivity. The system increases my productivity in organizing itineraries.	0	0	1	54	95
Effectiveness. The system enhances my effectiveness in planning travel activities.	0	0	4	38	108
Usefulness. Overall, I find the system useful for travel planning.	0	0	1	23	126
Perceived Ease of Use (PEOU)					
Ease of Learning. Learning to operate the system is easy for me.	0	0	5	43	102
Ease of Use. The system is easy to use.	0	0	2	39	109
Clarity of Interaction. My interaction with the system is clear and understandable.	0	0	2	37	111
Ease of Becoming Skillful. I find it easy to become skillful at using the system.	0	0	10	30	110
Ease of Operation. I find the system easy to operate.	0	0	3	27	120
Attitude Toward Using (ATU)					
Positive Feelings. I have a positive attitude towards using the system.	0	0	3	29	118
Enjoyment. I enjoy using the system.	0	0	4	37	109
Satisfaction. I am satisfied with using the system.	0	0	3	40	107
Behavioral Intention to Use (BI)					
Intention to Use. I intend to use the system regularly.	0	2	15	67	66
Future Use. I will continue to use the system in the future.	0	1	9	45	95
Recommendation. I would recommend the system to others.	0	2	1	23	124

Table B.2*System Quality Evaluation Frequency Scores (ISO/IEC 25010)*

Items	Frequency				
	1	2	3	4	5
A. FUNCTIONAL SUITABILITY					
Functional Completeness. The system provides a set of functions that covers all the specified tasks and intended users' objectives.	0	0	0	4	18
Functional Correctness. The system provides accurate results when used by intended users.	0	0	0	3	19
Functional Appropriateness. The system provides functions that facilitate the accomplishment of specified tasks and objectives.	0	0	0	2	20
B. PERFORMANCE EFFICIENCY					
Time Behavior. The system performs its specified function under specified conditions so that the response time and throughput rates meet the requirements.	0	0	0	5	17
Resource Utilization. The system uses no more than the specified amount of resources to perform its function under specified conditions.	0	0	0	6	16
Capacity. The system meets requirements for the maximum limits of a product parameter.	0	0	0	4	18
C. COMPATIBILITY					
Co-existence. The system performs its required functions efficiently while sharing a common environment and resources with other products, without detrimental impact on any other product.	0	0	0	6	16
Interoperability. The system can exchange information with other products and mutually use the information that has been exchanged.	0	0	2	5	15
D. INTERACTION CAPABILITY					
Appropriateness Recognizability. The system can be recognized by users as appropriate for their needs.	0	0	0	3	19
Learnability. The system can have specified users learn to use specified product functions within a specified amount of time.	0	0	0	4	18
Operability. The system has functions and attributes that make it easy to operate and control.	0	0	0	4	18

Continued on next page

Table B.2 – continued from previous page

Items	Frequency				
	1	2	3	4	5
User Error Protection. The system can prevent operation errors.	0	0	1	6	15
User Engagement. The system presents functions and information in an inviting and motivating manner encouraging continued interaction.	0	0	0	6	16
Inclusivity. The system can be utilized by people of various backgrounds.	0	0	0	5	17
User Assistance. The system can be used by people with the widest range of characteristics and capabilities to achieve specified goals in a specified context of use.	0	0	1	5	16
Self-Descriptiveness. The system can present appropriate information, where needed by the user, to make its capabilities and use immediately obvious to the user without excessive interactions with a product or other resources.	0	0	0	5	17
E. RELIABILITY					
Faultlessness. The system performs specified functions without fault under normal operation.	0	0	1	1	20
Availability. The system is operational and accessible when required for use.	0	0	1	2	19
Fault Tolerance. The system operates as intended despite the presence of hardware or software faults.	0	0	1	4	17
Recoverability. The system can recover the data directly affected and re-establish the desired state of the system.	0	0	0	3	19
F. SECURITY					
Confidentiality. The system ensures that data are accessible only to those authorized to have access.	0	0	1	3	18
Integrity. The system ensures that its state and data are protected from unauthorized modification or deletion either by malicious action or computer error.	0	0	0	4	18
Non-repudiation. The system can be proven to have taken place so that the events or actions cannot be repudiated later.	0	0	0	5	17
Accountability. The system enables the actions of an entity to be traced uniquely to the entity.	0	0	0	1	21
Authenticity. The system can prove that the identity of a subject or resource is the one claimed.	0	0	0	3	19
Resistance. The system sustains operations while under attack from a malicious actor.	0	0	1	3	18

Continued on next page

Table B.2 – continued from previous page

Items	Frequency				
	1	2	3	4	5
G. MAINTAINABILITY					
Modularity. The system can limit changes to one component from affecting other components.	0	0	0	8	14
Reusability. The system can be used as assets in more than one system, or in building other assets.	0	0	0	7	15
Analysability. The system can be effectively and efficiently assessed regarding the impact of an intended change to one or more of its parts, to diagnose it for deficiencies or causes of failures, or to identify parts to be modified.	0	0	1	9	12
Modifiability. The system can be effectively and efficiently modified without introducing defects or degrading existing product quality.	0	0	0	7	15
Testability. The system can enable an objective and feasible test to be designed and performed to determine whether a requirement is met.	0	0	0	2	20
H. FLEXIBILITY					
Adaptability. The system can be effectively and efficiently adapted for or transferred to different hardware, software, or other operational or usage environments.	0	0	0	5	17
Scalability. The system can handle growing or shrinking workloads or adapt its capacity to handle variability.	0	0	0	4	18
Installability. The system can be effectively and efficiently installed successfully and/or uninstalled in a specified environment.	0	0	0	4	18
Replaceability. The system can replace another specified product for the same purpose in the same environment.	0	0	0	9	13
I. SAFETY					
Operational Constraint. The system can constrain its operation to within safe parameters or states when encountering operational hazards.	0	0	0	3	19
Risk Identification. The system can identify a course of events or operations that can expose life, property, or environment to unacceptable risk.	0	0	1	4	17
Fail-Safe. The system can automatically place itself in a safe operating mode, or revert to a safe condition in the event of a failure.	0	0	1	6	15

Continued on next page

Table B.2 – continued from previous page

Items	Frequency				
	1	2	3	4	5
Hazard Warning. The system can provide warnings of unacceptable risks to operations or internal controls so that they can react in sufficient time to sustain safe operations.	0	0	1	4	17
Safe Integration. The system can maintain safety during and after integration with one or more components.	0	0	1	3	18

APPENDIX C
SYSTEM FLOW CHART

APPENDIX D
SOURCE CODE AND PROJECT REPOSITORIES

Figure D.1

QR code for the TSP algorithms repository



<https://github.com/LeinnarF/TSP-Metaheuristic-Comparative-Analysis>

Figure D.2


QR code for the LAKAD application repository



<https://github.com/niceWizzard/thesis-lakad-rn>

Figure D.3

QR code for the thesis LaTeX repository



<https://github.com/LeinnarF/Thesis-LaTex>

APPENDIX E
EVALUATION INSTRUMENT

Evaluation Instrument for the System
LAKAD: A PERSONALIZED MOBILE ITINERARY GENERATOR WITH FOCUS IN BULACAN TOURISM

PERSONAL INFORMATION

Name (Optional): _____

Age: 18-27 28-37 38-47 Above 47

Experience in
Mobile
Applications:

<input type="checkbox"/> Beginner	<input type="checkbox"/> Intermediate	<input type="checkbox"/> Advanced
-----------------------------------	---------------------------------------	-----------------------------------

Travelling
Frequency:

<input type="checkbox"/> Rarely	<input type="checkbox"/> Occasional	<input type="checkbox"/> Frequent
---------------------------------	-------------------------------------	-----------------------------------

Dear User,

Thank you for participating in this evaluation of our system. Your feedback is important to us and will help us improve the system. Please read each question carefully before answering and place a check (✓) in the box that represents your rating from 1 to 5, where **1 indicates "Strongly Disagree"** and **5 indicates "Strongly Agree"**.

A PERCEIVED USEFULNESS					
Indicators	1	2	3	4	5
1. Improvement in Performance. Using the system improves my performance in planning trips.					
2. Task Efficiency. The system helps me accomplish travel planning tasks more quickly.					
3. Productivity. The system increases my productivity in organizing itineraries.					
4. Effectiveness. The system enhances my effectiveness in planning travel activities.					
5. Usefulness. Overall, I find the system useful for travel planning.					
B PERCEIVED EASE OF USE					
Indicators	1	2	3	4	5
1. Ease of Learning. Learning to operate the system is easy for me.					
2. Ease of Use. The system is easy to use.					
3. Clarity of Interaction. My interaction with the system is clear and understandable.					
4. Ease of Becoming Skillful. I find it easy to become skillful at using the system.					

5. Ease of Operation. I find the system easy to operate.					
---	--	--	--	--	--

C ATTITUDE TOWARD USING

<i>Indicators</i>	1	2	3	4	5
1. Positive Feelings. I have a positive attitude towards using the system.					
2. Enjoyment. I enjoy using the system.					
3. Satisfaction. I am satisfied with using the system.					

D BEHAVIORAL INTENTION TO USE

<i>Indicators</i>	1	2	3	4	5
1. Intention to Use. I intend to use the system regularly.					
2. Future Use. I will continue to use the system in the future.					
3. Recommendation. I would recommend the system to others.					

Comments and Suggestions:

Please provide any additional comments or suggestions for improvement.

Thank you for your time and valuable feedback!



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY

COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Name (optional): _____

Role: _____

Dear Expert,

We, **Bryan Declaro, Franniel Luigi Hilario, Brian Gabriel Magbanua, and Richard Manansala** are currently conducting a study entitled "**LAKAD: A personalized Mobile Itinerary Generator with Focus in Bulacan Tourism**" which aims to develop a mobile application that can help promote tourism in Bulacan by providing tourists or end-users with personalized itineraries generated through certain algorithms where user-specified preferences are the inputs.

Using a scale of 5 (Excellent) to 1 (Poor), please rate the developed system with the following criteria based on ISO/IEC 25010:2023 by marking (✓) the box.

Thank you very much.

Sincerely yours,

The researchers

A FUNCTIONAL SUITABILITY	5	4	3	2	1
Functional Completeness. The system provides a set of functions that covers all the specified tasks and intended users' objectives.					
Functional Correctness. The system provides accurate results when used by intended users.					
Functional Appropriateness. The system provides functions that facilitate the accomplishment of specified tasks and objectives.					
B PERFORMANCE EFFICIENCY	5	4	3	2	1
Time Behavior. The system performs its specified function under specified conditions so that the response time and throughput rates meet the requirements.					
Resource Utilization. The system uses no more than the specified amount of resources to perform its function under specified conditions.					
Capacity. The system meets requirements for the maximum limits of a product parameter.					
C COMPATIBILITY	5	4	3	2	1
Co-existence. The system performs its required functions efficiently while sharing a common environment and resources with other products, without detrimental impact on any other product.					
Interoperability. The system can exchange information with other products and mutually use the information that has been exchanged.					
D INTERACTION CAPABILITY	5	4	3	2	1

Appropriateness Recognizability. The system can be recognized by users as appropriate for their needs.					
Learnability. The system can have specified users learn to use specified product functions within a specified amount of time.					
Operability. The system has functions and attributes that make it easy to operate and control.					
User Error Protection. The system can prevent operation errors.					
User Engagement. The system presents functions and information in an inviting and motivating manner encouraging continued interaction					
Inclusivity. The system can be utilized by people of various backgrounds.					
User Assistance. The system can be used by people with the widest range of characteristics and capabilities to achieve specified goals in a specified context of use.					
Self-Descriptiveness. The system can present appropriate information, where needed by the user, to make its capabilities and use immediately obvious to the user without excessive interactions with a product or other resources.					
E RELIABILITY		5	4	3	2
Faultlessness. The system performs specified functions without fault under normal operation.					
Availability. The system is operational and accessible when required for use.					
Fault Tolerance. The system operates as intended despite the presence of hardware or software faults.					
Recoverability. The system can recover the data directly affected and re-establish the desired state of the system.					
F SECURITY		5	4	3	2
Confidentiality. The system ensures that data are accessible only to those authorized to have access.					
Integrity. The system ensures that its state and data are protected from unauthorized modification or deletion either by malicious action or computer error.					
Non-repudiation. The system can be proven to have taken place so that the events or actions cannot be repudiated later.					
Accountability. The system enables the actions of an entity to be traced uniquely to the entity.					
Authenticity. The system can prove that the identity of a subject or resource is the one claimed.					
Resistance. The system sustains operations while under attack from a malicious actor.					
G MAINTAINABILITY		5	4	3	2
Modularity. The system can limit changes to one component from affecting other components.					
Reusability. The system can be used as assets in more than one system, or in building other assets.					

Analysability. The system can be effectively and efficiently assessed regarding the impact of an intended change to one or more of its parts, to diagnose it for deficiencies or causes of failures, or to identify parts to be modified.					
Modifiability. The system can be effectively and efficiently modified without introducing defects or degrading existing product quality.					
Testability. The system can enable an objective and feasible test to be designed and performed to determine whether a requirement is met.					
H FLEXIBILITY	5	4	3	2	1
Adaptability. The system can be effectively and efficiently adapted for or transferred to different hardware, software, or other operational or usage environments.					
Scalability. The system can handle growing or shrinking workloads or adapt its capacity to handle variability.					
Installability. The system can be effectively and efficiently installed successfully and/or uninstalled in a specified environment.					
Replaceability. The system can replace another specified product for the same purpose in the same environment.					
I SAFETY	5	4	3	2	1
Operational Constraint. The system can constrain its operation to within safe parameters or states when encountering operational hazards.					
Risk Identification. The system can identify a course of events or operations that can expose life, property, or environment to unacceptable risk.					
Fail-Safe. The system can automatically place itself in a safe operating mode, or revert to a safe condition in the event of a failure.					
Hazard Warning. The system can provide warnings of unacceptable risks to operations or internal controls so that they can react in sufficient time to sustain safe operations.					
Safe Integration. The system can maintain safety during and after integration with one or more components.					

Thank you!

Comments/Suggestions/Recommendations:

Evaluated by:

/ _____
Signature/Date Signed

APPENDIX F
LETTERS



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 604



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Date Sep 11, 2025

PROF. AARON PAUL DELA ROSA
Faculty, College of Information and Communication Technology

Dear Sir Paul:

We, the undersigned, are currently endeavoring on their Bachelor thesis titled, "LAKAD: A Personalized Mobile Itinerary Creator with Focus in Bulacan Tourism" which aims to provide personalized and optimized itineraries to promote tourism in Bulacan. In line with this, we strongly believe that your expertise and helpful guidance as the thesis adviser can greatly lead us to the success of the conduct of the said study. Thus, we would like to humbly request you to be our thesis adviser.

We hope for your positive response on this request.

Thank you very much for your support.

Respectfully yours,

Manansala, Richard M.

Hilario, Franniel Luigi C.

Declaro, Bryan C.

Magbanua, Brian G.

Noted:

RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor

Conforme:

Signature over printed name

officeofthechairman.cs@bulsu.edu.ph | S19-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

**Alab
BUVSU**



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022
+1001



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 484



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

October 9, 2025

Hon. Daniel R. Fernando

Provincial Governor

Provincial Government of Bulacan

2nd Floor, Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines


Thru:

Gng. May Arlene DG. Torres

Department Head

Provincial History, Arts, Culture and Tourism Office (PHACTO)

Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines



Dear Governor Fernando,

We, 4th year students pursuing the course BS Mathematics with Specialization in Computer Science, are currently undertaking our thesis titled "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**" This study aims to develop a mobile application that generates personalized and optimized itineraries to promote local tourism and assist travelers in exploring Bulacan efficiently.

In line with this, we respectfully request permission to obtain statistical and informational data from the Provincial History, Arts, Culture and Tourism Office (PHACTO), specifically regarding:

1. A list of all notable tourist locations in Bulacan, along with available data on foot traffic or visitor statistics;
2. and Relevant information about these locations, including their global coordinates, short descriptions, opening hours, and tourism categories.

The requested data will be used solely for academic purposes and will contribute to the development of a system that highlights and supports the province's tourism initiatives.

officeofthechairman.cs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

Alab
BUVSU
Bulacan State University



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 484




The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Should you require any further information or clarification, you may contact us via email at
2022104499@ms.bulsu.edu.ph or through phone at 0949 326 4521.

Respectfully yours,

Richard M. Manansala
Manansala, Richard M.

Hilario, Franniel Luigi C.
Hilario, Franniel Luigi C.


Declaro, Bryan C.

Magbanua, Brian G.

Noted: 
RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor


AARON PAUL DELA ROSA, MSIT
Thesis Adviser


THELMA V. PAGTALUNAN, Ph.D.
Dean of College of Science

officethedean.cs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

Alab
BUVSU
Bulacan State University



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 484



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

December 3, 2025

PROF. AARHUS DELA CRUZ
Faculty, College of Science

Dear Sir Aarhus:

We, the undersigned, are currently endeavoring on their Bachelor thesis titled, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism**" which aims to provide personalized and optimized itineraries to promote tourism in Bulacan. In line with this, we strongly believe that your expertise and helpful guidance as the thesis adviser can greatly lead us to the success of the conduct of the said study. Thus, we would like to humbly request you to be our thesis adviser.

We hope for your positive response on this request.

Thank you very much for your support.

Respectfully yours,

Manansala, Richard M.

Declaro, Bryan C.

Hilario, Franniel Luigi C.

Magbanua, Brian G.

Noted:

RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor

Conforme:

Aarhut M. Dela Cruz

Signature over printed name

officeofthedean.cs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

**Alab
BUVSU**



**Republic of the Philippines
City of Malolos, Bulacan**

BULACAN STATE UNIVERSITY

COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



**Level III
Recognition
for Mastery in
Quality
Management
2013**



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked #11



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

January 29, 2026

Hon. Francis Albert G. Juan
Municipal Mayor
Municipality of Bustos, Bulacan

Dear Mayor Juan,

Greetings of peace!

We are 4th-year BS Mathematics with Specialization in Computer Science students from Bulacan State University currently developing our undergraduate thesis entitled, "LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism."

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.


In line with this, we specifically request your permission to conduct surveys within the Municipality of Bustos, Bulacan. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
 2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including Bustos, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.

Office of the Dean | www.bulsu.edu.ph | 019-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

Alab BUVSU
Bulacan State University



January 29, 2026

Hon. Rolando S. Peralta Jr.
Municipal Mayor
Municipality of Pulilan, Bulacan

To Pulilan OPM

PULILAN OPM ASSISTANT
Lynne RS

Dear Mayor Peralta,

Greetings of peace!

We are 4th-year BS Mathematics with Specialization in Computer Science students from Bulacan State University currently developing our undergraduate thesis entitled, "LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism."

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.

In line with this, we specifically request your permission to conduct surveys within the Municipality of Pulilan, Bulacan. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including Pulilan, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.

OFFICE OF THE MAYOR
Pulilan, Bulacan
RECEIVED
RECEIVED BY <i>Ferdzix T. Tiong</i>
DATE <i>1/19/24</i>
COMPTD.

officeofthedean.cs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan

RECEIVED BY *Ferdzix T. Tiong*

DATE *1/19/24*

COMPTD.

RECEIVED

RECEIVED BY

DATE

COMPTD.

RECEIVED

RE



Management
System
ISO 9001:2015



Level II
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Republic of the Philippines City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE

January 22, 2026

Hon. Cipriano D. Violago, Jr.

Municipal Mayor

Municipality of San Rafael, Bulacan

Dear Mayor Violago,

Greetings of peace!

We are 4th-year BS Mathematics with Specialization in Computer Science students from Bulacan State University currently developing our undergraduate thesis entitled, "LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism."

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.

In line with this, we specifically request your permission to conduct surveys within the Municipality of San Rafael, Bulacan. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including San Rafael, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.


MARINA R. VIENTE, MD
Municipal Administrator
San Rafael, Bulacan

officethedean.cs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinawa, City of Malolos Bulacan


Alab BU-SU



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

January 22, 2026

Hon. Enrico A. Roque
Municipal Mayor
Municipality of Pandi, Bulacan

RECEIVED
01-126-24
of 29/24
3:22pm

Dear Mayor Roque,

Greetings of peace!

We are 4th-year **BS Mathematics with Specialization in Computer Science** students from **Bulacan State University** currently developing our undergraduate thesis entitled, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**"

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.

In line with this, we specifically request your permission to **conduct surveys within the Municipality of Pandi, Bulacan**. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including Pandi, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

January 22, 2026


Hon. Glorime M. Faustino

Municipal Mayor

Municipality of Calumpit, Bulacan

Dear Mayor Faustino,

Greetings of peace!



02/13/2026

We are 4th-year **BS Mathematics with Specialization in Computer Science** students from **Bulacan State University** currently developing our undergraduate thesis entitled, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**"

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.

In line with this, we specifically request your permission to **conduct surveys within the Municipality of Calumpit, Bulacan**. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including Calumpit, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

January 22, 2026


Hon. Christian D. Natividad

Municipal Mayor

Municipality of Malolos, Bulacan

Dear Mayor Natividad,

Greetings of peace!



We are 4th-year **BS Mathematics with Specialization in Computer Science** students from **Bulacan State University** currently developing our undergraduate thesis entitled, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**"

Our study aims to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of the province. To realize this, it is essential to gather accurate data regarding the tourist spots, hidden gems, and travel preferences relevant to your municipality.

In line with this, we specifically request your permission to **conduct surveys within the Municipality of Malolos, Bulacan**. The data gathering will involve:

1. **Online Surveys:** Distributing digital forms to potential respondents.
2. **Survey Questionnaires:** Administering physical questionnaires to tourists in the area.

We believe that including Malolos, Bulacan in our study will significantly contribute to the development of the "LAKAD" application, ensuring that your local tourism destinations are well-represented and recommended to future users.



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dreieck
PNEC
Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Attached here is a copy of the survey questionnaire for your perusal. Rest assured that all data gathered will be treated with strict confidentiality and used solely for academic purposes in accordance with the Data Privacy Act of 2012.

Should you require any further information or clarification, you may contact us via email at richard232manansala@gmail.com or through phone at **0949-326-4521**.

Thank you for your favorable response and support for our academic endeavor.

Respectfully yours,

Hilario, Franniel Luigi C.

Manansala, Richard M.

Magbanua, Brian Gabriel G.

Declaro, Bryan C.

Noted:

RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor

AARHUS M. DELA CRUZ, MSc
Thesis Adviser

AARON PAUL M. DELA ROSA, DIT
Thesis Co-Adviser

THELMA V. PAGTALUNAN, Ph.D.
Dean of College of Science

Republic of the Philippines



CITY OF BALIWAG



ARO26000503

PROVINCE OF BULACAN
City Government of Baliwag
OFFICE OF THE CITY ADMINISTRATOR

04 February 2026

MR. RICHARD MANANSALA, ET AL.

Students

Bulacan State University — Main Campus

09493264521

Dear Mr. Manansala et al.:

Warm greetings!

This is in response to your letter dated 3 February 2026 regarding your request to conduct surveys within the City of Baliwag Bulacan, in fulfillment of your undergraduate thesis entitled *"LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism."*

In this regard, please be informed that your request has been forwarded to the City Arts, Culture, and Tourism (CACTO) for their assistance and appropriate action. You may directly coordinate with the said office for further details relevant to your request. Kindly be reminded that any data or information provided shall be used solely for the specific purpose indicated in your letter.

We hope that you find everything in order. Thank you.

In the name of *Serbisyong May Malasakit*,

ENRIQUE V. TAGLE
City Administrator



Management
System
ISO 9001:2015



DUGONG
BALIWAG
PUSONG
BALIWAG



Serbisyong May Malasakit!



Republic of the Philippines
Province of Bulacan
Municipality of Bocaue
New Municipal Bldg., Igulot, Bocaue, Bulacan
(044) 816-69-38 | municipalityofbocauejjv@gmail.com

OFFICE OF THE MUNICIPAL MAYOR

A U T H O R I T Y

The undersigned hereby grants authority to the following 4th year BS Mathematics with Specialization in Computer Science students from Bulacan State University to conduct surveys and interviews within the Municipality of Bocaue, Bulacan, in connection with their undergraduate thesis entitled "LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism:"


1. Hilario, Franniel Luigi C.
2. Magbanua, Brian Gabriel G.
3. Manansala, Richard M.
4. Declaro, Bryan C.

This authority is granted strictly for academic and research purposes only, subject to the following conditions:

1. That the participation of respondents shall be voluntary, and no respondent shall be forced to participate and may refuse to answer any question or withdraw from the survey or interview at any time, even after initially agreeing to participate, without consequence;
2. That the privacy and personal information of the respondents shall be respected in accordance with the Data Privacy Act of 2012 and other applicable laws and ethical research standards;
3. That the conduct of surveys and interviews shall not disrupt public order, public services, or community activities; and
4. That the data gathered shall be used exclusively for academic purposes only.

This authority is issued upon the request of the concerned students as part of the requirements for their undergraduate thesis.

Issued this 6th day of February 2026 at Bocaue Municipal Hall, Joni Villanueva Ave., Igulot, Bocaue, Bulacan.


EDUARDO J. VILLANUEVA, JR.
Municipal Mayor



Republic of the Philippines
Province of Bulacan
Municipality of Marilao

Office of the Mayor

February 6, 2026

FRANNIEL LUIGI C. HILARIO
BULACAN STATE UNIVERSITY
College of Science
City of Malolos, Bulacan

Attention: Research Team / Thesis Adviser

Subject: *Approval to Conduct Survey in the Municipality of Marilao, Bulacan*

This is to inform you that the Municipal Government of Marilao, Bulacan hereby **grants approval** to the students of Bulacan State University to **conduct surveys and administer questionnaires** in the Municipality of Marilao in connection with their undergraduate thesis entitled:

“LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.”

This approval is **subject to strict compliance** with all applicable laws, rules, and regulations, particularly **Republic Act No. 10173 (Data Privacy Act of 2012)**. The research proponents shall ensure that:

1. All data to be collected shall be used **solely for academic purposes**;
2. Participation of respondents shall be **voluntary** and with proper **informed consent**;
3. Personal information shall be treated with **utmost confidentiality** and adequately protected; and
4. No data shall be disclosed, published, or used in a manner contrary to law.

The Municipal Government reserves the right to withdraw this approval should any violation of the above conditions occur.

By Authority of the Mayor:

CENON M. MAYOR
Executive Assistant





DATA/DOCUMENT REQUEST FORM

Researcher/Client Details:

Name	Franniel Luigi C. Hilario	Date of Request	Jan. 28, 2026
Organization	Bulacan State University - College of Science	Contact number	0995 181 8064
Position	Undergraduate student	Email address	hilariofranniel@gmail.com

Requested Data/Documents <small>(attach separate sheet/request letter if necessary)</small>	Purpose <small>(attach separate sheet/request letter if necessary)</small>
Participation of locals via survey.	For our thesis study, to assess the acceptance of our application, LAKAD.

CERTIFICATION FOR DATA PRIVACY

Evaluation of Data/Document Requests:

Does the requested dataset/document include Personal Information/ Sensitive Personal Information?		<input type="checkbox"/> NO
		<input checked="" type="checkbox"/> YES (require approval of DPO)
The Data/Document Request is:	Remarks:	
<input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DISAPPROVED	As per respondent's approval	
Details of Actions Taken by the Compliance Officer for Privacy (Office/Unit Head)		
COMPLIANCE OFFICER FOR PRIVACY CERTIFICATION		
I certify that the requested dataset/document does not contain personal and sensitive personal information and is cleared for release.		
Signature of COP :		
Name of COP :		
Date :		

DATA PROTECTION OFFICER APPROVAL

The requested dataset/document has been cleared for releasing only for the purpose stated above, and that the use of the said dataset/document other the stated purpose shall be subject to further evaluation and investigation.

Signature of DPO :

Name of DPO :

Date :

Ritta Dianne G. Ramos-Borlongan

1-28-2026

CONFIDENTIALITY COMMITMENT

I acknowledge that all dataset/document are released to me because of the approval of the data subjects. I also acknowledge that all dataset/document is strictly confidential and I agree that I shall not reveal to any person or entity, or use any information at any time, except as expressly written purpose in this form, or as may be required by law. Data breach caused by negligence in proper handling of the dataset/document released to me or caused by malicious intent as proven by investigation, shall subject me to the penalties set by the Data Privacy Act of 2012.

Signature of Requesting Individual :

Name of Requesting Individual :

Franniel Luigi C. Hilario

Date :

Jan 28 2026



Republic of the Philippines
Province of Bulacan
Municipality of Plaridel
MUNICIPAL TOURISM OFFICE

February 20, 2026

MR. RICHARD MANANSALA
BSM CS 4A
College of Science
Bulacan State University

Subject: Endorsement to Conduct Survey Data Gathering in Plaridel

Dear Mr. Manansala,

Greetings!

We are hereby endorsing you and your research team to conduct survey data gathering in Plaridel in connection with your thesis project entitled, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus on Bulacan Tourism.**"

In relation to the aforementioned this grants permission to proceed with your data collection activities, provided that all applicable ethical standards are strictly adhered to. Please ensure that respondents are properly informed about the purpose of the study, that their participation is voluntary, and that all collected data will be treated with confidentiality.

We commend your initiative in developing a project that promotes tourism in Bulacan and wish you success in your research endeavor.

Very Truly Yours,


VICENTE D. LUCAS
Senior Tourism Operations Officer



Management
System
ISO 9001-2015



Lower 1/3
Recognition for
Mastery in
Community
Management
2022



DILG Impact
Rankings
2023
#1001



Dark Green
School
Certified



World
University
Rankings
Ranked 434



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

January 15, 2026

Hon. Daniel R. Fernando

Provincial Governor

Provincial Government of Bulacan

2nd Floor, Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines

OFFICE OF THE GOVERNOR
HON. DANIEL R. FERNANDO

Cha - 397
RECEIVED BY
Jan. 15, 2026 1:40
DATE TIME


Thru:

Gng. May Arlene DG. Torres

Department Head

Provincial History, Arts, Culture and Tourism Office (PHACTO)

Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines



Dear Governor Fernando,

We, 4th year students pursuing the course BS Mathematics with Specialization in Computer Science, are currently undertaking our thesis titled "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**" This study aims to develop a mobile application that generates personalized and optimized itineraries to promote local tourism and assist travelers in exploring Bulacan efficiently.

In line with this, we respectfully request permission to obtain statistical and informational data from the Provincial History, Arts, Culture and Tourism Office (PHACTO), specifically regarding:

1. The list **tourist locations** in Bulacan, along with relevant available data such as:
 - global coordinates (latitude, longitude)
 - description or history,
 - traffic or visitor statistics,
 - opening/closing hours,
 - category and type,
 - address



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION


January 22, 2026

Hon. Daniel R. Fernando

Provincial Governor

Provincial Government of Bulacan

2nd Floor, Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines




Thru:

Gng. May Arlene DG. Torres

Department Head

Provincial History, Arts, Culture and Tourism Office (PHACTO)

Provincial Capitol Building, Malolos City, Bulacan 3000 Philippines



Dear Governor Fernando,

We are 4th-year BS Mathematics with Specialization in Computer Science students currently developing our undergraduate thesis, **"LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism."** Our goal is to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of Bulacan.

As we move toward the finalization of our system, we respectfully request a follow-up validation of our compiled data. While we have integrated the information provided by your office, our team has supplemented certain missing fields through secondary research. To ensure the highest level of accuracy for our users, we seek your expertise in verifying the following:

- **Geographic Coordinates:** Accuracy of latitude and longitude for navigation.
- **Descriptions:** Verification of descriptive text.
- **Classification:** Correctness of the "type" assigned to each landmark
- **Visual Content:** Appropriateness and accuracy of the images used for each landmark.

officeofthedeancs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinhawa, City of Malolos Bulacan

**Alab
BUVSU**
Bulacan State University



Management
System:
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE

To facilitate this process, we will provide your office with a comprehensive spreadsheet of our current data. Furthermore, we would be honored to grant your team access to the "LAKAD" application prototype so you may review how the information is presented in a live environment.

The validated data will be used solely for academic purposes and to ensure that our project aligns with the official tourism standards of the province.

Should you require any further information or clarification, you may contact us via email at richard232manansala@gmail.com or through phone at 0949-326-4521.

Respectfully yours,

Manansala, Richard M.

Hilario, Franniel Luigi C.

Declaro, Bryan C.

Magbanua, Brian G.

Noted:

RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor

AARHUS M. DELA CRUZ, MSc
Thesis Adviser

AARON PAUL M. DELA ROSA, DIT
Thesis Co-Adviser

THELMA V. PAGTALUNAN, Ph.D.
Dean of College of Science

officeofthedeancs@bulsu.edu.ph | 919-7800 local 1044
Bulacan State University Main Campus, Capitol Compound, McArthur Highway,
Guinhawa, City of Malolos Bulacan

**Alab
BUVSU**
Bulacan State University



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

February 11, 2026

DIGNA S. EVALE, DIT

Dean, College of Information and Communication Technology

Subject: Request to Conduct Survey to CICT Faculty

Dear Dr. Evale,

We are 4th-year BS Mathematics with Specialization in Computer Science students from College of Science, and are currently developing our undergraduate thesis, "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**" Our goal is to create a digital tool that optimizes travel routes and promotes the rich cultural and historical sites of Bulacan.

In line with the evaluation process of our study, we respectfully request your permission to conduct a survey involving selected faculty members from the College of Information and Communications Technology as our respondents for the evaluation of our developed system via questionnaire through **face-to-face sessions or online surveys via Google Forms.** The purpose of this survey is to gather relevant information that will support the development, quality, and validation of our system.

We assure you that all collected information will be used strictly for academic and research purposes and will be treated with the utmost confidentiality in compliance with the Data Privacy Act of 2012.

Should you require any further information or clarification, you may contact us via email at richard232manansala@gmail.com or through phone at [0949-326-4521](tel:0949-326-4521).

Respectfully yours,

Manansala, Richard M.

Hilario, Pranniel Luigi C.

Declaro, Bryan C.

Magbanua, Brian Gabriel G.



Republic of the Philippines
City of Malolos, Bulacan

BULACAN STATE UNIVERSITY COLLEGE OF SCIENCE



Management
System
ISO 9001:2015



Level III
Recognition
for Mastery in
Quality
Management
2022



THE Impact
Rankings
2023
+1001



Dark Green
School
Certified



World
University
Rankings
Ranked 684



The WORLD
UNIVERSITY
RANKINGS
for INNOVATION

Noted:

RAINILYN LEONARDO-DUQUE, Ph.D.
Thesis Instructor

AARHUS M. DELA CRUZ, MSc
Thesis Adviser

AARON PAUL M. DELA ROSA, DIT
Thesis Co-Adviser

THELMA V. PAGTALUNAN, Ph.D.
Dean of College of Science

Approved by:

DIGNA S. EVALE, DIT
Dean, College of Information and Communication Technology



PANLALAWIGANG TANGGAPAN NG KASAYSAYAN, SINING, KULTURA AT TURISMO

CERTIFICATION


This is to certify that the Provincial History, Arts, Culture & Tourism Office (PHACTO) of Bulacan has reviewed and validated selected tourism-related data submitted by the 4th Year BS Mathematics with Specialization in Computer Science students of Bulacan State University in connection with their undergraduate thesis entitled "**LAKAD: A Personalized Mobile Itinerary Generator with Focus in Bulacan Tourism.**"

Upon request of the proponents, this Office conducted a review and validation of the relevant tourism-related information and data incorporated in their study, in accordance with the official records maintained by this Office.

Based on the documents and compiled data presented, the reviewed information has been verified in reference to the official records maintained by this Office as of the date of evaluation.

This Certification is issued upon the request of the proponents for academic purposes.

Issued this 25TH day of February 2026 at the City of Malolos, Bulacan.



LIMUEL JAN J. LOBEDERIO
OIC-Department Head, PHACTO



CURRICULUM VITAE



BRYAN C. DECLARO

Student Intern

📞 09496580350

✉️ bryan12declaro@gmail.com

📍 San Jose, Plaridel, Bulacan

PROFILE SUMMARY

I'm a Computer Science student who's still building my programming skills, but I have a strong background in math and problem-solving. I'm looking for an internship where I can apply my analytical thinking, learn more about tech, and get hands-on experience in a supportive environment.

EDUCATION

Bachelor of Science in Mathematics with Specialization in Computer Science

Bulacan State University (Main Campus) | Expected Graduation: 2026

- Dean's Lister
- Member : Mathematics Society (A.Y. 2024 – 2025)
- Member : Microsoft Student Community (A.Y. 2024 – 2025)

Relevant Coursework

- Mathematical Modeling
- Object - Oriented Programming
- Statistics & Probability
- System Analysis and Design
- Data Structure and Algorithm
- Linear Algebra

SKILLS

- Programming Languages: C++, Java, Python, C#, LaTex
- Logical thinker
- Detail-oriented
- Eager to learn
- Creative
- Team player with a collaborative mindset
- Adaptable

ACADEMIC PROJECTS

Students' Level of Awareness on the Environmental Implications of Generative AI

Research Project | Published Paper, 2025

- Conducted a quantitative study on student awareness of the environmental impact of generative AI.
- Collected data from students through surveys distributed at Bulacan State University – College of Science.
- Analyzed awareness levels and interpreted patterns in student responses.
- Published in the Journal of Education in Science, Environment and Health (JESEH) on March 26, 2025 | <https://www.jeseh.net/index.php/jeseh/article/view/777>

Modeling Information Diffusion on X

Research Project | Mathematical Modeling

- Developed a model to analyze and simulate how information spreads on platform X

Municipality Magazine Creation

Collaborative Multimedia Project

- Designed the magazine layout and visuals for a community-focused publication.
- Collaborated with team members who contributed additional content, research, and photography.

REFERENCES

Available upon request

Franniel Luigi C. Hilario

Pandi, Philippines | +63 995 181 8064

hilariofranniel@gmail.com | github.com/LeinnarF



Summary

Mathematics and Computer Science undergraduate specializing in algorithmic simulation and data modeling. Experienced in translating mathematical theory into practical software, demonstrated by the development of a Numerical Analysis Recommender System and custom metaheuristic solvers. Proficient in Python and Jupyter Notebooks for modeling, with strong foundation in Object-Oriented Programming (C++/Java) for implementation. Dedicated to applying rigorous mathematical logic to solve real-world engineering and optimization challenges.

Education

Bachelor of Science in Mathematics with specialization in Computer Science

Bulacan State University - Main Campus

Malolos, Bulacan

Academic Achievement

- Dean's Lister (A.Y. 2024-2025)

Technical Skills

Mathematical and Analysis

- Linear Algebra, Real Analysis, Graph Theory, Metaheuristic Optimization, Numerical Methods.

Programming Languages

- Python (Advanced), Kotlin, C++, C#, Java, SQL

Development Tools

- Android Development (Jetpack Compose), Unity Engine, Git/GitHub, LaTeX, Jupyter Notebooks

Research Interests

- Metaheuristic Algorithms & Optimization
- Computational Geometry
- Mobile Application Architecture
- Data Science & Analytics

Experience

UI/UX Intern

- Design the UI in Figma for BulSU ESO during internship at ISPIR Center - Bulacan State University

BRIAN GABRIEL G. MAGBANUA

Address: 328 FT. Reyes st., Sto. Rosario, City of Malolos, Bulacan

Phone: +63 9774147632

Email: magbanuabriangabriel@gmail.com

LinkedIn: linkedin.com/in/brian-gabriel



SUMMARY

A dedicated and passionate student with strong interest in technology and problem-solving. Pursuing a Mathematics-Computer Science degree. Has a solid foundation in programming and analytical thinking, supported by academic experience. Approachable, friendly, able to collaborate effectively, and can work independently. Fast learner, reliable, patient, and consistent with deadlines. Eager to apply and grow technical skills through continuous learning experience in different environments.

EDUCATION

Bulacan State University

August 2022 - Present

- Bachelor of Science in Mathematics major in Computer Science.
- Organization: BulSU Microsoft Student Community

La Consolacion University Philippines

August 2020 - June 2022

- Graduated Senior Highschool - STEM Strand
- Took robotics class
- Organization: Calculus Club

City of Malolos Integrated School - Sto. Rosario (Malolos Central School)

June 2010 - March 2020

- Graduated Elementary
- Graduated Junior Highschool
- Took Visual Graphic Design class in TLE

SKILLS

Programming

- C++
- C#
- Java
- Python
- Git

Software

- MS 365
- Visual Studio Code
- Unity Editor
- Adobe Photoshop
- Canva

Others

- LaTeX

Soft Skills

- Time Management
- Team Player
- Adaptive to Change
- Resourceful

ADDITIONAL INFORMATION

- **Technical Skills:** Background knowledge in Game Development, Mathematical Modeling, Multimedia, Data Structures and Algorithms, and Database Management.
- **Languages:** Filipino, English.
- **Awards/Activities:** Graduated JHS with Honors, and SHS with High Honors. Conducted a Mathematical Modeling Group research about "*Modeling Information Diffusion on X - Analyzing how a single influencer's post spreads using the Independent Cascade Model*" - contributed to coding simulations and interpreting diffusion patterns over thousands of nodes in a network.

Character Reference available upon request

Manansala, Richard M.

4th Year BS Mathematics Student

Address: San Isidro Matua, Masantol, Pampanga | Phone: 0949-326-4521

LinkedIn: <http://linkedin.com/in/richard-manansala-82a764365>

Github: <https://github.com/niceWizzard>



Summary

Aspiring full-stack web developer leveraging proficiency in Next.js, Node.js, JavaScript, HTML, and CSS to build dynamic and user-centric applications. Developed collaborative skills through contributions to two group mathematical research papers using Python, showcasing adaptability and analytical problem-solving abilities. Eager to secure an internship where I can apply my web development expertise and contribute to a team-oriented environment. Portfolio available at <https://richardmanansala.vercel.app> highlights relevant projects and technical skills.

Educational Background

Bulacan State University, Malolos, Bulacan

Bachelor of Science in Mathematics with Specialization in Computer Science

Expected Date of Graduation: 2026

Academic Achievements

- Dean's Lister - GWA - 1.25 (A.Y. 2023-2024)
 - Dean's Lister - GWA - 1.299 (A.Y. 2024-2025)
-

Technical Skills

1. Web Development

- 1.1. Programming Language: Python, JavaScript/TypeScript, HTML, CSS
- 1.2. Tools/Software: React/NextJS, Django, Angular

2. Other Software and Tools:

- Git Version Control
 - Figma/Canva development
 - Photoshop
-

Soft Skills

- **Multi-tasking** - lead simultaneous group projects including two mathematical research projects using python.
 - **Team Collaboration** - collaborated and led teams of 5-7 members for course projects.
 - **Time Management** - consistently meets deadlines without fail
-

Experiences

Fullstack Web Developer Intern

- Created two functional websites during the internship at BMWARE Business Solutions Enterprises Inc.