DEVOPS - 28/02/2026

Git commands like clone, merge, switch, checkout, rebase have seen

```
HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git"
Cloning into 'Devops-demo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
```


```
HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git"
Cloning into 'Devops-demo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch
* main

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch test

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git switch test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ vi j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git switch main
Switched to branch 'main'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        j.html

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git add j.html
warning: in the working copy of 'j.html', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   j.html


HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git commit -m "commit"
[main 1ee73ad] commit
 1 file changed, 1 insertion(+)
 create mode 100644 j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ |
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git"
Cloning into 'Devops-demo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.

HP@DESKTOP-A1AOV5H MINGW64 ~
$ ls
 AppData/
'Application Data'@
 Contacts/
 Cookies@
 Devops-demo/
 Documents/
 Downloads/
 Favorites/
 IdeaProjects/
 IntelGraphicsProfiles/
 Links/
'Local Settings'@
 Music/
'My Documents'@
 NTUSER.DAT
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TM.blf
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TMContainer00000000000000000001.regtrans-ms
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TMContainer00000000000000000002.regtrans-ms
 NetHood@
 OneDrive/
 Postman/
 PrintHood@
 Project/
 Recent@
'Saved Games'/
 Searches/
 SendTo@
'Start Menu'@
 Templates@
 Videos/
'WPS Cloud Files'/
 devops/
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 ntuser.ini

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd devops

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ cd ..
```

MINGW64:/c/Users/HP/devops

```
$ ls
demo.py  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~
$ mkdir test

HP@DESKTOP-A1AOV5H MINGW64 ~
$ ls
 AppData/
'Application Data'@
 Contacts/
 Cookies@
 Devops-demo/
 Documents/
 Downloads/
 Favorites/
 IdeaProjects/
 IntelGraphicsProfiles/
 Links/
'Local Settings'@
 Music/
'My Documents'@
 NTUSER.DAT
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TM.blf
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TMContainer00000000000000000001.regtrans-ms
 NTUSER.DAT{7b076d9f-eff7-11ee-8902-ac50de7ca474}.TMContainer00000000000000000002.regtrans-ms
 NetHood@
 OneDrive/
 Postman/
 PrintHood@
 Project/
 Recent@
'Saved Games'/
 Searches/
 SendTo@
'Start Menu'@
 Templates@
 Videos/
'WPS Cloud Files'/
 devops/
 ntuser.dat.LOG1
 ntuser.dat.LOG2
 ntuser.ini
 test/

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd test

HP@DESKTOP-A1AOV5H MINGW64 ~/test
$ ls

HP@DESKTOP-A1AOV5H MINGW64 ~/test
$ cd ..
```

MINGW64:/c/Users/HP/devops

```
 ntuser.ini
 test/

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd test

HP@DESKTOP-A1AOV5H MINGW64 ~/test
$ ls

HP@DESKTOP-A1AOV5H MINGW64 ~/test
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git" test
Cloning into 'test'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.

HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git" ./test
fatal: destination path './test' already exists and is not an empty directory.

HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git" /test
fatal: could not create work tree dir 'C:/Program Files/Git/test': Permission denied

HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git" ~/test
fatal: destination path 'C:/Users/HP/test' already exists and is not an empty directory.

HP@DESKTOP-A1AOV5H MINGW64 ~
$ git clone "https://github.com/Lekha15-cse/Devops-demo.git" ~/devops
fatal: destination path 'C:/Users/HP/devops' already exists and is not an empty directory.

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd test

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ ls
README.md

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git branch test

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git branch
* main
  test

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git switch test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git branch
* main
  test

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git switch test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git branch
  main
* test

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git commit -m "clone commit"
On branch test
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git add test
fatal: pathspec 'test' did not match any files

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git commit -m "clone commit"
On branch test
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git status
On branch test
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/test (test)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ git commit -m "clone commit"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd devops

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ mkdir dev

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
```

MINGW64:/c/Users/HP/devops

```
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/test (main)
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~
$ cd devops

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ mkdir dev

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ cd dev

HP@DESKTOP-A1AOV5H MINGW64 ~/devops/dev (main)
$ vi lekha.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops/dev (main)
$ git add .
warning: in the working copy of 'dev/lekha.py', LF will be replaced by CRLF the next time Git touches i
t

HP@DESKTOP-A1AOV5H MINGW64 ~/devops/dev (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   lekha.py


HP@DESKTOP-A1AOV5H MINGW64 ~/devops/dev (main)
$ git commit -m "demo process"
[main 20a4999] demo process
 1 file changed, 1 insertion(+)
 create mode 100644 dev/lekha.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops/dev (main)
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ mkdir ops

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ vi lekhaops.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git add .
warning: in the working copy of 'lekhaops.py', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Changes to be committed:
```

MINGW64:/c/Users/HP/devops

```
$ cd ..

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ mkdir ops

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ vi lekhaops.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git add .
warning: in the working copy of 'lekhaops.py', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   lekhaops.py


HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git commit -m "demo ops"
[main a63c7bd] demo ops
 1 file changed, 1 insertion(+)
 create mode 100644 lekhaops.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch
* main

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch test

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git switch test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ vi j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git switch main
Switched to branch 'main'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch
* main

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch test

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git switch test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ vi j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git switch main
Switched to branch 'main'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        j.html

nothing added to commit but untracked files present (use "git add" to track)

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git add j.html
warning: in the working copy of 'j.html', LF will be replaced by CRLF the next time Git touches it

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   j.html


HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git commit -m "commit"
[main 1ee73ad] commit
 1 file changed, 1 insertion(+)
 create mode 100644 j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ |
```

MINGW64:/c/Users/HP/devops

```
On branch main
nothing to commit, working tree clean

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch
* main
  test

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch java

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git branch
  java
* main
  test

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git log
commit 1ee73ad5635da838c91dd22f3bba447a1bd124e3 (HEAD -> main, java)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:33:40 2026 +0530

    commit

commit a63c7bdc6789bb4dc4020a0b8366f6639957b4a4 (test)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:30:07 2026 +0530

    demo ops

commit 20a49993ef6b97dbef79901dc19ab8432fc5e043
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:28:47 2026 +0530

    demo process

commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git log
commit 1ee73ad5635da838c91dd22f3bba447a1bd124e3 (HEAD -> main, java)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:33:40 2026 +0530

    commit

commit a63c7bdc6789bb4dc4020a0b8366f6639957b4a4 (test)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:30:07 2026 +0530

    demo ops

commit 20a49993ef6b97dbef79901dc19ab8432fc5e043
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:28:47 2026 +0530

    demo process

commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Already up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull --rebase origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Current branch main is up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$
```

MINGW64:/c/Users/HP/devops

```
commit a63c7bdc6789bb4dc4020a0b8366f6639957b4a4 (test)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:30:07 2026 +0530

    demo ops

commit 20a49993ef6b97dbef79901dc19ab8432fc5e043
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:28:47 2026 +0530

    demo process

commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Already up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull --rebase origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Current branch main is up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git checkout test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ ls
demo.py  dev/  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$
```

MINGW64:/c/Users/HP/devops

```
commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Already up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git pull --rebase origin main
From https://github.com/Lekha15-cse/git-dev
 * branch            main       -> FETCH_HEAD
Current branch main is up to date.

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git checkout test
Switched to branch 'test'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ ls
demo.py  dev/  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git merge main
Updating a63c7bd..1ee73ad
Fast-forward
 j.html | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$
```

MINGW64:/c/Users/HP/devops

```
HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ ls
demo.py  dev/  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git merge main
Updating a63c7bd..1ee73ad
Fast-forward
 j.html | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git log
commit 1ee73ad5635da838c91dd22f3bba447a1bd124e3 (HEAD -> test, main, java)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:33:40 2026 +0530

    commit

commit a63c7bdc6789bb4dc4020a0b8366f6639957b4a4
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:30:07 2026 +0530

    demo ops

commit 20a49993ef6b97dbef79901dc19ab8432fc5e043
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:28:47 2026 +0530

    demo process

commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$
```

MINGW64:/c/Users/HP/devops

```
commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (test)
$ git switch main
Switched to branch 'main'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  j.html  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git rm j.html
rm 'j.html'

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ ls
demo.py  dev/  lekhaops.py  ops/  sec.py

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    j.html


HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git commit -m "del"
[main 55e461e] del
 1 file changed, 1 deletion(-)
 delete mode 100644 j.html

HP@DESKTOP-A1AOV5H MINGW64 ~/devops (main)
$ git log
```

```
MINGW64:/c/Users/HP/devops
$ git commit -m "del"
[main 55e461e] del
 1 file changed, 1 deletion(-)
 delete mode 100644 j.html

HP@DESKTOP-A1A0V5H MINGW64 ~/devops (main)
$ git log
commit 55e461e58d0b1e01ad0892ede8c05ea79649d332 (HEAD -> main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:56:11 2026 +0530

    del

commit 1ee73ad5635da838c91dd22f3bba447a1bd124e3 (test, java)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:33:40 2026 +0530

    commit

commit a63c7bdc6789bb4dc4020a0b8366f6639957b4a4
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:30:07 2026 +0530

    demo ops

commit 20a49993ef6b97dbef79901dc19ab8432fc5e043
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Sat Feb 28 12:28:47 2026 +0530

    demo process

commit 3184d16b8f99008c218513d9ca40985c07a26d00 (origin/main)
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 12:19:35 2026 +0530

    test commit

commit 587e18756c63241d4b4dc1894c1e84280cff4003
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:37:57 2026 +0530

    test commit

commit 2e2ba91d4f5c75e2029e91d03b3409de2230d122
Author: Lekha15-cse <lekhapandic@gmail.com>
Date:   Fri Feb 27 11:32:14 2026 +0530

    test commit

HP@DESKTOP-A1A0V5H MINGW64 ~/devops (main)
$
```

```
HP@DESKTOP-A1A0V5H MINGW64 ~/devops (test)
$ git rebase main
Successfully rebased and updated refs/heads/test.
```

```
HP@DESKTOP-A1A0V5H MINGW64 ~/devops (test)
$ git branch
  java
  lll
  main
* test
```