






CUBIC vs Reno vs BBR: 148.230.45.213:30009 (repetition 1)
Congestion window
cwnd (segments)
Elapsed time (s)
Algorithm
cubic
reno
bbr
Smoothed RTT
RTT (ms)
Elapsed time (s)
Retransmissions in interval
Retransmitted segments
Elapsed time (s)
Acknowledged goodput
Goodput (Mbit/s)
Elapsed time (s)



CUBIC vs Reno vs BBR: 148.230.45.213:30009 (all 3 repetition(s))
Congestion window vs goodput
RTT vs goodput
Retransmissions vs goodput
Algorithm
cubic
reno
bbr
Goodput (Mbit/s)
Congestion window (segments)
Smoothed RTT (ms)
Retransmissions in interval
0
25
50
75
100
125
150
175
0
1000
2000
3000
4000
5000
0
50
100
150
200
250
0
200
400
600
800
1000



Congestion control: cubic (148.230.45.213:30009, repetition 1)
Congestion window
cwnd (segments)
Elapsed time (s)
RTT
RTT (ms)
SRTT
RTT variation
Elapsed time (s)
Retransmissions in interval
Retransmitted segments
Elapsed time (s)
Acknowledged goodput
Goodput (Mbit/s)
Elapsed time (s)



Congestion control: cubic (148.230.45.213:30009, repetition 1)
Congestion window vs goodput
Goodput (Mbit/s)
Congestion window (segments)
RTT vs goodput
Goodput (Mbit/s)
Smoothed RTT (ms)
Retransmissions vs goodput
Goodput (Mbit/s)
Retransmissions in interval


Congestion control: reno (148.230.45.213:30009, repetition 1)
Congestion window
cwnd (segments)
Elapsed time (s)
RTT
RTT (ms)
SRTT
RTT variation
Elapsed time (s)
Retransmissions in interval
Retransmitted segments
Elapsed time (s)
Acknowledged goodput
Goodput (Mbit/s)
Elapsed time (s)


Congestion control: reno (148.230.45.213:30009, repetition 1)
Congestion window vs goodput
Goodput (Mbit/s)
Congestion window (segments)
RTT vs goodput
Goodput (Mbit/s)
Smoothed RTT (ms)
Retransmissions vs goodput
Goodput (Mbit/s)
Retransmissions in interval


Congestion control: bbr (148.230.45.213:30009, repetition 1)
Congestion window
cwnd (segments)
Elapsed time (s)
RTT
RTT (ms)
SRTT
RTT variation
Elapsed time (s)
Retransmissions in interval
Retransmitted segments
Elapsed time (s)
Acknowledged goodput
Goodput (Mbit/s)
Elapsed time (s)


Congestion control: bbr (148.230.45.213:30009, repetition 1)
Congestion window vs goodput
Goodput (Mbit/s)
Congestion window (segments)
RTT vs goodput
Goodput (Mbit/s)
Smoothed RTT (ms)
Retransmissions vs goodput
Goodput (Mbit/s)
Retransmissions in interval


Variability across runs: 5 destination(s) x 3 repetition(s), one point per test
Mean goodput per run
Goodput (Mbit/s)
0
20
40
60
80
100
120
140
160
cubic
reno
bbr
Mean RTT per run
RTT (ms)
0
50
100
150
200
250
300
350
cubic
reno
bbr
Queueing delay per run (mean RTT - min RTT)
Delay (ms)
0
10
20
30
40
cubic
reno
bbr
Retransmitted bytes per run
% of bytes sent
0
5
10
15
20
25
cubic
reno
bbr