

South America Stocks

v4.25 (Dec-14-2017)

1. Argentine chub mackerel Southern Argentina [ACMACKSARG]
2. Alfonsino Chile [AFLONCH]
3. Argentine anchoita Northern Argentina [ARGANCHONARG]
4. Argentine anchoita Southern Argentina [ARGANCHOSARG]
5. Argentine hake Northern Argentina [ARGHAKENARG]
6. Argentine hake Southern Argentina [ARGHAKESARG]
7. Yellow squat lobster Central-Southern Chile [BSQLOBSTERCSCH]
8. Yellow squat lobster Northern Chile [BSQLOBSTERNCH]
9. Chilean Herring Chile Region V-X [CHERRCHVX]
10. Chilean jack mackerel Chilean EEZ and offshore [CHTRACCH]
11. Chilean sardine Central-Southern Chile [CSARDCSCH]
12. Nylon shrimp Central-Southern Chile [NSHRIMPCSCH]
13. Nylon shrimp Northern Chile [NSHRIMPNCH]
14. Orange roughy Chile [OROUGHYCH]
15. Peruvian Anchoveta Central Chile [PANCHCCH]
16. Peruvian Anchoveta Central-Southern Chile [PANCHCSCH]
17. Peruvian Anchoveta Northern Chile Southern Peru [PANCHNCHSP]
18. Peruvian anchoveta North-Central Peru [PANCHPERUNC]
19. Patagonian grenadier Chile [PATGRENADIERCH]
20. Patagonian grenadier Southern Argentina [PATGRENADIERSARG]
21. Pink Cusk-eel Southern Argentina [PCEELARGS]
22. Pink cusk-eel Central-Southern Chile [PCEELCSCH]
23. Pink cusk-eel Southern Chile [PCEELSCH]
24. Patagonian Toothfish Chile [PTOOTHFISHCH]
25. Red squat lobster Central-Southern Chile [RSQLOBSTERCSCH]
26. Red squat lobster Northern Chile [RSQLOBSTERNCH]
27. Deepwater Cardinalfish Chile [SBREAMCH]
28. Southern blue whiting Southern Argentina [SBWHITARGS]
29. Southern blue whiting Chile [SBWHITCH]
30. Southern hake Chile [SOUTHHAKECH]
31. South Pacific Hake Chile [SPHAKECH]
32. Southern sardine Chile [SSARDCH]
33. Yellownose skate Central-Southern Chile [YNOSESKACSCH]
34. Yellownose skate Southern Chile [YNOSESKASCH]

Argentine chub mackerel Southern Argentina [ACMACKSARG]


Metadata	
Scientific Name	Scomber colias
Current Assess ID	INIDEP-ACMACKSARG-1989-2016-BURATTI
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2016	120,686
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2016	0.07
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	89,000
Fmgt	Fmgt-1/yr	2016	0.32
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2016	8303
M	M-1/yr	2016	0.38
TBlim	-	-	-
SSBlim	SSBlim-MT	2016	59,000
Flim	Flim-1/yr	2016	0.81
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	168,000	-	-
SSB	SSB-MT	2016	129,000	Both	1 to 10
TN	-	-	-	-	-
R	R-E00	2016	2.58×10^8	Both	1
F	F-1/yr	2016	0	Both	1 to 10
ER	ER-ratio	2016	0	Both	-
TC	-	-	-		
TL	TL-MT	2016	9280		
TB/TBmsy	TB-MT/TBmsy-est-MT	2016	1.39		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2016	1.83		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.45		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.52		
ER/ERmgt	-	-	-		

Argentine chub mackerel Southern Argentina [ACMACKSARG]


Kobe MSYpref (1989–2016–BURATTI)




Kobe MGTpref (1989–2016–BURATTI)



Spawner Recruit (1989–2016–BURATTI)




Production (1989–2016–BURATTI)




◆ Start Year ◆ End Year * No Data

Argentine chub mackerel Southern Argentina [ACMACKSARG]



TB-MT (1989–2016–BURATTI)




SSB-MT (1989–2016–BURATTI)





F-1/yr (1989–2016–BURATTI)



ER-ratio (1989–2016–BURATTI)




R-E00 (1989–2016–BURATTI)






Argentine chub mackerel Southern Argentina [ACMACKSARG]



TL-MT, TC*, RecC* (1989-2016-BURATTI)



TAC-MT, Cpair-MT, Cadvised-MT (1989-2016-BURATTI)



EFFORT*



Alfonsino Chile [AFLONCH]


Metadata	
Scientific Name	Beryx splendens
Current Assess ID	SPRFMO-AFLONCH-1998-2011-CHING
Area	Chilean EEZ and offshore
Management Authority	South Pacific Regional Fisheries Management Organization
Assessor	South Pacific Regional Fisheries Management Organization
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2011	18,091
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2011	0.07
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2011	1278
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2011	11,600	-	-
SSB	SSB-MT	2011	944	-	-
TN	-	-	-	-	-
R	R-E00	2011	4370	-	-
F	-	-	-	-	-
ER	ER-calc-ratio	2011	0	-	-
TC	-	-	-	-	-
TL	TL-MT	2011	204	-	-
TB/TBmsy	TB-MT/TBmsy-est-MT	2011	0.64	-	-
SSB/SSBmsy	-	-	-	-	-
F/Fmsy	-	-	-	-	-
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2011	0.25	-	-
TB/TBmgt	-	-	-	-	-
SSB/SSBmgt	-	-	-	-	-
F/Fmgt	-	-	-	-	-
ER/ERmgt	-	-	-	-	-

Alfonsino Chile [AFLONCH]


Kobe MSYpref (1998–2011–CHING)




Kobe MGTpref (1998–2011–CHING)



Spawner Recruit (1998–2011–CHING)




Production (1998–2011–CHING)




◆ Start Year ◆ End Year * No Data

Alfonsino Chile [AFLONCH]


TB-MT (1998–2011–CHING)





SSB-MT (1998–2011–CHING)



ER-calc-ratio (1998–2011–CHING)




R-E00 (1998–2011–CHING)



Alfonsino Chile [AFLONCH]

TL-MT, TC*, RecC* (1998-2011-CHING)



TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



Argentine anchoita Northern Argentina [ARGANCHONARG]


Metadata	
Scientific Name	Engraulis anchoita
Current Assess ID	INIDEP-ARGANCHONARG-1989-2015-ORLANDO
Area	Northern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2007, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2007	1,047,948
SSBmsy	SSBmsy-MT	2007	748,152
Fmsy	Fmsy-1/yr	2007	0.19
ERmsy	ERmsy-ratio	2007	0.4
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	484,000
Fmgt	Fmgt-1/yr	2015	0.86
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	222,163
M	M-1/yr	2015	1.01
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	293,000
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	2,320,000	Both	1+
SSB	SSB-MT	2015	1,740,000	Both	2+
TN	-	-	-	-	-
R	R-E00	2015	2.56×10^{11}	Both	1
F	F-1/yr	2015	0	Both	1 to 6
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	12,500		
TL	TL-MT	2015	12,100		
TB/TBmsy	TB-MT/TBmsy-MT	2007	1.09		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2007	1.36		
F/Fmsy	F-1/yr/Fmsy-1/yr	2007	0.17		
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0.05		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	3.6		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.02		
ER/ERmgt	-	-	-		

Argentine anchoita Northern Argentina [ARGANCHONARG]


Kobe MSYpref (1989–2015–ORLANDO)




Kobe MGTpref (1989–2015–ORLANDO)



Spawner Recruit (1989–2015–ORLANDO)




Production (1989–2015–ORLANDO)




◆ Start Year ◆ End Year * No Data

Argentine anchoita Northern Argentina [ARGANCHONARG]


TB-MT (1989-2015-ORLANDO)




SSB-MT (1989-2015-ORLANDO)




F-1/yr (1989-2015-ORLANDO)



ER-calc-ratio (1989-2015-ORLANDO)




R-E00 (1989-2015-ORLANDO)






Argentine anchoita Northern Argentina [ARGANCHONARG]



TC-MT, TL-MT, RecC* (1989–2015–ORLANDO)



TAC-MT, Cpair-MT, Cadvised-MT (1989–2015–ORLANDO)



EFFORT*



Argentine anchoita Southern Argentina [ARGANCHOSARG]


Metadata	
Scientific Name	Engraulis anchoita
Current Assess ID	INIDEP-ARGANCHOSARG-1989-2015-BURATTI
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2015, 2007

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2007	733,419
SSBmsy	SSBmsy-MT	2007	298,839
Fmsy	Fmsy-1/yr	2007	0.17
ERmsy	ERmsy-ratio	2007	0.4
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	548,161
Fmgt	Fmgt-1/yr	2015	0.71
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2015	454,000
M	M-1/yr	2015	0.98
TBlim	TBlim-MT	2007	350,000
SSBlim	SSBlim-MT	2015	339,700
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	1,250,000	Both	1+
SSB	SSB-MT	2015	723,000	Both	2+
TN	-	-	-	-	-
R	R-E00	2015	1.42×10^{11}	Both	1
F	F-1/yr	2015	0	Both	1 to 6
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	2280		
TL	TL-MT	2015	2280		
TB/TBmsy	TB-MT/TBmsy-MT	2007	2.28		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2007	3.14		
F/Fmsy	F-1/yr/Fmsy-1/yr	2007	0.04		
ER/ERmsy	ER-ratio/ERmsy-ratio	2007	0		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.32		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.01		
ER/ERmgt	-	-	-		

Argentine anchoita Southern Argentina [ARGANCHOSARG]


Kobe MSYpref (1989–2015–BURATTI)




Kobe MGTpref (1989–2015–BURATTI)



Spawner Recruit (1989–2015–BURATTI)




Production (1989–2015–BURATTI)




◆ Start Year ◆ End Year * No Data

Argentine anchoita Southern Argentina [ARGANCHOSARG]

TB-MT (1989–2015–BURATTI)




SSB-MT (1989–2015–BURATTI)




TN *


F-1/yr (1989–2015–BURATTI)



ER-calc-ratio (1989–2015–BURATTI)




R-E00 (1989–2015–BURATTI)




Argentine anchoita Southern Argentina [ARGANCHOSARG]



TC-MT, TL-MT, RecC* (1989-2015-BURATTI)



TAC-MT, Cpair-MT, Cadvised-MT (1989-2015-BURATTI)



EFFORT*



Argentine hake Northern Argentina [ARGHAKENARG]


Metadata	
Scientific Name	Merluccius hubbsi
Current Assess ID	INIDEP-ARGHAKENARG-1985-2014-PARMA
Area	Northern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2014, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2011	336,439
SSBmsy	SSBmsy-MT	2014	435,082
Fmsy	Fmsy-1/yr	2014	0.38
ERmsy	ERmsy-est-ratio	2011	0.41
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2011	138,598
M	M-1/yr	2014	0.3
TBlim	-	-	-
SSBlim	SSBlim-MT	2014	230,000
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	146,000	Both	-
SSB	SSB-MT	2014	1×10^5	-	-
TN	-	-	-	-	-
R	R-E00	2014	3.22×10^8	-	-
F	F-1/yr	2014	0	Both	3 to 6
ER	ER-calc-ratio	2014	0	-	-
TC	TC-MT	2014	41,800		
TL	-	-	-		
TB/TBmsy	TB-MT/TBmsy-est-MT	2011	0.4		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2014	0.23		
F/Fmsy	F-1/yr/Fmsy-1/yr	2014	0.97		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2011	1.48		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Argentine hake Northern Argentina [ARGHAKENARG]


Kobe MSYpref (1985–2014–PARMA)




Kobe MGTpref (1985–2014–PARMA)



Spawner Recruit (1985–2014–PARMA)




Production (1985–2014–PARMA)




◆ Start Year ◆ End Year * No Data

Argentine hake Northern Argentina [ARGHAKENARG]

TB-MT (1986–2011–CHING)




SSB-MT (1985–2014–PARMA)




TN *




F-1/yr (1985–2014–PARMA)



ER-ratio (1986–2011–CHING)




R-E00 (1985–2014–PARMA)




Argentine hake Northern Argentina [ARGHAKENARG]

TC-MT, TL*, RecC* (1985-2014-PARMA)



TAC-MT, Cpair-MT, Cadv* (1985-2014-PARMA)



EFFORT*



Argentine hake Southern Argentina [ARGHAKESARG]


Metadata	
Scientific Name	Merluccius hubbsi
Current Assess ID	INIDEP-ARGHAKESARG-1986-2015-PARMA
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2015, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-MT	2015	1,501,500
Fmsy	Fmsy-1/yr	2015	0.41
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	6×10^5
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.3
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	909,000	-	-
SSB	SSB-MT	2015	581,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	1,870,000	-	-
F	F-1/yr	2015	0	Both	3 to 6
ER	ER-ratio	2015	1	Both	-
TC	TC-MT	2015	321,000		
TL	TL-MT	2015	294,000		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-MT	2015	0.39		
F/Fmsy	F-1/yr/Fmsy-1/yr	2015	1.16		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.97		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Argentine hake Southern Argentina [ARGHAKESARG]


Kobe MSYpref (1986–2015–PARMA)




Kobe MGTpref (1986–2015–PARMA)



Spawner Recruit (1986–2015–PARMA)




Production (1986–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Argentine hake Southern Argentina [ARGHAKESARG]


TB-MT (1986–2015–PARMA)




SSB-MT (1986–2015–PARMA)





F-1/yr (1986–2015–PARMA)



ER-ratio (1986–2015–PARMA)




R-E00 (1986–2015–PARMA)




Argentine hake Southern Argentina [ARGHAKESARG]


TC-MT, TL-MT, RecC* (1986–2015–PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1986–2015–PARMA)



EFFORT*



Yellow squat lobster Central-Southern Chile [BSQLOBSTERCSCHE]


Metadata	
Scientific Name	Cervimunida johni
Current Assess ID	IFOPCH-BSQLOBSTERCSCHE-1976-2015-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	5139
Fmsy	Fmsy-pr-1/yr	2015	0.38
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	5139
Fmgt	Fmgt-1/yr	2015	0.38
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.3
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	23,300	-	-
SSB	SSB-MT	2015	5810	Females	-
TN	-	-	-	-	-
R	R-E00	2015	2.74×10^8	-	3
F	F-1/yr	2015	0	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	3250		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	1.13		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	0.67		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.13		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.67		
ER/ERmgt	-	-	-		

Yellow squat lobster Central–Southern Chile [BSQLOBSTERCSCH]


Kobe MSYpref (1976–2015–PARMA)




Kobe MGTpref (1976–2015–PARMA)



Spawner Recruit (1976–2015–PARMA)




Production (1976–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Yellow squat lobster Central–Southern Chile [BSQLOBSTERCSCH]


TB–MT (1976–2015–PARMA)




SSB–MT (1976–2015–PARMA)





F–1/yr (1976–2015–PARMA)



ER–calc–ratio (1976–2015–PARMA)





R–E00 (1976–2015–PARMA)




Yellow squat lobster Central–Southern Chile [BSQLOBSTERCSCH]

TL–MT, TC*, RecC* (1976–2015–PARMA)

TAC–MT, Cpair–MT, Cadvised–MT (1976–2015–PARMA)



EFFORT*



Yellow squat lobster Northern Chile [BSQLOBSTERNCH]


Metadata	
Scientific Name	Cervimunida johni
Current Assess ID	IFOPCH-BSQLOBSTERNCH-1982-2015-PARMA
Area	Northern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	2137
Fmsy	Fmsy-pr-1/yr	2015	0.25
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	2137
Fmgt	Fmgt-1/yr	2015	0.25
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.3
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	19,100	-	-
SSB	SSB-MT	2015	4020	Females	-
TN	-	-	-	-	-
R	R-E00	2015	1.65×10^8	-	3
F	F-1/yr	2015	0	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	1260		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	1.88		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	0.44		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.88		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.44		
ER/ERmgt	-	-	-		

Yellow squat lobster Northern Chile [BSQLOBSTERNCH]


Kobe MSYpref (1982–2015–PARMA)




Kobe MGTpref (1982–2015–PARMA)



Spawner Recruit (1982–2015–PARMA)




Production (1982–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Yellow squat lobster Northern Chile [BSQLOBSTERNCH]


TB-MT (1982-2015-PARMA)




SSB-MT (1982-2015-PARMA)




TN *




F-1/yr (1982-2015-PARMA)



ER-calc-ratio (1982-2015-PARMA)





R-E00 (1982-2015-PARMA)



Yellow squat lobster Northern Chile [BSQLOBSTERNCH]

TL-MT, TC*, RecC* (1982-2015-PARMA)

TAC-MT, Cpair-MT, Cadvised-MT (1982-2015-PARMA)



EFFORT*



Chilean Herring Chile Region V-X [CHERRCHVX]


Metadata	
Scientific Name	Clupea bentincki
Current Assess ID	IFOPCH-CHERRCHVX-1960-2012-CHING
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2012	2,237,565
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2012	0.34
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2012	770,139
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2012	4,190,000	-	-
SSB	SSB-MT	2012	1,620,000	-	-
TN	-	-	-	-	-
R	R-E00	2012	7.41×10^{10}	-	-
F	F-1/yr	2012	0	-	-
ER	ER-calc-ratio	2012	0	-	-
TC	-	-	-		
TL	TL-MT	2012	833,000		
TB/TBmsy	TB-MT/TBmsy-est-MT	2012	1.87		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2012	0.64		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Chilean Herring Chile Region V-X [CHERRCHVX]


Kobe MSYpref (1960–2012–CHING)




Kobe MGTpref (1960–2012–CHING)



Spawner Recruit (1960–2012–CHING)




Production (1960–2012–CHING)




◆ Start Year ◆ End Year * No Data

Chilean Herring Chile Region V-X [CHERRCHVX]



Chilean Herring Chile Region V-X [CHERRCHVX]

TL-MT, TC*, RecC* (1960-2012-CHING)




TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



Chilean jack mackerel Chilean EEZ and offshore [CHTRACCH]


Metadata	
Scientific Name	Trachurus murphyi
Current Assess ID	SPRFMO-CHTRACCH-1969-2015-PARMA
Area	Chilean EEZ and offshore
Management Authority	South Pacific Regional Fisheries Management Organization
Assessor	South Pacific Regional Fisheries Management Organization
Asmts in RAM	2010, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2010	40,225,574
SSBmsy	SSBmsy-est-MT	2015	21,216,132
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2015	0.09
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2015	3,379,431
M	M-1/yr	2015	0.23
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2010	2,360,000	-	-
SSB	SSB-MT	2015	2,720,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	1.25×10^{10}	-	1
F	F-1/yr	2015	0	-	1 to 12
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	434,000		
TL	TL-MT	2015	434,000		
TB/TBmsy	TB-MT/TBmsy-est-MT	2010	0.06		
SSB/SSBmsy	SSB-MT/SSBmsy-est-MT	2015	0.13		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	1		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Chilean jack mackerel Chilean EEZ and offshore [CHTRACCH]


Kobe MSY_{pref} (1969–2015–PARMA)




Kobe MGT_{pref} (1969–2015–PARMA)



Spawner Recruit (1969–2015–PARMA)




Production (1969–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Chilean jack mackerel Chilean EEZ and offshore [CHTRACCH]


TB-MT (1950-2010-RICARD)




SSB-MT (1969-2015-PARMA)





F-1/yr (1969-2015-PARMA)



ER-calc-ratio (1969-2015-PARMA)







R-E00 (1969-2015-PARMA)





Chilean jack mackerel Chilean EEZ and offshore [CHTRACCH]

TC-MT, TL-MT, RecC* (1969-2015-PARMA)

TAC-MT, Cpair-MT, Cadvised-MT (1969-2015-PARMA)



EFFORT*



Chilean sardine Central-Southern Chile [CSARDCSCH]


Metadata	
Scientific Name	Strangomera bentincki
Current Assess ID	IFOPCH-CSARDCSCH-1990-2015-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-extr-MT	2015	642,609
Fmsy	Fmsy-extr-1/yr	2015	0.33
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	889,000
Fmgt	Fmgt-1/yr	2015	0.26
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	1
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	444,000
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	1,760,000	-	-
SSB	SSB-MT	2015	1,320,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	54,600	-	-
F	F-1/yr	2015	0	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	431,000		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSBdivSSBmsy-dimensionless	2015	0.88		
F/Fmsy	FdivFmsy-dimensionless	2015	0.64		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.48		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.73		
ER/ERmgt	-	-	-		

Chilean sardine Central–Southern Chile [CSARDCSCH]


Kobe MSYpref (1990–2015–PARMA)




Kobe MGTpref (1990–2015–PARMA)



Spawner Recruit (1990–2015–PARMA)




Production (1990–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Chilean sardine Central–Southern Chile [CSARDCSCH]


TB-MT (1990–2015–PARMA)




SSB-MT (1990–2015–PARMA)




TN *




F-1/yr (1990–2015–PARMA)



ER-calc-ratio (1990–2015–PARMA)




R-E00 (1990–2015–PARMA)



Chilean sardine Central–Southern Chile [CSARDCSCH]

TL–MT, TC*, RecC* (1990–2015–PARMA)

TAC*, Cpair*, Cadv*



EFFORT*



Nylon shrimp Central-Southern Chile [NSHRIMPCSCH]


Metadata	
Scientific Name	Heterocarpus reedi
Current Assess ID	IFOPCH-NSHRIMPCSCH-1944-2016-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	5287
Fmgt	Fmgt-1/yr	2016	0.29
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2016	11,750
MSY	-	-	-
M	M-1/yr	2016	0.36
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	37,900	Both	-
SSB	SSB-MT	2016	10,400	Females	1 to 6
TN	-	-	-	-	-
R	R-E00	2016	1.41×10^9	Females	1
F	F-1/yr	2016	0	Females	-
ER	ER-calc-ratio	2016	0	-	-
TC	-	-	-		
TL	TL-MT	2016	3040		
TB/TBmsy	TB-MT/SSB0-MT	2016	1.64		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.98		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.56		
ER/ERmgt	-	-	-		

Nylon shrimp Central–Southern Chile [NSHRIMPCSCH]


Kobe MSYpref (1944–2016–PARMA)




Kobe MGTpref (1944–2016–PARMA)



Spawner Recruit (1944–2016–PARMA)




Production (1944–2016–PARMA)




◆ Start Year ◆ End Year * No Data

Nylon shrimp Central–Southern Chile [NSHRIMPCSCH]



TB–MT (1944–2016–PARMA)




SSB–MT (1944–2016–PARMA)





F–1/yr (1944–2016–PARMA)



ER–calc–ratio (1944–2016–PARMA)




R–E00 (1944–2016–PARMA)




Nylon shrimp Central–Southern Chile [NSHRIMPCSCH]

TL–MT, TC*, RecC* (1944–2016–PARMA)

TAC*, Cpair*, Cadv*



EFFORT*



Nylon shrimp Northern Chile [NSHRIMPNCH]


Metadata	
Scientific Name	Heterocarpus reedi
Current Assess ID	IFOPCH-NSHRIMPNCH-1960-2016-PARMA
Area	Northern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	2261
Fmgt	Fmgt-1/yr	2016	0.27
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2016	5025
MSY	-	-	-
M	M-1/yr	2016	0.36
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	13,000	Both	-
SSB	SSB-MT	2016	3330	Females	-
TN	-	-	-	-	-
R	R-E00	2016	6.26×10^8	Females	1
F	F-1/yr	2016	0	Females	-
ER	ER-calc-ratio	2016	0	-	-
TC	-	-	-		
TL	TL-MT	2016	803		
TB/TBmsy	TB-MT/SSB0-MT	2016	1.35		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.47		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.5		
ER/ERmgt	-	-	-		

Nylon shrimp Northern Chile [NSHRIMPNCH]


Kobe MSYpref (1960–2016–PARMA)




Kobe MGTpref (1960–2016–PARMA)



Spawner Recruit (1960–2016–PARMA)




Production (1960–2016–PARMA)




◆ Start Year ◆ End Year * No Data

Nylon shrimp Northern Chile [NSHRIMPNCH]


TB-MT (1960–2016–PARMA)




SSB-MT (1960–2016–PARMA)




TN *




F-1/yr (1960–2016–PARMA)



ER-calc-ratio (1960–2016–PARMA)




R-E00 (1960–2016–PARMA)



Nylon shrimp Northern Chile [NSHRIMPNCH]

TL-MT, TC*, RecC* (1960–2016–PARMA)



TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



Orange roughy Chile [OROUGHYCH]


Metadata	
Scientific Name	Hoplostethus atlanticus
Current Assess ID	SPRFMO-OROUGHYCH-1999-2011-PARMA
Area	Chilean EEZ and offshore
Management Authority	South Pacific Regional Fisheries Management Organization
Assessor	South Pacific Regional Fisheries Management Organization
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2011	4452
Fmsy	Fmsy-1/yr	2011	0.11
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2011	0.04
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2011	23,600	-	-
SSB	SSB-MT	2011	8900	-	-
TN	-	-	-	-	-
R	-	-	-	-	-
F	F-1/yr	2011	0	-	-
ER	ER-calc-ratio	2011	0	-	-
TC	TC-MT	2011	0		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2011	2		
F/Fmsy	F-1/yr/Fmsy-1/yr	2011	0		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Orange roughy Chile [OROUGHYCH]



Kobe MSYpref (1999–2011–PARMA)



Kobe MGTpref (1999–2011–PARMA)




Production (1999–2011–PARMA)




◆ Start Year ◆ End Year * No Data

Orange roughy Chile [OROUGHYCH]


TB-MT (1999–2011–PARMA)




SSB-MT (1999–2011–PARMA)



F-1/yr (1999–2011–PARMA)



ER-calc-ratio (1999–2011–PARMA)





Recruits*




Orange roughy Chile [OROUGHYCH]

TC-MT, TL*, RecC* (1999-2011-PARMA)

TAC-MT, Cpair-MT, Cadvised-MT (1999-2011-PARMA)



EFFORT*



Peruvian Anchoveta Central Chile [PANCHCCH]


Metadata	
Scientific Name	Engraulis ringens
Current Assess ID	IFOPCH-PANCHCCH-1985-2016-PARMA
Area	Central Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	51,000
Fmgt	Fmgt-1/yr	2016	0.47
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2016	92,500
MSY	-	-	-
M	M-1/yr	2016	1.3
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	395,000	-	-
SSB	SSB-MT	2016	54,100	-	-
TN	-	-	-	-	-
R	R-E00	2016	5.23×10^8	-	-
F	F-1/yr	2016	0	-	-
ER	ER-calc-ratio	2016	0	-	-
TC	-	-	-		
TL	TL-MT	2016	36,400		
TB/TBmsy	TB-MT/SSB0-MT	2016	3.1		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.06		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.89		
ER/ERmgt	-	-	-		

Peruvian Anchoveta Central Chile [PANCHCCH]


Kobe MSYpref (1985–2016–PARMA)




Kobe MGTpref (1985–2016–PARMA)



Spawner Recruit (1985–2016–PARMA)




Production (1985–2016–PARMA)




◆ Start Year ◆ End Year * No Data

Peruvian Anchoveta Central Chile [PANCHCCH]




Peruvian Anchoveta Central Chile [PANCHCCH]



TL-MT, TC*, RecC* (1985–2016–PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1985–2016–PARMA)



EFFORT*



Peruvian Anchoveta Central-Southern Chile [PANCHCSCH]


Metadata	
Scientific Name	Engraulis ringens
Current Assess ID	IFOPCH-PANCHCSCH-1990-2016-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2016	946,829
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2016	0.37
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	562,000
Fmgt	Fmgt-1/yr	2016	0.4
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2016	354,244
M	M-1/yr	2016	0.7
TBlim	-	-	-
SSBlim	SSBlim-MT	2016	281,000
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	433,000	-	-
SSB	SSB-MT	2016	204,000	-	-
TN	-	-	-	-	-
R	R-E00	2016	52,000	-	-
F	F-1/yr	2016	0	-	-
ER	ER-calc-ratio	2016	0	-	-
TC	-	-	-		
TL	TL-MT	2016	44,600		
TB/TBmsy	TB-MT/TBmsy-est-MT	2016	0.46		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2016	0.28		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	0.36		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.99		
ER/ERmgt	-	-	-		

Peruvian Anchoveta Central–Southern Chile [PANCHCSCH]


Kobe MSYpref (1990–2016–PARMA)




Kobe MGTpref (1990–2016–PARMA)



Spawner Recruit (1990–2016–PARMA)




Production (1990–2016–PARMA)




◆ Start Year ◆ End Year * No Data

Peruvian Anchoveta Central–Southern Chile [PANCHCSCH]


TB–MT (1990–2016–PARMA)




SSB–MT (1990–2016–PARMA)




TN *




F–1/yr (1990–2016–PARMA)



ER–calc–ratio (1990–2016–PARMA)




R–E00 (1990–2016–PARMA)




Peruvian Anchoveta Central–Southern Chile [PANCHCSCH]


TL–MT, TC*, RecC* (1990–2016–PARMA)



TAC–MT, Cpair–MT, Cadv* (1990–2016–PARMA)



EFFORT*



■ 1st listed time series ▲ 3rd listed time series — MORAT
● 2nd listed time series - - - MSY * No Data

Peruvian Anchoveta Northern Chile Southern Peru [PANCHNCHSP]


Metadata	
Scientific Name	Engraulis ringens
Current Assess ID	IFOPCH-PANCHNCHSP-1984-2015-PARMA
Area	Northern Chile Southern Peru
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2015	5,682,820
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2015	0.28
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	2,021,000
Fmgt	Fmgt-1/yr	2015	1.18
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2015	1,584,628
M	M-1/yr	2015	1
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	5,210,000	-	-
SSB	SSB-MT	2015	1,210,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	9.46×10^{11}	-	-
F	F-1/yr	2015	4	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	1,200,000		
TB/TBmsy	TB-MT/TBmsy-est-MT	2015	0.92		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2015	0.83		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.6		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	3.58		
ER/ERmgt	-	-	-		

Peruvian Anchoveta Northern Chile Southern Peru [PANCHNCHSP]


Kobe MSYpref (1984–2015–PARMA)




Kobe MGTpref (1984–2015–PARMA)



Spawner Recruit (1984–2015–PARMA)




Production (1984–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Peruvian Anchoveta Northern Chile Southern Peru [PANCHNCHSP]

TB-MT (1984-2015-PARMA)




SSB-MT (1984-2015-PARMA)




TN *




F-1/yr (1984-2015-PARMA)



ER-calc-ratio (1984-2015-PARMA)




R-E00 (1984-2015-PARMA)



Peruvian Anchoveta Northern Chile Southern Peru [PANCHNCHSP]

TL-MT, TC*, RecC* (1984-2015-PARMA)

TAC*, Cpair*, Cadv*



EFFORT*



Peruvian anchoveta North-Central Peru [PANCHPERUNC]


Metadata	
Scientific Name	Engraulis ringens
Current Assess ID	IMARPE-PANCHPERUNC-1959-2008-HIVELY
Area	North-Central Peruvian coast
Management Authority	Instituto del Mar del Peru, Peru national management
Assessor	Instituto del Mar del Peru
Asmts in RAM	2008

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2008	6×10^6
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-

Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2008	8,800,000	-	-
SSB	SSB-MT	2008	6,590,000	-	-
TN	-	-	-	-	-
R	R-E00	2008	1.81×10^8	-	-
F	F-1/yr	2008	1	-	-
ER	ER-ratio	2008	1	-	-
TC	-	-	-		
TL	TL-MT	2008	6,100,000		
TB/TBmsy	TB-MT/TBmsy-MT	2008	1.47		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Peruvian anchoveta North-Central Peru [PANCHPERUNC]


Kobe MSY*




Kobe MGT*



Spawner Recruit (1959–2008–HIVELY)




Production (1959–2008–HIVELY)




◆ Start Year ◆ End Year * No Data

Peruvian anchoveta North-Central Peru [PANCHPERUNC]



TB-MT (1959–2008–HIVELY)




SSB-MT (1959–2008–HIVELY)





F-1/yr (1959–2008–HIVELY)



ER-ratio (1959–2008–HIVELY)




R-E00 (1959–2008–HIVELY)



Peruvian anchoveta North-Central Peru [PANCHPERUNC]

TL-MT, TC*, RecC* (1959-2008-HIVELY)

TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



■ 1st listed time series ▲ 3rd listed time series — MORAT
● 2nd listed time series - - - MSY * No Data

Patagonian grenadier Chile [PATGRENADIERCH]


Metadata	
Scientific Name	Macruronus magellanicus
Current Assess ID	IFOPCH-PATGRENADIERCH-1977-2015-PAYA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2012, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2012	2,957,617
SSBmsy	SSBmsy-pr-MT	2015	466,000
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2012	0.06
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2012	183,006
M	M-1/yr	2015	0.35
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	409,000	Both	-
SSB	SSB-MT	2015	196,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	6.52×10^8	-	-
F	-	-	-	-	-
ER	ER-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	39,100		
TB/TBmsy	TB-MT/TBmsy-est-MT	2012	0.13		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.42		
F/Fmsy	-	-	-		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2012	2.31		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Patagonian grenadier Chile [PATGRENADIERCH]


Kobe MSYpref (1977–2012–CHING)




Kobe MGTpref (1977–2012–CHING)



Spawner Recruit (1977–2015–PAYA)




Production (1977–2015–PAYA)




◆ Start Year ◆ End Year * No Data

Patagonian grenadier Chile [PATGRENADIERCH]


TB-MT (1977-2015-PAYA)




SSB-MT (1977-2015-PAYA)



ER-ratio (1977-2015-PAYA)




R-E00 (1977-2015-PAYA)




Patagonian grenadier Chile [PATGRENADIERCH]



TL-MT, TC*, RecC* (1977-2015-PAYA)



TAC-MT, Cpair-MT, Cadvised-MT (1977-2015-PAYA)



EFFORT*



Patagonian grenadier Southern Argentina [PATGRENADIERSARG]


Metadata	
Scientific Name	Macruronus magellanicus
Current Assess ID	INIDEP-PATGRENADIERSARG-1983-2015-PARMA
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2006, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-MT	2006	642,031
SSBmsy	SSBmsy-pr-MT	2015	308,244
Fmsy	Fmsy-pr-1/yr	2015	0.26
ERmsy	ERmsy-ratio	2006	0.21
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2015	492,240
MSY	MSY-MT	2006	132,131
M	M-1/yr	2015	0.35
TBlim	TBlim-MT	2006	415,041
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	4×10^5	-	1+
SSB	SSB-MT	2015	206,000	-	3+
TN	-	-	-	-	-
R	R-E00	2015	338,000	-	1
F	F-1/yr	2015	0	-	4 to 11+
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	70,500		
TL	-	-	-		
TB/TBmsy	TB-MT/TBmsy-MT	2006	2.15		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.67		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	1.09		
ER/ERmsy	ER-ratio/ERmsy-ratio	2006	0.53		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Patagonian grenadier Southern Argentina [PATGRENADIERSARG]


Kobe MSYpref (1983–2015–PARMA)




Kobe MGTpref (1983–2015–PARMA)



Spawner Recruit (1983–2015–PARMA)




Production (1983–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Patagonian grenadier Southern Argentina [PATGRENADIERSARG]

TB-MT (1983-2015-PARMA)




SSB-MT (1983-2015-PARMA)




TN *





F-1/yr (1983-2015-PARMA)



ER-calc-ratio (1983-2015-PARMA)




R-E00 (1983-2015-PARMA)




Patagonian grenadier Southern Argentina [PATGRENADIERSARG]


TC-MT, TL*, RecC* (1983-2015-PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1983-2015-PARMA)



EFFORT*



■ 1st listed time series ▲ 3rd listed time series — MORAT
● 2nd listed time series - - - MSY * No Data

Pink Cusk-eel Southern Argentina [PCEELARGS]


Metadata	
Scientific Name	Genypterus blacodes
Current Assess ID	INIDEP-PCEELARGS-1979-2014-CORDO
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2014	196,273
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2014	0.07
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-MT	2014	11,700
M	M-1/yr	2014	0.2
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	91,600	-	-
SSB	SSB-MT	2014	48,000	-	-
TN	-	-	-	-	-
R	R-E00	2014	24,000	Both	1
F	F-1/yr	2014	0	-	-
ER	ER-calc-ratio	2014	0	-	-
TC	TC-MT	2014	9480		
TL	-	-	-		
TB/TBmsy	TB-MT/TBmsy-est-MT	2014	0.47		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2014	1.72		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pink Cusk-eel Southern Argentina [PCEELARGS]


Kobe MSYpref (1979–2014–CORDO)




Kobe MGTpref (1979–2014–CORDO)



Spawner Recruit (1979–2014–CORDO)




Production (1979–2014–CORDO)





◆ Start Year ◆ End Year * No Data

Pink Cusk-eel Southern Argentina [PCEELARGS]


TB-MT (1979-2014-CORDO)




SSB-MT (1979-2014-CORDO)





F-1/yr (1979-2014-CORDO)



ER-calc-ratio (1979-2014-CORDO)






R-E00 (1979-2014-CORDO)



Pink Cusk-eel Southern Argentina [PCEELARGS]

TC-MT, TL*, RecC* (1979-2014-CORDO)

TAC-MT, Cpair-MT, Cadvised-MT (1979-2014-CORDO)



EFFORT*



Pink cusk-eel Central-Southern Chile [PCEELCSCH]


Metadata	
Scientific Name	Genypterus blacodes
Current Assess ID	IFOPCH-PCEELCSCH-1975-2015-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	7492
Fmsy	Fmsy-pr-1/yr	2015	0.16
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2015	18,700
MSY	-	-	-
M	M-1/yr	2015	0.27
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	3746
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	12,000	-	-
SSB	SSB-MT	2015	3720	-	-
TN	-	-	-	-	-
R	R-E00	2015	4,150,000	-	3
F	F-1/yr	2015	0	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	833		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.5		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	1.08		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pink cusk-eel Central-Southern Chile [PCEELCSCH]


Kobe MSYpref (1975–2015–PARMA)




Kobe MGTpref (1975–2015–PARMA)



Spawner Recruit (1975–2015–PARMA)




Production (1975–2015–PARMA)





◆ Start Year ◆ End Year * No Data

Pink cusk-eel Central-Southern Chile [PCEELCSCH]


TB-MT (1975-2015-PARMA)




SSB-MT (1975-2015-PARMA)





F-1/yr (1975-2015-PARMA)



ER-calc-ratio (1975-2015-PARMA)




R-E00 (1975-2015-PARMA)





Pink cusk-eel Central-Southern Chile [PCEELCSCH]


TL-MT, TC*, RecC* (1975-2015-PARMA)



TAC-MT, Cpair-MT, Cadv* (1975-2015-PARMA)



EFFORT*



Pink cusk-eel Southern Chile [PCEELSCH]


Metadata	
Scientific Name	Genypterus blacodes
Current Assess ID	IFOPCH-PCEELSCH-1975-2015-PARMA
Area	Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	3650
Fmsy	Fmsy-pr-1/yr	2015	0.22
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2015	18,700
MSY	-	-	-
M	M-1/yr	2015	0.23
TBlim	-	-	-
SSBlim	SSBlim-MT	2015	1825
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	5410	-	-
SSB	SSB-MT	2015	1450	-	-
TN	-	-	-	-	-
R	R-E00	2015	1,980,000	-	3
F	F-1/yr	2015	0	-	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	472		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.4		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	1.29		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Pink cusk-eel Southern Chile [PCEELSCH]


Kobe MSYpref (1975–2015–PARMA)




Kobe MGTpref (1975–2015–PARMA)



Spawner Recruit (1975–2015–PARMA)




Production (1975–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Pink cusk-eel Southern Chile [PCEELSCH]



TB-MT (1975-2015-PARMA)




SSB-MT (1975-2015-PARMA)





F-1/yr (1975-2015-PARMA)



ER-calc-ratio (1975-2015-PARMA)





R-E00 (1975-2015-PARMA)



Pink cusk-eel Southern Chile [PCEELSCH]

TL-MT, TC*, RecC* (1975-2015-PARMA)

TAC-MT, Cpair-MT, Cadv* (1975-2015-PARMA)



EFFORT*



Patagonian Toothfish Chile [PTOOTHFISHCH]


Metadata	
Scientific Name	Dissostichus eleginoides
Current Assess ID	IFP-PTOOTHFISHCH-1975-2014-TASCHERI
Area	South Chile Argentina
Management Authority	Separate management by Chile (SUBPESCA) and Argentina (CFP)
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2014, 2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2011	54,440
SSBmsy	SSBmsy-pr-MT	2014	96,304
Fmsy	Fmsy-pr-1/yr	2014	0.07
ERmsy	ERmsy-est-ratio	2011	0.11
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2011	5828
M	M-1/yr	2014	0.15
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	59,800	-	-
SSB	SSB-MT	2014	32,600	-	3 to 30+
TN	-	-	-	-	-
R	R-E00	2014	2.99×10^9	-	3
F	F-1/yr	2014	0	-	-
ER	ER-ratio	2014	0	-	-
TC	-	-	-		
TL	TL-MT	2014	6100		
TB/TBmsy	TB-MT/TBmsy-est-MT	2011	0.33		
SSB/SSBmsy	SSBdivSSBmsy-dimensionless	2014	0.34		
F/Fmsy	FdivFmsy-dimensionless	2014	2.12		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2011	2.34		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Patagonian Toothfish Chile [PTOOTHFISHCH]


Kobe MSYpref (1975–2014–TASCHERI)




Kobe MGTpref (1975–2014–TASCHERI)



Spawner Recruit (1975–2014–TASCHERI)




Production (1975–2014–TASCHERI)




◆ Start Year ◆ End Year * No Data

Patagonian Toothfish Chile [PTOOTHFISHCH]

TB-MT (1989–2011–CHING)




SSB-MT (1975–2014–TASCHERI)




TN *


F-1/yr (1975–2014–TASCHERI)



ER-calc-ratio (1989–2011–CHING)





R-E00 (1975–2014–TASCHERI)



Patagonian Toothfish Chile [PTOOTHFISHCH]

TL-MT, TC*, RecC* (1975-2014-TASCHERI)

TAC-MT, Cpair-MT, Cadv* (1975-2014-TASCHERI)



EFFORT*



Red squat lobster Central-Southern Chile [RSQLOBSTERCSCH]


Metadata	
Scientific Name	Pleuroncodes monodon
Current Assess ID	IFOPCH-RSQLOBSTERCSCH-1968-2015-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	22,330
Fmsy	Fmsy-pr-1/yr	2015	0.36
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	22,330
Fmgt	Fmgt-1/yr	2015	0.36
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.35
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	24,400	Both	-
SSB	SSB-MT	2015	14,100	Both	-
TN	-	-	-	-	-
R	R-E00	2015	2.78×10^8	Both	1
F	F-1/yr	2015	0	Both	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	5520		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.63		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	0.97		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.63		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.97		
ER/ERmgt	-	-	-		

Red squat lobster Central-Southern Chile [RSQLOBSTERCSCH]


Kobe MSYpref (1968–2015–PARMA)




Kobe MGTpref (1968–2015–PARMA)



Spawner Recruit (1968–2015–PARMA)




Production (1968–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Red squat lobster Central-Southern Chile [RSQLOBSTERCSCH]


TB-MT (1968-2015-PARMA)




SSB-MT (1968-2015-PARMA)





F-1/yr (1968-2015-PARMA)



ER-calc-ratio (1968-2015-PARMA)




R-E00 (1968-2015-PARMA)




Red squat lobster Central–Southern Chile [RSQLOBSTERCSCH]

TL–MT, TC*, RecC* (1968–2015–PARMA)



TAC–MT, Cpair–MT, Cadvised–MT (1968–2015–PARMA)



EFFORT*

■ 1st listed time series ▲ 3rd listed time series — MORAT
● 2nd listed time series - - - MSY * No Data

Red squat lobster Northern Chile [RSQLOBSTERNCH]


Metadata	
Scientific Name	Pleuroncodes monodon
Current Assess ID	IFOPCH-RSQLOBSTERNCH-1969-2015-PARMA
Area	Northern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2015	2986
Fmsy	Fmsy-pr-1/yr	2015	0.36
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	2986
Fmgt	Fmgt-1/yr	2015	0.36
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.35
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	7010	Both	-
SSB	SSB-MT	2015	4480	Both	-
TN	-	-	-	-	-
R	R-E00	2015	1.93×10^8	Both	1
F	F-1/yr	2015	0	Both	-
ER	ER-calc-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	602		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	1.5		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	0.39		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	1.5		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.39		
ER/ERmgt	-	-	-		

Red squat lobster Northern Chile [RSQLOBSTERNCH]


Kobe MSYpref (1969–2015–PARMA)




Kobe MGTpref (1969–2015–PARMA)



Spawner Recruit (1969–2015–PARMA)




Production (1969–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Red squat lobster Northern Chile [RSQLOBSTERNCH]



TB-MT (1969-2015-PARMA)




SSB-MT (1969-2015-PARMA)





F-1/yr (1969-2015-PARMA)



ER-calc-ratio (1969-2015-PARMA)




R-E00 (1969-2015-PARMA)




Red squat lobster Northern Chile [RSQLOBSTERNCH]



TL-MT, TC*, RecC* (1969-2015-PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1969-2015-PARMA)



EFFORT*



Deepwater Cardinalfish Chile [SBREAMCH]


Metadata	
Scientific Name	Epigonus crassicaudus
Current Assess ID	SPRFMO-SBREAMCH-1989-2011-CHING
Area	Chilean EEZ and offshore
Management Authority	South Pacific Regional Fisheries Management Organization
Assessor	South Pacific Regional Fisheries Management Organization
Asmts in RAM	2011

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2011	7158
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	ERmsy-est-ratio	2011	0.31
TBmgt	-	-	-
SSBmgt	-	-	-
Fmgt	-	-	-
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	MSY-est-MT	2011	2194
M	-	-	-
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2011	920	-	-
SSB	SSB-MT	2011	607	-	-
TN	-	-	-	-	-
R	R-E00	2011	553,000	-	-
F	F-1/yr	2011	12	-	-
ER	ER-calc-ratio	2011	0	-	-
TC	-	-	-		
TL	TL-MT	2011	88.8		
TB/TBmsy	TB-MT/TBmsy-est-MT	2011	0.13		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	ER-calc-ratio/ERmsy-est-ratio	2011	0.31		
TB/TBmgt	-	-	-		
SSB/SSBmgt	-	-	-		
F/Fmgt	-	-	-		
ER/ERmgt	-	-	-		

Deepwater Cardinalfish Chile [SBREAMCH]


Kobe MSYpref (1989–2011–CHING)




Kobe MGTpref (1989–2011–CHING)



Spawner Recruit (1989–2011–CHING)




Production (1989–2011–CHING)




◆ Start Year ◆ End Year * No Data

Deepwater Cardinalfish Chile [SBREAMCH]


TB-MT (1989-2011-CHING)




SSB-MT (1989-2011-CHING)





F-1/yr (1989-2011-CHING)



ER-calc-ratio (1989-2011-CHING)





R-E00 (1989-2011-CHING)




Deepwater Cardinalfish Chile [SBREAMCH]

TL-MT, TC*, RecC* (1989-2011-CHING)

TAC*, Cpair*, Cadv*



EFFORT*



Southern blue whiting Southern Argentina [SBWHITARGS]


Metadata	
Scientific Name	Micromesistius australis
Current Assess ID	INIDEP-SBWHITARGS-1985-2015-PARMA
Area	Southern Argentina
Management Authority	Consejo Federal Pesquero, Argentina national management
Assessor	Instituto Nacional de Investigacion y Desarrollo Pesquero
Asmts in RAM	2007, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	-	-	-
Fmsy	-	-	-
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	454,500
Fmgt	Fmgt-1/yr	2015	0.17
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2015	0.15
TBlim	TBlim-MT	2007	460,473
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	425,000	-	1+
SSB	SSB-MT	2015	260,000	Both	3+
TN	-	-	-	-	-
R	R-E00	2015	2.93×10^8	-	1
F	F-1/yr	2015	0	-	7 to 21+
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	21,400		
TL	-	-	-		
TB/TBmsy	-	-	-		
SSB/SSBmsy	-	-	-		
F/Fmsy	-	-	-		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.57		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.48		
ER/ERmgt	-	-	-		

Southern blue whiting Southern Argentina [SBWHITARGS]


Kobe MSYpref (1985–2015–PARMA)




Kobe MGTpref (1985–2015–PARMA)



Spawner Recruit (1985–2015–PARMA)




Production (1985–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Southern blue whiting Southern Argentina [SBWHITARGS]

TB-MT (1985-2015-PARMA)




SSB-MT (1985-2015-PARMA)




TN *




F-1/yr (1985-2015-PARMA)



ER-calc-ratio (1985-2015-PARMA)




R-E00 (1985-2015-PARMA)




Southern blue whiting Southern Argentina [SBWHITARGS]



TC-MT, TL*, RecC* (1985-2015-PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1985-2015-PARMA)



EFFORT*



Southern blue whiting Chile [SBWHITCH]


Metadata	
Scientific Name	Micromesistius australis
Current Assess ID	IFOPCH-SBWHITCH-1977-2016-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015, 2016, 2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2012	500,079
SSBmsy	SSBmsy-pr-MT	2016	160,606
Fmsy	Fmsy-extr-1/yr	2016	0.13
ERmsy	ERmsy-est-ratio	2012	0.03
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	160,606
Fmgt	Fmgt-1/yr	2015	0.2
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2016	401,516
MSY	MSY-est-MT	2012	14,327
M	M-1/yr	2016	0.18
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	159,000	Both	-
SSB	SSB-MT	2016	65,000	Both	-
TN	-	-	-	-	-
R	R-E00	2016	94,900	-	-
F	F-1/yr	2016	0	Both	-
ER	ER-calc-ratio	2016	0	-	-
TC	TC-MT	2016	13,900		
TL	TL-MT	2015	16,600		
TB/TBmsy	TB-MT/TBmsy-est-MT	2012	1.24		
SSB/SSBmsy	SSBdivSSBmsy-dimensionless	2016	0.4		
F/Fmsy	FdivFmsy-dimensionless	2016	1.38		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2012	1.13		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	0.4		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	1.02		
ER/ERmgt	-	-	-		

Southern blue whiting Chile [SBWHITCH]


Kobe MSYpref (1977–2016–PARMA)




Kobe MGTpref (1977–2016–PARMA)



Spawner Recruit (1977–2016–PARMA)




Production (1977–2016–PARMA)



◆ Start Year ◆ End Year * No Data





Southern blue whiting Chile [SBWHITCH]



Southern blue whiting Chile [SBWHITCH]

TC-MT, TL*, RecC* (1977-2016-PARMA)

TAC-MT, Cpair-MT, Cadvised-MT (1977-2016-PARMA)



EFFORT*

CPUE*



Southern hake Chile [SOUTHHAKECH]


Metadata	
Scientific Name	Merluccius australis
Current Assess ID	IFOPCH-SOUTHHAKECH-1977-2015-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2011, 2015

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2011	453,772
SSBmsy	SSBmsy-pr-MT	2015	172,400
Fmsy	Fmsy-pr-1/yr	2015	0.31
ERmsy	ERmsy-est-ratio	2011	0.02
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	172,400
Fmgt	Fmgt-1/yr	2015	0.31
ERmgt	-	-	-
TB0	TB0-MT	2015	940,000
SSB0	SSB0-MT	2015	431,000
MSY	MSY-est-MT	2011	8613
M	M-1/yr	2015	0.21
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	294,000	-	-
SSB	SSB-MT	2015	93,000	-	-
TN	-	-	-	-	-
R	R-E00	2015	8.5×10^7	Both	1
F	F-1/yr	2015	0	Both	-
ER	ER-calc-ratio	2015	0	-	-
TC	TC-MT	2015	22,800		
TL	TL-MT	2015	16,200		
TB/TBmsy	TB-MT/TBmsy-est-MT	2011	0.9		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2015	0.54		
F/Fmsy	F-1/yr/Fmsy-pr-1/yr	2015	1.09		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2011	1.61		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.54		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	1.09		
ER/ERmgt	-	-	-		

Southern hake Chile [SOUTHHAKECH]


Kobe MSYpref (1977–2015–PARMA)




Kobe MGTpref (1977–2015–PARMA)



Spawner Recruit (1977–2015–PARMA)




Production (1977–2015–PARMA)




◆ Start Year ◆ End Year * No Data

Southern hake Chile [SOUTHHAKECH]




Southern hake Chile [SOUTHHAKECH]

TC-MT, TL-MT, RecC* (1977-2015-PARMA)



TAC-MT, Cpair-MT, Cadvised-MT (1977-2015-PARMA)



EFFORT*



South Pacific Hake Chile [SPHAKECH]


Metadata	
Scientific Name	Merluccius gayi
Current Assess ID	IFOPCH-SPHAKECH-1940-2015-TASCHERI
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2015, 2012

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	TBmsy-est-MT	2012	1,061,146
SSBmsy	SSBmsy-pr-MT	2015	238,840
Fmsy	Fmsy-pr-1/yr	2015	0.2
ERmsy	ERmsy-est-ratio	2012	0.06
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2015	238,840
Fmgt	Fmgt-1/yr	2015	0.2
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2015	597,100
MSY	MSY-est-MT	2012	59,041
M	M-1/yr	2015	0.33
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2015	326,000	Both	2+
SSB	SSB-MT	2015	112,000	-	2+
TN	-	-	-	-	-
R	R-E00	2015	4.9×10^8	-	2
F	F-1/yr	2015	0	-	-
ER	ER-ratio	2015	0	-	-
TC	-	-	-		
TL	TL-MT	2015	19,300		
TB/TBmsy	TB-MT/TBmsy-est-MT	2012	0.33		
SSB/SSBmsy	SSBdivSSBmsy-dimensionless	2015	0.47		
F/Fmsy	FdivFmsy-dimensionless	2015	0.56		
ER/ERmsy	ER-ratio/ERmsy-est-ratio	2012	2.34		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2015	0.47		
F/Fmgt	F-1/yr/Fmgt-1/yr	2015	0.55		
ER/ERmgt	-	-	-		

South Pacific Hake Chile [SPHAKECH]


Kobe MSYpref (1940–2015–TASCHERI)




Kobe MGTpref (1940–2015–TASCHERI)



Spawner Recruit (1940–2015–TASCHERI)




Production (1940–2015–TASCHERI)




◆ Start Year ◆ End Year * No Data

South Pacific Hake Chile [SPHAKECH]




South Pacific Hake Chile [SPHAKECH]


TL-MT, TC*, RecC* (1940-2015-TASCHERI)





TAC-MT, Cpair-MT, Cadvised-MT (1940-2015-TASCHERI)



CPUE-index (1940-2015-TASCHERI)



EFFORT*



Southern sardine Chile [SSARDCH]


Metadata	
Scientific Name	Sprattus fuegensis
Current Assess ID	IFOPCH-SSARDCH-2006-2016-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2012, 2016

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-extr-MT	2016	28,507
Fmsy	Fmsy-extr-1/yr	2016	0.62
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2016	32,400
Fmgt	Fmgt-1/yr	2016	0.34
ERmgt	-	-	-
TB0	-	-	-
SSB0	-	-	-
MSY	-	-	-
M	M-1/yr	2016	1.1
TBlim	-	-	-
SSBlim	-	-	-
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2016	140,000	-	-
SSB	SSB-MT	2016	42,000	-	-
TN	-	-	-	-	-
R	R-E00	2016	8,080,000	-	-
F	F-1/yr	2016	0	-	-
ER	ER-calc-ratio	2016	0	-	-
TC	TC-MT	2012	14,300		
TL	TL-MT	2016	20,000		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSBdivSSBmsy-dimensionless	2016	0.88		
F/Fmsy	FdivFmsy-dimensionless	2016	0.64		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2016	1.3		
F/Fmgt	F-1/yr/Fmgt-1/yr	2016	0.94		
ER/ERmgt	-	-	-		

Southern sardine Chile [SSARDCH]


Kobe MSYpref (2006–2016–PARMA)




Kobe MGTpref (2006–2016–PARMA)



Spawner Recruit (2006–2016–PARMA)




Production (2006–2016–PARMA)




◆ Start Year ◆ End Year * No Data

Southern sardine Chile [SSARDCH]



Southern sardine Chile [SSARDCH]

TC-MT, TL*, RecC* (2006-2012-CHING)



TAC*, Cpair*, Cadv*



CPUE*



EFFORT*



Yellownose skate Central-Southern Chile [YNOSESKACSCH]


Metadata	
Scientific Name	Zearaja chilensis
Current Assess ID	IFOPCH-YNOSESKACSCH-1978-2014-PARMA
Area	Central-Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2014	1797
Fmsy	Fmsy-1/yr	2014	0.06
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2014	1797
Fmgt	Fmgt-1/yr	2014	0.06
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2014	3993
MSY	-	-	-
M	M-1/yr	2014	0.14
TBlim	-	-	-
SSBlim	SSBlim-MT	2014	898
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	6090	-	-
SSB	SSB-MT	2014	1020	Females	-
TN	-	-	-	-	-
R	R-E00	2014	253,000	-	1
F	F-1/yr	2014	0	Females	-
ER	ER-calc-ratio	2014	0	-	-
TC	-	-	-		
TL	TL-MT	2014	15		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2014	0.57		
F/Fmsy	F-1/yr/Fmsy-1/yr	2014	0.05		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2014	0.57		
F/Fmgt	F-1/yr/Fmgt-1/yr	2014	0.05		
ER/ERmgt	-	-	-		

Yellownose skate Central–Southern Chile [YNOSESKACSCH]


Kobe MSY_{pref} (1978–2014–PARMA)




Kobe MGT_{pref} (1978–2014–PARMA)



Spawner Recruit (1978–2014–PARMA)




Production (1978–2014–PARMA)




◆ Start Year ◆ End Year * No Data

Yellownose skate Central–Southern Chile [YNOSESKACSCH]


TB–MT (1978–2014–PARMA)




SSB–MT (1978–2014–PARMA)




TN *





F–1/yr (1978–2014–PARMA)



ER–calc–ratio (1978–2014–PARMA)





R–E00 (1978–2014–PARMA)



Yellownose skate Central–Southern Chile [YNOSESKACSCH]

TL–MT, TC*, RecC* (1978–2014–PARMA)

TAC–MT, Cpair–MT, Cadv* (1978–2014–PARMA)



EFFORT*



Yellownose skate Southern Chile [YNOSESKASCH]


Metadata	
Scientific Name	Zearaja chilensis
Current Assess ID	IFOPCH-YNOSESKASCH-1978-2014-PARMA
Area	Southern Chile
Management Authority	Subsecretaria de Pesca
Assessor	Instituto de Fomento Pesquero - Chilean Fisheries Development Institute
Asmts in RAM	2014

Reference Points			
Type	ID	Asmt Year	Value
TBmsy	-	-	-
SSBmsy	SSBmsy-pr-MT	2014	3327
Fmsy	Fmsy-1/yr	2014	0.06
ERmsy	-	-	-
TBmgt	-	-	-
SSBmgt	SSBmgt-MT	2014	3327
Fmgt	Fmgt-1/yr	2014	0.06
ERmgt	-	-	-
TB0	-	-	-
SSB0	SSB0-MT	2014	7394
MSY	-	-	-
M	M-1/yr	2014	0.14
TBlim	-	-	-
SSBlim	SSBlim-MT	2014	1664
Flim	-	-	-
ERlim	-	-	-


Time Series					
Type	ID	Asmt Year	Curr Value	Sex	Age
TB	TB-MT	2014	3850	-	-
SSB	SSB-MT	2014	341	Females	-
TN	-	-	-	-	-
R	R-E00	2014	113	-	1
F	F-1/yr	2014	0	Females	-
ER	ER-calc-ratio	2014	0	-	-
TC	-	-	-		
TL	TL-MT	2014	16		
TB/TBmsy	-	-	-		
SSB/SSBmsy	SSB-MT/SSBmsy-pr-MT	2014	0.1		
F/Fmsy	F-1/yr/Fmsy-1/yr	2014	0.11		
ER/ERmsy	-	-	-		
TB/TBmgt	-	-	-		
SSB/SSBmgt	SSB-MT/SSBmgt-MT	2014	0.1		
F/Fmgt	F-1/yr/Fmgt-1/yr	2014	0.11		
ER/ERmgt	-	-	-		

Yellownose skate Southern Chile [YNOSESKASCH]


Kobe MSYpref (1978–2014–PARMA)




Kobe MGTpref (1978–2014–PARMA)



Spawner Recruit (1978–2014–PARMA)




Production (1978–2014–PARMA)




◆ Start Year ◆ End Year * No Data

Yellownose skate Southern Chile [YNOSESKASCH]


TB-MT (1978-2014-PARMA)




SSB-MT (1978-2014-PARMA)




TN *




F-1/yr (1978-2014-PARMA)



ER-calc-ratio (1978-2014-PARMA)





R-E00 (1978-2014-PARMA)



Yellownose skate Southern Chile [YNOSESKASCH]

TL-MT, TC*, RecC* (1978–2014–PARMA)

TAC-MT, Cpair-MT, Cadv* (1978–2014–PARMA)



EFFORT*

