

Status	Finished
Started	Friday, 30 January 2026, 4:41 PM
Completed	Wednesday, 4 February 2026, 5:28 AM
Duration	4 days 12 hours
Marks	201.00/208.00
Grade	9.66 out of 10.00 (96.63%)

Question 1

Correct

Mark 1.00 out of 1.00

What is the correct way to select all records where the "FirstName" starts with an "a"?

☒ a.

WHERE FirstName LIKE 'a%'

✔

☐ b.

WHERE FirstName LIKE 'a'

☐ c.

WHERE FirstName = 'a'

☐ d.

WHERE FirstName LIKE '%a'

The correct answer is: WHERE FirstName LIKE 'a%'

Question 2

Correct

Mark 1.00 out of 1.00

What is the default value of 'flex-direction'?

☐ a.

stack

☐ b.

column

☐ c.

row-reverse

☒ d.

row

✔

The correct answer is: row

Question 3

Correct

Mark 1.00 out of 1.00

What is a "Rate Limiter" used for?

☐ a.

To slow down the internet speed

☒ b.

To limit the number of requests a client can make in a given time period

✔

☐ c.

To limit the number of variables in a script

☐ d.

To limit the number of users in a database

The correct answer is: To limit the number of requests a client can make in a given time period

Question 4

Correct

Mark 1.00 out of 1.00

Which property is used to control how an image or video is scaled within its box?

☐ a.

image-size

☒ b.

object-fit

✔

☐ c.

scale-type

☐ d.

fit-content

The correct answer is: object-fit

Question **5**

Correct

Mark 1.00 out of 1.00

How can you use ES Modules (`import/export`) in a Node.js project?

- ☐ a. Set `"type": "module"` in `package.json`
- ☐ b. Use the `.mjs` extension
- ☒ c. Both A and B are correct
- ☐ d. You cannot use ESM in Node.js

The correct answer is: Both A and B are correct

Question **6**

Correct

Mark 1.00 out of 1.00

What is the semantic purpose of the `<main>` tag?

- ☐ a. To hold the logo and main navigation
- ☐ b. To define the primary sidebar
- ☒ c. To wrap the central, unique content of the body
- ☐ d. To act as a parent for all `<section>` tags

The correct answer is: To wrap the central, unique content of the body

Question **7**

Correct

Mark 1.00 out of 1.00

What is the default return value of a function that doesn't have a `return` statement?

- ☒ a. `undefined`
- ☐ b. `0`
- ☐ c. `NaN`
- ☐ d. `null`

The correct answer is: `undefined`

Question **8**

Correct

Mark 1.00 out of 1.00

Which command is used to take away permissions from a user?

- ☐ a. `DENY`
- ☐ b. `REMOVE`
- ☒ c. `REVOKE`
- ☐ d. `TAKE`

The correct answer is: `REVOKE`

Question **9**

Correct

Mark 1.00 out of 1.00

Which hook provides a stable reference to a value across renders but doesn't trigger updates?

- ☒ a. `useRef`
- ☐ b. `useId`
- ☐ c. `useMemo`
- ☐ d. `useState`


The correct answer is: `useRef`

Question **10**

Correct

Mark 1.00 out of 1.00

Which statement is used to skip the current iteration of a loop?

- ☐ a. jump
- ☐ b. skip
- ☐ c. next
- ☒ d. continue 


The correct answer is: continue

Question **11**

Correct

Mark 1.00 out of 1.00

In the Command pattern, what is the "Receiver"?

- ☐ a. The console
- ☐ b. The user
- ☒ c. The object that performs the actual work 
- ☐ d. The network

The correct answer is: The object that performs the actual work


Question **12**

Correct

Mark 1.00 out of 1.00

How do you apply styles to every element inside a `

`?

- ☐ a. div.child
- ☐ b. div all
- ☒ c. div * 
- ☐ d. div > *


The correct answer is: div *

Question **13**

Correct

Mark 1.00 out of 1.00

What is a closure?

- ☐ a. A private class method
- ☒ b. A function that has access to its outer function's scope 
- ☐ c. A syntax for ending a loop
- ☐ d. A way to close the browser window


The correct answer is: A function that has access to its outer function's scope

Question **14**

Correct

Mark 1.00 out of 1.00

Why is `e.persist()` sometimes used in older React versions?

- ☐ a. To stop event bubbling
- ☒ b. To prevent React from nullifying the synthetic event object for reuse 
- ☐ c. To keep the component from unmounting
- ☐ d. To save data to local storage

The correct answer is: To prevent React from nullifying the synthetic event object for reuse

Question **15**

Correct

Mark 1.00 out of 1.00

Which method returns the index of the first occurrence of a value in an array?

- ☐ a. findIndex()
- ☒ b. indexOf() ✔
- ☐ c. position()
- ☐ d. search()

The correct answer is: indexOf()

Question **16**

Correct

Mark 1.00 out of 1.00

Which property allows you to access the parent of a DOM node?

- ☐ a. superNode
- ☒ b. parentElement ✔
- ☐ c. root
- ☐ d. owner

The correct answer is: parentElement

Question **17**

Correct

Mark 1.00 out of 1.00

Which group of patterns deals with object creation mechanisms?

- ☒ a. Creational Patterns ✔
- ☐ b. Behavioral Patterns
- ☐ c. Functional Patterns
- ☐ d. Structural Patterns

The correct answer is: Creational Patterns

Question **18**

Correct

Mark 1.00 out of 1.00

How do you apply a style conditionally in React?

- ☐ a. Use the `style-condition` attribute
- ☐ b. You cannot change styles conditionally
- ☐ c. Use an `if` statement inside the JSX tag
- ☒ d. Use a ternary operator or template literals to change the className ✔

The correct answer is: Use a ternary operator or template literals to change the className

Question **19**

Correct

Mark 1.00 out of 1.00

Which CSS property is used to set the distance between characters in a text?

- ☐ a. text-spacing
- ☒ b. letter-spacing ✔
- ☐ c. word-spacing
- ☐ d. char-spacing


The correct answer is: letter-spacing

Question **20**

Correct

Mark 1.00 out of 1.00

Which command is used to give a user permission to access the database?

- ☐ a. GIVE
- ☐ b. ALLOW
- ☐ c. PERMIT
- ☒ d. GRANT 


The correct answer is: GRANT

Question **21**

Correct

Mark 1.00 out of 1.00

Which HTML element is used for the title of the document?

- ☐ a. <head_title>
- ☐ b. <header>
- ☒ c. <title> 
- ☐ d. <meta_title>


The correct answer is: <title>

Question **22**

Correct

Mark 1.00 out of 1.00

Which attribute is used to specify that an element is not yet relevant?

- ☐ a. invisible
- ☐ b. aria-hidden="true"
- ☐ c. display="none"
- ☒ d. hidden 


The correct answer is: hidden

Question **23**

Correct

Mark 1.00 out of 1.00

Which pattern defines a one-to-many dependency between objects so that when one object changes state, all its dependents are notified?

- ☐ a. Strategy
- ☐ b. Command
- ☒ c. Observer 
- ☐ d. Singleton


The correct answer is: Observer

Question **24**

Correct

Mark 1.00 out of 1.00

Which property allows you to add multiple background images?

- ☐ a. background: multiple(url(1.png), url(2.png));
- ☐ b. background-images: url(1.png) url(2.png);
- ☐ c. It is not possible to have multiple backgrounds
- ☒ d. background-image: url(1.png), url(2.png); 


The correct answer is: background-image: url(1.png), url(2.png);

Question **25**

Correct

Mark 1.00 out of 1.00

Which principle is violated if a class handles both User Authentication and Database Logging?

- ☐ a. Interface Segregation
- ☐ b. Liskov Substitution
- ☐ c. None
- ☒ d. Single Responsibility 


The correct answer is: Single Responsibility

Question **26**

Correct

Mark 1.00 out of 1.00

What is "Functional Programming"?

- ☒ a. A paradigm based on pure functions and avoiding shared state/mutable data 
- ☐ b. A way to program robots
- ☐ c. Coding without using classes
- ☐ d. Writing code using only functions


The correct answer is: A paradigm based on pure functions and avoiding shared state/mutable data

Question **27**

Correct

Mark 1.00 out of 1.00

Which element is used to define a short quote?

- ☐ a. <blockquote>
- ☐ b. <quote>
- ☐ c. <cite>
- ☒ d. <q> 


The correct answer is: <q>

Question **28**

Correct

Mark 1.00 out of 1.00

What is the difference between UNION and UNION ALL?

- ☒ a. UNION removes duplicates; UNION ALL does not 
- ☐ b. There is no difference
- ☐ c. UNION ALL is slower
- ☐ d. UNION ALL only works with numbers


The correct answer is: UNION removes duplicates; UNION ALL does not

Question **29**

Correct

Mark 1.00 out of 1.00

What is the purpose of the `url` module?

- ☒ a. To parse and format URL strings 
- ☐ b. To manage browser history
- ☐ c. To create a short URL
- ☐ d. To download files from a URL

The correct answer is: To parse and format URL strings

Question **30**

Correct

Mark 1.00 out of 1.00

What is an "Anti-pattern"?

- ☒ a. A common response to a recurring problem that is usually ineffective or counterproductive ✔️
- ☐ b. A pattern used in old languages like COBOL
- ☐ c. A pattern that uses no classes
- ☐ d. A pattern that is hard to learn

The correct answer is: A common response to a recurring problem that is usually ineffective or counterproductive

Question **31**

Correct

Mark 1.00 out of 1.00

What is the difference between DROP and TRUNCATE?

- ☐ a. TRUNCATE deletes the table structure; DROP only deletes the data
- ☐ b. DROP is only for views
- ☐ c. There is no difference
- ☒ d. DROP deletes the table structure; TRUNCATE only deletes the data ✔️

The correct answer is: DROP deletes the table structure; TRUNCATE only deletes the data

Question **32**

Correct

Mark 1.00 out of 1.00

What is the purpose of the <time> tag?

- ☒ a. To represent a specific period in time or a date ✔️
- ☐ b. To measure the page load speed
- ☐ c. To set the time zone of the document
- ☐ d. To display a clock on the page

The correct answer is: To represent a specific period in time or a date

Question **33**

Correct

Mark 1.00 out of 1.00

Which event is triggered when a stream has no more data to provide?

- ☐ a. 'exit'
- ☐ b. 'finish'
- ☐ c. 'close'
- ☒ d. 'end' ✔️

The correct answer is: 'end'

Question **34**

Correct

Mark 1.00 out of 1.00

Which core module is used to create a basic web server?

- ☐ a. net
- ☐ b. express
- ☐ c. url
- ☒ d. http ✔️


The correct answer is: http

Question **35**

Correct

Mark 1.00 out of 1.00

Which tool is used to scan Node.js dependencies for known vulnerabilities?

- ☐ a. npm check
- ☐ b. node-security
- ☐ c. npm scan
- ☒ d. npm audit 


The correct answer is: npm audit

Question **36**

Correct

Mark 1.00 out of 1.00

What is the purpose of the `package-lock.json` file?

- ☐ a. To speed up the JavaScript execution
- ☐ b. To store the source code of dependencies
- ☒ c. To ensure consistent dependency versions across different installations 
- ☐ d. To lock the project so no one can edit it


The correct answer is: To ensure consistent dependency versions across different installations

Question **37**

Correct

Mark 1.00 out of 1.00

What is the "Spread Operator"?

- ☐ a. ***
- ☐ b. ===
- ☐ c. &&&
- ☒ d. ... 


The correct answer is: ...

Question **38**

Correct

Mark 1.00 out of 1.00

How do you select all columns from a table named "Users"?

- ☐ a. SELECT Users
- ☐ b. EXTRACT * FROM Users
- ☐ c. SELECT [all] FROM Users
- ☒ d. SELECT * FROM Users 


The correct answer is: SELECT * FROM Users

Question **39**

Correct

Mark 1.00 out of 1.00

In the Proxy pattern, what is a "Protection Proxy"?

- ☐ a. A proxy used in firewalls
- ☐ b. A proxy that encrypts the data
- ☒ c. A proxy that controls access to an object based on permissions 
- ☐ d. A proxy that prevents the object from being deleted


The correct answer is: A proxy that controls access to an object based on permissions

Question **40**

Correct

Mark 1.00 out of 1.00

Which property defines how an element is positioned relative to its container when using `sticky`?

- ☐ a. sticky-top
- ☒ b. top 
- ☐ c. margin-top
- ☐ d. offset


The correct answer is: top

Question **41**

Correct

Mark 1.00 out of 1.00

How do you round a number to the nearest integer?

- ☒ a. Math.round() 
- ☐ b. Math.floor()
- ☐ c. Math.rnd()
- ☐ d. Math.ceil()


The correct answer is: Math.round()

Question **42**

Correct

Mark 1.00 out of 1.00

Which element is used to display a popup menu or a context menu?

- ☐ a. <select>
- ☐ b. <popup>
- ☐ c. <context>
- ☒ d. <menu> 


The correct answer is: <menu>

Question **43**

Correct

Mark 1.00 out of 1.00

What is the purpose of the `useDebugValue` hook?

- ☐ a. To check for memory leaks
- ☒ b. To display a label for custom hooks in React DevTools 
- ☐ c. To print errors to the console
- ☐ d. To pause the execution of a hook


The correct answer is: To display a label for custom hooks in React DevTools

Question **44**

Correct

Mark 1.00 out of 1.00

Which pattern is used to restore an object to its previous state (undo/rollback)?

- ☒ a. Memento 
- ☐ b. Command
- ☐ c. Prototype
- ☐ d. State


The correct answer is: Memento

Question **45**

Correct

Mark 1.00 out of 1.00

Which tool is used to transform JSX into regular JavaScript?

- ☒ a. Babel 
- ☐ b. Node.js
- ☐ c. Vite
- ☐ d. Webpack


The correct answer is: Babel

Question **46**

Correct

Mark 1.00 out of 1.00

Which attribute is used to specify the relationship between the current document and the linked document in a <link> tag?

- ☐ a. type
- ☐ b. media
- ☒ c. rel 
- ☐ d. href

The correct answer is: rel

Question **47**

Correct

Mark 1.00 out of 1.00

Which element is used to group several rows of content at the bottom of a table?

- ☒ a. <tfoot> 
- ☐ b. <bottom_table>
- ☐ c. <tbottom>
- ☐ d. <tf>


The correct answer is: <tfoot>

Question **48**

Correct

Mark 1.00 out of 1.00

Which property is used to set the maximum width of an element?

- ☒ a. max-width 
- ☐ b. upper-width
- ☐ c. element-max
- ☐ d. width-limit


The correct answer is: max-width

Question **49**

Correct

Mark 1.00 out of 1.00

Which property in the `path` module returns the file extension?

- ☐ a. path.ext()
- ☐ b. path.suffix()
- ☒ c. path.extname() 
- ☐ d. path.extension()

The correct answer is: path.extname()

Question **50**

Correct

Mark 1.00 out of 1.00

What does `vw` stand for?

- ☐ a. Viewport Weight
- ☐ b. Visible Width
- ☐ c. Vertical Width
- ☒ d. Viewport Width 


The correct answer is: Viewport Width

Question **51**

Correct

Mark 1.00 out of 1.00

How do you send a JSON response in Express?

- ☒ a. `res.json(data)` 
- ☐ b. `res.sendJSON(data)`
- ☐ c. `res.send(JSON.stringify(data))`
- ☐ d. `res.write(data)`


The correct answer is: `res.json(data)`

Question **52**

Correct

Mark 1.00 out of 1.00

Which CSS naming convention uses "Block-Element-Modifier"?

- ☐ a. Atomic CSS
- ☐ b. SMACSS
- ☒ c. BEM 
- ☐ d. OOCSS


The correct answer is: BEM

Question **53**

Correct

Mark 1.00 out of 1.00

Which attribute defines the URL where form data should be sent?

- ☐ a. `method`
- ☐ b. `target`
- ☐ c. `route`
- ☒ d. `action` 


The correct answer is: `action`

Question **54**

Correct

Mark 1.00 out of 1.00

What is the "N+1 Problem" in ORMs?

- ☐ a. A math error
- ☐ b. A security vulnerability
- ☐ c. A type of join error
- ☒ d. A performance issue where one query is made to fetch parent objects and N queries are made to fetch children 

The correct answer is: A performance issue where one query is made to fetch parent objects and N queries are made to fetch children

Question **55**

Correct

Mark 1.00 out of 1.00

What is the purpose of the `@media` rule?

- ☐ a. To define variables
- ☐ b. To import external CSS files
- ☐ c. To create animations
- ☒ d. To apply styles conditionally based on device characteristics ✓

The correct answer is: To apply styles conditionally based on device characteristics

Question **56**

Correct

Mark 1.00 out of 1.00

Which pattern defines the skeleton of an algorithm in an operation, deferring some steps to subclasses?

- ☐ a. Bridge
- ☐ b. Factory
- ☐ c. Strategy
- ☒ d. Template Method ✓

The correct answer is: Template Method

Question **57**

Correct

Mark 1.00 out of 1.00

How do you initialize an Express application?

- ☐ a. `const app = new Express();`
- ☐ b. `const app = http.express();`
- ☒ c. `const app = express();` ✓
- ☐ d. `const app = express.start();`

The correct answer is: `const app = express();`

Question **58**

Correct

Mark 1.00 out of 1.00

Which pattern defines a family of algorithms, encapsulates each one, and makes them interchangeable?

- ☒ a. Strategy ✓
- ☐ b. Template Method
- ☐ c. State
- ☐ d. Iterator

The correct answer is: Strategy

Question **59**

Incorrect

Mark 0.00 out of 1.00

How do you add a comment in CSS?

- ☐ a. `# comment`
- ☒ b. `C. /* comment */` ✗
- ☐ c. `// comment`


The correct answer is: `# comment`

Question **60**

Correct

Mark 1.00 out of 1.00

Which property is used to handle content that is too large for its container?

- ☐ a. clip
- ☐ b. resize
- ☐ c. boundary
- ☒ d. overflow 


The correct answer is: overflow

Question **61**

Correct

Mark 1.00 out of 1.00

Which method joins all elements of an array into a string?

- ☐ a. merge()
- ☐ b. concat()
- ☐ c. toString()
- ☒ d. join() 


The correct answer is: join()

Question **62**

Correct

Mark 1.00 out of 1.00

What is the purpose of the <meta name="viewport"> tag?

- ☒ a. To control the layout on mobile browsers 
- ☐ b. To define the character encoding
- ☐ c. To improve search engine rankings
- ☐ d. To manage browser cookies


The correct answer is: To control the layout on mobile browsers

Question **63**

Correct

Mark 1.00 out of 1.00

Which framework is popular for testing Node.js applications?

- ☐ a. Chai
- ☐ b. Jest
- ☒ c. All of the above 
- ☐ d. Mocha


The correct answer is: All of the above

Question **64**

Correct

Mark 1.00 out of 1.00

Can hooks be called inside loops or conditions?

- ☐ a. Yes, if they are wrapped in a try/catch
- ☐ b. Only in production mode
- ☐ c. Yes, but it is not recommended
- ☒ d. No, they must always be called at the top level 


The correct answer is: No, they must always be called at the top level

Question **65**

Correct

Mark 1.00 out of 1.00

What is "Worker Threads" module used for?

- ☐ a. To connect to a printer
- ☐ b. To manage the file system
- ☐ c. To handle HTTP requests
- ☒ d. To run CPU-intensive JavaScript tasks in parallel without blocking the event loop 


The correct answer is: To run CPU-intensive JavaScript tasks in parallel without blocking the event loop

Question **66**

Correct

Mark 1.00 out of 1.00

Which command is used to start a Node.js REPL environment?

- ☐ a. npm start
- ☒ b. node 
- ☐ c. node start
- ☐ d. node repl


The correct answer is: node

Question **67**

Correct

Mark 1.00 out of 1.00

What is the significance of the `displayName` property in a component?

- ☐ a. It is shown in the browser tab
- ☐ b. It sets the component's ID
- ☐ c. It is the name of the author
- ☒ d. It is used for debugging in React DevTools 


The correct answer is: It is used for debugging in React DevTools

Question **68**

Correct

Mark 1.00 out of 1.00

Which element is used to define the head of an HTML document?

- ☐ a. <header>
- ☐ b. <meta>
- ☐ c. <top>
- ☒ d. <head> 

The correct answer is: <head>

Question **69**

Correct

Mark 1.00 out of 1.00

Which mechanism allows you to pass data through the component tree without manually passing props?

- ☐ a. Refs
- ☒ b. Context API 
- ☐ c. Fragments
- ☐ d. Portals

The correct answer is: Context API

Question **70**

Correct

Mark 1.00 out of 1.00

Which property is used to change the transparency of an element?

- ☒ a. opacity ✓
- ☐ b. filter
- ☐ c. visibility
- ☐ d. transparency

The correct answer is: opacity

Question **71**

Correct

Mark 1.00 out of 1.00

How do you make text italic?

- ☐ a. text-style: italic
- ☐ b. font-weight: italic
- ☒ c. font-style: italic ✓
- ☐ d. font-variant: italic

The correct answer is: font-style: italic

Question **72**

Correct

Mark 1.00 out of 1.00

What does `path.join('/a', 'b', 'c')` return on a Linux/Mac system?

- ☐ a. /abc
- ☒ b. /a/b/c ✓
- ☐ c. /a,b,c
- ☐ d. a-b-c

The correct answer is: /a/b/c

Question **73**

Correct

Mark 1.00 out of 1.00

Which attribute is used to specify that an input field should automatically get focus when the page loads?

- ☒ a. autofocus ✓
- ☐ b. active
- ☐ c. selected
- ☐ d. focus

The correct answer is: autofocus

Question **74**

Correct

Mark 1.00 out of 1.00

What does the selector `div > p` target?

- ☒ a. Only `

` elements that are direct children of a `

` ✓
- ☐ b. All `

` elements that have a `

` child
- ☐ c. The first `

` element inside every `

`
- ☐ d. All `

` elements inside a `

`

The correct answer is: Only `

` elements that are direct children of a `

`

Question **75**

Correct

Mark 1.00 out of 1.00

Which function is used to import a module in CommonJS?

- ☒ a. require() ✔
- ☐ b. load()
- ☐ c. import()
- ☐ d. include()

The correct answer is: require()

Question **76**

Correct

Mark 1.00 out of 1.00

Can a stored procedure return a value?

- ☐ a. Only if it is a SELECT statement
- ☐ b. No
- ☒ c. Yes ✔
- ☐ d. Only in PostgreSQL

The correct answer is: Yes

Question **77**

Correct

Mark 1.00 out of 1.00

How can you automatically restart a Node.js app when file changes are detected during development?

- ☐ a. Use `node --watch` (in modern Node.js versions)
- ☐ b. Use `nodemon`
- ☒ c. Both A and C are correct ✔
- ☐ d. Use `pm2`

The correct answer is: Both A and C are correct

Question **78**

Correct

Mark 1.00 out of 1.00

What is the purpose of the <caption> element in a table?

- ☒ a. To provide a title or description for the table ✔
- ☐ b. To define the header row
- ☐ c. To define a group of columns
- ☐ d. To add a summary for accessibility

The correct answer is: To provide a title or description for the table

Question **79**

Correct

Mark 1.00 out of 1.00


Which of the following is a DDL command?

- ☒ a. CREATE ✔
- ☐ b. INSERT
- ☐ c. UPDATE
- ☐ d. SELECT

The correct answer is: CREATE

Question **80**
Correct
Mark 1.00 out of 1.00


What is the purpose of the `await` keyword?

- ☐ a. To pause the entire browser
- ☐ b. To loop through a Promise
- ☐ c. To create a delay of 1 second
- ☒ d. To make the code wait for a Promise to resolve/reject 

The correct answer is: To make the code wait for a Promise to resolve/reject

Question **81**
Correct
Mark 1.00 out of 1.00

What is the purpose of "React Portals"?

- ☐ a. To connect to an external API
- ☐ b. To create a 3D effect in the UI
- ☐ c. To navigate between pages
- ☒ d. To render children into a DOM node that exists outside the hierarchy of the parent component 

The correct answer is: To render children into a DOM node that exists outside the hierarchy of the parent component

Question **82**
Correct
Mark 1.00 out of 1.00


Which hook is used to share logic between components without changing the hierarchy?

- ☐ a. shareHook
- ☐ b. useHOC
- ☐ c. useLogic
- ☒ d. Custom Hooks (functions starting with "use") 

The correct answer is: Custom Hooks (functions starting with "use")

Question **83**
Incorrect
Mark 0.00 out of 1.00


How would you select every second `- ` element in a list?

- ☐ a. Both B and C are correct
- ☐ b. li:even
- ☐ c. li:nth-child(2)
- ☒ d. li:nth-child(2n) 

The correct answer is: Both B and C are correct

Question **84**
Correct
Mark 1.00 out of 1.00


What is "Strict Mode" in React?

- ☐ a. A way to make the app run faster in production
- ☐ b. A mode that prevents the use of any external libraries
- ☐ c. A security setting for HTTPS
- ☒ d. A tool for highlighting potential problems in an application (runs effects twice in dev) 

The correct answer is: A tool for highlighting potential problems in an application (runs effects twice in dev)

Question **85**
Correct
Mark 1.00 out of 1.00


How do you start a CSS animation?

- ☐ a. @transition
- ☐ b. @animate
- ☐ c. @motion
- ☒ d. @keyframes 

The correct answer is: @keyframes

Question **86**
Correct
Mark 1.00 out of 1.00


How do you convert a Buffer back to a string?

- ☐ a. buffer.data
- ☐ b. JSON.stringify(buffer)
- ☐ c. buffer.parse()
- ☒ d. buffer.toString() 

The correct answer is: buffer.toString()

Question **87**
Correct
Mark 1.00 out of 1.00


What does the `delete` operator do?

- ☐ a. Deletes a variable
- ☒ b. Removes a property from an object 
- ☐ c. Clears the console
- ☐ d. Deletes a file

The correct answer is: Removes a property from an object

Question **88**
Correct
Mark 1.00 out of 1.00


What is the purpose of the `useDeferredValue` hook?

- ☐ a. To create a lazy component
- ☐ b. To delay the execution of a function
- ☐ c. To load data from a database later
- ☒ d. To defer updating a part of the UI until more urgent updates are finished 

The correct answer is: To defer updating a part of the UI until more urgent updates are finished

Question **89**
Correct
Mark 1.00 out of 1.00

Which block is used with `async/await` to handle errors?

- ☒ a. try/catch 
- ☐ b. if/else
- ☐ c. open/close
- ☐ d. for/in

The correct answer is: try/catch

Question **90**

Correct

Mark 1.00 out of 1.00

Which pattern is most suitable for a multi-step checkout process in an e-commerce app?

- ☒ a. State or Builder ✓
- ☐ b. Prototype
- ☐ c. Flyweight
- ☐ d. Singleton

The correct answer is: State or Builder

Question **91**

Correct

Mark 1.00 out of 1.00

Which attribute is used to combine two or more columns in a table?

- ☐ a. colmerge
- ☐ b. grid-span
- ☐ c. rowspan
- ☒ d. colspan ✓

The correct answer is: colspan

Question **92**

Correct

Mark 1.00 out of 1.00

Which attribute is used to specify the language of the document?

- ☐ a. language
- ☒ b. lang ✓
- ☐ c. locale
- ☐ d. xml:lang

The correct answer is: lang

Question **93**

Correct

Mark 1.00 out of 1.00

Which property is used to control the space between the content and the border?

- ☐ a. margin
- ☐ b. spacing
- ☐ c. gutter
- ☒ d. padding ✓

The correct answer is: padding

Question **94**

Correct

Mark 1.00 out of 1.00

What does the <canvas> element provide?

- ☐ a. A container for high-quality images
- ☐ b. A layout tool for CSS
- ☒ c. A way to draw graphics via scripting (usually JavaScript) ✓
- ☐ d. A way to display 3D models without scripts

The correct answer is: A way to draw graphics via scripting (usually JavaScript)

Question **95**

Correct

Mark 1.00 out of 1.00

Which JOIN returns records that have matching values in both tables?

- ☐ a. LEFT JOIN
- ☐ b. FULL JOIN
- ☒ c. INNER JOIN ✓
- ☐ d. CROSS JOIN

The correct answer is: INNER JOIN

Question **96**

Correct

Mark 1.00 out of 1.00

What does SQL stand for?

- ☐ a. Simple Query Language
- ☐ b. Strong Question Language
- ☒ c. Structured Query Language ✓
- ☐ d. Standard Query List

The correct answer is: Structured Query Language

Question **97**

Correct

Mark 1.00 out of 1.00

What is the purpose of the `super()` function in a constructor?

- ☐ a. To create a global variable
- ☒ b. To call the parent class constructor ✓
- ☐ c. To define a static method
- ☐ d. To make a function run faster

The correct answer is: To call the parent class constructor

Question **98**

Correct

Mark 1.00 out of 1.00

Which SQL statement is used to update data in a database?

- ☒ a. UPDATE ✓
- ☐ b. MODIFY
- ☐ c. SAVE
- ☐ d. SAVE AS

The correct answer is: UPDATE

Question **99**

Correct

Mark 1.00 out of 1.00


Which pattern provides a way to access the elements of an aggregate object sequentially without exposing its underlying representation?

- ☐ a. Proxy
- ☐ b. Memento
- ☐ c. Visitor
- ☒ d. Iterator ✓

The correct answer is: Iterator

Question **100**
Correct
Mark 1.00 out of 1.00


What is "Normalization"?

- ☐ a. Increasing the number of indexes
- ☒ b. The process of organizing data to reduce redundancy and improve integrity 
- ☐ c. Converting a database to a flat file
- ☐ d. Making all table names lowercase

The correct answer is: The process of organizing data to reduce redundancy and improve integrity

Question **101**
Correct
Mark 1.00 out of 1.00


What is template literal syntax?

- ☒ a. ``text ${var}`` 
- ☐ b. `[text ${var}]`
- ☐ c. `'text ${var}'`
- ☐ d. `"text ${var}"`

The correct answer is: ``text ${var}``

Question **102**
Correct
Mark 1.00 out of 1.00


What is "Debouncing"?

- ☒ a. Limiting the rate at which a function is executed 
- ☐ b. Removing bugs from code
- ☐ c. Deleting old data
- ☐ d. Compressing images

The correct answer is: Limiting the rate at which a function is executed

Question **103**
Correct
Mark 1.00 out of 1.00


What does DDL stand for?

- ☐ a. Dynamic Data Language
- ☐ b. Data Derivation Language
- ☒ c. Data Definition Language 
- ☐ d. Detailed Data List

The correct answer is: Data Definition Language

Question **104**
Correct
Mark 1.00 out of 1.00

What are "props" in React?

- ☐ a. Functions that handle API calls
- ☐ b. Global variables
- ☒ c. Arguments passed into a component from its parent 
- ☐ d. Internal state of a component

The correct answer is: Arguments passed into a component from its parent

Question **105**

Correct

Mark 1.00 out of 1.00

What is the valid way to write a HEX color?

- ☐ a. color: #RGB;
- ☐ b. color: hex(red);
- ☒ c. color: #FF0000; ✔
- ☐ d. color: FF0000;

The correct answer is: color: #FF0000;

Question **106**

Correct

Mark 1.00 out of 1.00

Which property aligns flex items along the cross axis?

- ☐ a. justify-items
- ☒ b. align-items ✔
- ☐ c. align-content
- ☐ d. justify-content

The correct answer is: align-items

Question **107**

Correct

Mark 1.00 out of 1.00

What does `Object.freeze()` do?

- ☐ a. Saves the object to disk
- ☐ b. Makes the object blue
- ☒ c. Prevents any changes to an object (properties cannot be added, deleted, or changed) ✔
- ☐ d. Stops all animations on the object

The correct answer is: Prevents any changes to an object (properties cannot be added, deleted, or changed)

Question **108**

Correct

Mark 1.00 out of 1.00

What happens if an asynchronous error is not caught in Node.js?

- ☐ a. The error is sent to the client
- ☐ b. Node.js restarts automatically
- ☒ c. The process crashes with an `uncaughtException` ✔
- ☐ d. The app ignores it

The correct answer is: The process crashes with an `uncaughtException`

Question **109**

Correct

Mark 1.00 out of 1.00

Which statement is used to exit a loop prematurely?

- ☐ a. stop
- ☒ b. break ✔
- ☐ c. return
- ☐ d. exit


The correct answer is: break

Question **110**

Correct

Mark 1.00 out of 1.00

Which pattern is commonly used in Redux or Event-driven systems?

- ☐ a. Builder
- ☐ b. Bridge
- ☐ c. Singleton
- ☒ d. Observer 


The correct answer is: Observer

Question **111**

Correct

Mark 1.00 out of 1.00

In a WHERE clause, which operator is used to search for a specified pattern in a column?

- ☐ a. CONTAINS
- ☐ b. MATCH
- ☒ c. LIKE 
- ☐ d. GET


The correct answer is: LIKE

Question **112**

Correct

Mark 1.00 out of 1.00

Which property in `package.json` defines the test command?

- ☐ a. debug
- ☐ b. run
- ☒ c. test 
- ☐ d. start


The correct answer is: test

Question **113**

Correct

Mark 1.00 out of 1.00

What does the `async` keyword do when placed before a function?

- ☒ a. It ensures the function always returns a Promise 
- ☐ b. It hides the function from the global scope
- ☐ c. It makes the function run in a separate thread
- ☐ d. It stops the function from executing


The correct answer is: It ensures the function always returns a Promise

Question **114**

Correct

Mark 1.00 out of 1.00

How do you safely store a password?

- ☐ a. Encrypted with a key
- ☒ b. Hashed with a strong algorithm (like bcrypt) and a salt 
- ☐ c. Plain text
- ☐ d. Base64 encoding

The correct answer is: Hashed with a strong algorithm (like bcrypt) and a salt

Question **115**
Correct
Mark 1.00 out of 1.00

What is the difference between `innerHTML` and `textContent`?

- ☐ a. `innerHTML` is only for input fields
- ☐ b. There is no difference
- ☐ c. `textContent` renders HTML tags, `innerHTML` is safer
- ☒ d. `innerHTML` renders HTML tags, `textContent` treats everything as plain text ✓

The correct answer is: `innerHTML` renders HTML tags, `textContent` treats everything as plain text

Question **116**
Correct
Mark 1.00 out of 1.00

In React Testing Library, what is the best way to find an element?

- ☐ a. By its CSS selector
- ☒ b. By its role and accessible name (e.g., `getByRole`) ✓
- ☐ c. By its color
- ☐ d. By its index in the DOM

The correct answer is: By its role and accessible name (e.g., `getByRole`)

Question **117**
Correct
Mark 1.00 out of 1.00

What is a "Smart Proxy"?

- ☐ a. A proxy that uses the `smart` keyword
- ☐ b. A proxy used in AI
- ☐ c. A proxy that can think
- ☒ d. A proxy that performs additional actions when an object is accessed (e.g., counting references) ✓

The correct answer is: A proxy that performs additional actions when an object is accessed (e.g., counting references)

Question **118**
Correct
Mark 1.00 out of 1.00

What is the purpose of the <wbr> tag?

- ☐ a. To indicate a web resource
- ☐ b. To wrap text around an image
- ☒ c. To define a word break opportunity ✓
- ☐ d. To create a wide border

The correct answer is: To define a word break opportunity

Question **119**
Correct
Mark 1.00 out of 1.00

What is "Vertical Scaling"?

- ☒ a. Adding more power (CPU/RAM) to an existing server ✓
- ☐ b. Making columns taller
- ☐ c. Creating a hierarchy of tables
- ☐ d. Adding more rows to a table

The correct answer is: Adding more power (CPU/RAM) to an existing server

Question **120**

Correct

Mark 1.00 out of 1.00

How do you copy an object (shallow copy) using the spread operator?

- ☐ a. `const copy = ...original;`
- ☐ b. `const copy = Object.spread(original);`
- ☐ c. `const copy = [...original];`
- ☒ d. `const copy = { ...original };` ✓

The correct answer is: `const copy = { ...original };`

Question **121**

Correct

Mark 1.00 out of 1.00

Which module is used to hash passwords in Node.js?

- ☐ a. `crypto (core)`
- ☒ b. All of the above ✓
- ☐ c. `argon2`
- ☐ d. `bcrypt`

The correct answer is: All of the above

Question **122**

Correct

Mark 1.00 out of 1.00

Which constraint is used to limit the value range that can be placed in a column?

- ☒ a. `CHECK` ✓
- ☐ b. `VALIDATE`
- ☐ c. `RANGE`
- ☐ d. `LIMIT`

The correct answer is: `CHECK`

Question **123**

Correct

Mark 1.00 out of 1.00

Are props in React mutable (can they be changed by the child)?

- ☐ a. Yes, always
- ☐ b. Only if they are strings
- ☒ c. No, they are read-only ✓
- ☐ d. Only in Class components

The correct answer is: No, they are read-only

Question **124**

Correct

Mark 1.00 out of 1.00

What is "Environment Variable" storage typically used for?

- ☐ a. Storing user profile pictures
- ☐ b. Storing source code
- ☐ c. Storing CSS files
- ☒ d. Storing sensitive data like API keys and DB passwords (using ``.env``) ✓

The correct answer is: Storing sensitive data like API keys and DB passwords (using ``.env``)

Question **125**
Correct
Mark 1.00 out of 1.00

What is "Inversion of Control" (IoC)?

- ☐ a. Making all functions private
- ☐ b. Using a mouse instead of a keyboard
- ☐ c. A way to shut down a server
- ☒ d. A design principle where the control flow of a program is inverted (given to a framework/container) ✔

The correct answer is: A design principle where the control flow of a program is inverted (given to a framework/container)

Question **126**
Correct
Mark 1.00 out of 1.00

What is the default sort order of the ORDER BY clause?

- ☐ a. Descending
- ☐ b. Random
- ☒ c. Ascending ✔
- ☐ d. Based on Primary Key

The correct answer is: Ascending

Question **127**
Correct
Mark 1.00 out of 1.00

Which pattern is used to hide the complexity of a 3rd party API from the rest of your application?

- ☐ a. Mediator
- ☒ b. Facade ✔
- ☐ c. Composite
- ☐ d. Flyweight

The correct answer is: Facade

Question **128**
Correct
Mark 1.00 out of 1.00

What is the purpose of the <details> and <summary> tags?

- ☐ a. To define a popup window
- ☒ b. To create an interactive disclosure widget (accordion) ✔
- ☐ c. To list the site map
- ☐ d. To create a progress bar

The correct answer is: To create an interactive disclosure widget (accordion)

Question **129**
Correct
Mark 1.00 out of 1.00

What is the purpose of the `assert` core module?

- ☐ a. To print text to the console
- ☐ b. To connect to a database
- ☐ c. To manage user permissions
- ☒ d. To provide a set of assertion functions for testing ✔

The correct answer is: To provide a set of assertion functions for testing

Question **130**

Correct

Mark 1.00 out of 1.00

Which hook is provided by `react-redux` to access the state from the store?

- ☐ a. useDispatch
- ☐ b. useConnect
- ☒ c. useSelector ✔
- ☐ d. useStore

The correct answer is: useSelector

Question **131**

Correct

Mark 1.00 out of 1.00

Which hook is used to synchronize a component with an external system (like a browser API)?

- ☒ a. useSyncExternalStore ✔
- ☐ b. useAPI
- ☐ c. useExternal
- ☐ d. useBrowser

The correct answer is: useSyncExternalStore

Question **132**

Correct

Mark 1.00 out of 1.00

Which command is used to remove all records from a table, but keep the table structure?

- ☐ a. REMOVE
- ☐ b. DROP
- ☐ c. DELETE
- ☒ d. TRUNCATE ✔

The correct answer is: TRUNCATE

Question **133**

Correct

Mark 1.00 out of 1.00

Which method is used in Class components to initialize state?

- ☐ a. render()
- ☒ b. constructor() ✔
- ☐ c. componentDidMount()
- ☐ d. componentWillMount()

The correct answer is: constructor()

Question **134**

Correct

Mark 1.00 out of 1.00

Which of these is NOT a primitive data type in JavaScript?

- ☒ a. Array ✔
- ☐ b. Boolean
- ☐ c. Number
- ☐ d. String

The correct answer is: Array

Question **135**

Correct

Mark 1.00 out of 1.00

Which statement is used to give a table or a column a temporary name?

- ☐ a. NAME
- ☐ b. SET
- ☐ c. RENAME
- ☒ d. AS (Alias) ✔

The correct answer is: AS (Alias)

Question **136**

Correct

Mark 1.00 out of 1.00

What does `__dirname` represent in a Node.js script?

- ☐ a. The path to the root of the project
- ☐ b. The name of the current file
- ☐ c. The path to the node_modules folder
- ☒ d. The absolute path to the directory containing the current file ✔

The correct answer is: The absolute path to the directory containing the current file

Question **137**

Correct

Mark 1.00 out of 1.00

What is the role of the V8 engine in Node.js?

- ☐ a. To handle HTTP requests
- ☐ b. To manage the thread pool
- ☒ c. To compile and execute JavaScript code ✔
- ☐ d. To manage file system access

The correct answer is: To compile and execute JavaScript code

Question **138**

Correct

Mark 1.00 out of 1.00

Which SQL statement is used to extract data from a database?

- ☐ a. GET
- ☒ b. SELECT ✔
- ☐ c. EXTRACT
- ☐ d. OPEN

The correct answer is: SELECT

Question **139**

Correct

Mark 1.00 out of 1.00


What is the purpose of the `os` core module?

- ☐ a. To install a new operating system
- ☐ b. To manage the browser window
- ☒ c. To provide operating system-related utility methods (CPU, memory, uptime) ✔
- ☐ d. To format the hard drive

The correct answer is: To provide operating system-related utility methods (CPU, memory, uptime)

Question **140**
Correct
Mark 1.00 out of 1.00


"Higher-Order Components" (HOC) in React are an example of which pattern?

- ☐ a. Factory
- ☒ b. Decorator 
- ☐ c. Adapter
- ☐ d. Proxy

The correct answer is: Decorator

Question **141**
Correct
Mark 1.00 out of 1.00


Which principle does the Strategy pattern help satisfy?

- ☒ a. All of the above 
- ☐ b. Single Responsibility
- ☐ c. Open/Closed (adding new strategies without changing the context)
- ☐ d. Liskov Substitution

The correct answer is: All of the above

Question **142**
Correct
Mark 1.00 out of 1.00


What does `display: none` do?

- ☒ a. Removes the element from the document flow and hides it 
- ☐ b. Hides the element from screen readers only
- ☐ c. Shrinks the element to 0px width
- ☐ d. Makes the element transparent but keeps its space

The correct answer is: Removes the element from the document flow and hides it

Question **143**
Correct
Mark 1.00 out of 1.00


What is a "Self Join"?

- ☐ a. A join that requires no ON condition
- ☒ b. Joining a table with itself 
- ☐ c. A join performed by the database automatically
- ☐ d. Joining a table with a view

The correct answer is: Joining a table with itself

Question **144**
Incorrect
Mark 0.00 out of 1.00

Which function returns the lowest value in a column?

- ☐ a. LOW()
- ☐ b. SMALL()
- ☒ c. MIN() 
- ☐ d. BOTTOM()

The correct answer is: LOW()

Question **145**
Correct
Mark 1.00 out of 1.00

What is the purpose of `React.memo`?

- ☐ a. To create a persistent reference to an element
- ☒ b. To wrap a functional component and prevent re-renders if props haven't changed
- ☐ c. To store data in the browser's memory
- ☐ d. To speed up the initial load of the app

The correct answer is: To wrap a functional component and prevent re-renders if props haven't changed

Question **146**
Correct
Mark 1.00 out of 1.00

In the Abstract Factory pattern, what is a "Product"?

- ☒ a. The object created by the factory
- ☐ b. The developer
- ☐ c. The source code
- ☐ d. The price of the software

The correct answer is: The object created by the factory

Question **147**
Correct
Mark 1.00 out of 1.00

What is the purpose of the <audio> tag?

- ☐ a. To visualize sound waves
- ☐ b. To connect to a radio stream
- ☐ c. To record sound from the microphone
- ☒ d. To embed sound content like music or podcasts

The correct answer is: To embed sound content like music or podcasts

Question **148**
Correct
Mark 1.00 out of 1.00

Which attribute specifies the character encoding for the HTML document?

- ☐ a. <html lang="en">
- ☐ b. <meta name="encoding">
- ☐ c. <meta content="text/html">
- ☒ d. <meta charset="UTF-8">

The correct answer is: <meta charset="UTF-8">

Question **149**
Correct
Mark 1.00 out of 1.00

Which clause is used to limit the number of records returned (in MySQL/PostgreSQL)?

- ☒ a. LIMIT
- ☐ b. TOP
- ☐ c. ROWNUM
- ☐ d. STOP

The correct answer is: LIMIT

Question **150**
Incorrect
Mark 0.00 out of 1.00

What does `event.preventDefault()` do?

- ☐ a. Deletes the event listener
- ☒ b. Stops the event from bubbling up the DOM ❌
- ☐ c. Stops the default action of an element (like a link redirecting)
- ☐ d. Stops other listeners from being called

The correct answer is: Stops the default action of an element (like a link redirecting)

Question **151**
Correct
Mark 1.00 out of 1.00

Which property is used to change the text content of an element?

- ☒ a. Both A and B ✔️
- ☐ b. innerHTML
- ☐ c. value
- ☐ d. textContent

The correct answer is: Both A and B

Question **152**
Correct
Mark 1.00 out of 1.00

Which input type is used to upload one or more files?

- ☐ a. type="blob"
- ☐ b. type="folder"
- ☐ c. type="upload"
- ☒ d. type="file" ✔️

The correct answer is: type="file"

Question **153**
Correct
Mark 1.00 out of 1.00

Which hook is used to generate a unique ID for accessibility attributes?

- ☐ a. useKey
- ☒ b. useID ✔️
- ☐ c. useUnique
- ☐ d. useAria

The correct answer is: useID

Question **154**
Correct
Mark 1.00 out of 1.00

What is the difference between a "Simple Factory" and "Factory Method"?

- ☐ a. There is no difference
- ☐ b. Factory Method is for numbers only
- ☒ c. Simple Factory is a single class; Factory Method uses inheritance and subclasses ✔️
- ☐ d. Simple Factory is a Structural pattern

The correct answer is: Simple Factory is a single class; Factory Method uses inheritance and subclasses

Question **155**

Correct

Mark 1.00 out of 1.00

Which hook is a more powerful alternative to `useState` for complex state logic?

- ☐ a. useLogic
- ☐ b. useComplex
- ☒ c. useReducer ✔️
- ☐ d. useStore

The correct answer is: useReducer

Question **156**

Correct

Mark 1.00 out of 1.00

What is a "Getter" in a class?

- ☐ a. A method that gets data from an API
- ☐ b. A tool for downloading files
- ☐ c. A type of loop
- ☒ d. A method that binds a property to a function that will be called when that property is looked up ✔️

The correct answer is: A method that binds a property to a function that will be called when that property is looked up

Question **157**

Correct

Mark 1.00 out of 1.00

What is the difference between DELETE and TRUNCATE?

- ☐ a. TRUNCATE removes only specific rows
- ☐ b. DELETE is faster than TRUNCATE
- ☐ c. DELETE removes the table structure
- ☒ d. DELETE can be rolled back; TRUNCATE usually cannot ✔️

The correct answer is: DELETE can be rolled back; TRUNCATE usually cannot

Question **158**

Correct

Mark 1.00 out of 1.00

What happens if you omit a dependency from the `useEffect` dependency array?

- ☐ a. The effect runs every 1 second
- ☐ b. Nothing happens
- ☐ c. React throws a syntax error
- ☒ d. The effect might use stale values from a previous render ✔️

The correct answer is: The effect might use stale values from a previous render

Question **159**

Correct

Mark 1.00 out of 1.00

Which command is used to add, delete, or modify columns in an existing table?

- ☐ a. CHANGE TABLE
- ☒ b. ALTER TABLE ✔️
- ☐ c. UPDATE TABLE
- ☐ d. MODIFY TABLE

The correct answer is: ALTER TABLE

Question **160**

Correct

Mark 1.00 out of 1.00

How do you find the highest number in a list?

- ☐ a. Math.top()
- ☐ b. Math.largest()
- ☒ c. Math.max() ✔
- ☐ d. Math.high()

The correct answer is: Math.max()

Question **161**

Correct

Mark 1.00 out of 1.00

Which testing library is recommended by the React team for testing components?

- ☒ a. Jest and React Testing Library ✔
- ☐ b. Jasmine
- ☐ c. Mocha
- ☐ d. Selenium

The correct answer is: Jest and React Testing Library

Question **162**

Correct

Mark 1.00 out of 1.00

Which keyword is used to return only different (unique) values?

- ☐ a. UNIQUE
- ☐ b. ONLY
- ☒ c. DISTINCT ✔
- ☐ d. DIFFERENT

The correct answer is: DISTINCT

Question **163**

Correct

Mark 1.00 out of 1.00

What is the main purpose of React.js?

- ☐ a. To handle server-side routing only
- ☐ b. To manage databases
- ☐ c. To style web pages with CSS
- ☒ d. To build user interfaces using components ✔

The correct answer is: To build user interfaces using components

Question **164**

Correct

Mark 1.00 out of 1.00

Which pattern is a "wrapper" that provides the *same* interface?

- ☐ a. Bridge
- ☐ b. Adapter
- ☐ c. Facade
- ☒ d. Decorator or Proxy ✔

The correct answer is: Decorator or Proxy

Question **165**

Correct

Mark 1.00 out of 1.00

Can a table have more than one Primary Key?

- ☐ a. Yes
- ☐ b. Only if the table has no data
- ☐ c. Only in MySQL
- ☒ d. No (only one per table) ✓

The correct answer is: No (only one per table)

Question **166**

Correct

Mark 1.00 out of 1.00

Which event is triggered when a Readable stream has data available to read?

- ☐ a. 'read'
- ☐ b. 'flow'
- ☒ c. 'data' ✓
- ☐ d. 'open'

The correct answer is: 'data'

Question **167**

Correct

Mark 1.00 out of 1.00

What is the correct way to write an arrow function?

- ☒ a. `() => { }` ✓
- ☐ b. `() -> { }`
- ☐ c. `function => { }`
- ☐ d. `arrow() { }`

The correct answer is: `() => { }`

Question **168**

Correct

Mark 1.00 out of 1.00

How do you convert a JSON string into a JavaScript object?

- ☐ a. `JSON.convert()`
- ☒ b. `JSON.parse()` ✓
- ☐ c. `JSON.toObject()`
- ☐ d. `JSON.stringify()`

The correct answer is: `JSON.parse()`

Question **169**

Correct

Mark 1.00 out of 1.00

Which keyword is used to filter the result set of a query?

- ☐ a. FILTER
- ☐ b. HAVING
- ☒ c. WHERE ✓
- ☐ d. IF

The correct answer is: WHERE

Question **170**
Correct
Mark 1.00 out of 1.00

What value of ``position`` keeps an element in the same place even when the page is scrolled?

- ☒ a. fixed ✓
- ☐ b. relative
- ☐ c. absolute
- ☐ d. static

The correct answer is: fixed

Question **171**
Correct
Mark 1.00 out of 1.00

How do you round the corners of an element?

- ☐ a. radius
- ☐ b. corner-style
- ☐ c. border-round
- ☒ d. border-radius ✓

The correct answer is: border-radius

Question **172**
Incorrect
Mark 0.00 out of 1.00

What is the correct tag for a line break?

- ☐ a. <lb>
- ☐ b. <break>
- ☒ c. <hr> ✗

Question **173**
Correct
Mark 1.00 out of 1.00

What does the selector ``input[type="text"]`` target?

- ☐ a. Inputs with the class "text"
- ☐ b. Inputs with the ID "text"
- ☒ c. Only text inputs ✓
- ☐ d. All input elements

The correct answer is: Only text inputs

Question **174**
Correct
Mark 1.00 out of 1.00


What are the two main arguments passed to the ``createServer`` callback?

- ☒ a. request (req) and response (res) ✓
- ☐ b. get and post
- ☐ c. input and output
- ☐ d. query and body

The correct answer is: request (req) and response (res)

Question **175**
Correct
Mark 1.00 out of 1.00


Which pattern is used to manage complex "if-else" or "switch" statements related to an object's behavior?

- ☐ a. State
- ☒ b. Both A and B 
- ☐ c. Strategy
- ☐ d. Command

The correct answer is: Both A and B

Question **176**
Correct
Mark 1.00 out of 1.00


Which library does Node.js use to handle asynchronous I/O and the event loop?

- ☐ a. V8
- ☐ b. Lodash
- ☐ c. OpenSSL
- ☒ d. Libuv 

The correct answer is: Libuv

Question **177**
Correct
Mark 1.00 out of 1.00


Where is the correct place to insert JavaScript in HTML?

- ☐ a. The <body> section
- ☐ b. The <head> section
- ☒ c. Both A and B are correct 
- ☐ d. The <footer> section

The correct answer is: Both A and B are correct

Question **178**
Correct
Mark 1.00 out of 1.00


Can you update data through a View?

- ☐ a. Only if the view has no WHERE clause
- ☐ b. No, never
- ☒ c. Yes, in many cases (updatable views) 
- ☐ d. Only if the view has no joins

The correct answer is: Yes, in many cases (updatable views)

Question **179**
Correct
Mark 1.00 out of 1.00

What is the "Callback" pattern?

- ☒ a. Passing a function as an argument to be executed after an async operation completes 
- ☐ b. A way to call a function later
- ☐ c. Returning a value from an async function
- ☐ d. A loop that runs forever

The correct answer is: Passing a function as an argument to be executed after an async operation completes

Question **180**

Correct

Mark 1.00 out of 1.00

Which tag is used to define a container for an external application or interactive content (like a plugin)?

- ☐ a. <object>
- ☒ b. <embed> ✓
- ☐ c. <iframe>
- ☐ d. <applet>

The correct answer is: <embed>

Question **181**

Correct

Mark 1.00 out of 1.00

What is the purpose of `app.use()`?

- ☐ a. To define a specific GET route
- ☒ b. To mount middleware functions ✓
- ☐ c. To install a new npm package
- ☐ d. To start the database

The correct answer is: To mount middleware functions

Question **182**

Not answered

Marked out of 1.00

What is a "Dirty Read"?

- ☐ a. Reading data with syntax errors
- ☐ b. Reading data from a deleted table
- ☐ c. Reading data from a file
- ☐ d. A transaction reading data that has been modified by another transaction but not yet committed

The correct answer is: A transaction reading data that has been modified by another transaction but not yet committed

Question **183**

Correct

Mark 1.00 out of 1.00

Which method allows you to call a function with a specific `this` context and arguments passed as an array?

- ☐ a. execute()
- ☐ b. bind()
- ☒ c. apply() ✓
- ☐ d. call()

The correct answer is: apply()

Question **184**

Correct

Mark 1.00 out of 1.00

Which tag is used to represent an abbreviation or acronym?

- ☐ a. <short>
- ☐ b. <acro>
- ☐ c. <dfn>
- ☒ d. <abbr> ✓

The correct answer is: <abbr>

Question **185**

Correct

Mark 1.00 out of 1.00

Which tag is used to define a block of text that is preformatted?

- ☒ a. `<pre>` ✓
- ☐ b. `<samp>`
- ☐ c. `<text>`
- ☐ d. `<code>`

The correct answer is: `<pre>`

Question **186**

Correct

Mark 1.00 out of 1.00

Which element is used to define a caption for a `<figure>` element?

- ☐ a. `<details>`
- ☐ b. `<summary>`
- ☐ c. `<caption_figure>`
- ☒ d. `<figcaption>` ✓

The correct answer is: `<figcaption>`

Question **187**

Correct

Mark 1.00 out of 1.00

Which CSS unit is relative to the font size of the root element (html)?

- ☐ a. `em`
- ☐ b. `%`
- ☒ c. `rem` ✓
- ☐ d. `px`

The correct answer is: `rem`

Question **188**

Correct

Mark 1.00 out of 1.00

Which command is used to create a new React app with Vite?

- ☐ a. `npx create-react-app my-app`
- ☐ b. `brew install react`
- ☒ c. `npm create vite@latest` ✓
- ☐ d. `git clone react`

The correct answer is: `npm create vite@latest`

Question **189**

Correct

Mark 1.00 out of 1.00

Which pattern allows objects with incompatible interfaces to work together?

- ☐ a. Proxy
- ☐ b. Flyweight
- ☒ c. Adapter ✓
- ☐ d. Bridge

The correct answer is: Adapter

Question **190**

Correct

Mark 1.00 out of 1.00

How do you define a rest parameter in a function?

- ☐ a. function myFunc(rest args)
- ☒ b. function myFunc(...args) ✓
- ☐ c. function myFunc(&args)
- ☐ d. function myFunc(args...)

The correct answer is: function myFunc(...args)

Question **191**

Correct

Mark 1.00 out of 1.00

What is "Concurrent Mode" in React?

- ☐ a. A way to use React with Python
- ☐ b. A way to run React on multiple servers
- ☐ c. A mode that disables hooks
- ☒ d. A set of features that help React apps stay responsive by interrupting long-running renders ✓

The correct answer is: A set of features that help React apps stay responsive by interrupting long-running renders

Question **192**

Correct

Mark 1.00 out of 1.00

The "Middleware" pattern in Express.js is a variation of which GoF pattern?

- ☐ a. Memento
- ☐ b. Singleton
- ☒ c. Chain of Responsibility ✓
- ☐ d. Builder

The correct answer is: Chain of Responsibility

Question **193**

Correct

Mark 1.00 out of 1.00

Which property is used to define a flex container?

- ☐ a. flex-direction: row
- ☐ b. display: flex-block
- ☒ c. display: flex ✓
- ☐ d. display: grid

The correct answer is: display: flex

Question **194**

Correct

Mark 1.00 out of 1.00

Which method is used to listen for an event?

- ☐ a. subscribe()
- ☐ b. watch()
- ☒ c. on() ✓
- ☐ d. listen()

The correct answer is: on()

Question **195**
Not answered
Marked out of 1.00

What does the `!important` rule do?

- ☐ a. It marks a style as a draft
- ☐ b. It sends a message to the browser console
- ☐ c. It overrides any other styling for that property, regardless of specificity
- ☐ d. It makes the text bold and red

The correct answer is: It overrides any other styling for that property, regardless of specificity

Question **196**
Correct
Mark 1.00 out of 1.00

Which tool can you use to inspect the React component hierarchy?

- ☐ a. VS Code Debugger
- ☐ b. Chrome DevTools (Elements tab)
- ☒ c. React Developer Tools (Profiler and Components tabs) ✔
- ☐ d. Postman

The correct answer is: React Developer Tools (Profiler and Components tabs)

Question **197**
Correct
Mark 1.00 out of 1.00

How can you prevent "NoSQL Injection" in a Node.js/MongoDB app?

- ☐ a. Use a schema-based library like Mongoose
- ☐ b. Sanitize user input
- ☒ c. All of the above ✔
- ☐ d. Avoid using `\$where` in queries

The correct answer is: All of the above

Question **198**
Correct
Mark 1.00 out of 1.00

Which method is used to send the final response back to the client in the `http` module?

- ☐ a. res.write()
- ☐ b. res.send()
- ☒ c. res.end() ✔
- ☐ d. res.finish()

The correct answer is: res.end()

Question **199**
Correct
Mark 1.00 out of 1.00

What is a "Trigger"?

- ☐ a. An error message
- ☒ b. A procedure that automatically executes in response to certain events on a table ✔
- ☐ c. A type of index
- ☐ d. A button in the database UI

The correct answer is: A procedure that automatically executes in response to certain events on a table

Question **200**
Correct
Mark 1.00 out of 1.00

In HTML5, which tag is used to define self-contained content, like a blog post or news article?

- ☒ a. <article> ✔
- ☐ b. <section>
- ☐ c. <content>
- ☐ d. <aside>

The correct answer is: <article>

Question **201**
Correct
Mark 1.00 out of 1.00

Why should you avoid using the array index as a "key" prop if the list can change?

- ☐ a. Keys must be strings, not numbers
- ☐ b. It makes the code harder to read
- ☒ c. It can lead to UI bugs and poor performance during re-ordering ✔
- ☐ d. It is deprecated in React 18

The correct answer is: It can lead to UI bugs and poor performance during re-ordering

Question **202**
Correct
Mark 1.00 out of 1.00

What are "Controlled Components" in React?

- ☒ a. Input elements whose value is controlled by React state ✔
- ☐ b. Components that cannot be changed by the user
- ☐ c. Components that handle their own internal state without props
- ☐ d. Components that use an external library like jQuery

The correct answer is: Input elements whose value is controlled by React state

Question **203**
Correct
Mark 1.00 out of 1.00

What does "Atomicity" mean in a transaction?

- ☐ a. Multiple users can access it
- ☐ b. The transaction is small
- ☐ c. The transaction is fast
- ☒ d. The transaction is performed entirely or not at all ✔

The correct answer is: The transaction is performed entirely or not at all

Question **204**
Correct
Mark 1.00 out of 1.00

Which timing function makes an animation start slow, speed up, and then end slow?

- ☒ a. ease-in-out ✔
- ☐ b. ease-out
- ☐ c. ease-in
- ☐ d. linear


The correct answer is: ease-in-out

Question **205**

Correct

Mark 1.00 out of 1.00

Which hook is used to handle transitions between different states of a UI?

- ☐ a. useMove
- ☐ b. useChange
- ☐ c. useUI
- ☒ d. useTransition 


The correct answer is: useTransition

Question **206**

Correct

Mark 1.00 out of 1.00

Which element is used to define a table row?

- ☒ a. <tr> 
- ☐ b. <th>
- ☐ c. <td>
- ☐ d. <tr_row>


The correct answer is: <tr>

Question **207**

Correct

Mark 1.00 out of 1.00

How can you change the CSS style of an element in JS?

- ☐ a. element.set("color", "red")
- ☐ b. element.class = "red"
- ☐ c. element.css("color", "red")
- ☒ d. element.style.color = "red" 


The correct answer is: element.style.color = "red"

Question **208**

Correct

Mark 1.00 out of 1.00

How do you get an array of an object's keys?

- ☐ a. Object.get(obj)
- ☐ b. keys(obj)
- ☒ c. Object.keys(obj) 
- ☐ d. obj.getKeys()

The correct answer is: Object.keys(obj)