



Mata Kuliah : Pemrograman Web Lanjut (PWL)
Program Studi : D4 – Teknik Informatika
Semester : 4

Kelas : TI-2A
NIM : 2341720124
Nama : Lelyta Meyda Ayu Budiyanti
Jobsheet Ke- : 6

Laporan Jobsheet

	Praktikum 1. Modal Ajax Tambah Data (Data User)
1	Saya membuat form tambah data baru dengan menerapkan modal dan proses ajax.
2	Pertama yang perlu saya siapkan adalah menambahkan library jQuery Validation dan Sweetalert ke aplikasi web. Caranya saya menambahkan link kedua library tersebut ke template.blade.php, library sudah disediakan oleh adminLTE. <pre><!-- SweetAlert2 --> <link rel="stylesheet" href="{{ asset('Adminlte/plugins/sweetalert2-theme-bootstrap-4/bootstrap-4.min.css') }}"> <!-- Theme style --> <!-- jquery-validation --> <script src="{{ asset('Adminlte/plugins/jquery-validation/jquery.validate.min.js') }}"></script> <script src="{{ asset('Adminlte/plugins/jquery-validation/additional-methods.min.js') }}"></script> <!-- SweetAlert2 --> <script src="{{ asset('Adminlte/plugins/sweetalert2/sweetalert2.min.js') }}"></script></pre>
3	Selanjutnya saya memodifikasi view user/index.blade.php, saya menambahkan tombol untuk membuat form popup ajax. <pre>Tambah <button onclick="modalAction('{{ url('user/create_ajax') }}')" class="btn btn-sm btn-success mt-1">Tambah Ajax</button></pre>
4	Selanjutnya saya menambahkan kode berikut pada akhir @section('content') pada view user/index.blade.php. <pre><div id="myModal" class="modal fade animate shake" tabindex="-1" role="dialog" data-backdrop="static" data-keyboard="false" data-width="75%" aria-hidden="true"></div> @endsection</pre>
5	Kemudian saya menambahkan kode berikut pada awal @push('js') pada view user/index.blade.php.



	<pre>@push('js') <script> function modalAction(url = ''){ \$('#myModal').load(url,function(){ \$('#myModal').modal('show'); }); } </pre>
6	<p>Selanjutkan saya memodifikasi route/web.php untuk mengakomodir operasi ajax.</p> <pre>Route::get('/create_ajax', [UserController::class, 'create_ajax']); // menampilkan halaman form tambah user ajax Route::post('/ajax', [UserController::class, 'store_ajax']); // menyimpan data user ajax</pre>
7	<p>Kemudian saya menambahkan fungsi create_ajax() pada file UserController.php.</p> <pre>public function create_ajax() { \$level = LevelModel::select('level_id', 'level_nama')->get(); return view('user.create_ajax') ->with('level', \$level); }</pre>
8	<p>Setelah itu, saya buat view baru user/create_ajax.blade.php untuk menampilkan form dengan ajax.</p>



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI
Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141
Telp. (0341) 404424 – 404425, Fax (0341) 404420
<https://jti.polinema.ac.id>

```
Minggu 6 > PWL_POS > resources > views > user >  create_ajax.blade.php
 1  <form action="{{ url('/user/ajax') }}" method="POST" id="form-tambah">
 2      @csrf
 3      <div id="modal-master" class="modal-dialog modal-lg" role="document">
 4          <div class="modal-content">
 5              <div class="modal-header">
 6                  <h5 class="modal-title" id="exampleModalLabel">Tambah Data User</h5>
 7                  <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span
 8                      | aria-hidden="true">&times;</span></button>
 9              </div>
10              <div class="modal-body">
11                  <div class="form-group">
12                      <label>Level Pengguna</label>
13                      <select name="level_id" id="level_id" class="form-control" required>
14                          <option value="">- Pilih Level -</option>
15                          @foreach($level as $l)
16                              <option value="{{ $l->level_id }}>{{ $l->level_nama }}</option>
17                          @endforeach
18                      </select>
19                      <small id="error-level_id" class="error-text form-text text-danger"></small>
20                  </div>
21                  <div class="form-group">
22                      <label>Username</label>
23                      <input value="" type="text" name="username" id="username" class="form-control" required>
24                      <small id="error-username" class="error-text form-text text-danger"></small>
25                  </div>
26                  <div class="form-group">
27                      <label>Nama</label>
28                      <input value="" type="text" name="nama" id="nama" class="form-control" required>
29                      <small id="error-nama" class="error-text form-text text-danger"></small>
30                  </div>
31                  <div class="form-group">
32                      <label>Password</label>
33                      <input value="" type="password" name="password" id="password" class="form-control" required>
34                      <small id="error-password" class="error-text form-text text-danger"></small>
35                  </div>
36          </div>
37          <div class="modal-footer">
38              <button type="button" data-dismiss="modal" class="btn btn-warning">Batal</button>
39              <button type="submit" class="btn btn-primary">Simpan</button>
40          </div>
41      </div>
42  </div>
43 </form>
44 <script>
```



```
44 <script>
45     $(document).ready(function() {
46         $("#form-tambah").validate({
47             rules: {
48                 level_id: { required: true, number: true},
49                 username: { required: true, minlength: 3, maxlength: 20},
50                 nama: { required: true, minlength: 3, maxlength: 100},
51                 password: { required: true, minlength: 6, maxlength: 20}
52             },
53             submitHandler: function(form) {
54                 $.ajax({
55                     url: form.action,
56                     type: form.method,
57                     data: $(form).serialize(),
58                     success: function(response) {
59                         if(response.status){
60                             $('#myModal').modal('hide');
61                             Swal.fire({
62                                 icon: 'success',
63                                 title: 'Berhasil',
64                                 text: response.message
65                             });
66                             dataUser.ajax.reload();
67                         }else{
68                             $('.error-text').text('');
69                             $.each(response.msgField, function(prefix, val) {
70                                 $('#error-'+prefix).text(val[0]);
71                             });
72                             Swal.fire({
73                                 icon: 'error',
74                                 title: 'Terjadi Kesalahan',
75                                 text: response.message
76                             });
77                         }
78                     });
79                 });
80                 return false;
81             },
82             errorElement: 'span',
83             errorPlacement: function (error, element) {
84                 error.addClass('invalid-feedback');
85                 element.closest('.form-group').append(error);
86             },
87             highlight: function (element, errorClass, validClass) {
88                 $(element).addClass('is-invalid');
89             },
90             unhighlight: function (element, errorClass, validClass) {
91                 $(element).removeClass('is-invalid');
92             }
93         });
94     });
95 </script>
```

- 9 Kemudian untuk mengakomodir proses simpan data melalui ajax, saya membuat fungsi store_ajax() pada UserController.php.



```
public function store_ajax(Request $request)
{
    if ($request->ajax() || $request->wantsJson()) {
        $rules = [
            'level_id' => 'required|integer',
            'username' => 'required|string|min:3|unique:m_user,username',
            'nama' => 'required|string|max:100',
            'password'=> 'required|min:6'
        ];

        $validator = Validator::make($request->all(), $rules);

        if ($validator->fails()) {
            return response()->json([
                'status' => false,
                'message' => 'Validasi Gagal',
                'msgField'=> $validator->errors(),
            ]);
        }

        UserModel::create($request->all());
        return response()->json([
            'status'=> true,
            'message'=> 'Data user berhasil disimpan'
        ]);
    }
    redirect('/');
}
```

10

Sekarang saya mencoba melakukan proses tambah data user menggunakan form ajax.

The screenshot shows a web application interface for managing users. On the left, there is a sidebar with various menu items: Dashboard, Data Pengguna, Level User, Data User (which is highlighted in blue), Data Barang, Kategori Barang, Data Barang, Data Transaksi, Stok Barang, Transaksi Penjualan, and Data Supplier. The main content area is titled "Daftar User" and displays a table of users. The table has the following data:

ID	Username	Nama	Level Pengguna	Aksi
1	admin	Administrator	Administrator	[Detail] [Edit] [Hapus]
2	manager	Manager	Manager	[Detail] [Edit] [Hapus]
3	staff	Staff/Kasir	Staff/Kasir	[Detail] [Edit] [Hapus]
4	customer 1	Pelanggan Pertama	Pelanggan	[Detail] [Edit] [Hapus]
5	manager_dua	Manager 2	Manager	[Detail] [Edit] [Hapus]
6	manager22	Manager Dua Dua	Manager	[Detail] [Edit] [Hapus]
7	manager33	Manager Tiga Tiga	Manager	[Detail] [Edit] [Hapus]



Tambah Data User

Level Pengguna
Pelanggan

Username
Customer 3

Nama
Sheyla

Password

Batal **Simpan**

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/user

Daftar User

Data user yang terdaftar dalam sistem

ID	Username
11	customer 2
12	staff 2

OK

Berhasil

Data user berhasil disimpan

Aksi

Detail Edit Hapus

Detail Edit Hapus

Previous 1 2 Next

Version 3.2.0



Daftar User

Daftar user yang terdaftar dalam sistem

Filter: - Semua -

Show 10 entries

Aksi

ID	Username	Nama	Level Pengguna	Aksi
11	customer 2	Pelanggan Kedua	Pelanggan	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
12	staff 2	Staff Kedua	Staff/Kasir	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
13	Customer 3	Sheyla	Pelanggan	<button>Detail</button> <button>Edit</button> <button>Hapus</button>

Showing 11 to 13 of 13 entries

Previous 1 2 Next

Version 3.2.0

Keterangan: Form tambah ajax (create_ajax) telah terstruktur dengan baik, berhasil menggunakan AJAX untuk pengiriman data.

Praktikum 2. Modal Ajax Edit Data (Data User)

1 Pada Praktikum 2 ini, saya akan melakukan coding untuk proses edit menggunakan ajax.

2 Pertama-tama, saya ubah dulu fungsi list() pada UserController.php untuk mengganti tombol edit untuk bisa menggunakan modal.

```
// Ambil data user dalam bentuk JSON untuk DataTables
public function list(Request $request)
{
    $users = UserModel::select('user_id', 'username', 'nama', 'level_id')
        ->with('level');

    // Filter data user berdasarkan level_id
    if ($request->level_id) {
        $users->where('level_id', $request->level_id);
    }

    return DataTables::of($users)
        ->addIndexColumn() // Menambahkan kolom index / nomor urut
        ->addColumn('aksi', function ($user) {
            $btn = '<button onclick="modalAction(\'' . url('/user/' . $user->user_id . '/show_ajax') . '\')"' . ' class="btn btn-info btn-sm">Detail</button> ';
            $btn .= '<button onclick="modalAction(\'' . url('/user/' . $user->user_id . '/edit_ajax') . '\')"' . ' class="btn btn-warning btn-sm">Edit</button> ';
            $btn .= '<button onclick="modalAction(\'' . url('/user/' . $user->user_id . '/delete_ajax') . '\')"' . ' class="btn btn-danger btn-sm">Hapus</button> ';
        })
        ->rawColumns(['aksi']) // Menandai bahwa kolom 'aksi' berisi HTML
        ->make(true);
}
```

3 Selanjutnya saya memodifikasi routes/web.php untuk mengakomodir request edit menggunakan ajax.

```
Route::get('/{id}/edit_ajax', [UserController::class, 'edit_ajax']); // menampilkan halaman form edit user ajax
Route::put('/{id}/update_ajax', [UserController::class, 'update_ajax']); // menyimpan perubahan data user ajax
```

4 Kemudian, saya buat fungsi edit_ajax() pada UserController.php.



```
public function edit_ajax(string $id) {
    $user = UserModel::find($id);
    $level = LevelModel::select('level_id', 'level_nama')->get();

    return view('user.edit_ajax', ['user' => $user, 'level'=> $level]);
}
```

- 5 Saya membuat view baru pada user/edit_ajax.blade.php untuk menampilkan form view ajax.

```
Minggu 6 > PWL_POS > resources > views > user > edit_ajax.blade.php
1  @empty($user)
2  <div id="modal-master" class="modal-dialog modal-lg" role="document">
3      <div class="modal-content">
4          <div class="modal-header">
5              <h5 class="modal-title" id="exampleModalLabel">Kesalahan</h5>
6              <button type="button" class="close" data-dismiss="modal" aria-label="Close">
7                  <span aria-hidden="true">&times;</span>
8              </button>
9          </div>
10         <div class="modal-body">
11             <div class="alert alert-danger">
12                 <h5><i class="icon fas fa-ban"></i> Kesalahan!!!</h5>
13                 Data yang Anda cari tidak ditemukan
14             </div>
15             <a href="{{ url('/user') }}" class="btn btn-warning">Kembali</a>
16         </div>
17     </div>
18 </div>
19 @else
20 <form action="{{ url('/user/' . $user->user_id . '/update_ajax') }}" method="POST" id="form-edit">
21     @csrf
22     @method('PUT')
23
24     <div id="modal-master" class="modal-dialog modal-lg" role="document">
25         <div class="modal-content">
26             <div class="modal-header">
27                 <h5 class="modal-title" id="exampleModalLabel">Edit Data User</h5>
28                 <button type="button" class="close" data-dismiss="modal" aria-label="Close">
29                     <span aria-hidden="true">&times;</span>
30                 </button>
31             </div>
32             <div class="modal-body">
33                 <div class="form-group">
34                     <label>Level Pengguna</label>
35                     <select name="level_id" id="level_id" class="form-control" required>
36                         <option value="">- Pilih Level -</option>
37                         @foreach($level as $l)
38                             <option value="{{ $l->level_id }}" {{ $l->level_id == $user->level_id ? 'selected' : '' }}>
39                             {{ $l->level_nama }}</option>
40                         @endforeach
41                     </select>
42                     <small id="error-level_id" class="error-text form-text text-danger"></small>
43                 </div>
44             </div>
```



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI
Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141
Telp. (0341) 404424 – 404425, Fax (0341) 404420
<https://jti.polinema.ac.id>

```
Minggu 6 > PWL_POS > resources > views > user > edit_ajax.blade.php

45      <div class="form-group">
46          <label>Username</label>
47          <input value="{{ $user->username }}" type="text" name="username" id="username" class="form-control" required>
48          <small id="error-username" class="error-text form-text text-danger"></small>
49      </div>
50
51
52      <div class="form-group">
53          <label>Nama</label>
54          <input value="{{ $user->nama }}" type="text" name="nama" id="nama" class="form-control" required>
55          <small id="error-nama" class="error-text form-text text-danger"></small>
56      </div>
57
58      <div class="form-group">
59          <label>Password</label>
60          <input type="password" name="password" id="password" class="form-control">
61          <small class="form-text text-muted">Abaikan jika tidak ingin mengubah password</small>
62          <small id="error-password" class="error-text form-text text-danger"></small>
63      </div>
64
65
66      <div class="modal-footer">
67          <button type="button" data-dismiss="modal" class="btn btn-warning">Batal</button>
68          <button type="submit" class="btn btn-primary">Simpan</button>
69      </div>
70
71  </div>
72 </form>
73
74 <script>
75 $(document).ready(function() {
76     $("#form-edit").validate({
77         rules: {
78             level_id: { required: true, number: true },
79             username: { required: true, minlength: 3, maxlength: 20 },
80             nama: { required: true, minlength: 3, maxlength: 100 },
81             password: { minlength: 6, maxlength: 20 }
82         },
83         submitHandler: function(form) {
84             $.ajax({
85                 url: form.action,
86                 type: form.method,
87                 data: $(form).serialize(),
88                 success: function(response) {

```



```
88 |         success: function(response) {
89 |             if (response.status) {
90 |                 $('#myModal').modal('hide');
91 |                 Swal.fire({
92 |                     icon: 'success',
93 |                     title: 'Berhasil',
94 |                     text: response.message
95 |                 });
96 |                 dataUser.ajax.reload();
97 |             } else {
98 |                 $('.error-text').text('');
99 |                 $.each(response.msgField, function(prefix, val) {
100 |                     $('#error-' + prefix).text(val[0]);
101 |                 });
102 |                 Swal.fire({
103 |                     icon: 'error',
104 |                     title: 'Terjadi Kesalahan',
105 |                     text: response.message
106 |                 });
107 |             }
108 |         });
109 |         return false;
110 |     },
111 |     errorElement: 'span',
112 |     errorPlacement: function(error, element) {
113 |         error.addClass('invalid-feedback');
114 |         element.closest('.form-group').append(error);
115 |     },
116 |     highlight: function(element) {
117 |         $(element).addClass('is-invalid');
118 |     },
119 |     unhighlight: function(element) {
120 |         $(element).removeClass('is-invalid');
121 |     }
122 | );
123 | });
124 | });
125 | </script>
126 | @endempty
```

- | | | |
|--|----------|---|
| | 6 | Selanjutnya, saya buat fungsi update_ajax() pada UserController.php untuk mengakomodir request update data user melalui ajax. |
|--|----------|---|



```
400
481     public function update_ajax(Request $request, $id)
482     {
483         // Cek apakah request berasal dari AJAX atau menginginkan JSON response
484         if ($request->ajax() || $request->wantsJson()) {
485             $rules = [
486                 'level_id' => 'required|integer',
487                 'username' => 'required|max:20|unique:m_user,username,' . $id . ',user_id',
488                 'nama'      => 'required|max:100',
489                 'password'  => 'nullable|min:6|max:20'
490             ];
491
492         // Validasi input
493         $validator = Validator::make($request->all(), $rules);
494
495         if ($validator->fails()) {
496             return response()->json([
497                 'status'  => false, // Respon JSON, true: berhasil, false: gagal
498                 'message' => 'Validasi gagal.',
499                 'msgField' => $validator->errors() // Menampilkan field yang error
500             ]);
501
502         // Cek apakah user dengan ID yang diberikan ada dalam database
503         $user = UserModel::find($id);
504
505         if ($user) {
506             // Jika password tidak diisi, hapus dari request agar tidak diupdate
507             if (!$request->filled('password')) {
508                 $request->request->remove('password');
509             }
510
511             // Update data user
512             $user->update($request->all());
513
514             return response()->json([
515                 'status'  => true,
516                 'message' => 'Data berhasil diperbarui'
517             ]);
518         } else {
519             return response()->json([
520                 'status'  => false,
521                 'message' => 'Data tidak ditemukan'
522             ]);
523         }
524     }
525
526     return redirect('/');
527 }
528 }
529 }
530 }
531 }
```

7 Sekarang saya coba pada bagian edit usernya.



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/user

PWL - Starter Code

Home Contact

Daftar User

Daftar user yang terdaftar dalam sistem

Tambah Tambah Ajax

Filter: - Semua - Level Pengguna

Show 10 entries Search:

ID	Username	Nama	Level Pengguna	Aksi
11	customer 2	Pelanggan Kedua	Pelanggan	[Detail] [Edit] [Hapus]
12	staff 2	Staff Kedua	Staff/Kasir	[Detail] [Edit] [Hapus]
13	Customer 3	Sheyla	Pelanggan	[Detail] [Edit] [Hapus]

Showing 11 to 13 of 13 entries Previous 1 2 Next

Version 3.2.0

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/user

PWL - Starter Code

Home Contact

Edit Data User

Level Pengguna: Staff Kantor

Username: staff kontrak

Nama: Sheila

Password: Abaikan jika tidak ingin mengubah password


Batal Simpan

Search:


Tambah Tambah Ajax

Showing 11 to 13 of 13 entries Previous 1 2 Next

Version 3.2.0



The screenshot shows a user interface for managing users. On the left is a sidebar with navigation links: Dashboard, Data Pengguna, Level User, and Data User (which is highlighted in blue). The main content area is titled "Daftar User" and displays a table of users with columns for ID, Username, Name, and Level Pengguna. A modal dialog is overlaid on the page, containing a green checkmark icon, the word "Berhasil", the message "Data berhasil diperbarui", and an "OK" button. At the bottom right of the main content area, there are navigation buttons for "Previous", "1", "2", and "Next".



This screenshot shows the same user interface after the update. The modal dialog is no longer present. The user data table now includes an additional row for "staff kontrak" with the name "Shela" and level "Staff Kantor". The footer of the page indicates "Version 3.2.0".

Keterangan:

- Sistem berjalan dengan baik, terutama dalam proses update data user menggunakan AJAX.
- Tidak ada error yang terlihat dalam tampilan.
- Data yang telah diubah langsung diperbarui di tabel, menunjukkan bahwa DataTables dan AJAX berfungsi dengan baik.

Praktikum 3. Modal Ajax Hapus Data (Data User)

1 Pada Praktikum 3 ini, saya akan melakukan coding untuk proses hapus menggunakan ajax.



2	Pertama-tama, saya mengubah dulu routes/web.php untuk mengakomodir request halaman konfirmasi untuk menghapus data. <pre>Route::get('/{id}/delete_ajax', [UserController::class, 'confirm_ajax']); // menampilkan form konfirmasi delete user ajax Route::delete('/{id}/delete_ajax', [UserController::class, 'delete_ajax']); // menghapus data user ajax</pre>
3	Kemudian saya membuat fungsi confirm_ajax() pada UserController.php <pre>public function confirm_ajax(string \$id){ \$user = UserModel::find(\$id); return view('user.confirm_ajax', ['user' =>\$user]); }</pre>
4	Selanjutnya saya menambahkan di view untuk konfirmasi hapus data dengan nama user/confirm_ajax.blade.php. <pre>Minggu 6 > PWL_POS > resources > views > user > confirm_ajax.blade.php 1 @empty(\$user) 2 <div id="modal-master" class="modal-dialog modal-lg" role="document"> 3 <div class="modal-content"> 4 <div class="modal-header"> 5 <h5 class="modal-title" id="exampleModalLabel">Kesalahan</h5> 6 <button type="button" class="close" data-dismiss="modal" aria-label="Close">&times; 7 </button> 8 </div> 9 <div class="modal-body"> 10 <div class="alert alert-danger"> 11 <i class="fas fa-ban"></i> Kesalahan!!! 12 Data yang anda cari tidak ditemukan</div> 13 Kembali 14 </div> 15 </div> 16 </div> 17 @else 18 <form action="{{ url('/user/' . \$user->user_id.'/delete_ajax') }}" method="POST" id="form-delete"> 19 @csrf 20 @method('DELETE') 21 <div id="modal-master" class="modal-dialog modal-lg" role="document"> 22 <div class="modal-content"> 23 <div class="modal-header"> 24 <h5 class="modal-title" id="exampleModalLabel">Hapus Data User</h5> 25 <button type="button" class="close" data-dismiss="modal" aria-label="Close">&times; 26 </button> 27 </div> 28 <div class="modal-body"> 29 <div class="alert alert-warning"> 30 <i class="fas fa-ban"></i> Konfirmasi !!! 31 Apakah Anda ingin menghapus data seperti di bawah ini? 32 </div> 33 <table class="table-sm table-bordered table-striped"> 34 <tr><th class="text-right col-3">Level Pengguna :</th><td class="col-9">{{ \$user->level->level_nama }}</td></tr> 35 <tr><th class="text-right col-3">Username :</th><td class="col-9">{{ \$user->username }}</td></tr> 36 <tr><th class="text-right col-3">>Nama :</th><td class="col-9">{{ \$user->nama }}</td></tr> 37 </table> 38 <div class="modal-footer"> 39 <button type="button" class="btn btn-warning" data-dismiss="modal">Cancel</button> 40 <button type="submit" class="btn btn-primary">Ya, Hapus</button> 41 </div> 42 </div> 43 </div> 44 </div></pre>



```
45 </form>
46 <script>
47     $(document).ready(function() {
48         $("#form-delete").validate({
49             rules: {},
50             submitHandler: function(form) {
51                 $.ajax({
52                     url: form.action,
53                     type: form.method,
54                     data: $(form).serialize(),
55                     success: function(response) {
56                         if(response.status){
57                             $('#myModal').modal('hide');
58                             Swal.fire({
59                             icon: 'success',
60                             title: 'Berhasil',
61                             text: response.message
62                         });
63                         dataUser.ajax.reload();
64                     }else{
65                         $('.error-text').text('');
66                         $.each(response.msgField, function(prefix, val) {
67                             $('#error-'+prefix).text(val[0]);
68                         });
69                         Swal.fire({
70                             icon: 'error',
71                             title: 'Terjadi Kesalahan',
72                             text: response.message
73                         });
74                     }
75                 });
76             return false;
77         },
78         errorElement: 'span',
79         errorPlacement: function (error, element) {
80             error.addClass('invalid-feedback');
81             element.closest('.form-group').append(error);
82         },
83         highlight: function (element, errorClass, validClass) {
84             $(element).addClass('is-invalid');
85         },
86         unhighlight: function (element, errorClass, validClass) {
87             $(element).removeClass('is-invalid');
88         }
89     });
90 });
91 </script>
92 @endempty
```

- | | |
|---|--|
| 5 | Kemudian saya membuat fungsi delete_ajax() pada UserController.php untuk mengakomodir request hapus data user. |
|---|--|




```
public function delete_ajax(Request $request, $id)
{
    //cek apakah req dari ajax
    if($request->ajax() || $request->wantsJson()){
        $user = UserModel::find($id);
        if($user){
            $user->delete();
            return response()->json([
                'status'=> true,
                'message'=> 'Data berhasil dihapus'
            ]);
        }else{
            return response()->json([
                'status'=> false,
                'message'=> 'Data tidak ditemukan'
            ]);
        }
    }
    return redirect('/');
}
```

- 6 Semua telah selesai, saya akan mencoba untuk melakukan percobaan dari coding yang telah saya lakukan.

The screenshot shows a web browser window with the URL localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/user. On the left, there is a sidebar menu with items like Dashboard, Data Pengguna, Level User, Data User (which is selected and highlighted in blue), Data Barang, Kategori Barang, and Data Barang. The main content area displays a table of user data. A modal dialog box is overlaid on the page, titled "Hapus Data User". Inside the dialog, there is a yellow header bar with the text "Konfirmasi !!!" and the question "Apakah Anda ingin menghapus data seperti di bawah ini?". Below this, there is a table showing the user's details: "Level Pengguna : Staff Kantor", "Username : staff kontrak", and "Nama : Shela". At the bottom right of the dialog are two buttons: "Cancel" and "Ya, Hapus".



	 <p>The screenshot shows the same user management page after the deletion. The table now only lists two users: "customer 2" (Pelanggan Kedua) and "staff 2" (Staff Kedua). The "OK" button from the previous dialog is no longer visible.</p>
	<p>Keterangan: Fitur penghapusan data berjalan dengan baik, karena jumlah entri berkurang tanpa error tampilan.</p>
	<p>Tugas Jobsheet</p>
1	<p>Tabel m_level</p>



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Daftar Level

Daftar Level yang terdaftar di sistem

Show 10 entries Search:

ID	Kode Level	Nama Level	Aksi
1	ADM	Administrator	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	AMT	Administrator 2	[Detail] [Edit] [Hapus]
6	STK	Staff Kantor	[Detail] [Edit] [Hapus]

Showing 1 to 6 of 6 entries Previous 1 Next

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Tambah Data Level

Level Kode: PGN

Level Nama: Pelanggan 3

Batal Simpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Daftar Level

Daftar Level yang terdaftar di sistem

Show 10 entries Search:

ID	Kode Level	Nama Level	Aksi
1	ADM	Administrator	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	AMT	Administrator 2	[Detail] [Edit] [Hapus]
6	STK	Staff Kantor	[Detail] [Edit] [Hapus]

Berhasil

Data level berhasil disimpan

OK



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Daftar Level

Daftar Level yang terdaftar di sistem

Show 10 entries Search:

ID	Kode Level	Nama Level	Aksi
1	ADM	Administrator	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	AMT	Administrator 2	[Detail] [Edit] [Hapus]
6	STK	Staff Kantor	[Detail] [Edit] [Hapus]
7	PGN	Pelanggan 3	[Detail] [Edit] [Hapus]

Showing 1 to 7 of 7 entries Previous 1 Next

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

Daftar Level

Edit Data Level

Level Kode: PGN

Level Nama: Pelanggan

Batal Simpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Daftar Level

Daftar Level yang terdaftar di sistem

Show 10 entries Search:

Berhasil
Data berhasil diupdate

OK

ID	Kode Level	Nama Level	Aksi
1	ADM	Administrator	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	AMT	Administrator 2	[Detail] [Edit] [Hapus]
6	STK	Staff Kantor	[Detail] [Edit] [Hapus]
7	PGN	Pelanggan 3	[Detail] [Edit] [Hapus]

Showing 1 to 7 of 7 entries Previous 1 Next



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

Detail Level

ID Level	12
Kode Level	PGN
Nama Level	Pelanggan 4

Tutup

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

Hapus Data Level

Konfirmasi !!!
Apakah Anda ingin menghapus data seperti di bawah ini?

Nama Level: Pelanggan 4

Cancel Ya, Hapus

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

Daftar Level

Daftar Level yang terdaftar di sistem

ID	Kode Level
1	ADM
2	MNG
3	STF
4	CUS
5	AMT
6	STK
7	PGN

Berhasil
Data berhasil dihapus

OK



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/level

PWL - Starter Code

Home Contact

Daftar Level

Daftar Level yang terdaftar di sistem

Tambah Tambah Ajax

ID	Kode Level	Nama Level	Aksi
1	ADM	Administrator	[Detail] [Edit] [Hapus]
2	MNG	Manager	[Detail] [Edit] [Hapus]
3	STF	Staff/Kasir	[Detail] [Edit] [Hapus]
4	CUS	Pelanggan	[Detail] [Edit] [Hapus]
5	AMT	Administrator 2	[Detail] [Edit] [Hapus]
6	STK	Staff Kantor	[Detail] [Edit] [Hapus]

Show 10 entries Search: Previous 1 Next

Showing 1 to 6 of 6 entries

2

Tabel m_kategori

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

PWL - Starter Code

Home Contact

Daftar Kategori

Daftar Kategori yang terdaftar di sistem

Tambah Tambah Ajax

ID	Kode Kategori	Nama Kategori	Aksi
1	FNB	Food & Beverage	[Detail] [Edit] [Hapus]
2	BEAUTY	Beauty & Health	[Detail] [Edit] [Hapus]
3	HOME	Home Care	[Detail] [Edit] [Hapus]
4	BABY	Baby & Kid	[Detail] [Edit] [Hapus]
5	ELEC	Electronics	[Detail] [Edit] [Hapus]
6	BRG	Sepatu Sandal	[Detail] [Edit] [Hapus]
7	MKN	Makanan Ringan	[Detail] [Edit] [Hapus]

Show 10 entries Search: Previous 1 Next

Showing 1 to 7 of 7 entries

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

PWL - Starter Code

Daftar Kategori

Tambah Data Kategori

Kategori Kode
BHN

Kategori Nama
Bahan Pokok

Batal Simpan



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

Daftar Kategori

Daftar Kategori yang terdaftar di sistem

ID	Kode Kategori	Nama Kategori	Aksi
1	FNB	Food & Beverage	[Detail] [Edit] [Hapus]
2	BEAUTY	Beauty & Health	[Detail] [Edit] [Hapus]
3	HOME	Home Care	[Detail] [Edit] [Hapus]
4	BABY	Baby & Kid	[Detail] [Edit] [Hapus]
5	ELEC	Electronics	[Detail] [Edit] [Hapus]
6	BRG	Sepatu Sandal	[Detail] [Edit] [Hapus]
7	MKN	Makanan Ringan	[Detail] [Edit] [Hapus]
8	BHN	Bahan Pokok	[Detail] [Edit] [Hapus]

OK

Berhasil
Data user berhasil disimpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

Daftar Kategori

Daftar Kategori yang terdaftar di sistem

ID	Kode Kategori	Nama Kategori	Aksi
1	FNB	Food & Beverage	[Detail] [Edit] [Hapus]
2	BEAUTY	Beauty & Health	[Detail] [Edit] [Hapus]
3	HOME	Home Care	[Detail] [Edit] [Hapus]
4	BABY	Baby & Kid	[Detail] [Edit] [Hapus]
5	ELEC	Electronics	[Detail] [Edit] [Hapus]
6	BRG	Sepatu Sandal	[Detail] [Edit] [Hapus]
7	MKN	Makanan Ringan	[Detail] [Edit] [Hapus]
8	BHN	Bahan Pokok	[Detail] [Edit] [Hapus]

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

Edit Data Kategori

Kategori Kode
BPKH

Kategori Nama
Bahan Pokok Harian

Batal Simpan



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI
Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141
Telp. (0341) 404424 – 404425, Fax (0341) 404420
<https://iti.polinema.ac.id>

Screenshot of a web application interface for managing categories (Kategori) in a system.

The sidebar navigation includes:

- Dashboard
- Data Pengguna
- Level User
- Data User
- Data Barang
 - Kategori Barang** (selected)
 - Data Barang
- Data Transaksi
- Stok Barang
- Transaksi Penjualan
- Data Supplier

The main content area shows a table of registered categories:

ID	Kode Kategori
1	FNB
2	BEAUTY
3	HOME
4	BABY
5	ELEC
6	BRG
7	MKN
8	BPKH

A modal dialog box displays a success message: "Berhasil" (Successful) with a green checkmark icon, indicating a successful update or insertion. The message says "Data user berhasil diubah" (User data successfully changed). A blue "OK" button is present at the bottom of the modal.

In another screenshot, a "Detail Kategori" modal shows the details for category ID 12, Kode Kategori BPKH, and Nama Kategori Bahan Pokok Harian. A blue "Tutup" (Close) button is visible at the bottom right of the modal.

A third screenshot shows a confirmation dialog titled "Hapus Data Kategori" (Delete Category Data) asking if the user wants to delete the selected category. It lists the category details: Kategori Kode: BPKH and Kategori Nama: Bahan Pokok Harian. It includes "Batal" (Cancel) and "Ya, Hapus" (Yes, Delete) buttons.

The final screenshot shows the "Daftar Kategori" table again, with a modal dialog box displaying a success message: "Berhasil" (Successful) with a green checkmark icon, indicating a successful deletion. The message says "Data berhasil dihapus" (Data successfully deleted). A blue "OK" button is present at the bottom of the modal.



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/kategori

Daftar Kategori

Daftar Kategori yang terdaftar di sistem

Tambah Tambah Ajax

Show 10 entries Search:

ID	Kode Kategori	Nama Kategori	Aksi
1	FNB	Food & Beverage	[Detail] [Edit] [Hapus]
2	BEAUTY	Beauty & Health	[Detail] [Edit] [Hapus]
3	HOME	Home Care	[Detail] [Edit] [Hapus]
4	BABY	Baby & Kid	[Detail] [Edit] [Hapus]
5	ELEC	Electronics	[Detail] [Edit] [Hapus]
6	BRG	Sepatu Sandal	[Detail] [Edit] [Hapus]
7	MKN	Makanan Ringan	[Detail] [Edit] [Hapus]

Showing 1 to 7 of 7 entries Previous 1 Next

3

Tabel m_supplier

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public supplier

Daftar Supplier

Daftar Supplier yang terdaftar di sistem

Tambah Tambah Ajax

Show 10 entries Search:

ID	Kode Supplier	Nama Supplier	Aksi
----	---------------	---------------	------



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public supplier

Tambah Data Supplier

Supplier Kode: SUP001

Supplier Nama: Supplier A

Alamat: Jl. Raya No. 5, Jakarta

Batal Simpan

Daftar Supplier

Berhasil

Data Supplier berhasil disimpan

OK

Daftar Supplier

ID	Kode Supplier	Nama Supplier	Alamat Supplier	Aksi
1	SUP001	Supplier A	Jl. Raya No. 5, Jakarta	Detail Edit Hapus

Showing 1 to 1 of 1 entries

Previous 1 Next

Data Supplier

Version 2.2.0



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public supplier

Edit Data Supplier

Supplier Kode	SUP001
Supplier Nama	Supplier A
Alamat	Jl. Raya No. 5, Bandung

Batal Simpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public supplier

Daftar Supplier

Daftar Supplier yang terdaftar di sistem

ID	Kode Supplier
1	SUP001

Show 10 entries

Berhasil

Data Supplier berhasil diubah

OK

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public supplier

Detail Supplier

ID Supplier	3
Kode Supplier	SUP001
Nama Supplier	Supplier A
Alamat	Jl. Raya No. 5, Bandung

Tutup



4	Tabel m_barang



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Search

Filter: - Semua - Kategori Barang

Show 10 entries Search:

ID	Kode Barang	Nama Barang	Kategori	Harga Beli	Harga Jual	Aksi
1	B001	Kopi	Food & Beverage	5000	7000	[Detail] [Edit] [Hapus]
2	B002	Teh	Food & Beverage	4000	6000	[Detail] [Edit] [Hapus]
3	B003	Sabun Mandi	Beauty & Health	8000	12000	[Detail] [Edit] [Hapus]
4	B004	Shampoo	Beauty & Health	10000	15000	[Detail] [Edit] [Hapus]
5	B005	Detergen	Home Care	12000	18000	[Detail] [Edit] [Hapus]
6	B006	Pembersih Lantai	Home Care	9000	13000	[Detail] [Edit] [Hapus]
7	B007	Susu Formula	Baby & Kid	25000	35000	[Detail] [Edit] [Hapus]

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Tambah Data Barang

Kode Barang: B017

Nama Barang: Mesin Cuci

Kategori Barang: Electronics

Harga Beli: 278000

Harga Jual: 275000

Batal Simpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Search

Filter: - Semua - Kategori Barang

Show 10 entries Search:

Berhasil

Data barang berhasil disimpan

OK

ID	Kode Barang	Nama Barang	Kategori	Harga Jual	Aksi
1	B001	Kopi	Food & Beverage	7000	[Detail] [Edit] [Hapus]
2	B002	Teh	Food & Beverage	6000	[Detail] [Edit] [Hapus]
3	B003	Sabun Mandi	Beauty & Health	12000	[Detail] [Edit] [Hapus]
4	B004	Shampoo	Beauty & Health	15000	[Detail] [Edit] [Hapus]



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI
POLITEKNIK NEGERI MALANG
JURUSAN TEKNOLOGI INFORMASI
Jl. Soekarno Hatta No. 9, Jatimulyo, Lowokwaru, Malang 65141
Telp. (0341) 404424 – 404425, Fax (0341) 404420
<https://iti.polinema.ac.id>

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

Daftar Barang

Daftar Barang yang terdaftar di sistem

Filter: - Semua -

Show 10 entries

ID	Kode Barang	Nama Barang	Kategori	Harga Beli	Harga Jual	Aksi
11	B012	Sepatu Putih	Electronics	300000	250000	[Detail] [Edit] [Hapus]
12	B015	Kemeja Kotak	Electronics	200000	130000	[Detail] [Edit] [Hapus]
13	B016	Topi	Baby & Kid	180000	150000	[Detail] [Edit] [Hapus]
14	B017	Mesin Cuci	Electronics	278000	275000	[Detail] [Edit] [Hapus]

Showing 11 to 14 of 14 entries

Version 3.2.0

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

Edit Data Barang

Kode Barang: B017

Nama Barang: Setrika

Kategori Barang: Electronics

Harga Beli: 157000

Harga Jual: 155000

Batal Simpan

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

Daftar Barang

Daftar Barang yang terdaftar di sistem

Filter: - Semua -

Show 10 entries

ID	Kode Barang	Nama Barang	Kategori	Harga Jual	Aksi
1	B001	Shampoo	Beauty & Health	7000	[Detail] [Edit] [Hapus]
2	B002			6000	[Detail] [Edit] [Hapus]
3	B003			12000	[Detail] [Edit] [Hapus]
4	B004			10000	[Detail] [Edit] [Hapus]

Berhasil

Data berhasil diupdate

OK



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Search

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Filter: - Semua - Kategori Barang

Show 10 entries Search:

ID	Kode Barang	Nama Barang	Kategori	Harga Beli	Harga Jual	Aksi
11	B012	Sepatu Putih	Electronics	300000	250000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
12	B015	Kemeja Kotak	Electronics	200000	130000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
13	B016	Topi	Baby & Kid	180000	150000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
14	B017	Setrika	Electronics	157000	155000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>

Showing 11 to 14 of 14 entries Previous 1 2 Next

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Filter: - Semua - Kategori Barang

Show 10 entries Search:

Hapus Data Barang

Konfirmasi !!!
Apakah Anda ingin menghapus data berikut?

Kode Barang : B017
Nama Barang : Setrika
Kategori : Electronics
Harga Beli : Rp 157.000
Harga Jual : Rp 155.000

Cancel Ya, Hapus

localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Filter: - Semua - Kategori Barang

Show 10 entries Search:

ID	Kode Barang	Nama Barang	Kategori	Harga Jual	Aksi
1	B001			7000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
2	B002			6000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
3	B003			12000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>
4	B004	Shampoo	Beauty & Health	10000	<button>Detail</button> <button>Edit</button> <button>Hapus</button>

Berhasil
Data berhasil dihapus

OK



localhost/Lelyta2AWebLanjut/Minggu%206/PWL_POS/public/barang

PWL - Starter Code

Home Contact

Daftar Barang

Daftar Barang yang terdaftar di sistem

Tambah Tambah Ajax

Search

Filter: - Semua - Kategori Barang

Show 10 entries Search:

ID	Kode Barang	Nama Barang	Kategori	Harga Beli	Harga Jual	Aksi
11	B012	Sepatu Putih	Electronics	300000	250000	Detail Edit Hapus
12	B015	Kemeja Kotak	Electronics	200000	130000	Detail Edit Hapus
13	B016	Topi	Baby & Kid	180000	150000	Detail Edit Hapus

Showing 11 to 13 of 13 entries Previous 1 2 Next

Version 3.2.0

Dashboard

Data Pengguna

Level User

Data User

Data Barang

Kategori Barang

Data Barang

Data Transaksi

Stok Barang

Transaksi Penjualan

Data Supplier