RugRadar

AI-powered rug pull detection and pump potential scoring for Solana tokens



The Problem & Our Solution

Most new Solana tokens end in rug pulls, and traders lack time to check on-chain data before it's too late.

- Manual on-chain analysis is slow, technical, and error-prone for traders.
- Rug pulls on Solana memecoins cause frequent, rapid trader losses.
- RugRadar automates data collection and scores risk with machine learning.
- One dashboard shows risk score and pump potential in a single click.
- Alerts via Discord/Telegram warn traders before they buy risky tokens.

How It Works

RugRadar scans new Solana tokens in real time, analyzes on-chain signals, and scores risk and reward instantly.

- User opens dashboard and sees newly launched tokens scored automatically.
- Helius API and Solana RPC/Geyser stream real-time on-chain token data.
- Backend checks liquidity locks, holder concentration, and contract authority.
- XGBoost model predicts pump potential from historical price patterns.
- Risky tokens trigger instant alerts via Discord and Telegram webhooks.

Built with

Solana, Solana RPC/Geyser, Python, scikit-learn/XGBoost, PostgreSQL, React, Helius API

Why Now & What's Next

Solana memecoin launches are exploding, and so are rug pulls, demand for automated detection has never been higher.

- Solana token launches have surged, increasing rug pull frequency and trader losses.
- Manual due diligence cannot keep pace with the volume of new token launches.
- Next: expand training datasets to improve model accuracy further.
- Next: add wallet analysis to detect repeat-offender scammer wallets.
- Next: launch paid API access and a Telegram bot for wider reach.

Category

AI