

































ICSP1

-
CLK
DATA
GND
+3V3
MCLR

GPIO 5

10
9
8
7
6
5
4
3
2
1
0

GPIO 1

10
9
8
7
6
5
4
3
2
1
0

GPIO 1

b7
b6
b5
b4
b3
b2
b1
b0
a9
a8
a7
a6
a5
a4
a3
a2
a1
a0

PICT3ETH  
1.0.0 A2  
12.03.2022

Number	Signal	Sojner for
1P3	ANSER	Eusape auto Negotiation
1P2	SPEED	Desapje 100M mode
1P1	AMDI	Desapje auto crossover
D5	UART2_RX_PIC	
D4	UART2_TX_PIC	
A7	I2C1_SCL	
A6	I2C1_SDA	
D7	SPI1_SCK	
B9	SPI1_MOSI	
B8	SPI1_MISO	
R7	UART1_RX_PIC	
R6	UART1_TX_PIC	
E4	LED0	
E5	LED1	
E8	B1NO	
E9	B1NT	

Number

1P3	ANSER	Eusape auto Negotiation
1P2	SPEED	Desapje 100M mode
1P1	AMDI	Desapje auto crossover
D5	UART2_RX_PIC	
D4	UART2_TX_PIC	
A7	I2C1_SCL	
A6	I2C1_SDA	
D7	SPI1_SCK	
B9	SPI1_MOSI	
B8	SPI1_MISO	
R7	UART1_RX_PIC	
R6	UART1_TX_PIC	
E4	LED0	
E5	LED1	
E8	B1NO	
E9	B1NT	

USB +5V

BUCK +5V

5V

GND

GND

GND

5V

USB +5V

BUCK +5V

Power

GND

HEADER\_V\_IN