TABLE OF CONTENTS

1.0 INTRODUCTION AND GENERAL DESCRIPTION OF PLANT

1.1 Introduction

1.1.1 Plant Units

1.1.2 Plant Location

1.1.3 Containment Type

1.1.4 Nuclear Steam Supply System

1.1.4.1 Reactor Type and Supplier
1.1.4.2 Power Output

1.1.5 Schedule for Completion and Commercial Operation

1.1.6 Format and Content

1.1.6.1 Regulatory Guide 1.70
1.1.6.2 Standard Review Plan
1.1.6.3 Tables and Figures
1.1.6.4 Numbering of Pages
1.1.6.5 Amending the FSAR

1.2 General Plant Description

1.2.1 Site Characteristics

1.2.1.1 Location
1.2.1.2 Site Ownership
1.2.1.3 Access to the Site
1.2.1.4 Site Environs
1.2.1.5 Geology
1.2.1.6 Seismology
1.2.1.7 Hydrology
1.2.1.8 Meteorology
1.2.1.9 Environmental Radiation Monitoring

1.2.2 Facility Arrangement

1.2.2.1 Units 1 and 2 Shared Facilities
1.2.2.2 Units 1 and 2 Shared Systems

TABLE OF CONTENTS (CONTINUED)

1.2.3 Nuclear Steam Supply System

1.2.3.1 Reactor Core
1.2.3.2 Reactor Coolant System

1.2.4 Steam and Power Conversion System

1.2.5 Containment

1.2.6 Safety Features

1.2.6.1 Emergency Core Cooling System
1.2.6.2 Containment Spray System
1.2.6.3 Containment Cooling System
1.2.6.4 Penetration Room Filtration Systems
1.2.6.5 Hydrogen Recombiners

1.2.7 Unit Control

1.2.8 Plant Electrical Power

1.2.9 Plant Instrumentation and Control System

1.2.10 Auxiliary Systems

1.2.10.1 Chemical and Volume Control System
1.2.10.2 Residual Heat Removal System
1.2.10.3 Auxiliary Feedwater System
1.2.10.4 Component Cooling Water System
1.2.10.5 Auxiliary Component Cooling Water System
1.2.10.6 Fuel Handling and Storage System
1.2.10.7 Sampling Systems
1.2.10.8 Cooling Water Systems
1.2.10.9 Plant Ventilation Systems
1.2.10.10 Plant Fire Protection System
1.2.10.11 Compressed Air Systems
1.2.10.12 Radioactive Waste Disposal System

1.2.11 Shared Facilities and Equipment

1.2.12 Principal Design Criteria

1.2.12.1 General Design Criteria
1.2.12.2 System Criteria

1.2.13 Particularly Difficult Engineering Problems

1.2.14 Extrapolation of Technology

TABLE OF CONTENTS (CONTINUED)

1.3 .Comparison Tables

1.3.1 Comparison with Similar Facility Designs

1.3.2 Comparison of Final and Preliminary Information

1.4 Identification of Agents and Contractors

1.4.1 Applicant - Construction Manager and Operator

1.4.1.1 Description of Business
1.4.1.2 Description of Corporate Organization
1.4.1.3 Technical Qualifications

1.4.2 Southern Nuclear Operating Company, Inc.

1.4.3 Bechtel Power Corporation

1.4.3.1 Nuclear Experience

1.4.4 Nuclear Steam Supply System Manufacturer

1.4.5 Division of Responsibility

1.4.5.1 Design Stage
1.4.5.2 Utility Company
1.4.5.3 Architect/Engineer
1.4.5.4 Procurement of Safety-Related Equipment
1.4.5.5 Construction
1.4.5.6 Operation

1.5 Requirements for Further Technical Information

1.5.1 Core Stability Evaluation Program

1.5.2 Fuel Development Program for Operation at High-Power Densities

1.5.3 Incore Detector Program

1.5.4 Full-Length Emergency Core Cooling Heat Transfer Test

1.5.5 Blowdown Forces Program

1.5.6 Reactor Vessel Thermal Shock Program

1.5.7 Environmental Testing of Engineered Safety Features Related Equipment
1.5.8

TABLE OF CONTENTS (CONTINUED)

1.5.9
1.5.10 Generic Programs of Bechtel

1.6 Material Incorporated by Reference

1.7 1.7 Drawings and Other Detailed Information

1.7.1 Electrical, Instrumentation, and Control Drawings

1.7.2 Piping and Instrumentation Diagrams

1.7.3 Other Detailed Information

1.8 Differences from Standard Review Plan Acceptance Criteria

1.9 Conformance to NRC Regulatory Guides

1.9.1 Regulatory Guide 1.1, November 1970, Net Positive Suction Head for Emergency Core Cooling and Containment Heat Removal System Pumps

1.9.1.1 Regulatory Guide 1.1 Position
1.9.1.2 VEGP Position

1.9.2 Regulatory Guide 1.2, November 1970, Thermal Shock to Reactor Pressure Vessels

1.9.2.1 Regulatory Guide 1.2 Position
1.9.2.2 VEGP Position

1.9.3 Regulatory Guide 1.3, Revision 2, June 1974, Assumptions Used for Evaluating the Potential Radiological Consequences of a Loss-of-Coolant Accident for Boiling Water Reactors

1.9.4 Regulatory Guide 1.4, Revision 2, June 1974, Assumptions Used for Evaluating the Potential Radiological Consequences of a Loss-of-Coolant Accident for Pressurized Water Reactors

1.9.4.1 Regulatory Guide 1.4 Position
1.9.4.2 VEGP Position

1.9.5 Regulatory Guide 1.5, March 1971, Assumptions Used for Evaluating the Potential Radiological Consequences of a Steam Line Break Accident for Boiling Water Reactors

TABLE OF CONTENTS (CONTINUED)

1.9.6 Regulatory Guide 1.6, March 1971, Independence Between Redundant Standby (Onsite) Power Sources and Between Their Distribution Systems

1.9.6.1 Regulatory Guide 1.6 Position
1.9.6.2 VEGP Position

1.9.7 Regulatory Guide 1.7, Revision 2, November 1978, Control of Combustible Gas Concentrations in Containment Following a Loss-of-Coolant Accident

1.9.7.1 Regulatory Guide 1.7 Position
1.9.7.2 VEGP Position

1.9.8 Regulatory Guide 1.8, Revision 2, April 1987, Qualification and Training of Personnel for Nuclear Power Plants

1.9.8.1 Regulatory Guide 1.8 Position
1.9.8.2 VEGP Position

1.9.9 Regulatory Guide 1.9, Revision 2, December 1979, Selection, Design, and Qualification of Diesel Generator Units Used as Standby (Onsite) Electric Power Systems at Nuclear Power Plants

1.9.9.1 Regulatory Guide 1.9 Position
1.9.9.2 VEGP Position

1.9.10 Regulatory Guide 1.10, Revision 1, January 1973, Mechanical (Cadweld) Splices in Reinforcing Bars of Category I Concrete Containment Structures

1.9.10.1 Regulatory Guide 1.10 Position
1.9.10.2 VEGP Position

1.9.11 Regulatory Guide 1.11, March 1971, Instrument Lines Penetrating Primary Reactor Containment

1.9.11.1 Regulatory Guide 1.11 Position
1.9.11.2 VEGP Position

1.9.12 Regulatory Guide 1.12, Revision 2, March 1997, Instrumentation for Earthquakes

1.9.12.1 Regulatory Guide 1.12 Position
1.9.12.2 VEGP Position

1.9.13 Regulatory Guide 1.13, Revision 1, December 1975, Spent-Fuel Storage Facility Design Basis

1.9.13.1 Regulatory Guide 1.13 Position
1.9.13.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.14 Regulatory Guide 1.14, Revision 1, August 1975, Reactor Coolant Pump Flywheel Integrity

1.9.14.1 Regulatory Guide 1.14 Position
1.9.14.2 VEGP Position-Prelicense
1.9.14.3 VEGP Position-Post License

1.9.15 Regulatory Guide 1.15, Revision 1, December 1972, Testing of Reinforcing Bars for Category Concrete Structures

1.9.15.1 Regulatory Guide 1.15 Position
1.9.15.2 VEGP Position

1.9.16 Regulatory Guide 1.16, Revision 4, August 1975, Reporting of Operating Information - Appendix A, Technical Specifications

1.9.16.1 Regulatory Guide 1.16 Position
1.9.16.2 VEGP Position

1.9.17 Regulatory Guide 1.17, June 1973, Protection of Nuclear Power Plants Against Industrial Sabotage

1.9.17.1 Regulatory Guide 1.17 Position
1.9.17.2 VEGP Position

1.9.18 Regulatory Guide 1.18, Revision 1, December 1972, Structural Acceptance Test for Concrete Primary Reactor Containments

1.9.18.1 Regulatory Guide 1.18 Position
1.9.18.2 VEGP Position

1.9.19 Regulatory Guide 1.19, Revision 1, August 1972, Nondestructive Examination of Primary Containment Liner Welds

1.9.19.1 Regulatory Guide 1.19 Position
1.9.19.2 VEGP Position

1.9.20 Regulatory Guide 1.20, Revision 2, May 1976, Comprehensive Vibration Assessment Program for Reactor Internals During Preoperational and Initial Startup Testing

1.9.20.1 Regulatory Guide 1.20 Position
1.9.20.2 VEGP Position

1.9.21 Regulatory Guide 1.21, Revision 1, June 1974, Measuring, Evaluating, and Reporting Radioactivity in Solid Wastes and Releases of Radioactive Materials in Liquid and Gaseous Effluents from Light-Water-Cooled Nuclear Power Plants

1.9.21.1 Regulatory Guide 1.21 Position

TABLE OF CONTENTS (CONTINUED)

1.9.21.2 VEGP Position

1.9.22 Regulatory Guide 1.22, February 1972, Periodic Testing of Protection System Actuation Functions

1.9.22.1 Regulatory Guide 1.22 Position
1.9.22.2 VEGP Position

1.9.23 Regulatory Guide 1.23, February 1972, Onsite Meteorological Programs

1.9.23.1 Regulatory Guide 1.23 Position
1.9.23.2 VEGP Position

1.9.24 Regulatory Guide 1.24, March 1972, Assumptions Used for Evaluating the Potential Consequences of a Pressurized Water Reactor Radioactive Gas Storage Tank Failure

1.9.24.1 Regulatory Guide 1.24 Position
1.9.24.2 VEGP Position

1.9.25 Regulatory Guide 1.25, March 1972, Assumptions Used for Evaluating the Potential Radiological Consequences of a Fuel Handling Accident in the Fuel Handling and Storage Facility for Boiling and Pressurized Water Reactors

1.9.25.1 Regulatory Guide 1.25 Position
1.9.25.2 VEGP Position

1.9.26 Regulatory Guide 1.26, Revision 3, February 1976, Quality Group Classifications and Standards for Water-, Steam-, and Radioactive-Waste-Containing Components of Nuclear Power Plants

1.9.26.1 Regulatory Guide 1.26 Position
1.9.26.2 VEGP Position

1.9.27 Regulatory Guide 1.27, Revision 2, January 1976, Ultimate Heat Sink for Nuclear Power Plants

1.9.27.1 Regulatory Guide 1.27 Position
1.9.27.2 VEGP Position

1.9.28 Regulatory Guide 1.28, Revision 2, February 1979, Quality Assurance Program Requirements (Design and Construction)

1.9.28.1 Regulatory Guide 1.28 Position
1.9.28.2 VEGP Position

1.9.29 Regulatory Guide 1.29, Revision 3, September 1978, Seismic Design Classification

TABLE OF CONTENTS (CONTINUED)

1.9.29.1 Regulatory Guide 1.29 Position
1.9.29.2 VEGP Position

1.9.30 Regulatory Guide 1.30, August 1972, Quality Assurance Requirements for the Installation, Inspection, and Testing of Instrumentation and Electric Equipment

1.9.30.1 Regulatory Guide 1.30 Position
1.9.30.2 VEGP Position

1.9.31 Regulatory Guide 1.31, Revision 3, April 1978, Control of Ferrite Content in Stainless Steel Weld Metal

1.9.31.1 Regulatory Guide 1.31 Position
1.9.31.2 VEGP Position

1.9.32 Regulatory Guide 1.32, Revision 2, February 1977, Criteria for Safety-Related Electric Power Systems for Nuclear Power Plants

1.9.32.1 Regulatory Guide 1.32 Position
1.9.32.2 VEGP Position

1.9.33 Regulatory Guide 1.33, Revision 2, February 1978, Quality Assurance Program Requirements (Operation)

1.9.33.1 Regulatory Guide 1.33 Position
1.9.33.2 VEGP Position

1.9.34 Regulatory Guide 1.34, December 1972, Control of Electroslag Weld Properties

1.9.34.1 Regulatory Guide 1.34 Position
1.9.34.2 VEGP Position

1.9.35 Regulatory Guide 1.35, Revision 2, January 1976, Inservice Inspection of Ungrouted Tendons in Prestressed Concrete Containment Structures

1.9.35.1 Regulatory Guide 1.35 Position
1.9.35.2 VEGP Position

1.9.36 Regulatory Guide 1.36, February 1973, Non-Metallic Thermal Insulation for Austenitic Stainless Steel

1.9.36.1 Regulatory Guide 1.36 Position
1.9.36.2 VEGP Position

1.9.37 Regulatory Guide 1.37, March 1973, Quality Assurance Requirements for Cleaning of Fluid Systems and Associated Components of Water-Cooled Nuclear Power Plants

1.9.37.1 Regulatory Guide 1.37 Position

TABLE OF CONTENTS (CONTINUED)

1.9.37.2 VEGP Position

1.9.38 Regulatory Guide 1.38, Revision 2, May 1977, Quality Assurance Requirements for Packaging, Shipping, Receiving, Storage and Handling of Items for Water-Cooled Nuclear Power Plants

1.9.38.1 Regulatory Guide 1.38 Position
1.9.38.2 VEGP Position

1.9.39 Regulatory Guide 1.39, Revision 2, September 1977, Housekeeping Requirements for Water-Cooled Nuclear Power Plants

1.9.39.1 Regulatory Guide 1.39 Position
1.9.39.2 VEGP Position

1.9.40 Regulatory Guide 1.40, March 1973, Qualification Tests of Continuous-Duty Motors Installed Inside the Containment of Water- Cooled Nuclear Power Plants

1.9.40.1 Regulatory Guide 1.40 Position
1.9.40.2 VEGP Position

1.9.41 Regulatory Guide 1.41, March 1973, Preoperational Testing of Redundant Onsite Electric Power Systems To Verify Proper Load Group Assignments

1.9.41.1 Regulatory Guide 1.41 Position
1.9.41.2 VEGP Position

1.9.42 Regulatory Guide 1.42

1.9.43 Regulatory Guide 1.43, May 1973, Control of Stainless Steel Weld Cladding of Low-Alloy Steel Components

1.9.43.1 Regulatory Guide 1.43 Position
1.9.43.2 VEGP Position

1.9.44 Regulatory Guide 1.44, May 1973, Control of the Use of Sensitized Stainless Steel

1.9.44.1 Regulatory Guide 1.44 Position
1.9.44.2 VEGP Position

1.9.45 Regulatory Guide 1.45, May 1973, Reactor Coolant Pressure Boundary Leakage Detection System

1.9.45.1 Regulatory Guide 1.45 Position
1.9.45.2 VEGP Position

1.9.46 Regulatory Guide 1.46, May 1973, Protection Against Pipe Break Inside Containment

TABLE OF CONTENTS (CONTINUED)

1.9.46.1 Regulatory Guide 1.46 Position
1.9.46.2 VEGP Position

1.9.47 Regulatory Guide 1.47, May 1973, Bypassed and Inoperable Status Indication for Nuclear Power Plant Safety Systems

1.9.47.1 Regulatory Guide 1.47 Position
1.9.47.2 VEGP Position

1.9.48 Regulatory Guide 1.48, May 1973, Design Limits and Loading Combinations for Seismic Category 1 Fluid System Components

1.9.48.1 Regulatory Guide 1.48 Position
1.9.48.2 VEGP Position

1.9.49 Regulatory Guide 1.49, Revision 1, December 1973, Power Levels of Nuclear Power Plants

1.9.49.1 Regulatory Guide 1.49 Position
1.9.49.2 VEGP Position

1.9.50 Regulatory Guide 1.50, May 1973, Control of Preheat Temperatures for Welding of Low-Alloy Steel

1.9.50.1 Regulatory Guide 1.50 Position
1.9.50.2 VEGP Position

1.9.51 Regulatory Guide 1.51

1.9.52 Regulatory Guide 1.52, Revision 2, March 1978, Design, Testing, and Maintenance Criteria for Post-Accident Engineered Safety Feature Atmosphere Cleanup System Air Filtration and Adsorption Units of Light-Water-Cooled Nuclear Power Plants

1.9.52.1 Regulatory Guide 1.52 Position
1.9.52.2 VEGP Position

1.9.53 Regulatory Guide 1.53, June 1973, Application of the Single-Failure Criterion to Nuclear Power Plant Protection Systems

1.9.53.1 Regulatory Guide 1.53 Position
1.9.53.2 VEGP Position

1.9.54 Regulatory Guide 1.54, June 1973, Quality Assurance Requirements for Protective Coatings Applied to Water-Cooled Nuclear Power Plants

1.9.54.1 Regulatory Guide 1.54 Position
1.9.54.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.55 Regulatory Guide 1.55, June 1973, Concrete Placement in Category 1 Structures

1.9.55.1 Regulatory Guide 1.55 Position
1.9.55.2 VEGP Position

1.9.56 Regulatory Guide 1.56, Revision 1, July 1978, Maintenance of Water Purity in Boiling Water Reactors

1.9.57 Regulatory Guide 1.57, June 1973, Design Limits and Loading Combinations for Metal Primary Reactor Containment System Components

1.9.57.1 Regulatory Guide 1.57 Position
1.9.57.2 VEGP Position

1.9.58 1.9.58 Regulatory Guide 1.58, Revision 1, September 1980, Qualification of Nuclear Power Plant Inspection, Examination, and Testing Personnel

1.9.58.1 Regulatory Guide 1.58 Position
1.9.58.2 VEGP Position - Prelicense
1.9.58.3 VEGP Position - Post License

1.9.59 Regulatory Guide 1.59, Revision 2, August 1977, Design Basis Floods for Nuclear Power Plants

1.9.59.1 Regulatory Guide 1.59 Position
1.9.59.2 VEGP Position

1.9.60 Regulatory Guide 1.60, Revision 1, December 1973, Design Response Spectra for Seismic Design of Nuclear Power Plants

1.9.60.1 Regulatory Guide 1.60 Position
1.9.60.2 VEGP Position

1.9.61 Regulatory Guide 1.61, October 1973, Damping Values for Seismic Design of Nuclear Power Plants

1.9.61.1 Regulatory Guide 1.61 Position
1.9.61.2 VEGP Position

1.9.62 Regulatory Guide 1.62, October 1973, Manual Initiation of Protective Actions

1.9.62.1 Regulatory Guide 1.62 Position
1.9.62.2 VEGP Position

1.9.63 Regulatory Guide 1.63, Revision 2, July 1978, Electric Penetration Assemblies in Containment Structures for Light-Water-Cooled Nuclear Power Plants

1.9.63.1 Regulatory Guide 1.63 Position

TABLE OF CONTENTS (CONTINUED)

1.9.63.2 VEGP Position

1.9.64 Regulatory Guide 1.64, Revision 2, June 1976, Quality Assurance for the Design of Nuclear Power Plants

1.9.64.1 Regulatory Guide 1.64 Position
1.9.64.2 VEGP Position

1.9.65 October 1973, Materials and Inspections for Reactor Vessel Closure Studs

1.9.65.1 Regulatory Guide 1.65 Position
1.9.65.2 VEGP Position

1.9.66 Regulatory Guide 1.66

1.9.66.1 Regulatory Guide 1.66 Position
1.9.66.2 VEGP Position

1.9.67 Regulatory Guide 1.67

1.9.67.1 Regulatory Guide 1.67 Position
1.9.67.2 VEGP Position

1.9.68 Regulatory Guide 1.68, Revision 2, August 1978, Initial Test Programs for Water-Cooled Nuclear Power Plants

1.9.68.1 Regulatory Guide 1.68 Position
1.9.68.2 VEGP Position
1.9.68.3 Regulatory Guide 1.68.2, Revision 1, July 1978, Initial Startup Test Program To Demonstrate Remote Shutdown Capability for Water-Cooled Nuclear Power Plants
1.9.68.4 Regulatory Guide 1.68.3, April 1982, Preoperational Testing of Instrument and Control Air Systems

1.9.69 Regulatory Guide 1.69, December 1973, Concrete Radiation Shields for Nuclear Power Plants

1.9.69.1 Regulatory Guide 1.69 Position
1.9.69.2 VEGP Position

1.9.70 Regulatory Guide 1.70, Revision 3, November 1978, Standard Format and Content of Safety Analysis Reports for Nuclear Power Plants

1.9.70.1 Regulatory Guide 1.70 Position
1.9.70.2 VEGP Position

1.9.71 Regulatory Guide 1.71, December 1973, Welder Qualification for Areas of Limited Accessibility

TABLE OF CONTENTS (CONTINUED)

1.9.71.1 Regulatory Guide 1.71 Position
1.9.71.2 VEGP Position

1.9.72 Regulatory Guide 1.72, Revision 2, November 1978, Spray Pond Piping Made from Fiberglass-Reinforced Thermo-Setting Resin

1.9.72.1 Regulatory Guide 1.72 Position
1.9.72.2 VEGP Position

1.9.73 Regulatory Guide 1.73, January 1974, Qualification Tests of Electric Valve Operators Installed Inside the Containment of Nuclear Power Plants

1.9.73.1 Regulatory Guide 1.73 Position
1.9.73.2 VEGP Position

1.9.74 Regulatory Guide 1.74, February 1974, Quality Assurance Terms and Definitions

1.9.74.1 Regulatory Guide 1.74 Position
1.9.74.2 VEGP Position

1.9.75 Regulatory Guide 1.75, Revision 2, September 1978, Physical Independence of Electric Systems

1.9.75.1 Regulatory Guide 1.75 Position
1.9.75.2 VEGP Position

1.9.76 Regulatory Guide 1.76, April 1974, Design Basis Tornado for Nuclear Power Plants

1.9.76.1 Regulatory Guide 1.76 Position
1.9.76.2 VEGP Position

1.9.77 Regulatory Guide 1.77, May 1974, Assumptions Used for Evaluating a Control Rod Ejection Accident for Pressurized Water Reactors

1.9.77.1 Regulatory Guide 1.77 Position
1.9.77.2 VEGP Position

1.9.78 Regulatory Guide 1.78, Assumptions for Evaluating the Habitability of a Nuclear Power Plant Control Room During a Postulated Hazardous Chemical Release

1.9.78.1 Regulatory Guide 1.78 Position
1.9.78.2 VEGP Position

1.9.79 Regulatory Guide 1.79, Revision 1, September 1975, Preoperational Testing of Emergency Core Cooling Systems for Pressurized Water Reactors

1.9.79.1 Regulatory Guide 1.79 Position
1.9.79.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.80 Regulatory Guide 1.80, June 1974, Preoperational Testing of Instrument Air Systems

1.9.80.1 Regulatory Guide 1.80 Position

1.9.81 Regulatory Guide 1.81, Revision 1, January 1975, Shared Emergency and Shutdown Electric Systems for Multi-Unit Nuclear Power Plants

1.9.81.1 Regulatory Guide 1.81 Position
1.9.81.2 VEGP Position

1.9.82 Regulatory Guide 1.82, June 1974, Sumps for Emergency Core Cooling and Containment Spray Systems

1.9.82.1 Regulatory Guide 1.82 Position
1.9.82.2 VEGP Position

1.9.83 Regulatory Guide 1.83, Revision 1, July 1975, Inservice Inspection of Pressurized Water Reactor Steam Generator Tubes

1.9.83.1 Regulatory Guide 1.83 Position
1.9.83.2 VEGP Position

1.9.84 Regulatory Guide 1.84, Revision 20, November 1982, Design and Fabrication Code Case Acceptability - ASME Section III, Division 1

1.9.84.1 Regulatory Guide 1.84 Position
1.9.84.2 VEGP Position

1.9.85 Regulatory Guide 1.85, Revision 20, November 1982, Materials Code Case Acceptability-ASME Section III, Division 1

1.9.85.1 Regulatory Guide 1.85 Position
1.9.85.2 VEGP Position

1.9.86 Regulatory Guide 1.86, June 1974, Termination of Operating Licenses for Nuclear Reactors

1.9.86.1 Regulatory Guide 1.86 Position
1.9.86.2 VEGP Position

1.9.87 Regulatory Guide 1.87, Revision 1, June 1975, Guidance for Construction of Class 1 Components in Elevated Temperature Reactors

1.9.88 Regulatory Guide 1.88, Revision 2, October 1976, Collection, Storage, and Maintenance of Nuclear Power Plant Quality Assurance Records

1.9.88.1 Regulatory Guide 1.88 Position

TABLE OF CONTENTS (CONTINUED)

1.9.88.2 VEGP Position

1.9.89 Regulatory Guide 1.89, November 1974, Qualification of Class 1E Equipment for Nuclear Power Plants

1.9.89.1 Regulatory Guide 1.89 Position
1.9.89.2 VEGP Position

1.9.90 Regulatory Guide 1.90, Revision 1, August 1977, Inservice Inspection of Prestressed Concrete Containment Structures with Grouted Tendons

1.9.90.1 Regulatory Guide 1.90 Position
1.9.90.2 VEGP Position

1.9.91 Regulatory Guide 1.91, Revision 1, February 1978, Evaluations of Explosions Postulated To Occur on Transportation Routes near Nuclear Power Plants

1.9.91.1 Regulatory Guide 1.91 Position
1.9.91.2 VEGP Position

1.9.92 Regulatory Guide 1.92, Revision 1, February 1976, Combining Modal Responses and Spatial Components in Seismic Response Analysis

1.9.92.1 Regulatory Guide 1.92 Position
1.9.92.2 VEGP Position

1.9.93 Regulatory Guide 1.93, December 1974, Availability of Electric Power Supplies

1.9.93.1 Regulatory Guide 1.93 Position
1.9.93.2 VEGP Position

1.9.94 Regulatory Guide 1.94, Revision 1, April 1976, Quality Assurance Requirements for Installation, Inspection, and Testing of Structural Concrete and Structural Steel During the Construction Phase of Nuclear Power Plants

1.9.94.1 Regulatory Guide 1.94 Position
1.9.94.2 VEGP Position

1.9.95 Regulatory Guide 1.95, Revision 1, January 1977, Protection of Nuclear Power Plant Control Room Operators Against an Accidental Chlorine Release

1.9.95.1 Regulatory Guide 1.95 Position
1.9.95.2 VEGP Position

1.9.96 Regulatory Guide 1.96, Revision 1, June 1976, Design of Main Steam Isolation Valve Leakage Control Systems for Boiling Water Reactor Nuclear Power Plants

TABLE OF CONTENTS (CONTINUED)

1.9.97 Regulatory Guide 1.97, Revision 2, December 1980, Instrumentation for Light-Water-Cooled Nuclear Power Plants To Assess Plant Conditions During and Following an Accident

1.9.97.1 Regulatory Guide 1.97 Position
1.9.97.2 VEGP Position

1.9.98 .Regulatory Guide 1.98, March 1976, Assumptions Used for Evaluating the Potential Radiological Consequences of a Radioactive Offgas System Failure in a Boiling Water Reactor

1.9.99 Regulatory Guide 1.99, Revision 2, May 1988, Radiation Embrittlement of Reactor Vessel Materials

1.9.99.1 Regulatory Guide 1.99 Position
1.9.99.2 VEGP Position

1.9.100 Regulatory Guide 1.100, Revision 1, August 1977, Seismic Qualification of Electric Equipment for Nuclear Power Plants

1.9.100.1 Regulatory Guide 1.100 Position
1.9.100.2 VEGP Position

1.9.101 Regulatory Guide 1.101, Revision 3, August 1992, Emergency Planning for Nuclear Power Plants

1.9.101.1 Regulatory Guide 1.101 Position
1.9.101.2 VEGP Position

1.9.102 Regulatory Guide 1.102, September 1976, Flood Protection for Nuclear Power Plants

1.9.102.1 Regulatory Guide 1.102 Position
1.9.102.2 VEGP Position

1.9.103 Regulatory Guide 1.103, Revision 1, October 1976, Post-Tensioned Prestressing Systems for Concrete Reactor Vessels and Containments

1.9.103.1 Regulatory Guide 1.103 Position
1.9.103.2 VEGP Position

1.9.104 Regulatory Guide 1.104, Overhead Crane Handling for Nuclear Power Plants

1.9.105 Regulatory Guide 1.105, Revision 1, November 1976, Instrument Setpoints

1.9.105.1 Regulatory Guide 1.105 Position
1.9.105.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.106 Regulatory Guide 1.106, Revision 1, March 1977, Thermal Overload Protection for Electric Motors on Motor-Operated Valves

1.9.106.1 Regulatory Guide 1.106 Position
1.9.106.2 VEGP Position

1.9.107 Regulatory Guide 1.107, Revision 1, February 1977, Qualifications for Cement Grouting for Prestressing Tendons in Containment Structures

1.9.107.1 Regulatory Guide 1.107 Position
1.9.107.2 VEGP Position

1.9.108 Regulatory Guide 1.108, Revision 1, August 1977, Periodic Testing of Diesel Generator Units Used as Onsite Electric Power Systems at Nuclear Power Plants

1.9.108.1 Regulatory Guide 1.108 Position
1.9.108.2 VEGP Position

1.9.109 Regulatory Guide 1.109, Revision 1, October 1977, Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR 50, Appendix I

1.9.109.1 Regulatory Guide 1.109 Position
1.9.109.2 VEGP Position

1.9.110 Regulatory Guide 1.110, March 1976, Cost-Benefit Analysis for Radwaste Systems for Light-Water-Cooled Nuclear Power Reactors

1.9.110.1 Regulatory Guide 1.110 Position
1.9.110.2 VEGP Position

1.9.111 .Regulatory Guide 1.111, Revision 1, July 1977, Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors

1.9.111.1 Regulatory Guide 1.111 Position
1.9.111.2 VEGP Position

1.9.112 Regulatory Guide 1.112, Revision O-R, April 1976, Calculation of Releases of Radioactive Materials in Gaseous and Liquid Effluents from Light-Water-Cooled Power Reactors

1.9.112.1 Regulatory Guide 1.112 Position
1.9.112.2 VEGP Position

1.9.113 Regulatory Guide 1.113, Revision 1, April 1977, Estimating Aquatic Dispersion of Effluents from Accidental and Routine Reactor Releases for the Purpose of Implementing Appendix I

TABLE OF CONTENTS (CONTINUED)

1.9.113.1 Regulatory Guide 1.113 Position
1.9.113.2 VEGP Position

1.9.114 Regulatory Guide 1.114, Revision 1, November 1976, Guidance on Being Operator at the Controls of a Nuclear Power Plant

1.9.114.1 Regulatory Guide 1.114 Position
1.9.114.2 VEGP Position

1.9.115 Regulatory Guide 1.115, Revision 1, July 1977, Protection Against Low Trajectory Turbine Missiles

1.9.115.1 Regulatory Guide 1.115 Position
1.9.115.2 VEGP Position

1.9.116 Regulatory Guide 1.116, Revision O-R, June 1976, Quality Assurance Requirements for Installation, Inspection, and Testing of Mechanical Equipment and Systems

1.9.116.1 Regulatory Guide 1.116 Position
1.9.116.2 VEGP Position

1.9.117 Regulatory Guide 1.117, Revision 1, April 1978, Tornado Design Classification

1.9.117.1 Regulatory Guide 1.117 Position
1.9.117.2 VEGP Position

1.9.118 Regulatory Guide 1.118, Revision 2, June 1978, Periodic Testing of Electric Power and Protection Systems

1.9.118.1 Regulatory Guide 1.118 Position
1.9.118.2 VEGP Position

1.9.119 Regulatory Guide 1.119

1.9.120 Regulatory Guide 1.120, Revision 1, November 1977, Fire Protection Guidelines for Nuclear Power Plants

1.9.120.1 Regulatory Guide 1.120 Position
1.9.120.2 VEGP Position

1.9.121 Regulatory Guide 1.121, August 1976, Bases for Plugging Degraded PWR Steam Generator Tubes

1.9.121.1 Regulatory Guide 1.121 Position
1.9.121.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.122 Regulatory Guide 1.122, Revision 1, February 1978, Development of Floor Design Response Spectra for Seismic Design of Floor-Supported Equipment or Components

1.9.122.1 Regulatory Guide 1.122 Position
1.9.122.2 VEGP Position

1.9.123 Regulatory Guide 1.123, Revision 1, July 1977, Quality Assurance Requirements for Control of Procurement of Items and Services for Nuclear Power Plants

1.9.123.1 Regulatory Guide 1.123 Position
1.9.123.2 VEGP Position

1.9.124 Regulatory Guide 1.124, Revision 1, January 1978, Service Limits and Loading Combinations for Class 1 Linear-Type Component Supports

1.9.124.1 Regulatory Guide 1.124 Position
1.9.124.2 VEGP Position

1.9.125 Regulatory Guide 1.125, Revision 1, October 1978, Physical Models for Design and Operation of Hydraulic Structures and Systems for Nuclear Power Plants

1.9.125.1 Regulatory Guide 1.125 Position
1.9.125.2 VEGP Position

1.9.126 Regulatory Guide 1.126, Revision 1, March 1978, An Acceptable Model and Related Statistical Methods for the Analysis of Fuel Densification

1.9.126.1 Regulatory Guide 1.126 Position
1.9.126.2 VEGP Position

1.9.127 Regulatory Guide 1.127, Revision 1, March 1978, Inspection of Water-Control Structures Associated with Nuclear Power Plants

1.9.127.1 Regulatory Guide 1.127 Position
1.9.127.2 VEGP Position

1.9.128 Regulatory Guide 1.128, Revision 1, October 1978, Installation Design and Installation of Large Lead Storage Batteries for Nuclear Power Plants

1.9.128.1 Regulatory Guide 1.128 Position
1.9.128.2 VEGP Position

1.9.129 Regulatory Guide 1.129, Revision 1, February 1978, Maintenance, Testing, and Replacement of Large Lead Storage Batteries for Nuclear Power Plants

1.9.129.1 Regulatory Guide 1.129 Position
1.9.129.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.130 Regulatory Guide 1.130, Revision 1, October 1978, Service Limits and Loading Combinations for Class 1 Plate- and Shell-Type Component Supports

1.9.130.1 Regulatory Guide 1.130 Position
1.9.130.2 VEGP Position

1.9.131 Regulatory Guide 1.131, August 1977, Qualification Tests of Electrical Cables, Field Splices, and Connections for Light-Water-Cooled Nuclear Power Plants

1.9.131.1 Regulatory Guide 1.131 Position
1.9.131.2 VEGP Position

1.9.132 Regulatory Guide 1.132, Revision 1, March 1979, Site Investigations for Foundations of Nuclear Power Plants

1.9.132.1 Regulatory Guide 1.132 Position
1.9.132.2 VEGP Position

1.9.133 Regulatory Guide 1.133, Revision 1, May 1981, Loose-Part Detection Program for the Primary System of Light-Water-Cooled Reactors

1.9.133.1 Regulatory Guide 1.133 Position
1.9.133.2 VEGP Position

1.9.134 Regulatory Guide 1.134, April 1987, Medical Certification and Monitoring of Personnel Requiring Operator Licenses

1.9.134.1 Regulatory Guide 1.134 Position
1.9.134.2 VEGP Position

1.9.135 Regulatory Guide 1.135, September 1977, Normal Water Level and Discharge at Nuclear Power Plants

1.9.135.1 Regulatory Guide 1.135 Position
1.9.135.2 VEGP Position

1.9.136 Regulatory Guide 1.136, Revision 2, June 1981, Materials, Construction, and Testing of Concrete Containments

1.9.136.1 Regulatory Guide 1.136 Position
1.9.136.2 VEGP Position

1.9.137 Regulatory Guide 1.137, Revision 1, October 1979, Fuel-Oil Systems for Standby Diesel Generators

1.9.137.1 Regulatory Guide 1.137 Position
1.9.137.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.138 Regulatory Guide 1.138, April 1978, Laboratory Investigations of Soils for Engineering Analysis and Design of Nuclear Power Plants

1.9.138.1 Regulatory Guide 1.138 Position
1.9.138.2 VEGP Position

1.9.139 Regulatory Guide 1.139, May 1978, Guidance for Residual Heat Removal

1.9.139.1 Regulatory Guide 1.139 Position
1.9.139.2 VEGP Position

1.9.140 Regulatory Guide 1.140, Revision 1, October 1979, Design, Testing, and Maintenance Criteria for Normal Ventilation Exhaust System Air Filtration and Adsorption Units of Light-Water-Cooled Nuclear Power Plants

1.9.140.1 Regulatory Guide 1.140 Position
1.9.140.2 VEGP Position

1.9.141 Regulatory Guide 1.141, April 1978, Containment Isolation Provisions for Fluid Systems

1.9.141.1 Regulatory Guide 1.141 Position
1.9.141.2 VEGP Position

1.9.142 Regulatory Guide 1.142, October 1981, Revision 1, Safety-Related Concrete Structures for Nuclear Power Plants (Other Than Reactor Vessels and Containments)

1.9.142.1 Regulatory Guide 1.142 Position
1.9.142.2 VEGP Position

1.9.143 Regulatory Guide 1.143, Revision 1, October 1979, Design Guidance for Radioactive Waste Management Systems, Structures, and Components Installed in Light-Water-Cooled Nuclear Power Plants

1.9.143.1 Regulatory Guide 1.143 Position
1.9.143.2 VEGP Position

1.9.144 Regulatory Guide 1.144, Revision 1, September 1980, Auditing of Quality Assurance Programs for Nuclear Power Plants

1.9.144.1 Regulatory Guide 1.144 Position
1.9.144.2 VEGP Position

1.9.145 Regulatory Guide 1.145, August 1979, Atmospheric Dispersion Models for Potential Accident Consequence Assessments at Nuclear Power Plants

1.9.145.1 Regulatory Guide 1.145 Position
1.9.145.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.146 Regulatory Guide 1.146, August 1980, Qualification of Quality Assurance Program Audit Personnel for Nuclear Power Plants

1.9.146.1 Regulatory Guide 1.146 Position
1.9.146.2 VEGP Position

1.9.147 Regulatory Guide 1.147, Revision 12, May 1999, Inservice Inspection Code Case Acceptability, ASME Section XI, Division 1

1.9.147.1 Regulatory Guide 1.147 Position
1.9.147.2 VEGP Position

1.9.148 Regulatory Guide 1.148, March 1981, Functional Specification for Active Valve Assemblies in Systems Important to Safety in Nuclear Power Plants

1.9.148.1 Regulatory Guide 1.148 Position
1.9.148.2 VEGP Position

1.9.149 Regulatory Guide 1.149, April 1987, Nuclear Power Plant Simulation Facilities for Use in Operator License Examinations

1.9.149.1 Regulatory Guide 1.149 Position
1.9.149.2 VEGP Position

1.9.150 Regulatory Guide 1.150, February 1983, Ultrasonic Testing of Reactor Vessel Welds During Preservice and Inservice Examinations

1.9.150.1 Regulatory Guide 1.150 Position
1.9.150.2 VEGP Position

1.9.155 Regulatory Guide 1.155, August 1988, Station Blackout

1.9.155.1 Regulatory Guide 1.155 Position
1.9.155.2 VEGP Position

1.9.163 Regulatory Guide 1.163, September 1995, Performance Based Containment Leak Testing Program

1.9.163.1 Regulatory Guide 1.163 Position
1.9.163.2 VEGP Position

1.9.166 Regulatory Guide 1.166, Revision 0, March 1997, Pre-Earthquake Planning and Immediate Nuclear Power Plant Operator Post-Earthquake Actions

1.9.166.1 Regulatory Guide 1.166 Position
1.9.166.2 VEGP Position

TABLE OF CONTENTS (CONTINUED)

1.9.167 Regulatory Guide 1.167, Revision 0, March 1997, Restart of a Nuclear Power Plant Shutdown by a Seismic Event

1.9.167.1 Regulatory Guide 1.167 Position
1.9.167.2 VEGP Position

2.0 SITE CHARACTERISTICS

2.1 Geography and Demography

2.1.1 Site Location and Description

2.1.1.1 Reactor Coordinates
2.1.1.2 Site Area Map
2.1.1.3 Boundaries for Establishing Effluent Release Limits

2.1.2 Exclusion Area Authority and Control

2.1.2.1 Authority
2.1.2.2 Control of Activities Unrelated to Plant Operation
2.1.2.3 Arrangements for Traffic Control
2.1.2.4 Abandonment or Relocation of Roads

2.1.3 Population Distribution

2.1.3.1 Population Within 10 Miles
2.1.3.2 Population Between 10 and 50 Miles
2.1.3.3 Transient Population
2.1.3.4 Low Population Zone
2.1.3.5 Population Center
2.1.3.6 Population Density
2.1.3.7 Methodology

2.2 Identification of Potential Hazards in Site Vicinity

2.2.1 Location of Nearby Industrial, Military, and Transportation Facilities

2.2.2 Description

2.2.2.1 Facilities
2.2.2.2 Products and Materials
2.2.2.3 Pipelines
2.2.2.4 Waterways
2.2.2.5 Airports
2.2.2.6 Projections of Industrial Growth

2.2.3 Evaluation of Potential Accidents

TABLE OF CONTENTS (CONTINUED)

2.2.3.1 Determination of Design Basis Events
2.2.3.2 Effects of Design Basis Event

2.3 Meteorology

2.3.1 Regional Climatology

2.3.1.1 General Climate
2.3.1.2 Regional Meteorological Conditions for Design and Operating Bases (Severe Weather)

2.3.2 Local Meteorology

2.3.2.1 Normal and Extreme Values of Meteorological Parameters
2.3.2.2 Potential Influence of the Plant and Its Facilities on Local Meteorology
2.3.2.3 Local Meteorological Conditions for Design and Operating Bases

2.3.3 Onsite Meteorological Measurements Programs

2.3.4 Short Term Diffusion Estimates

2.3.4.1 Short Term Releases
2.3.4.2 Long Term Releases
2.3.4.3 Determination of Stability Classifications
2.3.4.4 Analytical Methods for Dispersion Computations

2.3.5 Long Term Diffusion Estimates

2.3.5.1 Objective
2.3.5.2 Calculations

2.4 Hydrologic Engineering

2.4.1 Hydrologic Description

2.4.1.1 Site and Facilities
2.4.1.2 Hydrosphere

2.4.2 Floods

2.4.2.1 Flood History
2.4.2.2 Flood Design Considerations
2.4.2.3 Effects of Local Intense Precipitation

TABLE OF CONTENTS (CONTINUED)

2.4.3 Probable Maximum Flooding on Streams and Rivers

2.4.3.1 Probable Maximum Precipitation
2.4.3.2 Precipitation Losses
2.4.3.3 Runoff and Stream Course Models
2.4.3.4 Probable Maximum Flood Flow
2.4.3.5 Water Level Determinations
2.4.3.6 Coincident Wind Wave Activity

2.4.4 Potential Dam Failures

2.4.4.1 Dam Failure Permutations
2.4.4.2 Unsteady Flow Analysis of Potential Dam Failures
2.4.4.3 Water Level at Plant Site

2.4.5 Probable Maximum Surge and Seiche Flooding

2.4.6 Probable Maximum Tsunami Flooding

2.4.7 Ice Effects

2.4.8 Cooling Water Canals and Reservoirs

2.4.8.1 Canals
2.4.8.2 Reservoirs

2.4.9 Channel Diversions

2.4.10 Flood Protection Requirements

2.4.11 Cooling Water Supply

2.4.11.1 Low Flow in Streams
2.4.11.2 Low Water Resulting from Surges
2.4.11.3 Historical Low Water
2.4.11.4 Future Control
2.4.11.5 Plant Requirements
2.4.11.6 Heat Sink Dependability Requirements

2.4.12 Ground Water

2.4.12.1 Description and Onsite Use
2.4.12.2 Sources
2.4.12.3 Monitoring of Safeguard Requirements
2.4.12.4 Design Basis for Subsurface Hydrostatic Loading

2.4.13 Accidental Releases of Liquid Effluents in Ground and Surface Water

TABLE OF CONTENTS (CONTINUED)

2.4.13.1 Consideration of Accidental Spill of Radioactive Material in Ground Water
2.4.13.2 Dispersion, Dilution, and Travel Times of Accidental Releases of Liquid Effluents in Surface Waters

2.4.14 Technical Specifications and Emergency Operating Requirements

2.5 Geology, Seismology, and Geotechnical Engineering

2.5.1 Basic Geologic and Seismic Information

2.5.1.1 Regional Geology
2.5.1.2 Site Geology

2.5.2 Vibratory Ground Motion

2.5.2.1 Seismicity
2.5.2.2 Geologic Structures and Tectonic Activity
2.5.2.3 Correlation of Earthquake Activity with Geologic Structures or Tectonic Provinces
2.5.2.4 Maximum Earthquake Potential
2.5.2.5 Seismic Wave Transmission Characteristics of the Site
2.5.2.6 Safe Shutdown Earthquake
2.5.2.7 Operating Basis Earthquake

2.5.3 Surface Faulting

2.5.3.1 Geologic Conditions of the Site
2.5.3.2 Evidence of Fault Offset
2.5.3.3 Earthquakes Associated with Capable Faults
2.5.3.4 Investigations of Capable Faults
2.5.3.5 Correlation of Epicenters with Capable Faults
2.5.3.6 Description of Capable Faults
2.5.3.7 Zone Requiring Detailed Faulting Investigation
2.5.3.8 Results of Faulting Investigation

2.5.4 Stability of Subsurface Materials and Foundations

2.5.4.1 Geologic Features
2.5.4.2 Properties of Subsurface Materials
2.5.4.3 Exploration
2.5.4.4 Geophysical Surveys
2.5.4.5 Excavation and Backfill
2.5.4.6 Site Ground Water Conditions
2.5.4.7 Response of Soil and Rock to Dynamic Loading
2.5.4.8 Liquefaction Potential
2.5.4.9 Earthquake Design Basis
2.5.4.10 Static Stability

TABLE OF CONTENTS (CONTINUED)

2.5.4.11 Design Criteria
2.5.4.12 Techniques To Improve Subsurface Conditions
2.5.4.13 Subsurface Instrumentation
2.5.4.14 Construction Notes
2.5.4.15 Standard Review Plan Evaluation

2.5.5 Stability of Slopes

2.5.5.1 Slope Characteristics
2.5.5.2 Design Criteria and Analysis
2.5.5.3 Log of Borings
2.5.5.4 Compacted Backfill

2.5.6 Embankments and Dams

Appendix 2A Population Distribution Methodology

2A.1 Introduction

2A.2 Definitions

2A.3 Assumptions

2A.4 Materials

2A.5 Methodology

2A.6 Procedures

Appendix 2B Geology

2B.1 Introduction

2B.2 Field Investigations

2B.3 Report of Geology and Foundation Conditions

2B.3.1 Introduction
2B.3.2 Summary of Conclusions
2B.3.3 Geologic Conditions
2B.3.4 Excavation and Foundation Considerations
2B.3.5 Conclusions

3.0 DESIGN OF STRUCTURES, COMPONENTS, EQUIPMENT, AND SYSTEMS

3.1 Conformance with Nuclear Regulatory Commission General Design Criteria

TABLE OF CONTENTS (CONTINUED)

3.1.1 Overall Requirements

3.1.2 Protection by Multiple Fission Product Barriers

3.1.3 Protection and Reactivity Control Systems

3.1.4 Fluid Systems

3.1.5 Reactor Containment

3.1.6 Fuel and Reactivity Control

3.2 Classification of Structures, Components, Equipment, and Systems

3.2.1 Seismic Classification

3.2.1.1 Definitions
3.2.1.2 Classifications

3.2.2 VEGP Classification System

3.2.2.1 Nuclear Safety Classifications
3.2.2.2 Seismic Classification
3.2.2.3 Codes and Standards
3.2.2.4 Clarification to VEGP Classification System

3.3 Wind and Tornado Loadings

3.3.1 Wind Loadings

3.3.1.1 Design Wind Velocity
3.3.1.2 Determination of Applied Forces

3.3.2 Tornado Loadings

3.3.2.1 Applicable Design Parameters
3.3.2.2 Determination of Forces on Structures
3.3.2.3 Effect of Failure of Structures or Components Not Designed for Tornado Loads

3.4 Water Level (Flood) Design

3.4.1 Flood Protection

3.4.1.1 Flood Protection Measures for Seismic Category 1 Structures

TABLE OF CONTENTS (CONTINUED)

3.4.1.2 Permanent Dewatering System

3.4.2 Analytical and Test Procedures

3.5 Missile Protection

3.5.1 Missile Selection and Description

3.5.1.1 Internally Generated Missiles (Outside Containment)
3.5.1.2 Internally Generated Missiles (Inside Containment)
3.5.1.3 Turbine Missiles
3.5.1.4 Missiles Generated by Natural Phenomena
3.5.1.5 Missiles Generated by Events near the Site
3.5.1.6 Aircraft Hazards
3.5.1.7 Gravity-Generated Missiles
3.5.1.8 Standard Review Plan Evaluation

3.5.2 Structures, Systems, and Components To Be Protected from Externally Generated Missiles

3.5.2.1 General
3.5.2.2 Missile Barriers Within Containment
3.5.2.3 Barriers for Missiles Generated Outside of Plant Structures
3.5.2.4 Missile Barriers Within Plant Structures Other Than Containment

3.5.3 Barrier Design Procedures

3.6 Protection Against the Dynamic Effects Associated with the Postulated Rupture of Pipings

3.6.1 Postulated Piping Failures in Fluid Systems Inside and Outside Containment

3.6.1.1 Design Bases
3.6.1.2 Description
3.6.1.3 Safety Evaluation

3.6.2 Determination of Break Locations and Dynamic Effects Associated with the Postulated Rupture of Piping

3.6.2.1 Criteria Used To Define High/Moderate-Energy Break/Crack Locations and Configurations
3.6.2.2 Analytical Methods To Define Forcing Functions and Response Models
3.6.2.3 Dynamic Analysis Methods To Verify Integrity and Operability
3.6.2.4 Protective Assembly Design Criteria
3.6.2.5 Material To Be Submitted for the Operating License Review

TABLE OF CONTENTS (CONTINUED)

3.7 Seismic Design

3.7.B Seismic Design

3.7.B.1 Seismic Input

3.7.B.1.1 Design Response Spectra
3.7.B.1.2 Design Time-History
3.7.B.1.3 Critical Damping Values
3.7.B.1.4 Supporting Media for Seismic Category 1 Structures
3.7.B.1.5 Standard Review Plan Evaluation

3.7.N Seismic Design

3.7.N.1 Seismic Input

3.7.N.1.1 Design Response Spectra
3.7.N.1.2 Design Time-History
3.7.N.1.3 Critical Damping Values
3.7.N.1.4 Supporting Media for Seismic Category 1 Structures

3.7.B.2 Seismic System Analysis

3.7.B.2.1 Seismic Analysis Methods
3.7.B.2.2 Natural Frequencies and Response Loads
3.7.B.2.3 Procedures Used for Modeling
3.7.B.2.4 Soil-Structure Interaction
3.7.B.2.5 Development of Floor Response Spectra
3.7.B.2.6 Three Components of Earthquake Motion
3.7.B.2.7 Combination of Modal Responses
3.7.B.2.8 Interaction of Non-Category 1 Structures with Seismic Category 1 Structures
3.7.B.2.9 Effects of Parameter Variations on Floor Response Spectra
3.7.B.2.10 Use of Constant Vertical Static Factors
3.7.B.2.11 Method Used To Account for Torsional Effects
3.7.B.2.12 Comparison of Responses
3.7.B.2.13 Methods for Seismic Analysis of Dams
3.7.B.2.14 Determination of Seismic Category 1 Structure Overturning Moments
3.7.B.2.15 Analysis Procedure for Damping
3.7.B.2.16 Standard Review Plan Evaluation

3.7.N.2 Seismic System Analysis

3.7.N.2.1 Seismic Analysis Methods
3.7.N.2.2 Natural Frequencies and Response Loads

TABLE OF CONTENTS (CONTINUED)

3.7.N.2.3 Procedures Used for Modeling
3.7.N.2.4 Soil-Structure Interaction
3.7.N.2.5 Development of Floor Response Spectra
3.7.N.2.6 Three Components of Earthquake Motion
3.7.N.2.7 Combination of Modal Responses
3.7.N.2.8 Interaction of Non-Category 1 Structures with Seismic Category 1 Structures
3.7.N.2.9 Effects of Parameter Variations on Floor Response Spectra
3.7.N.2.10 Use of Constant Vertical Static Factors
3.7.N.2.11 Method Used To Account for Torsional Effects
3.7.N.2.12 Comparison of Responses
3.7.N.2.13 Methods for Seismic Analysis of Dams
3.7.N.2.14 Determination of Seismic Category 1 Structure Overturning Moments
3.7.N.2.15 Analysis Procedure for Damping
3.7.N.2.16 Standard Review Plan Evaluation

3.7.B.3 Seismic Subsystem Analysis

3.7.B.3.1 Seismic Analysis Methods
3.7.B.3.2 Determination of Number of Earthquake Cycles
3.7.B.3.3 Procedure Used for Modeling
3.7.B.3.4 Basis for Selection of Frequencies
3.7.B.3.5 Use of Equivalent Static Load Method of Analysis
3.7.B.3.6 Three Components of Earthquake Motion
3.7.B.3.7 Combination of Modal Responses
3.7.B.3.8 Analytical Procedures for Piping Systems
3.7.B.3.9 Multiple Supported Equipment and Components with Distinct Inputs
3.7.B.3.10 Use of Constant Vertical Static Factors
3.7.B.3.11 Torsional Effects of Eccentric Masses
3.7.B.3.12 Buried Seismic Category 1 Piping Systems and Tunnels
3.7.B.3.13 Interaction of Other Piping with Seismic Category 1 Piping
3.7.B.3.14 Seismic Analyses for Reactor Internals
3.7.B.3.15 Analysis Procedure for Damping

3.7.N.3 Seismic Subsystem Analysis

3.7.N.3.1 Seismic Analysis Methods
3.7.N.3.2 Determination of Number of Earthquake Cycles
3.7.N.3.3 Procedure Used for Modeling
3.7.N.3.4 Basis for Selection of Frequencies
3.7.N.3.5 Use of Equivalent Static Load Method of Analysis
3.7.N.3.6 Three Components of Earthquake Motion
3.7.N.3.7 Combination of Modal Responses
3.7.N.3.8 Analytical Procedures for Piping

TABLE OF CONTENTS (CONTINUED)

3.7.N.3.9 Multiple Supported Equipment Components with Distinct Inputs
3.7.N.3.10 Use of Constant Vertical Static Factors
3.7.N.3.11 Torsional Effects of Eccentric Masses
3.7.N.3.12 Buried Seismic Category 1 Piping Systems and Tunnels
3.7.N.3.13 Interaction of Other Piping with Seismic Category 1 Piping
3.7.N.3.14 Seismic Analyses for Reactor Internals
3.7.N.3.15 Analysis Procedure for Damping

3.7.4 Seismic Instrumentation

3.7.4.1 Comparison with Regulatory Guide 1.12
3.7.4.2 Location and Description of Instrumentation
3.7.4.3 Control Room Operator Notification
3.7.4.4 Comparison of Measured and Predicted Responses

3.8 Design of Category 1 Structures

3.8.1 Concrete Containment

3.8.1.1 Description of the Containment
3.8.1.2 Applicable Codes, Standards, and Specifications
3.8.1.3 Loads and Load Combinations
3.8.1.4 Design and Analysis Procedures
3.8.1.5 Structural Acceptance Criteria
3.8.1.6 Materials, Quality Control, and Special Construction Techniques
3.8.1.7 Testing and Inservice Inspection Requirements
3.8.1.8 Standard Review Plan Evaluation

3.8.2 Steel Containment

3.8.2.1 Description of Penetration Sleeve Assemblies, Class MC Components and Parts, and Class 2 Piping Penetrations
3.8.2.2 Applicable Codes, Standards, and Specifications
3.8.2.3 Loads and Load Combinations
3.8.2.4 Design and Analysis Procedures
3.8.2.5 Structural Acceptance Criteria
3.8.2.6 Materials, Quality Control, and Special Construction Techniques
3.8.2.7 Testing and Inservice Inspection Requirements
3.8.2.8 Standard Review Plan Evaluation

3.8.3 Concrete and Steel Internal Structures of Concrete Containment

3.8.3.1 Description of the Internal Structures
3.8.3.2 Applicable Codes, Standards, and Specifications
3.8.3.3 Loads and Load Combinations

TABLE OF CONTENTS (CONTINUED)

3.8.3.4 Design and Analysis Procedures
3.8.3.5 Structural Acceptance Criteria
3.8.3.6 Materials, Quality Control, and Special Construction Techniques
3.8.3.7 Testing and Inservice Inspection Requirements
3.8.3.8 Standard Review Plan Evaluation

3.8.4 Other Seismic Category 1 Structures

3.8.4.1 Description of the Structures
3.8.4.2 Applicable Codes, Standards, and Specifications
3.8.4.3 Loads and Load Combinations
3.8.4.4 Design and Analysis Procedures
3.8.4.5 Structural Acceptance Criteria
3.8.4.6 Materials, Quality Control, and Special Construction Techniques
3.8.4.7 Testing and Inservice Inspection Requirements
3.8.4.8 Standard Review Plan Evaluation

3.8.5 Foundations

3.8.5.1 Description of the Foundations
3.8.5.2 Applicable Codes, Standards, and Specifications
3.8.5.3 Loads and Load Combinations
3.8.5.4 Design and Analysis Procedures
3.8.5.5 Structural Acceptance Criteria
3.8.5.6 Materials, Quality Control, and Special Construction Techniques
3.8.5.7 Testing and Inservice Inspection Requirements
3.8.5.8 Standard Review Plan Evaluation

3.9 Mechanical Systems and Components

3.9.B Mechanical Systems and Components

3.9.B.1 Special Topics for Mechanical Components

3.9.B.1.1 Design Transients
3.9.B.1.2 Computer Programs Used in Analysis
3.9.B.1.3 Experimental Stress Analysis
3.9.B.1.4 Considerations for the Evaluation of the Faulted Condition
3.9.B.1.5 Weld Inspection Criteria

3.9.N.1 Special Topics for Mechanical Components

3.9.N.1.1 Design Transients
3.9.N.1.2 Computer Programs Used in Analysis
3.9.N.1.3 Experimental Stress Analysis
3.9.N.1.4 Considerations for the Evaluation of the Faulted Condition

TABLE OF CONTENTS (CONTINUED)

3.9.B.2 Dynamic Testing and Analysis

- 3.9.B.2.1 Piping Vibration, Thermal Expansion, and Dynamic Effects
- 3.9.B.2.2 Seismic Qualification Testing of Safety-Related Mechanical Equipment
- 3.9.B.2.3 Dynamic Response Analysis of Reactor Internals Operational Flow Transients and Steady-State Conditions
- 3.9.B.2.4 Preoperational Flow-Induced Vibration Testing of Reactor Internals
- 3.9.B.2.5 Dynamic System Analysis of the Reactor Internals under Faulted Condition
- 3.9.B.2.6 Correlations of Reactor Internals Vibration Tests with the Analytical Results

3.9.N.2 Dynamic Testing and Analysis

- 3.9.N.2.1 Piping Vibration, Thermal Expansion, and Dynamic Effects
- 3.9.N.2.2 Seismic Qualification Testing of Safety-Related Mechanical Equipment
- 3.9.N.2.3 Dynamic Response Analysis of Reactor Internals Under Operational Flow Transients and Steady-State Conditions
- 3.9.N.2.4 Preoperational Flow-Induced Vibration Testing of Reactor Internals
- 3.9.N.2.5 Dynamic System Analysis of the Reactor Internals Under Faulted Condition
- 3.9.N.2.6 Correlation of Reactor Internals Vibration Tests with the Analytical Results

3.9.B.3 American Society of Mechanical Engineers Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures

- 3.9.B.3.1 Loading Combinations, Design Transients, and Stress Limits
- 3.9.B.3.2 Pump and Valve Operability Assurance
- 3.9.B.3.3 Design and Installation Criteria, Pressure-Relieving Devices
- 3.9.B.3.4 Component Supports
- 3.9.B.3.5 Standard Review Plan Evaluation

3.9.N.3 American Society of Mechanical Engineers Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures

TABLE OF CONTENTS (CONTINUED)

3.9.N.3.1 Loading Combinations, Design Transients, and Stress Limits (For ASME Code Class 2 and 3 Components)
3.9.N.3.2 Pump and Valve Operability Assurance
3.9.N.3.3 Design and Installation Details in Mounting of Pressure Relief Devices
3.9.N.3.4 Component Supports
3.9.N.3.5 Standard Review Plan Evaluation

3.9.4 Control Rod Drive System

3.9.4.1 Descriptive Information of CRDS
3.9.4.2 Applicable CRDS Design Specifications
3.9.4.3 Design Loads, Stress Limits, and Allowable Deformations
3.9.4.4 CRDM Performance Assurance Program

3.9.5 Reactor Pressure Vessel Internals

3.9.5.1 Design Arrangements
3.9.5.2 Design Loading Conditions
3.9.5.3 Design Bases

3.9.6 Inservice Testing of Pumps and Valves

3.9.6.1 Inservice Testing of Pumps
3.9.6.2 Inservice Testing of Valves
3.9.6.3 Relief Request

3.10 Seismic Qualification of Seismic Category 1 Mechanical and Electrical Equipment

3.10.B.1 Seismic Qualification Criteria

3.10.N Seismic and Dynamic Qualification of Seismic Category 1 Mechanical and Electrical Equipment

3.10.N.1 Seismic and Dynamic Qualification Criteria

3.10.N.1.1 Qualification Standards
3.10.N.1.2 Performance Requirements for Seismic Qualification
3.10.N.1.3 Acceptance Criteria

3.10.B.2 Methods and Procedures for Qualifying Mechanical and Electrical Equipment

3.10.B.2.1 Means of Qualification
3.10.B.2.2 Method of Qualification

TABLE OF CONTENTS (CONTINUED)

3.10.N.2 Methods and Procedures for Qualifying Electrical Equipment, Instrumentation, and Mechanical Components

3.10.N.2.1 Seismic Qualification of Instrumentation and Electrical Equipment
3.10.N.2.2 Seismic and Operability Qualification of Active Mechanical Equipment
3.10.N.2.3 Seismic Qualification of Other Seismic Category 1 Mechanical Equipment

3.10.B.3 Methods and Procedures of Analysis or Testing of Supports of Mechanical and Electrical Equipment and Instrumentation

3.10.N.3 Method and Procedures for Qualifying Supports of Electrical Equipment, Instrumentation, and Mechanical Components

3.10.N.3.1 Test Configurations

3.10.B.4 Operating License Review

3.10.B.4.1 Qualification and Documentation Procedures
3.10.B.4.2 Standard Review Plan Evaluation

3.10.N.4 Operating License Review

3.10.N.4.1 Documentation
3.10.N.4.2 Standard Review Plan Evaluation

3.11 Environmental Design of Mechanical and Electrical Equipment

3.11.B.1 Equipment Identification and Environmental Conditions

3.11.B.1.1 Standard Review Plan Evaluation
3.11.B.1.2 Reference

3.11.N Environmental Design of Mechanical and Electrical Equipment

3.11.N.1 Equipment Identification and Environmental Conditions

3.11.N.1.1 Equipment Identification
3.11.N.1.2 Definition of Environmental Conditions
3.11.N.1.3 Equipment Operability Times
3.11.N.1.4 Standard Review Plan Evaluation

3.11.B.2 Qualification Tests and Analyses

TABLE OF CONTENTS (CONTINUED)

3.11.N.2 Qualification Tests and Analyses

3.11.N.2.1 Environmental Qualification Criteria
3.11.N.2.2 Environmental Design of Mechanical Equipment
3.11.N.2.3 Environmental Design of Electrical Equipment

3.11.B.3 Qualification Test Results

3.11.N.3 Qualification Program Results

3.11.4 Loss of Ventilation

3.11.5 Estimated Chemical and Radiation Environment

3.11.5.1 Chemical Environment
3.11.5.2 Radiation Environment

Appendix 3A Conformance with Regulatory Guides

Appendix 3B Computer Programs Used for Structural, Seismic, and Geotechnical Analyses

3B.1 Computer Programs Used for Structural and Seismic Analyses by Bechtel Power Corporation

3B.1.1 Bechtel CE 201 (CE 217), Bechtel Structural Analysis Program, Post Processor (BSAP-POST)

3B.1.2 Bechtel CE 207, BSAP-DYNAM

3B.1.3 Bechtel CE 239, Hemispherical Dome Tendon Analysis (TENDON)

3B.1.4 Bechtel CE 251 3D, Composite Modal Damping (GEMD)

3B.1.5 Bechtel CE 450, Turbine Missile Probability (TURMIS)

3B.1.6 Bechtel CE 800, Bechtel Structural Analysis Program (BSAP)

3B.1.7 Bechtel CE 802, Response Spectra Analysis (SPECTRA)

3B.1.8 Bechtel CE 982, Continuum Linear Analysis for Soil Structure Interaction (CLASSI)

3B.1.9 Bechtel CE 915, A Computer Program for Earthquake Response Analysis of Horizontally Layered Sites (SHAKE)

3B.1.10 Bechtel ME 351, Pipe Force and Whip Analysis (PRTHRUST/PIPERUP)

TABLE OF CONTENTS (CONTINUED)

3B.1.11 Bechtel TE 301, Two-Dimensional Structural Analysis (MFRAME)

3B.1.12 FLUSH (Control Data Corporation Version)

3B.1.13 The Structural Design Language (ICES-STRUDL-II McDonnell-Douglas Automation Version)

3B.1.14 ICES-LEASE (McDonnell-Douglas Automation Version)

3B.1.15 ICES-SEPOL (McDonnell-Douglas Automation Version)

3B.1.16 Bechtel CE 212 BSAP-PRE

3B.1.17 Other Computer Programs Used in Structural Analyses

Appendix 3C Design of Structures for Tornado Missile Impact

3C.1 Introduction

3C.1.1 Procedures

3C.2 Local Effects

3C.2.1 Reinforced Concrete Elements
3C.2.2 Steel Elements

3C.3 Structural Response Due to Missile Impact Loading

3C.3.1 General
3C.3.2 Structural Assessment

Appendix 3D Seismic Response Spectra

3D.1 Seismic Response Spectra

3D.2 Seismic Analysis Methods

3D.2.1 Confirmatory Study

3D.2.1.1 Introduction
3D.2.1.2 Soil-Structure Interaction Analyses Per S3 and S4 Method
3D.2.1.3 Soil-Structure Interaction Analysis Using the Impedance Method
3D.2.1.4 Comparison of Response Spectra from the S3 and S4 Method and the Impedance Method
3D.2.1.5 Conclusions

3D.2.2 Sensitivity Study

TABLE OF CONTENTS (CONTINUED)

3D.2.2.1 Introduction
3D.2.2.2 Soil Profile
3D.2.2.3 Ground Motions
3D.2.2.4 Variation of Peak Ground Acceleration with Depth
3D.2.2.5 Comparison of Ground Surface Motions with those Developed at 76 ft Depth
3D.2.2.6 Conclusion

3D.2.3 Methodology to Account for Torsion Caused by the Seismic Wave Propagation Effects

3D.2.3.1 Introduction
3D.2.3.2 Safety-Related Structures
3D.2.3.3 Safety-Related Equipment, Systems, and Components

3D.3 Seismic Response Spectra Comparison

Appendix 3E Impedance Functions for an Arbitrarily Shaped Foundation on a Layered Medium

Appendix 3F Hazards Analysis

3F.1 Introduction

3F.2 Analysis Assumptions

3F.2.1 Earthquake Analysis Assumptions
3F.2.2 Pipe Break Analysis Assumptions
3F.2.3 Missiles Analysis Assumptions
3F.2.4 Flooding Analysis Assumptions

3F.3 Protection Mechanisms

3F.4 Hazards Evaluations

3F.4.1 Auxiliary Feedwater Pump Rooms
3F.4.2 Main Steam Isolation Valve and Main Feedwater Isolation Valve Compartment
3F.4.3 Evaluation of Reactor Coolant System Loop Branch Line Breaks
3F.4.4 Turbine Building Flooding Evaluation

4.0 REACTOR

4.1 Summary Description

4.2 Fuel System Design

TABLE OF CONTENTS (CONTINUED)

4.2.1 Design Bases

4.2.1.1 Cladding
4.2.1.2 Fuel Material
4.2.1.3 Fuel Rod Performance
4.2.1.4 Spacer Grids
4.2.1.5 Fuel Assembly Structural Design
4.2.1.6 Incore Control Components
4.2.1.7 Surveillance Program

4.2.2 Description and Design Drawings

4.2.2.1 Fuel Rods
4.2.2.2 Fuel Assembly Structure
4.2.2.3 Incore Control Components

4.2.3 Design Evaluation

4.2.3.1 Cladding
4.2.3.2 Fuel Materials Considerations
4.2.3.3 Fuel Rod Performance
4.2.3.4 Spacer Grids
4.2.3.5 Fuel Assembly
4.2.3.6 Reactivity Control Assembly and Burnable Absorber Rods

4.2.4 Testing and Inspection Plan

4.2.4.1 Quality Assurance Program
4.2.4.2 Quality Control
4.2.4.3 Online Fuel Failure Monitoring
4.2.4.4 Incore Control Component Testing and Inspection
4.2.4.5 Tests and Inspections by Others
4.2.4.6 Inservice Surveillance
4.2.4.7 Onsite Inspection

4.2.5 Westinghouse Creep/Growth Test in VEGP Unit 2

4.3 Nuclear Design

4.3.1 Design Bases

4.3.1.1 Fuel Burnup
4.3.1.2 Negative Reactivity Feedbacks (Reactivity Coefficient)
4.3.1.3 Control of Power Distribution
4.3.1.4 Maximum Controlled Reactivity Insertion Rate
4.3.1.5 Shutdown Margins
4.3.1.6 Stability

TABLE OF CONTENTS (CONTINUED)

4.3.1.7 Anticipated Transients Without SCRAM

4.3.2 Description

4.3.2.1 Nuclear Design Description
4.3.2.2 Power Distribution
4.3.2.3 Reactivity Coefficients
4.3.2.4 Control Requirements
4.3.2.5 Control Rod Patterns and Reactivity Worths
4.3.2.6 Criticality of the Reactor During Refueling
4.3.2.7 Stability
4.3.2.8 Vessel Irradiation

4.3.3 Analytical Methods

4.3.3.1 Fuel Temperature (Doppler) Calculations
4.3.3.2 Macroscopic Group Constants
4.3.3.3 Spatial Few-Group Diffusion Calculations

4.4 Thermal and Hydraulic Design

4.4.1 Design Bases

4.4.1.1 Departure from Nucleate Boiling Design Basis
4.4.1.2 Fuel Temperature Design Basis
4.4.1.3 Core Flow Design Basis
4.4.1.4 Hydrodynamic Stability Design Basis
4.4.1.5 Other Considerations

4.4.2 Description of Thermal and Hydraulic Design of the Reactor Core

4.4.2.1 Summary Comparison
4.4.2.2 Critical Heat Flux Radio or DNBR and Mixing Technology
4.4.2.3 Linear Heat Generation Rate
4.4.2.4 Void Fraction Distribution
4.4.2.5 Core Coolant Flow Distribution
4.4.2.6 Core Pressure Drops and Hydraulic Loads
4.4.2.7 Correlation and Physical Data
4.4.2.8 Thermal Effects of Operational Transients
4.4.2.9 Uncertainties in Estimates
4.4.2.10 Flux Tilt Considerations
4.4.2.11 Fuel and Cladding Temperatures

4.4.3 Description of the Thermal and Hydraulic Design of the RCS

4.4.3.1 Plant Configuration Data
4.4.3.2 Operating Restrictions on Pumps
4.4.3.3 Power-Flow Operating Map (Boiling Water Reactor)

TABLE OF CONTENTS (CONTINUED)

4.4.3.4 Temperature-Power Operating Map (PWR)
4.4.3.5 Load Following Characteristics
4.4.3.6 Thermal and Hydraulic Characteristics Summary Table

4.4.4 Evaluation

4.4.4.1 Critical Heat Flux
4.4.4.2 Core Hydraulics
4.4.4.3 Influence of Power Distribution
4.4.4.4 Core Thermal Response
4.4.4.5 Analytical Methods
4.4.4.6 Hydrodynamic and Flow Power Coupled Instability
4.4.4.7 Fuel Rod Behavior Effects from Coolant Flow Blockage

4.4.5 Testing and Verification

4.4.5.1 Tests Prior to Initial Criticality
4.4.5.2 Initial Power and Plant Operation
4.4.5.3 Component and Fuel Inspections

4.4.6 Instrumentation Requirements

4.4.6.1 Incore Instrumentation
4.4.6.2 Overtemperature and Overpower ΔT Instrumentation
4.4.6.3 Instrumentation To Limit Maximum Power Output
4.4.6.4 Digital Metal Impact Monitoring System

4.5 Reactor Materials

4.5.1 Control Rod Drive System Structural Materials

4.5.1.1 Materials Specifications
4.5.1.2 Fabrication and Processing of Austenitic Stainless Steel Components
4.5.1.3 Contamination Protection and Cleaning of Austenitic Stainless Steel
4.5.1.4 Other Materials

4.5.2 Reactor Internals Materials

4.5.2.1 Materials Specifications
4.5.2.2 Controls on Welding
4.5.2.3 Nondestructive Examination of Tubular Products and Fittings
4.5.2.4 Fabrication and Processing of Austenitic Stainless Steel Components
4.5.2.5 Contamination Protection and Cleaning of Austenitic Stainless Steel

TABLE OF CONTENTS (CONTINUED)

4.6 Functional Design of Reactivity Control Systems

4.6.1 Information for Control Rod Drive System
4.6.2 Evaluations of the CRDS
4.6.3 Testing and Verification of the CRDS
4.6.4 Information for Combined Performance of Reactivity Systems
4.6.5 Evaluation of Combined Performance

4A Response to NUREG-0737, II.F.2, Instrumentation for Detection of Inadequate Core Cooling

5.0 REACTOR COOLANT SYSTEM AND CONNECTED SYSTEMS

5.1 Summary Description

5.1.1 Design Bases

5.1.2 Design Description

5.1.3 System Components

5.1.4 System Performance Characteristics

5.2 Integrity of Reactor Coolant Pressure Boundary

5.2.1 Compliance with Codes and Code Cases

5.2.1.1 Compliance with 10 CFR 50.55a
5.2.1.2 Applicable Code Cases

5.2.2 Overpressure Protection

5.2.2.1 Design Bases
5.2.2.2 Design Evaluation
5.2.2.3 Piping and Instrumentation Diagrams
5.2.2.4 Equipment and Component Description
5.2.2.5 Mounting of Pressure Relief Devices
5.2.2.6 Applicable Codes and Classification
5.2.2.7 Material Specifications
5.2.2.8 Process Instrumentation
5.2.2.9 System Reliability
5.2.2.10 RCS Pressure Control During Low-Temperature Operation
5.2.2.11 Consequences of a Postulated Loss of a dc Bus Coupled with a Single Failure Disabling a PORV Allowing a Cold Pressurization Event
5.2.2.12 Testing and Inspection

TABLE OF CONTENTS (CONTINUED)

5.2.3 Reactor Coolant Pressure Boundary Materials

5.2.3.1 Material Specifications
5.2.3.2 Compatibility with Reactor Coolant
5.2.3.3 Fabrication and Processing of Ferritic Materials
5.2.3.4 Fabrication and Processing of Austenitic Stainless Steel

5.2.4 Inservice Inspection and Testing of Reactor Coolant Pressure Boundary

5.2.4.1 System Boundary Subject to Inspection
5.2.4.2 Arrangement and Accessibility
5.2.4.3 Examination Techniques and Procedures
5.2.4.4 Inspection Intervals
5.2.4.5 Examination Categories and Requirements
5.2.4.6 Evaluation of Examination Results
5.2.4.7 System Leakage and Hydrostatic Pressure Tests

5.2.5 Detection of Leakage Through Reactor Coolant Pressure Boundary

5.2.5.1 Design Bases
5.2.5.2 Identified Intersystem Leakage Detection
5.2.5.3 Unidentified Leakage Detection
5.2.5.4 Safety Evaluation
5.2.5.5 Tests and Inspections
5.2.5.6 Instrumentation Applications

5.3 Reactor Vessel

5.3.1 Reactor Vessel Materials

5.3.1.1 Material Specifications
5.3.1.2 Special Processes Used for Manufacturing and Fabrication
5.3.1.3 Special Methods for Nondestructive Examination
5.3.1.4 Special Controls for Ferritic and Austenitic Stainless Steels
5.3.1.5 Fracture Toughness
5.3.1.6 Material Surveillance
5.3.1.7 Reactor Vessel Fasteners

5.3.2 Pressure-Temperature Limits

5.3.2.1 Limit Curves
5.3.2.2 Operating Procedures

5.3.3 Reactor Vessel Integrity

5.3.3.1 Design
5.3.3.2 Materials of Construction

TABLE OF CONTENTS (CONTINUED)

5.3.3.3 Fabrication Methods
5.3.3.4 Inspection Requirements
5.3.3.5 Shipment and Installation
5.3.3.6 Operating Conditions
5.3.3.7 Inservice Surveillance

5.4 Component and Subsystem Design

5.4.1 Reactor Coolant Pump Assembly

5.4.1.1 Design Bases
5.4.1.2 Pump Assembly Description
5.4.1.3 Design Evaluation
5.4.1.4 Tests and Inspections
5.4.1.5 Pump Flywheel

5.4.2 Steam Generators

5.4.2.1 Design Bases
5.4.2.2 Design Description
5.4.2.3 Design Evaluation
5.4.2.4 Steam Generator Materials
5.4.2.5 Steam Generator Inservice Inspection
5.4.2.6 Quality Assurance

5.4.3 Reactor Coolant Piping

5.4.3.1 Design Bases
5.4.3.2 Design Description
5.4.3.3 Design Evaluation
5.4.3.4 Tests and Inspections

5.4.4 Main Steam Line Flow Restrictions

5.4.4.1 Design Bases
5.4.4.2 Design Description
5.4.4.3 Design Evaluation
5.4.4.4 Inspections

5.4.5 Materials and Inspections

5.4.6 Reactor Vessel Design Data

5.4.7 Residual Heat Removal System

5.4.7.1 Design Bases
5.4.7.2 System Design
5.4.7.3 Performance Evaluation

TABLE OF CONTENTS (CONTINUED)

5.4.7.4 Preoperational Testing
5.4.7.5 Reliability Tests and Inspections

5.4.8 Reactor Water Cleanup System

5.4.9 Main Steam Line and Feedwater Piping

5.4.10 Pressurizer

5.4.10.1 Design Bases
5.4.10.2 Design Description
5.4.10.3 Design Evaluation
5.4.10.4 Tests and Inspections

5.4.11 Pressurizer Relief Discharge System

5.4.11.1 Design Bases
5.4.11.2 System Description
5.4.11.3 Safety Evaluation
5.4.11.4 Instrumentation Requirements
5.4.11.5 Inspection and Testing Requirements

5.4.12 Valves

5.4.12.1 Design Bases
5.4.12.2 Design Description
5.4.12.3 Design Evaluation
5.4.12.4 Tests and Inspections

5.4.13 Safety and Relief Valves

5.4.13.1 Design Bases
5.4.13.2 Design Description
5.4.13.3 Design Evaluation
5.4.13.4 Tests and Inspection

5.4.14 Component Supports

5.4.14.1 Design Bases
5.4.14.2 Description
5.4.14.3 Evaluation
5.4.14.4 Tests and Inspections

5.4.15 Reactor Vessel Head Vent System

5.4.15.1 Design Bases
5.4.15.2 System Description
5.4.15.3 Safety Evaluation
5.4.15.4 Inspection and Testing Requirements
5.4.15.5 Instrumentation Requirements

TABLE OF CONTENTS (CONTINUED)

6.0 ENGINEERED SAFETY FEATURES

6.1 Engineered Safety Features Materials

6.1.1 Metallic Materials

6.1.1.1 Materials Selection and Fabrication
6.1.1.2 Composition, Compatibility, and Stability of Containment and Core Spray Coolants

6.1.2 Organic Materials

6.1.2.1 Protective Coatings
6.1.2.2 Other Organic Materials

6.1.3 Post-Accident Chemistry

6.2 Containment Systems

6.2.1 Containment Functional Design

6.2.1.1 Containment Structure
6.2.1.2 Containment Subcompartments
6.2.1.3 Mass and Energy Release Analysis for Postulated Loss-of-Coolant Accidents
6.2.1.4 Mass and Energy Release Analysis for Postulated Secondary System Pipe Ruptures Inside Containment
6.2.1.5 Minimum Containment Pressure Analysis for Performance Capability Studies on Emergency Core Cooling System
6.2.1.6 Instrumentation Requirements

6.2.2 Containment Heat Removal Systems

6.2.2.1 Containment Cooling System
6.2.2.2 Containment Spray System

6.2.3 Secondary Containment Functional Design

6.2.4 Containment Isolation System

6.2.4.1 Design Bases
6.2.4.2 System Description
6.2.4.3 Design Evaluation
6.2.4.4 Tests and Inspections
6.2.4.5 Instrumentation Application

TABLE OF CONTENTS (CONTINUED)

6.2.5 Combustible Gas Control in Containment

6.2.5.1 Design Bases
6.2.5.2 System Design
6.2.5.3 Design Evaluation
6.2.5.4 Tests and Inspections
6.2.5.5 Instrumentation Requirements
6.2.5.6 Materials

6.2.6 Containment Leakage Testing

6.2.6.1 Containment Integrated Leakage Rate Test (Type A Test)
6.2.6.2 Containment Penetration Leakage Rate Tests (Type B Tests)
6.2.6.3 Containment Isolation Valve Leakage Rate Tests
6.2.6.4 Scheduling and Reporting of Periodic Tests
6.2.6.5 Special Testing Requirements

6.2.7 Fracture Prevention of Containment Pressure Boundary

6.2.7.1 Design Bases
6.2.7.2 Specifications for Ferritic Materials
6.2.7.3 Documentation
6.2.7.4 Evaluation

6.3 Emergency Core Cooling System

6.3.1 Design Bases

6.3.2 System Design

6.3.2.1 Schematic Piping and Instrumentation Diagrams
6.3.2.2 Equipment and Component Descriptions
6.3.2.3 Applicable Codes and Standards
6.3.2.4 Material Specifications and Compatibility
6.3.2.5 System Reliability
6.3.2.6 Protection Provisions
6.3.2.7 Provisions for Performance Testing
6.3.2.8 Manual Actions

6.3.3 Performance Evaluation

6.3.3.1 Increase in Heat Removal by the Secondary System
6.3.3.2 Decrease in Heat Removal by the Secondary System
6.3.3.3 Decrease in RCS Inventory
6.3.3.4 Use of Dual Function Components
6.3.3.5 Limits on System Parameters

TABLE OF CONTENTS (CONTINUED)

6.3.4 Tests and Inspections

6.3.4.1 Emergency Core Cooling System Performance Tests
6.3.4.2 Reliability Tests and Inspections

6.3.5 Instrumentation Requirements

6.3.5.1 Deleted
6.3.5.2 Pressure Indication
6.3.5.3 Flow Indication
6.3.5.4 Level Indication
6.3.5.5 Operating Status Indication

6.4 Habitability Systems

6.4.1 Design Bases

6.4.2 System Design

6.4.2.1 Definition of the Control Room Envelope
6.4.2.2 Ventilation System Design
6.4.2.3 Leaktightness
6.4.2.4 Interaction with Other Zones and Pressurized Equipment
6.4.2.5 Shielding Design
6.4.2.6 Reference

6.4.3 System Operational Procedures

6.4.3.1 Normal Mode
6.4.3.2 Emergency Mode
6.4.3.3 Smoke Removal Mode

6.4.4 Design Evaluations

6.4.4.1 Radiological Protection
6.4.4.2 Toxic Gas Protection
6.4.4.3 Implementation of Design Bases

6.4.5 Testing and Inspection

6.4.5.1 Preoperational Testing
6.4.5.2 Inservice Testing

6.4.6 Instrumentation Requirement

6.5 Fission Product Removal and Control Systems

TABLE OF CONTENTS (CONTINUED)

6.5.1 Engineered Safety Features Filter Systems

6.5.1.1 Design Bases
6.5.1.2 System Design
6.5.1.3 Design Evaluation
6.5.1.4 Tests and Inspections
6.5.1.5 Instrumentation Requirements
6.5.1.6 Materials
6.5.1.7 Standard Review Plan Evaluation

6.5.2 Containment Spray Systems (Fission Product Removal)

6.5.2.1 Design Bases (For Fission Product Removal)
6.5.2.2 System Design (For Fission Product Removal)
6.5.2.3 Design Evaluation
6.5.2.4 Tests and Inspections
6.5.2.5 Instrumentation Requirements
6.5.2.6 Materials
6.5.2.7 Standard Review Plan Evaluation

6.5.3 Fission Product Control Systems

6.5.3.1 Primary Containment
6.5.3.2 Secondary Containment

6.6 Inservice Inspection of Class 2 and 3 Components

6.6.1 Components Subject to Examination

6.6.2 Accessibility

6.6.3 Examination Techniques and Procedures

6.6.4 Inspection Intervals

6.6.5 Examination Categories and Requirements

6.6.6 Evaluation of Examination Results

6.6.7 System Pressure Tests

6.6.8 Augmented Inservice Inspection To Protect Against Postulated Piping Failures

7.0 INSTRUMENTATION AND CONTROLS

7.1 Introduction

TABLE OF CONTENTS (CONTINUED)

7.1.1 Identification of Safety-Related Systems

7.1.1.1 Reactor Protection System
7.1.1.2 Other Instrumentation Systems Required for Safety
7.1.1.3 Systems Required for Safe Shutdown
7.1.1.4 Control Systems Not Required for Safety
7.1.1.5 Comparison with Other Plants

7.1.2 Identification of Safety Criteria

7.1.2.1 Design Bases
7.1.2.2 Independence of Redundant Safety-Related Systems
7.1.2.3 Physical Identification of Safety-Related Equipment
7.1.2.4 Conformance to Criteria
7.1.2.5 Conformance to Regulatory Guide 1.22
7.1.2.6 Conformance to Regulatory Guide 1.53 and IEEE Standard 379-1972
7.1.2.7 Conformance to IEEE Standard 338-1975

7.2 Reactor Trip System

7.2.1 Description

7.2.1.1 System Description
7.2.1.2 Design Bases Information
7.2.1.3 Final System Drawings

7.2.2 Analyses

7.2.2.1 Failure Modes and Effects Analyses
7.2.2.2 Evaluation of Design Limits
7.2.2.3 Specific Control and Protection Interactions
7.2.2.4 Additional Postulated Accidents
7.2.2.5 Tests and Inspections

7.3 Engineered Safety Features Systems

7.3.1 Nuclear Steam Supply System ESFAS

7.3.1.1 Introduction
7.3.1.2 Analysis

7.3.2 Emergency Core Cooling System

7.3.2.1 Description
7.3.2.2 Analysis

TABLE OF CONTENTS (CONTINUED)

7.3.3 Containment Combustible Gas Control System

7.3.3.1 Description
7.3.3.2 Analysis

7.3.4 Containment Purge Isolation System

7.3.4.1 Description
7.3.4.2 Analysis

7.3.5 Fuel Handling Building Ventilation Isolation

7.3.5.1 Description
7.3.5.2 Design Bases
7.3.5.3 Drawings
7.3.5.4 Analysis

7.3.6 Control Room Ventilation Isolation

7.3.6.1 Description
7.3.6.2 Analysis

7.3.7 Auxiliary Feedwater System

7.3.7.1 Description
7.3.7.2 Analysis

7.3.8 Main Steam and Feedwater Isolation

7.3.8.1 Description
7.3.8.2 Analysis

7.3.9 Nuclear Service Cooling Water

7.3.9.1 Description
7.3.9.2 Analysis

7.3.10 Component Cooling Water System

7.3.10.1 Description
7.3.10.2 Analysis

7.3.11 Containment Heat Removal System

7.3.11.1 Description
7.3.11.2 Analysis
7.3.11.3 Summary
7.3.11.4 Loss-of-Coolant Protection
7.3.11.5 Drawings

TABLE OF CONTENTS (CONTINUED)

7.3.12 Control Building Engineered Safety Features Heating, Ventilation, and Air-Conditioning System

7.3.12.1 Description
7.3.12.2 Analysis
7.3.12.3 Summary

7.3.13 Auxiliary Building Engineered Safety Features Heating, Ventilation, and Air-Conditioning System

7.3.13.1 Description
7.3.13.2 Analysis
7.3.13.3 Summary

7.3.14 Auxiliary Feedwater Pumphouse Engineered Safety Features Heating, Ventilation, and Air-Conditioning System

7.3.14.1 Description
7.3.14.2 Analysis
7.3.14.3 Summary

7.3.15 Diesel Generator Building Engineered Safety Features Heating, Ventilation, and Air-Conditioning System

7.3.15.1 Description
7.3.15.2 Analysis
7.3.15.3 Summary

7.3.16 Electrical Tunnel Engineered Safety Features Heating, Ventilation, and Air-Conditioning System

7.3.16.1 Description
7.3.16.2 Analysis
7.3.16.3 Summary

7.3.17 Diesel Generator Fuel Oil System

7.3.17.1 Decription
7.3.17.2 Analysis
7.3.17.3 Summary

7.4 Systems Required for Safe Shutdown

7.4.1 Hot Standby

7.4.1.1 Auxiliary Feedwater Control
7.4.1.2 Power-Operated Atmospheric Steam Relief Valves

TABLE OF CONTENTS (CONTINUED)

7.4.1.3 Centrifugal Charging System Controls
7.4.1.4 Coolant Circulation
7.4.1.5 Other Systems Required for Hot Standby

7.4.2 Cold Shutdown

7.4.3 Safe Shutdown from Outside the Control Room

7.4.3.1 Description
7.4.3.2 Analysis
7.4.3.3 Alternate Shutdown Indication System

7.5 Information Systems Important to Safety

7.5.1 Safety-Related Display Instrumentation Introduction

7.5.2 Description of Information Systems

7.5.2.1 Definitions
7.5.2.2 Variable Types
7.5.2.3 Variable Categories
7.5.2.4 Post Accident Monitoring Instrumentation Program

7.5.3 Description of Variables

7.5.3.1 Type A Variables
7.5.3.2 Type B Variables
7.5.3.3 Type C Variables
7.5.3.4 Type D Variables
7.5.3.5 Type E Variables
7.5.3.6 Plant Safety Monitoring System

7.5.4 Additional Information

7.5.5 Bypassed and Inoperable Status Indication for Engineered Safety Features Systems

7.5.5.1 Description
7.5.5.2 Conformance to Regulatory Guide 1.47
7.5.5.3 Conformance to Branch Technical Position ICSB-21
7.5.5.4 System Drawings

7.6 Interlock Systems Important to Safety

7.6.1 Instrumentation and Control Power Supply System

7.6.1.1 Description

TABLE OF CONTENTS (CONTINUED)

7.6.1.2 Analysis

7.6.2 Residual Heat Removal Isolation Valves

7.6.2.1 Description
7.6.2.2 Analysis

7.6.3 Refueling Interlocks

7.6.4 Accumulator Motor-Operated Valves

7.6.5 Switchover from Injection to Recirculation

7.6.5.1 Description of Instrumentation Used for Switchover
7.6.5.2 Initiation Circuit
7.6.5.3 Logic
7.6.5.4 Bypass
7.6.5.5 Interlocks
7.6.5.6 Sequence
7.6.5.7 Redundancy
7.6.5.8 Diversity
7.6.5.9 Actuated Devices

7.6.6 Interlocks Isolating Safety Systems from Nonsafety Systems

7.6.6.1 Deleted
7.6.6.2 Refueling Water Storage Tank Isolation
7.6.6.3 Deleted
7.6.6.4 Isolation of Reactor Coolant Pump Thermal Barrier Cooling Water
7.6.6.5 Electric Steam Boiler Isolation
7.6.6.6 Steam Generator Blowdown Isolation
7.6.6.7 CVCS Letdown Line Isolation
7.6.6.8 Analysis

7.6.7 Interlocks for Reactor Coolant System Pressure Control During Low-Temperature Operations

7.6.7.1 Analysis of Interlock
7.6.7.2 Pressurizer Pressure Relief System

7.7. Control Systems Not Required for Safety

7.7.1 Description of Control Systems Not Required for Safety

7.7.1.1 Reactor Control System
7.7.1.2 Rod Control System
7.7.1.3 Plant Control Signals for Monitoring and Indicating
7.7.1.4 Plant Control System Interlocks

TABLE OF CONTENTS (CONTINUED)

7.7.1.5 Pressurizer Pressure Control
7.7.1.6 Pressurizer Water Level Control
7.7.1.7 Steam Generator Water Level Control
7.7.1.8 Steam Dump Control
7.7.1.9 Incore Instrumentation
7.7.1.10 Boron Concentration Measurement System
7.7.1.11 ATWS Mitigation System Actuation Circuitry Description

7.7.2 Analysis of Control Systems Not Required for Safety

7.7.2.1 Separation of Protection and Control System
7.7.2.2 Response Considerations of Reactivity
7.7.2.3 Step-Load Changes Without Steam Dump
7.7.2.4 Loading and Unloading
7.7.2.5 Load Rejection Furnished by Steam Dump System
7.7.2.6 Turbine-Generator Trip With Reactor Trip
7.7.2.7 Core Cooling Monitor
7.7.2.8 Reactor Vessel Level Instrumentation System
7.7.2.9 Control Systems Failure Analysis
7.7.2.10 ATWS Mitigation System Actuation Circuitry Analysis

8.0 ELECTRIC POWER

8.1 Introduction

8.1.1 Utility Grid Description
8.1.2 Onsite Power System Description
8.1.3 Safety-Related Loads
8.1.4 Design Bases

8.1.4.1 Offsite Power System
8.1.4.2 Onsite Power System
8.1.4.3 Design Criteria, Regulatory Guides, and IEEE Standards

8.2 Offsite Power System

8.2.1 System Description

8.2.1.1 Offsite Sources
8.2.1.2 Switchyard

8.2.2 Analysis

8.2.2.1 Loss of VEGP Unit 1 or 2 or the Largest Unit
8.2.2.2 VEGP Voltage Operating Range
8.2.2.3 VEGP Transient Stability
8.2.2.4 Conformance to Criteria

TABLE OF CONTENTS (CONTINUED)

8.2.2.5 Standards and Guides

8.3 Onsite Power Systems

8.3.1 AC Power Systems

8.3.1.1 Description
8.3.1.2 Analysis
8.3.1.3 Physical Identification of Safety-Related Equipment
8.3.1.4 Independence of Redundant Systems
8.3.1.5 Standard Review Plan Evaluation

8.3.2 DC Power Systems

8.3.2.1 Description
8.3.2.2 Analysis

8.3.3 Fire Protection for Cable Systems

8.4 Station Blackout (SBO)

8.4.1 Introduction

8.4.1.1 SBO Coping Evaluation

9.0 AUXILIARY SYSTEMS

9.1 Fuel Storage and Handling

9.1.1 New Fuel Storage

9.1.1.1 Design Bases
9.1.1.2 Facilities Description
9.1.1.3 Safety Evaluation
9.1.1.4 Test and Inspections
9.1.1.5 Instrumentation

9.1.2 Wet Spent Fuel Storage

9.1.2.1 Design Bases
9.1.2.2 Facilities Description
9.1.2.3 Safety Evaluation

9.1.3 Spent Fuel Pool Cooling and Purification System

TABLE OF CONTENTS (CONTINUED)

9.1.3.1 Design Bases
9.1.3.2 System Description
9.1.3.3 Component Description
9.1.3.4 System Operation
9.1.3.5 Safety Evaluation
9.1.3.6 Tests and Inspections
9.1.3.7 Standard Review Plan Evaluation

9.1.4 Light Load Handling System (Related to Refueling)

9.1.4.1 Design Bases
9.1.4.2 System Description
9.1.4.3 Safety Evaluation
9.1.4.4 Inspection and Testing Requirements
9.1.4.5 Instrumentation Requirements
9.1.4.6 Standard Review Plan Evaluation

9.1.5 Overhead Heavy Load Handling Systems

9.1.5.1 Design Bases
9.1.5.2 System Description
9.1.5.3 Safety Evaluation
9.1.5.4 Tests and Inspections
9.1.5.5 Instrumentation Applications
9.1.5.6 Load Handling Procedures

9.1.6 Dry Spent Fuel Storage

9.1.6.1 Facility Description

9.2 Water Systems

9.2.1 Nuclear Service Cooling Water System

9.2.1.1 Design Bases
9.2.1.2 System Description
9.2.1.3 Safety Evaluation
9.2.1.4 Tests and Inspections
9.2.1.5 Instrumentation Applications

9.2.2 Component Cooling Water System

9.2.2.1 Design Bases
9.2.2.2 System Description
9.2.2.3 Safety Evaluation
9.2.2.4 Tests and Inspections
9.2.2.5 Instrumentation Applications

TABLE OF CONTENTS (CONTINUED)

9.2.3 Demineralized Water Makeup System

9.2.3.1 Design Bases
9.2.3.2 System Description
9.2.3.3 Safety Evaluation
9.2.3.4 Tests and Inspections
9.2.3.5 Instrumentation Applications

9.2.4 Potable and Sanitary Water System

9.2.4.1 Design Bases
9.2.4.2 System Description
9.2.4.3 Safety Evaluation
9.2.4.4 Tests and Inspections
9.2.4.5 Instrumentation Applications

9.2.5 Ultimate Heat Sink

9.2.5.1 Design Bases
9.2.5.2 System Description
9.2.5.3 Safety Evaluation
9.2.5.4 Tests and Inspections
9.2.5.5 Instrumentation Applications
9.2.5.6 Standard Review Plan Evaluation

9.2.6 Condensate Storage Facility

9.2.6.1 Design Bases
9.2.6.2 System Description
9.2.6.3 System Operation
9.2.6.4 Safety Evaluation
9.2.6.5 Tests and Inspections
9.2.6.6 Instrumentation Applications

9.2.7 Reactor Makeup Water Facility

9.2.7.1 Design Bases
9.2.7.2 System Description
9.2.7.3 Safety Evaluation
9.2.7.4 Tests and Inspections
9.2.7.5 Instrumentation Applications

9.2.8 Auxiliary Component Cooling Water

9.2.8.1 Design Bases
9.2.8.2 System Description
9.2.8.3 Safety Evaluation
9.2.8.4 Tests and Inspections
9.2.8.5 Instrumentation Applications

TABLE OF CONTENTS (CONTINUED)

9.2.8.6 Standard Review Plan Evaluation

9.2.9 Chilled Water Systems

9.2.9.1 Essential Chilled Water System
9.2.9.2 Normal Chilled Water System

9.2.10 Turbine Plant Closed Cooling Water System

9.2.10.1 Design Bases
9.2.10.2 System Description
9.2.10.3 Safety Evaluation
9.2.10.4 Tests and Inspections
9.2.10.5 Instrument Applications

9.2.11 Turbine Plant Cooling Water System

9.2.11.1 Design Bases
9.2.11.2 System Description
9.2.11.3 Safety Evaluation
9.2.11.4 Tests and Inspections
9.2.11.5 Instrument Applications

9.3 Process Auxiliaries

9.3.1 Compressed Air System

9.3.1.1 Design Bases
9.3.1.2 System Description
9.3.1.3 Safety Evaluation
9.3.1.4 Tests and Inspections
9.3.1.5 Instrumentation Applications

9.3.2 Process Sampling Systems

9.3.2.1 Design Bases
9.3.2.2 System Description
9.3.2.3 Safety Evaluation
9.3.2.4 Tests and Inspections
9.3.2.5 Instrumentation Applications

9.3.3 Equipment and Floor Drainage Systems

9.3.3.1 Design Bases
9.3.3.2 System Description
9.3.3.3 Safety Evaluation
9.3.3.4 Tests and Inspections
9.3.3.5 Instrumentation Applications

TABLE OF CONTENTS (CONTINUED)

9.3.4 Chemical and Volume Control System (Including Boron Recycle System)

9.3.4.1 Chemical and Volume Control System
9.3.4.2 Boron Recycle System

9.3.5 Auxiliary Gas Systems

9.3.5.1 Design Bases
9.3.5.2 System Description
9.3.5.3 Safety Evaluation
9.3.5.4 Tests and Inspections
9.3.5.5 Instrumentation Requirements

9.3.6 Standby Liquid Control System (Boiling Water Reactor)

9.3.7 Chlorine Supply System

9.3.7.1 Design Bases
9.3.7.2 System Description
9.3.7.3 Safety Evaluation
9.3.7.4 Inspection and Testing Requirements
9.3.7.5 Instrumentation Requirements

9.4 Air-Conditioning, Heating, Cooling, and Ventilation Systems

9.4.1 Control Building Ventilation Systems

9.4.1.1 Design Bases
9.4.1.2 System Description
9.4.1.3 System Operation
9.4.1.4 System Components
9.4.1.5 Safety Evaluation
9.4.1.6 Tests and Inspections
9.4.1.7 Instrumentation Application
9.4.1.8 Onsite Technical Support Center HVAC

9.4.2 Fuel Handling Building Ventilation System

9.4.2.1 Normal Operation of the Fuel Handling Building Ventilation System
9.4.2.2 Post-Accident or Emergency Operation of the FHB Ventilation System

9.4.3 Auxiliary and Radwaste Building Ventilation System

9.4.3.1 Auxiliary Building Normal Ventilation System

TABLE OF CONTENTS (CONTINUED)

9.4.3.2 Auxiliary Building Emergency Ventilation System Radwaste Building Ventilation Systems Radwaste Processing Facility

9.4.4 Turbine Building Ventilation System

9.4.4.1 Design Bases
9.4.4.2 System Description
9.4.4.3 Safety Evaluation
9.4.4.4 Tests and Inspections
9.4.4.5 Instrumentation Applications

9.4.5 Control Building Engineered Safety Features Ventilation Systems

9.4.5.1 Design Bases
9.4.5.2 System Description
9.4.5.3 System Operation
9.4.5.4 Safety Evaluations
9.4.5.5 System Components
9.4.5.6 Tests and Inspections
9.4.5.7 Instrumentation Applications

9.4.6 Containment Building Ventilation System

9.4.6.1 Design Bases
9.4.6.2 System Description
9.4.6.3 Safety Evaluation
9.4.6.4 Testing and Inspection
9.4.6.5 Instrumentation Applications

9.4.7 Diesel Generator Building Ventilation System

9.4.7.1 Design Bases
9.4.7.2 System Description
9.4.7.3 Safety Evaluation
9.4.7.4 Tests and Inspections
9.4.7.5 Instrumentation Applications
9.4.7.6 Standard Review Plan Evaluation

9.4.8 Auxiliary Feedwater Pumphouse Heating, Ventilation, and Air-Conditioning System

9.4.8.1 Design Bases
9.4.8.2 System Description
9.4.8.3 Safety Evaluation
9.4.8.4 Tests and Inspections
9.4.8.5 Instrumentation Applications

9.4.9 Miscellaneous Heating, Ventilation, and Air-Conditioning Systems

TABLE OF CONTENTS (CONTINUED)

9.4.9.1 Equipment Building Ventilation System
9.4.9.2 Electrical Tunnel Ventilation System
9.4.9.3 Piping Penetration and MSIV Area Ventilation Systems

9.5 Other Auxiliary Systems

9.5.1 Fire Protection Program

9.5.1.1 Design Basis
9.5.1.2 Systems Description
9.5.1.3 Safety Evaluation
9.5.1.4 Inspection and Testing Requirements
9.5.1.5 Personnel Qualification and Training
9.5.1.6 Standard Review Plan Evaluation

9.5.2 Communication Systems

9.5.2.1 Design Bases
9.5.2.2 System Description
9.5.2.3 Inspection and Testing Requirements

9.5.3 Lighting Systems

9.5.3.1 Design Bases
9.5.3.2 System Description
9.5.3.3 Failure Analysis
9.5.3.4 Test and Inspections

9.5.4 Emergency Diesel Generator Fuel Oil Storage and Transfer System

9.5.4.1 Design Bases
9.5.4.2 System Description
9.5.4.3 Safety Evaluation
9.5.4.4 Tests and Inspections
9.5.4.5 Instrumentation Applications

9.5.5 Diesel Generator Cooling Water System

9.5.5.1 Design Bases
9.5.5.2 System Description
9.5.5.3 Safety Evaluation
9.5.5.4 Tests and Inspections
9.5.5.5 Instrumentation Applications

9.5.6 Diesel Generator Starting System

9.5.6.1 Design Bases
9.5.6.2 System Description

TABLE OF CONTENTS (CONTINUED)

9.5.6.3 Safety Evaluation
9.5.6.4 Tests and Inspections
9.5.6.5 Instrumentation Applications

9.5.7 Diesel Generator Lubrication System

9.5.7.1 Design Bases
9.5.7.2 System Description
9.5.7.3 Safety Evaluation
9.5.7.4 Tests and Inspections
9.5.7.5 Instrumentation Applications

9.5.8 Diesel Generator Combustion Air Intake and Exhaust System

9.5.8.1 Design Bases
9.5.8.2 System Description
9.5.8.3 Safety Evaluation
9.5.8.4 Tests and Inspections
9.5.8.5 Instrumentation Applications

9.5.9 Auxiliary Steam System

9.5.9.1 Design Bases
9.5.9.2 System Description
9.5.9.3 Safety Evaluation
9.5.9.4 Tests and Inspections
9.5.9.5 Instrumentation Applications

9.5.10 Deleted

Appendix 9A Fire Hazards Analysis

9A.1 Introduction

9A.1.1 Fire Area 1-AB-LD-A
9A.1.2 Fire Area 1-AB-LD-B
9A.1.3 Fire Area 1-AB-LD-C
9A.1.4 Fire Area 1-AB-LD-D
9A.1.5 Fire Area 1-AB-LD-E
9A.1.6 Fire Area 1-AB-LD-F
9A.1.7 Fire Area 1-AB-LD-G
9A.1.8 Fire Area 1-AB-LD-H
9A.1.9 Fire Area 1-AB-LD-I
9A.1.10 Fire Area 1-AB-LD-J
9A.1.11 Deleted
9A.1.12 Fire Area 1-AB-LC-A
9A.1.13 Fire Area 1-AB-LC-B
9A.1.14 Fire Area 1-AB-LC-C

TABLE OF CONTENTS (CONTINUED)

9A.1.15	Fire Area 1-AB-LC-D
9A.1.16	Fire Area 1-AB-LC-E
9A.1.17	Deleted
9A.1.18	Deleted
9A.1.19	Fire Area 1-AB-LB-A
9A.1.20	Fire Area 1-AB-LB-B
9A.1.21	Deleted
9A.1.22	Fire Area 1-AB-LA-A
9A.1.23	Fire Area 1-AB-LA-B
9A.1.24	Fire Area 1-AB-LA-C
9A.1.25	Fire Area 1-AB-LA-D
9A.1.26	Fire Area 1-AB-LA-E
9A.1.27	Fire Area 1-AB-L1-B
9A.1.28	Fire Area 1-AB-L1-C
9A.1.29	Deleted
9A.1.30	Deleted
9A.1.31	Fire Area 1-AB-L1-G
9A.1.32	Fire Area 1-AB-L1-H
9A.1.33	Fire Area 1-AB-L2-A
9A.1.34	Deleted
9A.1.35	Fire Area 1-AB-L2-C
9A.1.36	Deleted
9A.1.37	Fire Area 1-AB-L2-E
9A.1.38	Deleted
9A.1.39	Fire Area 1-CB-LC-A
9A.1.40	Fire Area 1-CB-LC-B
9A.1.41	Deleted
9A.1.42	Fire Area 1-CB-LB-A
9A.1.43	Fire Area 1-CB-LB-B
9A.1.44	Fire Area 1-CB-LB-C
9A.1.45	Fire Area 1-CB-LB-D
9A.1.46	Fire Area 1-CB-LB-E
9A.1.47	Fire Area 1-CB-LB-F
9A.1.48	Fire Area 1-CB-LB-G
9A.1.49	Fire Area 1-CB-LB-H
9A.1.50	Fire Area 1-CB-LB-I
9A.1.51	Fire Area 1-CB-LB-J
9A.1.52	Fire Area 1-CB-LB-K
9A.1.53	Fire Area 1-CB-LB-L
9A.1.54	Fire Area 1-CB-LB-M
9A.1.55	Fire Area 1-CB-LB-N
9A.1.56	Fire Area 1-CB-LB-O
9A.1.57	Fire Area 1-CB-LB-P
9A.1.58	Fire Area 1-CB-LB-Q
9A.1.59	Deleted
9A.1.60	Fire Area 1-CB-LB-S
9A.1.60A	Fire Area 1-CB-LB-T
9A.1.61	Fire Area 1-CB-LA-A
9A.1.62	Fire Area 1-CB-LA-B

TABLE OF CONTENTS (CONTINUED)

9A.1.63	Fire Area 1-CB-LA-C
9A.1.64	Fire Area 1-CB-LA-D
9A.1.65	Fire Area 1-CB-LA-E
9A.1.66	Fire Area 1-CB-LA-F
9A.1.67	Fire Area 1-CB-LA-G
9A.1.68	Fire Area 1-CB-LA-H
9A.1.69	Fire Area 1-CB-LA-I
9A.1.70	Fire Area 1-CB-LA-J
9A.1.71	Fire Area 1-CB-LA-K
9A.1.72	Fire Area 1-CB-LA-L
9A.1.73	Fire Area 1-CB-LA-M
9A.1.74	Fire Area 1-CB-LA-N
9A.1.75	Fire Area 1-CB-LA-O
9A.1.76	Fire Area 1-CB-LA-P
9A.1.77	Fire Area 1-CB-LA-Q
9A.1.78	Fire Area 1-CB-LA-R
9A.1.79	Fire Area 1-CB-LA-S
9A.1.80	Fire Area 1-CB-LA-T
9A.1.80A	Fire Area 1-CB-LA-U
9A.1.81	Fire Area 1-CB-L1-A
9A.1.82	Fire Area 1-CB-L1-B
9A.1.83	Fire Area 1-CB-L1-C
9A.1.84	Fire Area 1-CB-L1-D
9A.1.85	Fire Area 1-CB-L1-E
9A.1.86	Fire Area 1-CB-L1-F
9A.1.87	Fire Area 1-CB-L1-G
9A.1.88	Fire Area 1-CB-L1-TSC
9A.1.89	Fire Area 1-CB-L2-A
9A.1.90	Fire Area 1-CB-L2-B
9A.1.91	Deleted
9A.1.92	Deleted
9A.1.93	Fire Area 1-CB-L2-E
9A.1.94	Fire Area 1-CB-L3-A
9A.1.95	Fire Area 1-CB-L3-B
9A.1.96	Fire Area 1-CB-L3-C
9A.1.97	Deleted
9A.1.98	Deleted
9A.1.99	Deleted
9A.1.100	Deleted
9A.1.101	Fire Area 1-CB-L3-H
9A.1.102	Deleted
9A.1.103	Fire Area 1-CB-L3-J
9A.1.104	Fire Area 1-CB-L3-K
9A.1.105	Fire Area 1-CB-L3-L
9A.1.105A	Fire Area 1-CB-L3-M
9A.1.106	Fire Area 1-CB-L4-A
9A.1.107	Fire Area 1-FB-LC-A
9A.1.108	Deleted
9A.1.109	Fire Area 1-FB-L3-A

TABLE OF CONTENTS (CONTINUED)

9A.1.110	Fire Area 1-FB-L3-B
9A.1.111	Fire Area 1-CTB
9A.1.112	Deleted
9A.1.113	Fire Area 1-EB-B
9A.1.114	Fire Area 1-DB-L1-A
9A.1.115	Fire Area 1-DB-L1-B
9A.1.116	Fire Area 1-DB-L1-C
9A.1.117	Fire Area 1-DB-L1-D
9A.1.118	Fire Area 1-DPB-A
9A.1.119	Fire Area 1-DPB-B
9A.1.120	Deleted
9A.1.121	Fire Area 1-AFB-A
9A.1.122	Fire Area 1-AFB-B
9A.1.123	Fire Area 1-AFB-C
9A.1.124	Fire Area 1-AFB-D
9A.1.124A	Deleted
9A.1.124B	Deleted
9A.1.125	Fire Area 1-NSP-LA-A
9A.1.126	Fire Area 1-NSP-LA-B
9A.1.126A	Fire Area 1-NSP-LA-C
9A.1.127	Fire Area 1-RB-LA-A
9A.1.128	Fire Area 1-HPB-L1-A
9A.1.129	Fire Area 1-RTB-L1-A
9A.1.130	Fire Area 1-RPF-L1-A
9A.1.131	Deleted
9A.1.132	Fire Area 1-OSB
9A.2.1	Fire Area 2-AB-LD-A
9A.2.2	Fire Area 2-AB-LD-B
9A.2.3	Fire Area 2-AB-LD-C
9A.2.4	Fire Area 2-AB-LD-D
9A.2.5	Fire Area 2-AB-LD-E
9A.2.6	Fire Area 2-AB-LD-F
9A.2.7	Fire Area 2-AB-LD-G
9A.2.8	Fire Area 2-AB-LD-H
9A.2.9	Fire Area 2-AB-LD-I
9A.2.10	Fire Area 2-AB-LD-J
9A.2.11	Fire Area 2-AB-LC-A
9A.2.12	Fire Area 2-AB-LC-B
9A.2.13	Fire Area 2-AB-LC-C
9A.2.14	Fire Area 2-AB-LC-D
9A.2.15	Fire Area 2-AB-LC-E
9A.2.16	Fire Area 2-AB-LB-A
9A.2.17	Fire Area 2-AB-LB-B
9A.2.18	Fire Area 2-AB-LA-A
9A.2.19	Fire Area 2-AB-LA-B
9A.2.20	Fire Area 2-AB-LA-C
9A.2.21	Fire Area 2-AB-LA-D
9A.2.22	Fire Area 2-AB-LA-E

TABLE OF CONTENTS (CONTINUED)

9A.2.23 Fire Area 2-AB-LI-B
9A.2.24 Fire Area 2-AB-L1-C
9A.2.25 Fire Area 2-AB-L2-A
9A.2.26 Fire Area 2-AB-L2-C
9A.2.27 Fire Area 2-AB-L2-E
9A.2.28 Fire Area 2-CB-LC-A
9A.2.29 Fire Area 2-CB-LC-B
9A.2.30 Fire Area 2-CB-LB-A
9A.2.31 Fire Area 2-CB-LB-B
9A.2.32 Fire Area 2-CB-LB-C
9A.2.33 Fire Area 2-CB-LB-D
9A.2.34 Fire Area 2-CB-LB-E
9A.2.35 Fire Area 2-CB-LB-F
9A.2.36 Fire Area 2-CB-LB-G
9A.2.37 Fire Area 2-CB-LB-H
9A.2.38 Fire Area 2-CB-LB-I
9A.2.39 Fire Area 2-CB-LB-J
9A.2.40 Fire Area 2-CB-LB-K
9A.2.41 Fire Area 2-CB-LB-L
9A.2.42 Fire Area 2-CB-LB-M
9A.2.43 Fire Area 2-CB-LB-N
9A.2.44 Fire Area 2-CB-LB-O
9A.2.45 Fire Area 2-CB-LB-P
9A.2.46 Fire Area 2-CB-LB-Q
9A.2.47 Fire Area 2-CB-LB-T
9A.2.48 Fire Area 2-CB-LB-X
9A.2.49 Fire Area 2-CB-LA-A
9A.2.50 Fire Area 2-CB-LA-B
9A.2.51 Fire Area 2-CB-LA-C
9A.2.52 Fire Area 2-CB-LA-D
9A.2.53 Fire Area 2-CB-LA-F
9A.2.54 Fire Area 2-CB-LA-G
9A.2.55 Fire Area 2-CB-LA-H
9A.2.56 Fire Area 2-CB-LA-I
9A.2.57 Fire Area 2-CB-LA-J
9A.2.58 Fire Area 2-CB-LA-K
9A.2.59 Fire Area 2-CB-LA-L
9A.2.60 Fire Area 2-CB-LA-M
9A.2.61 Fire Area 2-CB-LA-N
9A.2.62 Fire Area 2-CB-LA-O
9A.2.63 Fire Area 2-CB-LA-P
9A.2.64 Fire Area 2-CB-LA-Q
9A.2.65 Fire Area 2-CB-LA-R
9A.2.66 Fire Area 2-CB-LA-S
9A.2.67 Fire Area 2-CB-LA-T
9A.2.68 Fire Area 2-CB-LA-X
9A.2.69 Fire Area 2-CB-L1-E
9A.2.70 Fire Area 2-CB-LI-F
9A.2.71 Fire Area 2-CB-L2-A

TABLE OF CONTENTS (CONTINUED)

9A.2.72 Fire Area 2-CB-L2-B
9A.2.73 Fire Area 2-CB-L3-B
9A.2.74 Fire Area 2-CB-L3-C
9A.2.75 Fire Area 2-FB-LC-A
9A.2.76 Fire Area 2-CTB
9A.2.77 Fire Area 2-EB-B
9A.2.78 Fire Area 2-DB-L1-A
9A.2.79 Fire Area 2-DB-L1-B
9A.2.80 Fire Area 2-DB-L1-C
9A.2.81 Fire Area 2-DB-L1-D
9A.2.82 Fire Area 2-DPB-A
9A.2.83 Fire Area 2-DPB-B
9A.2.84 Fire Area 2-AFB-A
9A.2.85 Fire Area 2-AFB-B
9A.2.86 Fire Area 2-AFB-C
9A.2.87 Fire Area 2-AFB-D
9A.2.88 Fire Area 2-NSP-LA-A
9A.2.89 Fire Area 2-NSP-LA-B

Appendix 9B Comparison of VEGP Units 1 and 2 with Requirements of the Branch Technical Position CMEB 9.5-1

10.0 STEAM AND POWER CONVERSION SYSTEM

10.1 Summary Description

10.1.1 General Description
10.1.2 Protective and Safety-Related Features

10.2 Turbine-Generator

10.2.1 Design Bases
10.2.1.1 Safety Design Bases
10.2.1.2 Power Generation Design Bases

10.2.2 Description

10.2.2.1 Turbine-Generator Description
10.2.2.2 Turbine-Generator Cycle Description
10.2.2.3 Automatic Controls
10.2.2.4 Turbine Protective Trips
10.2.2.5 Protective System
10.2.2.6 Other Protective Systems
10.2.2.7 Plant Loading and Load Following
10.2.2.8 Inspection and Testing Requirements

TABLE OF CONTENTS (CONTINUED)

10.2.3 Turbine Integrity (Unit 1)

10.2.3.1 Materials Selection
10.2.3.2 High-Temperature Properties
10.2.3.3 Turbine Disk Design
10.2.3.4 Preservice Tests and Inspections
10.2.3.5 Inservice Inspection

10.2.4 Turbine Integrity (Unit 2)

10.2.4.1.1 Materials Selection
10.2.4.1.2 Fracture Toughness
10.2.4.1.3 High-Temperature Properties
10.2.4.1.4 Turbine Disk Design
10.2.4.1.5 Preservice Tests and Inspections
10.2.4.1.6 Inservice Inspection

10.2.5 Evaluation

10.2.6 Instrumentation Applications

10.3 Main Steam Supply System

10.3.1 Design Bases

10.3.1.1 Safety Design Bases
10.3.1.2 Power Generation Design Basis

10.3.2 Description

10.3.2.1 General Description
10.3.2.2 Component Description
10.3.2.3 System Operation

10.3.3 Evaluation

10.3.4 Inspection and Testing Requirements

10.3.4.1 Preservice Valve Testing
10.3.4.2 Preservice System Testing
10.3.4.3 Preservice Pipe Testing
10.3.4.4 Inservice Testing

10.3.5 Water Chemistry

10.3.5.1 Chemistry Control Basis
10.3.5.2 Contaminant Ingress
10.3.5.3 Condensate Polishing

TABLE OF CONTENTS (CONTINUED)

10.3.5.4 Chemical Addition
10.3.5.5 Action Levels for Abnormal Conditions
10.3.5.6 Layup and Heatup
10.3.5.7 Chemical Analysis Basis
10.3.5.8 Sampling
10.3.5.9 Condenser Inspection
10.3.5.10 Data Management and Corrective Actions for Out-of-Specification Condition
10.3.5.11 Conformance to Branch Technical Position MTEB 5-3

10.3.6 Steam and Feedwater System Materials

10.3.6.1 Fracture Toughness
10.3.6.2 Material Selection and Fabrication

10.4 Other Features of Steam and Power Conversion System

10.4.1 Main Condensers

10.4.1.1 Design Bases
10.4.1.2 System Description
10.4.1.3 Safety Evaluation
10.4.1.4 Tests and Inspections
10.4.1.5 Instrumentation Applications

10.4.2 Main Condenser Evacuation System

10.4.2.1 Design Bases
10.4.2.2 System Description
10.4.2.3 Safety Evaluation
10.4.2.4 Tests and Inspections
10.4.2.5 Instrumentation Applications

10.4.3 Turbine Steam Sealing System

10.4.3.1 Design Bases
10.4.3.2 System Description
10.4.3.3 Safety Evaluation
10.4.3.4 Tests and Inspections
10.4.3.5 Instrumentation Applications

10.4.4 Turbine Bypass System

10.4.4.1 Design Bases
10.4.4.2 System Description
10.4.4.3 Safety Evaluation
10.4.4.4 Inspection and Testing Requirements
10.4.4.5 Instrumentation Applications

TABLE OF CONTENTS (CONTINUED)

10.4.5 Circulating Water System

10.4.5.1 Design Bases
10.4.5.2 System Description
10.4.5.3 Safety Evaluation
10.4.5.4 Tests and Inspections
10.4.5.5 Instrumentation Applications

10.4.6 Condensate Cleanup System

10.4.6.1 Design Bases
10.4.6.2 System Description
10.4.6.3 Safety Evaluation
10.4.6.4 Tests and Inspections
10.4.6.5 Instrumentation Applications

10.4.7 Condensate and Feedwater System

10.4.7.1 Design Bases
10.4.7.2 System Description
10.4.7.3 Safety Evaluation
10.4.7.4 Tests and Inspections
10.4.7.5 Instrumentation Applications

10.4.8 Steam Generator Blowdown Processing System

10.4.8.1 Design Bases
10.4.8.2 System Description
10.4.8.3 Design Evaluation
10.4.8.4 Tests and Inspections

10.4.9 Auxiliary Feedwater System

10.4.9.1 Design Bases
10.4.9.2 System Description
10.4.9.3 Safety Evaluation
10.4.9.4 Inspection and Testing Requirements
10.4.9.5 Instrumentation Requirements

10.4.10 Condensate and Feedwater Chemical Injection System

10.4.10.1 Design Bases
10.4.10.2 System Description
10.4.10.3 Safety Evaluation
10.4.10.4 Tests and Inspections
10.4.10.5 Instrumentation Applications

TABLE OF CONTENTS (CONTINUED)

Appendix 10A VEGP Auxiliary Feedwater System Reliability Analysis

10A.1 Introduction

10A.1.1 Statement of Purpose
10A.1.2 Background and Objectives

10A.2 AFWS Description

10A.2.1 Safety-Related Function
10A.2.2 System Configuration
10A.2.3 Instrumentation and Controls
10A.2.4 Support Systems
10A.2.5 Testing, Maintenance, and Plant Procedures
10A.2.6 Physical Separation

10A.3 Reliability Evaluation

10A.3.1 Methodology
10A.3.2 System Success Criteria
10A.3.3 Component Failure Data
10A.3.4 Analysis Boundary Conditions and Assumptions

10A.4 Quantitative Findings

10A.4.1 Conditional Unavailabilities
10A.4.2 Dominant Contributors
10A.4.3 Comparative Studies Results

11.0 RADIOACTIVE WASTE MANAGEMENT

11.1 Source Terms

11.1.1 Reactor Coolant and Secondary Side Activity

11.1.1.1 Design Basis Model
11.1.1.2 Realistic Model

11.1.2 Tritium Production and Release to the Reactor Coolant
11.1.3 Spent Resin Volumes

11.2 Liquid Waste Management Systems

11.2.1 Design Bases

11.2.1.1 Capacity
11.2.1.2 Controlled Release of Radioactivity

TABLE OF CONTENTS (CONTINUED)

11.2.1.3 Equipment Design

11.2.2 System Descriptions

11.2.2.1 Reactor Coolant Drain Tank Subsystem
11.2.2.2 Drain Channel A Subsystem
11.2.2.3 Drain Channel B Subsystem
11.2.2.4 Spent Resin Handling Subsystem
11.2.2.5 Liquids from Sources Other Than the Liquid Waste Processing System
11.2.2.6 Equipment Description
11.2.2.7 Instrumentation Design
11.2.2.8 Operating Procedures

11.2.3 Radioactive Releases

11.2.3.1 Criteria for Discharge, Recycle, or Further Treatment of Liquid Waste
11.2.3.2 Estimated Releases
11.2.3.3 Release Points
11.2.3.4 Dilution Factors
11.2.3.5 Estimated Doses

11.3 Gaseous Waste Management Systems

11.3.1 Design Bases

11.3.2 System Description

11.3.2.1 Component Design
11.3.2.2 Instrumentation and Control Design
11.3.2.3 System Operation

11.3.3 Radioactive Releases

11.3.3.1 Discharge Requirements
11.3.3.2 Westinghouse Pressurized Water Reactor Experience Releases
11.3.3.3 Estimated Releases
11.3.3.4 Release Points for Determination of Dilution Factors
11.3.3.5 Effluent Concentration and Dilution Factors
11.3.3.6 Estimated Doses from Atmospheric Releases

11.4 Solid Waste Management System

11.4.1 Design Bases

11.4.1.1 Safety Design Bases

TABLE OF CONTENTS (CONTINUED)

11.4.1.2 Power Generation Design Bases

11.4.2 System Description

11.4.2.1 General Description
11.4.2.2 Component Description
11.4.2.3 System Operation
11.4.2.4 Portable Radwaste System
11.4.2.5 Dry Active Waste

11.4.3 Safety Evaluation

11.5 Process and Effluent Radiological Monitoring and Sampling Systems

11.5.1 Design Bases
11.5.2 System Description

11.5.2.1 Digital Radiation Monitoring System
11.5.2.2 Monitor Description
11.5.2.3 Monitor Functions
11.5.2.4 Alarm Setpoints
11.5.2.5 Inservice Inspection, Calibration, and Maintenance

11.5.3 Effluent Monitoring and Sampling

11.5.3.1 Plant Sampling System
11.5.3.2 Sampling Requirements for Process and Effluent Radiation Monitoring System

11.5.4 Process Monitoring and Sampling

11.5.5 Post-Accident Radiation Monitoring

11.5.5.1 Potential Gaseous Accident Release Pathways 11.5.5.2 Standard Review Plan Evaluation

12.0 RADIATION PROTECTION

12.1 Ensuring That Occupational Radiation Exposures Are as Low as Reasonably Achievable

12.1.1 Policy Considerations

12.1.1.1 Design and Construction Policies
12.1.1.2 Operation Policies
12.1.1.3 Conformance with Regulatory Guide 8.8
12.1.1.4 Conformance with Regulatory Guide 8.10

TABLE OF CONTENTS (CONTINUED)

12.1.2 Design Considerations

12.1.2.1 General Design Considerations for ALARA Exposures
12.1.2.2 Equipment General Design Considerations for ALARA
12.1.2.3 Facility Layout General Design Considerations for ALARA

12.1.3 Operational Considerations

12.1.3.1 Procedures
12.1.3.2 General ALARA Techniques

12.2 Radiation Sources

12.2.1 Contained Sources

12.2.1.1 Sources for Full-Power Operation
12.2.1.2 Sources for Shutdown
12.2.1.3 Sources for Design Basis Accident
12.2.1.4 Stored Radioactivity
12.2.1.5 Field Run Pipe Routing

12.2.2 Airborne Radioactive Material Sources

12.2.2.1 Model for Calculating Airborne Concentrations
12.2.2.2 Sources Resulting from Design Basis Accidents

12.3 Radiation Protection Design Features

12.3.1 Facility Design Features

12.3.1.1 Plant Design Description for ALARA
12.3.1.2 Radiation Zoning and Access Control

12.3.2 Shielding

12.3.2.1 Design Objectives
12.3.2.2 General Shielding Design
12.3.2.3 Shielding Calculational Methods

12.3.3 Ventilation

12.3.3.1 Design Objectives
12.3.3.2 Design Criteria
12.3.3.3 Design Guidelines
12.3.3.4 Design Description
12.3.3.5 Air Cleaning Units

TABLE OF CONTENTS (CONTINUED)

12.3.4 Area Radiation and Airborne Radioactivity Monitoring Instrumentation

12.3.4.1 Area Radiation Monitoring
12.3.4.2 Standard Review Plan Evaluation

12.4 Dose Assessment

12.4.1 Exposures Within the Plant Structures

12.4.1.1 Direct Radiation Dose Estimates
12.4.1.2 Airborne Radioactivity Dose Estimates
12.4.1.3 Standard Review Plan Evaluation

12.4.2 Radiation Exposure Outside the Plant Structures

12.4.2.1 Direct Radiation Dose Estimates
12.4.2.2 Exposures Due to Airborne Radioactivity

12.4.3 Exposures to Construction Workers

12.4.3.1 Direct Radiation Dose Estimates
12.4.3.2 Exposures Due to Airborne Radioactivity

12.4.4 Decommissioning Dose Estimates

12.5 Health Physics Program

12.5.1 Organization

12.5.1.1 Program Objectives
12.5.1.2 Staff Organization
12.5.1.3 Program Organization

12.5.2 Equipment, Instrumentation, and Facilities

12.5.2.1 Facilities
12.5.2.2 Health Physics Instrumentation

12.5.3 Procedures

12.5.3.1 Radiation and Contamination Surveys
12.5.3.2 Methods To Maintain Exposures ALARA
12.5.3.3 Controlling Access and Stay Time
12.5.3.4 Contamination Control
12.5.3.5 Respiratory Protection
12.5.3.6 Personnel Dosimetry
12.5.3.7 Radiation Work Permits

TABLE OF CONTENTS (CONTINUED)

12.5.3.8 Radiation Protection Training
12.5.3.9 Radioactive Materials Safety Program

13.0 CONDUCT OF OPERATIONS

13.1 Organizational Structure of Applicant

13.1.1 Management and Technical Support Organization

13.1.1.1 Design and Operating Responsibilities
13.1.1.2 Organizational Arrangement
13.1.1.3 Qualifications

13.1.2 Operating Organization

13.1.2.1 Plant Organization
13.1.2.2 Plant Personnel Responsibilities and Authorities
13.1.2.3 Operating Shift Crews

13.1.3 Qualifications of Personnel

13.1.3.1 Qualification Requirements
13.1.3.2 Definitions
13.1.3.3 Qualification of Plant Personnel

13.2 Training Programs

13.2.1 Accredited Training Programs

13.2.1.1 Training Program Records
13.2.1.2 Simulator
13.2.1.3 Instructor Qualification

13.2.2 Other Training Programs

13.2.2.1 General Employee Training Program
13.2.2.2 Fire Brigade Training Program
13.2.2.3 Quality Control Training Program
13.2.2.4 Mitigating Core Damage Training Program

13.3 Emergency Planning

13.4 Operational Review

13.4.1 Onsite Review

TABLE OF CONTENTS (CONTINUED)

13.4.2 Independent Review

13.5 Plant Procedures

13.5.1 Administrative Procedures

13.5.1.1 Administrative Procedure Descriptions

13.5.2 Operating and Maintenance Procedures

13.5.2.1 Operating Procedures
13.5.2.2 Maintenance Procedures
13.5.2.3 Other Procedures and Program

13.6 Industrial Security

13.7 Plant Records

13.7.1 Records Retention

13.8 Risk Informed Categorization and Treatment

13.8.1 Introduction

13.8.2 SSC Categorization

13.8.3 SSC Treatment

13.8.3.1 Treatment of Component Categories
13.8.3.2 Enhanced Treatment of RISC-2 SSCs

13.8.4 References

14.0 INITIAL TEST PROGRAM

14.1 Specific Information To Be Included in Preliminary Safety Analysis Reports

14.2 Initial Test Program

14.2.1 Summary of Test Program and Objectives

14.2.1.1 Preoperational Test Program
14.2.1.2 Startup Test Program

TABLE OF CONTENTS (CONTINUED)

14.2.2 Test Procedures

14.2.2.1 Procedure Preparation
14.2.2.2 Procedure Review and Approval
14.2.2.3 Conduct of the Test Program
14.2.2.4 Review, Evaluation, and Approval of Test Results

14.2.3 Conformance of Test Program with Regulatory Guides

14.2.4 Utilization of Reactor Operating and Testing Experience in the Development of the Test Program

14.2.5 Trial Use of Plant Operating and Emergency Procedures

14.2.6 Initial Fuel Loading and Initial Criticality

14.2.6.1 Initial Fuel Loading
14.2.6.2 Postloading Tests
14.2.6.3 Low-Power Testing
14.2.6.4 Power Level Ascension

14.2.7 Test Program Schedule

14.2.8 Individual Test Descriptions

14.2.8.1 Preoperational Test Procedures
14.2.8.2 Startup Test Procedures

15.0 ACCIDENT ANALYSES

15.0 Accident Analyses

15.0.1 Classification of Plant Conditions

15.0.1.1 Condition I: Normal Operation and Operational Transients
15.0.1.2 Condition II: Faults of Moderate Frequency
15.0.1.3 Condition III: Infrequent Faults
15.0.1.4 Condition IV: Limiting Faults
15.0.1.5 TMI Action Plan (NUREG-0737) Implementation

15.0.2 Optimization of Control Systems

15.0.3 Plant Characteristics and Initial Conditions Assumed in the Accident Analyses

15.0.3.1 Design Plant Conditions
15.0.3.2 Initial Conditions
15.0.3.3 Power Distribution

TABLE OF CONTENTS (CONTINUED)

15.0.4 Reactivity Coefficients Assumed in the Accident Analyses

15.0.5 Rod Cluster Control Assembly Insertion Characteristics

15.0.6 Trip Points and Time Delays to Trip Assumed in Accident Analyses

15.0.7 Instrumentation Drift and Calorimetric Errors, Power Range Neutron Flux

15.0.8 Plant Systems and Components Available for Mitigation of Accident Effects

15.0.9 Fission Product Inventories

15.0.9.1 Inventory in the Core
15.0.9.2 Inventory in the Fuel Pellet Clad Gap

15.0.10 Residual Decay Heat

15.0.10.1 Total Residual Heat
15.0.10.2 Distribution of Decay Heat Following Loss-of-Coolant Accident

15.0.11 Computer Codes Utilized

15.0.11.1 FACTRAN Computer Code
15.0.11.2 LOFTRAN Computer Code
15.0.11.3 Cross-Section Generation Computer Codes
15.0.11.4 Spatial Two-Group Diffusion Calculation Codes
15.0.11.5 TWINKLE Computer Code
15.0.11.6 THINC Computer Code

15.0.12 Limiting Single Failures

15.0.13 Operator Actions

15.1 Increase in Heat Removal by the Secondary System

15.1.1 Feedwater System Malfunctions That Result in a Decrease in Feedwater Temperature

15.1.1.1 Identification of Causes and Accident Description
15.1.1.2 Analysis of Effects and Consequences
15.1.1.3 Conclusions

15.1.2 Feedwater System Malfunctions That Result in an Increase in Feedwater Flow

15.1.2.1 Identification of Causes and Accident Description
15.1.2.2 Analysis of Effects and Consequences
15.1.2.3 Conclusions

TABLE OF CONTENTS (CONTINUED)

15.1.3 Excessive Increase in Secondary Steam Flow

15.1.3.1 Identification of Causes and Accident Description
15.1.3.2 Analysis of Effects and Consequences
15.1.3.3 Conclusions

15.1.4 Inadvertent Opening of a Steam Generator Relief or Safety Valve

15.1.4.1 Identification of Causes and Accident Description
15.1.4.2 Analysis of Effects and Consequences
15.1.4.3 Conclusions

15.1.5 Steam System Piping Failure

15.1.5.1 Identification of Causes and Accident Description
15.1.5.2 Analysis of Effects and Consequences
15.1.5.3 Radiological Consequences

15.2 Decrease in Heat Removal by the Secondary System

15.2.1 Steam Pressure Regulator Malfunction or Failure That Results in Decreasing Steam Flow

15.2.2 Loss of External Electrical Load

15.2.2.1 Identification of Causes and Accident Description
15.2.2.2 Analysis of Effects and Consequences
15.2.2.3 Conclusions

15.2.3 Turbine Trip

15.2.3.1 Identification of Causes and Accident Description
15.2.3.2 Analysis of Effects and Consequences
15.2.3.3 Conclusions

15.2.4 Inadvertent Closure of Main Steam Isolation Valves

15.2.5 Loss of Condenser Vacuum and Other Events Resulting in Turbine Trip

15.2.6 Loss of Non-emergency ac Power to the Plant Auxiliaries

15.2.6.1 Identification of Causes and Accident Description
15.2.6.2 Analysis of Effects and Consequences
15.2.6.3 Radiological Consequences
15.2.6.4 Conclusions

15.2.7 Loss of Normal Feedwater Flow

TABLE OF CONTENTS (CONTINUED)

15.2.7.1 Identification of Causes and Accident Description
15.2.7.2 Analysis of Effects and Consequences
15.2.7.3 Conclusions

15.2.8 Feedwater System Pipe Break

15.2.8.1 Identification of Causes and Accident Description
15.2.8.2 Analysis of Effects and Consequences
15.2.8.3 Conclusions

15.3 Decrease in Reactor Coolant System Flowrate

15.3.1 Partial Loss of Forced Reactor Coolant Flow

15.3.1.1 Identification of Causes and Accident Description
15.3.1.2 Analysis of Effects and Consequences
15.3.1.3 Conclusions

15.3.2 Complete Loss of Forced Reactor Coolant Flow

15.3.2.1 Identification of Causes and Accident Description
15.3.2.2 Analysis of Effects and Consequences
15.3.2.3 Conclusions

15.3.3 Reactor Coolant Pump Shaft Seizure (Locked Rotor)

15.3.3.1 Identification of Causes and Accident Description
15.3.3.2 Analysis of Effects and Consequences
15.3.3.3 Radiological Consequences

15.3.4 Reactor Coolant Pump Shaft Break

15.3.4.1 Identification of Causes and Accident Description
15.3.4.2 Conclusion

15.4 Reactivity and Power Distribution Anomalies

15.4.1 Uncontrolled Rod Cluster Control Assembly Bank Withdrawal from a Subcritical or Low-Power Startup Condition

15.4.1.1 Identification of Causes and Accident Description
15.4.1.2 Analysis of Effects and Consequences
15.4.1.3 Conclusions

15.4.2 Uncontrolled Rod Cluster Control Assembly Bank Withdrawal at Power

15.4.2.1 Identification of Causes and Accident Description

TABLE OF CONTENTS (CONTINUED)

15.4.2.2 Analysis of Effects and Consequences
15.4.2.3 Conclusions

15.4.3 Rod Cluster Control Assembly Misalignment (System Malfunction or Operator Error)

15.4.3.1 Identification of Causes and Accident Description
15.4.3.2 Analysis of Effects and Consequences
15.4.3.3 Conclusions

15.4.4 Startup of an Inactive Reactor Coolant Pump at an Incorrect Temperature

15.4.4.1 Identification of Causes and Accident Description
15.4.4.2 Analysis of Effects and Consequences
15.4.4.3 Conclusions

15.4.5 A Malfunction or Failure of the Flow Controller in a Boiling Water Reactor Loop That Results in an Increased Reactor Coolant Flowrate

15.4.6 Chemical and Volume Control System Malfunction That Results in a Decrease in the Boron Concentration in the Reactor Coolant

15.4.6.1 Identification of Causes and Accident Description
15.4.6.2 Analysis of Effects and Consequences
15.4.6.3 Conclusions

15.4.7 Inadvertent Loading and Operation of a Fuel Assembly in an Improper Position

15.4.7.1 Identification of Causes and Accident Description
15.4.7.2 Analysis of Effects and Consequences
15.4.7.3 Conclusions

15.4.8 Spectrum of Rod Cluster Control Assembly Ejection Accidents

15.4.8.1 Identification of Causes and Accident Description
15.4.8.2 Analysis of Effects and Consequences
15.4.8.3 Radiological Consequences

15.4.9 Steamline Break with Coincidental Rod Cluster Control Assembly Withdrawal at Power

15.4.9.1 Identification of Causes and Accident Description
15.4.9.2 Analysis of Effects and Consequences
15.4.9.3 Conclusions

15.5 Increase in Reactor Coolant Inventory

TABLE OF CONTENTS (CONTINUED)

15.5.1 Inadvertent Operation of the Emergency Core Cooling System During Power Operation

15.5.1.1 Identification of Causes and Accident Description
15.5.1.2 Analysis of Effects and Consequences
15.5.1.3 Conclusions

15.5.2 Chemical and Volume Control System Malfunction That Increases Reactor Coolant Inventory

15.5.3 A Number of Boiling Water Reactor Transients

15.6 Decrease in Reactor Coolant Inventory

15.6.1 Inadvertent Opening of a Pressurizer Safety or Relief Valve

15.6.1.1 Identification of Causes and Accident Description
15.6.1.2 Analysis of Effects and Consequences
15.6.1.3 Conclusion

15.6.2 Break in Instrument Line or Other Lines from Reactor Coolant Pressure Boundary That Penetrate Containment

15.6.2.1 Assumptions - Instrument Line Break
15.6.2.2 Assumptions - Letdown Line Break
15.6.2.3 Mathematical Models Used in the Analysis
15.6.2.4 Identification of Leakage Pathways
15.6.2.5 Identification of Uncertainties and Conservatisms in the Analysis
15.6.2.6 Conclusions

15.6.3 Steam Generator Tube Failure

15.6.3.1 Identification of Causes and Accident Description
15.6.3.2 Analysis of Effects and Consequences
15.6.3.3 Thermal and Hydraulic Analysis
15.6.3.4 Offsite Radiation Dose Analysis

15.6.4 Spectrum of Boiling Water Reactor Steam System Piping Failures Outside of Containment

15.6.5 Loss-of-Coolant Accidents

15.6.5.1 Identification of Causes and Frequency Classification
15.6.5.2 Sequence of Events and Systems Operations
15.6.5.3 Core and System Performance
15.6.5.4 Radiological Consequences

15.7 Radioactive Release from a Subsystem or Component

TABLE OF CONTENTS (CONTINUED)

15.7.1 Radioactive Waste Gas Decay Tank Failure

15.7.1.1 Identification of Causes
15.7.1.2 Sequence of Events and System Operations
15.7.1.3 Core and System Performance
15.7.1.4 Barrier Performance
15.7.1.5 Radiological Consequences

15.7.2 Radioactive Liquid Waste System Leak or Failure

15.7.2.1 Identification of Causes
15.7.2.2 Sequence of Events and System Operation
15.7.2.3 Core and System Performance
15.7.2.4 Barrier Performance
15.7.2.5 Radiological Consequences

15.7.3 Postulated Radioactive Release Due to Liquid Tank Failure (Ground Release)

15.7.3.1 Identification of Causes and Frequency Classification
15.7.3.2 Sequence of Events and Systems Operation
15.7.3.3 Modeling of Accident Sequence
15.7.3.4 Radiological Consequences

15.7.4 Fuel Handling Accidents

15.7.4.1 Identification of Causes and Accident Description
15.7.4.2 Sequence of Events and Systems Operations
15.7.4.3 Core and System Performance
15.7.4.4 Barrier Performance
15.7.4.5 Radiological Consequences

15.7.5 Spent Fuel Cask Drop Accident

15.8 Anticipated Transients Without Trip

Appendix 15A Accident Analysis Radiological Consequences Evaluation Models and Parameters

15A.1 General Accident Parameters

15A.2 Offsite Radiological Consequences Calculational Models

15A.2.1 Accident Release Pathways
15A.2.2 Single-Region Release Model
15A.2.3 Two-Region Spray Model in Containment - LOCA
15A.2.4 Offsite Thyroid Dose Calculation Model

TABLE OF CONTENTS (CONTINUED)

15A.2.5 Offsite Beta Skin Dose Calculational Model
15A.2.6 Offsite Gamma Body Dose Calculational Model

15A.3 Control Room Radiological Consequences Calculational Models

15A.3.1 Integrated Activity in Control Room
15A.3.2 Integrated Activity Concentration in Control Room from Single-Region System
15A.3.3 Control Room Thyroid Dose Calculational Model
15A.3.4 Control Room Beta Skin Dose Calculational Model
15A.3.5 Control Room Gamma Body Dose Calculation

15A.3.5.1 Model for Radiological Consequences Due to Radioactive Cloud External to the Control Room

15A-4 Effect of Extended Fuel Burnups on Accident Doses

Appendix 15B Deleted

16.0 TECHNICAL SPECIFICATIONS

16.1 Preliminary Technical Specifications

16.2 Proposed Final Technical Specifications

16.2.1 Foreword
16.2.2 Applicability
16.2.3 Format
16.2.4 Schedule

16.3 Technical Specification Improvement Program

16.3.1 Requirement 1 - Reactor Trip System Response Times
16.3.2 Requirement 2 - Engineered Safety Feature Actuation System Response Times
16.3.3 Requirement 3 - Loose Part Detection System
16.3.4 Reactor Vessel Material Irradiation Specimens
16.3.5 Requirement 5 - Containment Isolation Valves
16.3.6 Requirement 6 - Containment Penetration Conductor Overcurrent Protection
16.3.7 Requirement 7 - Area Temperature Monitoring
16.3.8 Requirement 8 - Turbine Overspeed Protection
16.3.9 Requirement 9 - Technical Requirements Manual
16.3.10 Requirement 10 - Reactor Coolant System Pressure Isolation Valves and Leakage Limits

17.0 QUALITY ASSURANCE

TABLE OF CONTENTS (CONTINUED)

17.1 Deleted

17.2 Operations Quality Assurance Program

18.0 HUMAN FACTORS ENGINEERING

18.1 Control Room Design

18.1.1 Control Room Description

18.1.1.1 Introduction
18.1.1.2 Description

18.1.2 Design Bases

18.1.2.1 Anthropometrics
18.1.2.2 Auditory Communications
18.1.2.3 Plant Communications
18.1.2.4 Controls
18.1.2.5 Control and Display Integration
18.1.2.6 Design for Maintainability
18.1.2.7 Design for Personnel Requirements
18.1.2.8 Environment
18.1.2.9 Hazards/Safety
18.1.2.10 Information Utilization
18.1.2.11 Labeling (Grouping, Marking)
18.1.2.12 Visual Display (Meters, Recorders, Lights, Monitors, and Annunciators)
18.1.2.13 Workspace

18.2 Preliminary Review of the Control Room and Control Board Design

18.2.1 Review Procedures

18.2.1.1 Introduction
18.2.1.2 Anthropometrics
18.2.1.3 System Evaluation
18.2.1.4 Component Evaluation
18.2.1.5 Scenario Evaluation
18.2.1.6 Reviewer Experience

18.2.2 Control Room and Control Board Evaluation Results

18.2.2.1 Human Factors Deficiencies Categories

TABLE OF CONTENTS (CONTINUED)

18.2.2.2 Findings and the Resolutions Thereof

18.3 Detailed Control Room Design Review

18.3.1 Background
18.3.2 Objectives of the CRDR
18.3.3 Control Room Design Review Process

18.3.3.1 Preliminary CRDR Status Evaluation
18.3.3.2 Operating Experience Review
18.3.3.3 Problem Reports
18.3.3.4 Control Room Survey
18.3.3.5 Task Analysis
18.3.3.6 Instrumentation and Control Characteristics Review

18.3.4 Evaluation of Human Engineering Discrepancies

18.3.4.1 Objectives of Evaluation Process
18.3.4.2 Evaluation Criteria
18.3.4.3 Resolution of Human Engineering Discrepancies

18.3.5 Coordination with Other Activities

18.3.5.1 Emergency Operating Procedures
18.3.5.2 Safety Parameter Display System (SPDS)
18.3.5.3 Regulatory Guide 1.97

19.0 LICENSE RENEWAL – AGING MANAGEMENT PROGRAMS AND ACTIVITIES

19.1 Introduction

19.1.1 Background
19.1.1.1 License Renewal Rule and Process
19.1.1.2 Aging Management Programs
19.1.1.3 Time-Limited Aging Analyses

19.1.2 Aging Management Programs
19.1.3 Aging Management Programs – Time-Limited Aging Analyses
19.1.4 TLAA Evaluations

19.2 Aging Management Program Descriptions

19.2.1 ACCW System Carbon Steel Components Program
19.2.2 Bolting Integrity Program
19.2.3 Boric Acid Corrosion Control Program

TABLE OF CONTENTS (CONTINUED)

19.2.4 Buried Piping and Tanks Inspection Program
19.2.5 CASS RCS Fitting Evaluation Program
19.2.6 Closed Cooling Water Program
19.2.7 Diesel Fuel Oil Program
19.2.8 External Surfaces Monitoring Program
19.2.9 Fire Protection Program
19.2.10 Flow-Accelerated Corrosion Program
19.2.11 Flux Thimble Tube Inspection Program
19.2.12 Generic Letter 89-13 Program
19.2.13 Inservice Inspection Program
19.2.14 Nickel Alloy Management Program for Nonreactor Vessel Closure Head Penetration Locations
19.2.15 Nickel Alloy Management Program for Reactor Vessel Closure Head Penetrations
19.2.16 Oil Analysis Program
19.2.17 One-Time Inspection Program
19.2.18 One-Time Inspection Program for ASME Class 1 Small Bore Piping
19.2.19 One-Time Inspection Program for Selective Leaching
19.2.20 Overhead and Refueling Crane Inspection Program
19.2.21 Periodic Surveillance and Preventive Maintenance Activities
19.2.22 Piping and Duct Internal Inspection Program
19.2.23 Reactor Vessel Closure Head Stud Program
19.2.24 Reactor Vessel Internals Program
19.2.25 Reactor Vessel Surveillance Program
19.2.26 Steam Generator Tubing Integrity Program
19.2.27 Steam Generator Program for Upper Internals
19.2.28 Water Chemistry Control Program
19.2.29 10 CFR 50 Appendix J Program
19.2.30 Inservice Inspection Program – IWE
19.2.31 Inservice Inspection Program – IWL
19.2.32 Structural Monitoring Program
19.2.33 Structural Monitoring Program – Masonry Walls
19.2.34 Non-EQ Cables and Connections Program
19.2.35 Non-EQ Inaccessible Medium-Voltage Cables Program
19.2.36 Non-EQ Electrical Cable Connections One-Time Inspection Program

19.3 Aging Management Programs – Time-Limited Aging Analyses (TLAA)

19.3.1 Environmental Qualification Program
19.3.2 Fatigue Monitoring Program

19.4 Evaluation of Time-Limited Aging Analyses (TLAA)

19.4.1 Reactor Vessel Neutron Embrittlement Analyses
19.4.1.1 Neutron Fluence Calculation
19.4.1.2 Upper-Shelf Energy (USE) Calculation
19.4.1.3 Pressurized Thermal Shock (PTS) Calculation
19.4.1.4 Adjusted Reference Temperature (ART) Calculation

TABLE OF CONTENTS (CONTINUED)

19.4.1.5 Pressure-Temperature (P-T) Limits Calculation

19.4.2 Metal Fatigue Analysis

19.4.2.1 ASME Section III, Class 1 Component Fatigue Analylsis
19.4.2.2 ASME Section III, Non-Class 1 Component Fatigue Analylsis
19.4.2.3 Reactor Coolant Pump Flywheel Fatigue
19.4.2.4 Fatigue of Reactor Vessel Supports
19.4.2.5 Fatigue of Steam Generator Secondary Manyway and Handhole Bolts
19.4.2.6 Fatigue of Reactor Vessel Internals

19.4.3 Environmental Qualification Calculations
19.4.4 Containment Tendon Prestress Analysis
19.4.5 Penetration Load Cycles
19.4.6 Other Plant Specific Analysis

19.4.6.1 Leak-Before-Break Analysis
19.4.6.2 Fuel Oil Storage Tank Corrosion Allowance
19.4.6.3 Steam Generator Tube Loss of Material
19.4.6.4 Cold Overpressure Protection System
19.4.6.5 Underclad cracking of the Reactor Pressure Vessel

19.4.7 References

LIST OF TABLES

1.3.1-1 Design Comparison

1.3.1-2 Design Comparison of Major Balance of Plant Design Features

1.3.2-1 Significant Design Changes from the PSAR

1.3.2-2 TMI Action Plan Tasks and Location of FSAR Description

1.6-1 Bechtel Topical Reports Incorporated by Reference

1.6-2 Westinghouse Topical Reports Incorporated by Reference

1.6-3 Other Topical Reports Incorporated by Reference

1.7.1-1 Cross Reference of Engineering Drawings to UFSAR Discussion Section

1.8-1 List of Differences with the Standard Review Plan

1.9-1 Design and Fabrication Code Cases

1.9-2 Materials Code Cases

1.9-3 NSSS ASME Code Cases

2.1.3-1 Population by Segment for North Sector (0 to 50 Miles)

2.1.3-2 Population by Segment for North-Northeast Sector (0 to 50 Miles)

2.1.3-3 Population by Segment for Northeast Sector (0 to 50 Miles)

2.1.3-4 Population by Segment for East-Northeast Sector (0 to 50 Miles)

2.1.3-5 Population by Segment for East Sector (0 to 50 Miles)

2.1.3-6 Population by Segment for East-Southeast Sector (0 to 50 Miles)

2.1.3-7 Population by Segment for Southeast Sector (0 to 50 Miles)

2.1.3-8 Population by Segment for South-Southeast Sector (0 to 50 Miles)

2.1.3-9 Population by Segment for South Sector (0 to 50 Miles)

2.1.3-10 Population by Segment for South-Southwest Sector (0 to 50 Miles)

2.1.3-11 Population by Segment for Southwest Sector (0 to 50 Miles)

2.1.3-12 Population by Segment for West-Southwest Sector (0 to 50 Miles)

2.1.3-13 Population by Segment for West Sector (0 to 50 Miles)

LIST OF TABLES (CONTINUED)

2.1.3-14 Population by Segment for West-Northwest Sector (0 to 50 Miles)

2.1.3-15 Population by Segment for Northwest Sector (0 to 50 Miles)

2.1.3-16 Population by Segment for North-Northwest Sector (0 to 50 Miles)

2.1.3-17 Population by Sectors, 0- to 10-Mile Radius Total

2.1.3-18 Population by Annular Rings, 0- to 10-Mile Radius Total

2.1.3-19 Population by Sectors, 20- to 50-Mile Radius Total

2.1.3-20 Population by Annular Rings, 20- to 50-Mile Radius Totals

2.1.3-21 Communities of Greater Than 1000 Persons Within 30 Miles of VEGP

2.1.3-22 Transient Population (North Sector - 0 to 10 Miles)

2.1.3-23 Transient Population (North-Northeast Sector - 0 to 10 Miles)

2.1.3-24 Transient Population (Northeast Sector - 0 to 10 Miles)

2.1.3-25 Transient Population (East-Northeast Sector - 0 to 10 Miles)

2.1.3-26 Transient Population (East Sector - 0 to 10 Miles)

2.1.3-27 Transient Population (East-Southeast Sector - 0 to 10 Miles)

2.1.3-28 Transient Population (Southeast Sector - 0 to 10 Miles)

2.1.3-29 Transient Population (South-Southeast Sector - 0 to 10 Miles)

2.1.3-30 Transient Population (South Sector - 0 to 10 Miles)

2.1.3-31 Transient Population (South-Southwest Sector - 0 to 10 Miles)

2.1.3-32 Transient Population (Southwest Sector - 0 to 10 Miles

2.1.3-33 Transient Population (West-Southwest Sector - 0 to 10 Miles)

2.1.3-34 Transient Population (West Sector - 0 to 10 Miles)

2.1.3-35 Transient Population (West-Northwest Sector - 0 to 10 Miles)

2.1.3-36 Transient Population (Northwest Sector - 0 to 10 Miles)

2.1.3-37 Transient Population (North-Northwest Sector - 0 to 10 Miles)

2.1.3-38 Transient Population Annular Rings and Enclosed Population (0 to 10 Miles)

LIST OF TABLES (CONTINUED)

2.2.2-1	Description of Savannah River Plant Facilities
2.2.2-2	Description of Barnwell Nuclear Fuel Plant Facility
2.2.2-3	Description of Chem-Nuclear Systems, Inc., Facility
2.2.2-4	Major Industries (25 or More Employees) Within 25-Mile Radius of VEGP
2.2.2-5	Description of Products and Materials: Savannah River Plant (Facilities Within 5 Miles of VEGP)
2.2.2-6	Applicable Toxicity Limits
2.2.2-7	Burke County, Georgia, Transportation Accident Data, Within 5 Miles of the Site
2.2.2-8	Hazardous Rail Cargo Traffic Estimates
2.2.2-9	Hazardous Cargo Rail Accident Data
2.2.2-10	Description of Products and Materials: Barnwell Nuclear Fuel Plant Allied-General Nuclear Services
2.2.2-11	Description of Products and Materials: Chem-Nuclear Systems, Inc.
2.2.2-12	Terminal Area Forecast, Fiscal Years 1980-1990 Total Flights
2.2.3-1	Deleted
2.2.3-2	Deleted
2.2.3-3	Deleted
2.2.3-4	Deleted
2.2.3-5	Deleted
2.2.3-6	Chemicals Transported Along Major Transportation Routes Within 5 Miles of VEGP - Quantities and Distances
2.2.3-7	Deleted
2.2.3-8	Deleted
2.2.3-9	Deleted
2.2.3-10	Deleted
2.2.3-11	Volume Concentrations of Fuel-Air Mixtures Versus Flammability Limit

LIST OF TABLES (CONTINUED)

2.2.3-12 Regulatory Guide 1.91 Allowable Distance and Actual Distance of Hazardous Chemicals

2.2.3-13 Transportation Sources - Toxic Gas Release Information

2.2.3-14 Chemicals Analyzed That Are at Offsite Storage Facilities - Quantities and Distances

2.2.3-15 Offsite Sources - Toxic Gas Release Information

2.2.3-16 Deleted

2.2.3-17 Oils and Solvents Stored at the Combustion Turbine Plant

2.2.3-18 Onsite Chemical Storage

2.2.3-19 Parameters Used in Toxic Gas Analysis

2.2.3-20 Toxic Gas Release Information

2.2.3-21 Deleted

2.2.3-22 Deleted

2.3.1-1 Recurrence Intervals of Rainfall Falling in Periods of 30 Min to 10 Days

2.3.1-2 Mean Number of Days with Precipitation $\geq$ 0.01, $\geq$ 0.1, $\geq$ 0.5 in. in Augusta, Georgia

2.3.1-3 Table of Fujita-Pearson Tornado Scale

2.3.1-4 Tornado Wind Groups

2.3.1-5 Seasonal and Annual Frequency of Lightning Strikes to the Reactor Containment Building for Bolts of Various Current Magnitude

2.3.2-1 Normal, Means, and Extremes for Augusta, Georgia

2.3.2-2 VEGP Onsite Weather Instruments

2.3.2-3 1972 to 1973 Wind Persistence VEGP Meteorological Tower - 33-ft Level

2.3.2-4 1972 to 1973 Wind Persistence VEGP Meteorological Tower - 150-ft Level

2.3.2-5 1977 to 1978 Wind Persistence VEGP Meteorological Tower - 33-ft Level

2.3.2-6 1977 to 1978 Wind Persistence VEGP Meteorological Tower - 150-ft Level

LIST OF TABLES (CONTINUED)

2.3.2-7	1978 to 1979 Wind Persistence VEGP Meteorological Tower - 33-ft Level
2.3.2-8	1978 to 1979 Wind Persistence VEGP Meteorological Tower - 150-ft Level
2.3.2-9	1980 to 1981 Wind Persistence VEGP Meteorological Tower - 33-ft Level
2.3.2-10	1980 to 1981 Wind Persistence VEGP Meteorological Tower - 150-ft Level
2.3.2-11	1959 to 1963 Wind Persistence Augusta, Georgia
2.3.2-12	Precipitation Data for Augusta Area 1902 to 1950
2.3.2-13	Precipitation Data for Augusta Area 1940 to 1950
2.3.2-14	Joint Frequency Tables of Windspeed and Direction - 33-ft Level
2.3.2-15	Joint Frequency Tables of Windspeed and Direction - 33-ft Level
2.3.2-16	Joint Frequency Tables of Windspeed and Direction - 150-ft Level
2.3.2-17	Joint Frequency Tables of Windspeed and Direction - 150-ft Level
2.3.2-18	Joint Frequency Tables of Windspeed and Direction - 100-ft Level
2.3.2-19	Joint Frequency Tables of Windspeed and Direction - 33-ft Level
2.3.2-20	Joint Frequency Tables of Windspeed and Direction - 150-ft Level
2.3.2-21	Seasonal and Annual Morning and Afternoon Mean Mixing Height in the VEGP Site Region
2.3.3-1	VEGP Meteorological Tower Summary of Data Recovery
2.3.4-1	Summary of Accident X/Q Valves
2.3.4-2	Assumed Distance to Site Boundary in Each Direction
2.3.4-3	Temperature Difference Groups for Determining Pasquill Stability Categories
2.3.5-1	List of Computer Runs at VEGP Site
2.3.5-2	Gaseous Discharge Point at VEGP Site
2.3.5-3	Vent Design Information at VEGP Site
2.3.5-4	Tabulation of Input Assumptions for Calculations at VEGP Site
2.3.5-5	Terrain Elevation above Plant Grade

LIST OF TABLES (CONTINUED)

2.3.5-6 Atmospheric Dispersion Factors for Vogtle

2.3.5-7 Atmospheric Dispersion Factors for Vogtle

2.3.5-8 Atmospheric Dispersion Factors for Vogtle

2.3.5-9 Atmospheric Dispersion Factors for Vogtle

2.3.5-10 Diffusion and Deposition Estimates for All Receptor Locations

2.3.5-11 Diffusion and Deposition Estimates for All Receptor Locations

2.3.5-12 Atmospheric Dispersion Factors 1980-81

2.4.1-1 Savannah River Subbasins and Drainage Areas above VEGP

2.4.1-2 Safety-Related Structures and Access to Them

2.4.1-3 Water Control Structures, Savannah River Basin

2.4.2-1 Gauging Station Records, Savannah River Basin, Savannah River at Augusta, Ga., Annual Flood Peaks

2.4.2-2 Probable Maximum Precipitation

2.4.2-3 Yard Drainage, Recommended 100-Year Rainfall Criteria

2.4.3-1 Probable Maximum Precipitation

2.4.3-2 6-h Sequential Incremental Probable Maximum Precipitation

2.4.3-3 Spatial Isohyetal Adjustments for the Three Greatest 6-h Probable Maximum Precipitation

2.4.3-4 Spatially Adjusted Three Greatest 6-h Probable Maximum Precipitation

2.4.3-5 6-h Incremental Probable Maximum Precipitation Arranged in Critical Sequence

2.4.3-6 Cumulative Probable Maximum Precipitation for Various Storm Positions and Calculation Procedures

2.4.7-1 Minimum Water Temperature of the Savannah River

2.4.12-1 Water-Bearing Properties of Materials Underlying VEGP and Vicinity

2.4.12-2 Ground Water Use

2.4.12-3 Water Quality Analyses - VEGP Wells

LIST OF TABLES (CONTINUED)

2.4.12-4 Water Quality Analyses - Domestic Wells

2.4.12-5 Water Quality Analyses - Springs

2.4.12-6 Water Quality Analyses - Surface Water

2.4.12-7A Observation Wells

2.4.12-7B Observation Wells in Confined Aquifers

2.4.12-7C Observation Wells in Marl

2.4.12-7D Water Supply Wells

2.4.12-8 Summary of Aquifer Characteristics Calculations

2.4.12-9 Observation Wells Monitoring Program 1993-Present

2.4.12-10 Permeability Tests Blue Bluff Marl

2.4.12-11 Porosity

2.4.12-12 Permeability Test Results

2.4.12-13 Permeability Tests

2.4.12-14 Porosity

2.4.12-15 Permeability of Backfill

2.4.13-1 Equilibrium Distribution Coefficient Power Block Excavation Backfill

2.5.1-1 Stratigraphic Units in the Vicinity of VEGP

2.5.2-1 Significant Earthquakes Within 200 Miles of the Site

2.5.2-2 Modified Mercalli Intensity Scale of 1931 (Abridged)

2.5.4-1 Engineering Properties of Site Soils

2.5.4-2 Engineering Properties for Design

2.5.4-3 Design Values of Shear Modulus

2.5.4-4 In Situ Soils - Basic Soil Properties for Dynamic Design

2.5.4-5 Compilation of Shear Wave Data

2.5.4-6 Summary of Data Compilation Based on Cross-Hole Data

LIST OF TABLES (CONTINUED)

2.5.4-7	Elastic Moduli Results
2.5.4-8	Design Static Properties for Backfill Compacted to 97-Percent Relative Compaction (ASTM D 1557)
2.5.4-9	Design Dynamic Properties for Backfill Compacted to 97-Percent Relative Compaction (ASTM D 1557)
2.5.4-10	Summary of Test Fill Results for Heavy Equipment Compaction
2.5.4-11	Summary of Test Fill Results for Hand Compaction Equipment
2.5.4-12	Summary of Results of Bearing Capacity Analysis
2.5.4-13	Summary of Measured Heave in Power Block
2.5.4-14	Deleted
2.5.4-15	Deleted
2B-1	Drill Hole Summary
2B-2	Core Sample Inventory
3.2.2-1	Classification of Structures, Components, and Systems
3.2.2-2	Principal Codes and Standards
3.2.2-3	Summary of Construction Codes and Standards for VEGP Components by NRC Quality Classification System
3.5.1-1	Internally Generated Missiles Outside Containment Rotating Component Failures
3.5.1-2	Internally Generated Missiles Inside Containment Rotating Component Failures
3.5.1-3	Internally Generated Missiles Inside Containment Pressurized Component Failures
3.5.1-4	Turbine Missile Strike and Damage Probabilities Per Missile Fragment from Unit 2
3.5.1-5	Tornado Missiles Postulated at the Construction Permit Stage
3.5.1-6	Tornado Missiles Considered in the VEGP Design
3.5.1-7	Protected System and Component Barriers Against Externally Generated Missiles

LIST OF TABLES (CONTINUED)

3.5.1-8	Internal Rotating Components Excluded as Missile Generation Sources
3.6.1-1	Essential, High-Energy, and Moderate-Energy Systems
3.6.1-2	Design Comparison to Positions of NRC Branch Technical Positions ASB 3-1
3.6.1-3	Design Comparison to NRC Branch Technical Position MEB 3-1
3.6.2-1	High-Energy Pipe Break Stress Analysis Results
3.6.2-2	Hazard Analysis Results
3.6.2-3	Postulated Break Locations for the LOCA Analysis of the Primary Coolant Loop
3.7.B.1-1	Damping Values for Fixed Base Structures and Components
3.7.B.1-2	Embedment Depths of Category 1 Structures
3.7.N.1-1	Damping Values Used for Seismic Systems Analysis
3.7.B.2-1	Classification of Seismic Systems
3.7.B.2-2	Accelerations of Major Seismic Category 1 Structures
3.7.B.2-3	The Frequencies for Floor Response Spectra Calculations
3.7.4-1	Seismic Monitoring Instrumentation Requirements
3.8.1-1	Containment Load Combinations and Load Factors
3.8.4-1	Other Category 1 Structures Steel Design Load Combinations Elastic Method
3.8.4-2	Other Category 1 Structures Steel Design Load Combinations Plastic Method
3.8.4-3	Other Category 1 Structures Concrete Design Load Combinations Strength Method
3.8.5-1	Minimum Design Factors of Safety
3.9.N.1-1	Summary of RCS Design Transients
3.9.N.1-2	Monitored Component Cyclic or Transient Limits
3.9.N.1-3	Monitored Component Fatigue Locations
3.9.B.3-1	Load Combinations for ASME Section III, Division 1, Code Class 1, 2, and 3 Component and Component Supports
3.9.B.3-2	Stress Criteria for ASME III Class 1, 2, and 3 Piping

LIST OF TABLES (CONTINUED)

3.9.B.3-3	Stress Criteria for ASME III Class 1, 2, and 3 Vessels
3.9.B.3-4	Stress Criteria for ASME III Class 1, 2, and 3 Valves
3.9.B.3-5	Stress Criteria for ASME Section III, Division 1, Code Class 1, 2, and 3 Pumps
3.9.B.3-6	Stress Limits for Class 1 Component Supports
3.9.B.3-7	Stress Limits for Class 2 and 3 Component Supports
3.9.B.3-8	BOP Active Pumps
3.9.B.3-9	BOP Active Valves
3.9.B.3-10	Evaluation of NRC Regulatory Guide 1.148 (March 1981)
3.9.N.3-1	Active Pumps
3.9.N.3-2	Active Valves
3.9.N.3-3	Load Combinations and Acceptance Criteria for Pressurizer Safety and Relief Valve Piping - Upstream of Valves
3.9.N.3-4	Load Combinations and Acceptance Criteria for Pressurizer Safety and Relief Valve Piping Seismically Designed Downstream Portion
3.9.N.3-5	Definitions of Load Abbreviations
3.9.5-1	Maximum Deflections Allowed for Reactor Internal Support Structures
3.10.B.1-1	Deleted
3.11.B.1-1	Environmental Conditions
3.11.B.1-2	Deleted
3.11.N.1-1	Deleted
3.11.B.3-1	Conformance to the Requirements of NUREG-0588
3.11.N.3-1	Comparison of NSSS EQ Program to NUREG-0588
3C-1	Ductility Ratios
3D-1	Records Used for Deconvolution Analyses
3D-2	Records Used for Upward Wave Propagation Analyses

LIST OF TABLES (CONTINUED)

3D-3	Computed Variations of Peak Accelerations (g) with Depth from Deconvolution Analyses
3D-4	Computed Variations of Peak Accelerations (g) with Depth from Upward Wave Propagation Analyses
3F-1	Sample of Hazards Analysis Results for Auxiliary Building (Levels B, C, and D)
3F-2	AFW Pump House Design Parameters
3F-3A	Unit 1 MSIV/MFIV Room Flooding (Case 2) and Pressure/Temperature (Case 1) Analysis
3F-3B	Unit 1 Control Building MSIV/MFIV Vault Area MSLB Pressure/Temperature (Case 3) Analysis
3F-4	Evaluation of RCS Loop Branch Line Breaks
3F-5	Jet Impingement Barriers
4.1-1	Reactor Design Comparison Table
4.1-2	Analytical Techniques in Core Design
4.1-3	Design Loading Conditions for Reactor Core Components
4.2-1	Fuel Assembly Component Stresses (Percent of Allowable)
4.3-1	Reactor Core Description (First Cycle)
4.3-2	Nuclear Design Parameters (First Cycle)
4.3-3	Reactor Requirements for Rod Cluster Control Assemblies
4.3-4	Deleted
4.3-5	Axial Stability Index Pressurized Water Reactor Core with a 12-ft Height
4.3-6	Typical Neutron Flux Levels (n/cm2/s) at Full Power
4.3-7	Comparison of Measured and Calculated Doppler Effects
4.3-8	Saxton Core II Isotopics, Rod MY, Axial Zone 6
4.3-9	Critical Boron Concentrations (ppm) HZP, BOL
4.3-10	Comparison of Measured and Calculated Ag-In-Cd Rod Worth
4.3-11	Comparison of Measured and Calculated Moderator Coefficients at HZP, BOL

LIST OF TABLES (CONTINUED)

4.3-12	Benchmark Critical Experiments
4.4-1	Thermal and Hydraulic Comparison Table
4.4-2	Void Fractions at Nominal Reactor Conditions
5.1.2-1	System Design and Operating Parameters
5.2.1-1	Applicable Code Addenda for RCS Components
5.2.3-1	Primary and Auxiliary Components Material Specifications
5.2.3-2	Reactor Vessel Internals Material Specifications
5.2.3-3	Recommended Reactor Coolant Water Chemistry Specification
5.3.1-1	Reactor Vessel Quality Assurance Program
5.3.1-2	VEGP Unit 1 Reactor Vessel Fracture Toughness Properties
5.3.1-3	VEGP Unit 2 Reactor Vessel Fracture Toughness Properties
5.3.1-4	VEGP Unit 1 Reactor Vessel Closure Head Bolting Material Properties
5.3.1-5	VEGP Unit 2 Reactor Vessel Closure Head Bolting Material Properties
5.3.1-6	Deleted
5.3.1-7	Reactor Vessel Material Surveillance Program
5.3.1-8	Reactor Vessel Material Surveillance Program Withdrawal Schedule (Unit 1)
5.3.1-9	Reactor Vessel Material Surveillance Program Withdrawal Schedule (Unit 2)
5.3.2-1	Deleted
5.3.2-2	Vogtle Unit 1 Reactor Vessel Core Beltline Region Toughness Properties
5.3.2-3	VEGP Unit 1 Reactor Vessel Core Beltline Region Weld Metal Toughness Properties
5.3.2-4	VEGP Unit 2 Reactor Vessel Core Beltline Region Toughness Properties
5.3.2-5	VEGP Unit 2 Reactor Vessel Core Beltline Region Weld Metal Toughness Properties
5.3.3-1	Reactor Vessel Design Parameters

LIST OF TABLES (CONTINUED)

5.3.3-2	Unit 1 Reactor Vessel Values for Analysis of Potential Pressurized Thermal Shock Events
5.3.3-3	Unit 2 Reactor Vessel Values for Analysis of Potential Pressurized Thermal Shock Events
5.4.1-1	Reactor Coolant Pump Design Parameters
5.4.1-2	Reactor Coolant Pump Quality Assurance Program
5.4.2-1	Steam Generator Design Data
5.4.2-2	Steam Generator Quality Assurance Program
5.4.3-1	Reactor Coolant Piping Design Parameters
5.4.3-2	Reactor Coolant Piping Quality Assurance Program
5.4.7-1	Design Bases for RHRS Operation
5.4.7-2	RHRS Component Data
5.4.7-3	Failure Modes and Effects Analysis - Residual Heat Removal System Active Components - Normal Cooldown Operation
5.4.7-4	Residual Heat Removal System - Safety Grade Cold Shutdown Operations - Failure Modes and Effects Analysis
5.4.10-1	Pressurizer Design Data
5.4.10-2	Reactor Coolant System Design Pressure Settings
5.4.10-3	Pressurizer Quality Assurance Program
5.4.11-1	Pressurizer Relief Tank Design Data
5.4.11-2	Discharges to the Pressurizer Relief Tank
5.4.11-3	Pressurizer Relief Discharge System Nondestructive Testing Program
5.4.12-1	Reactor Coolant System Valve Design Parameters
5.4.12-2	Reactor Coolant System Valves Nondestructive Examination Program
5.4.12-3	Reactor Coolant System Pressure Isolation Valves
5.4.13-1	Pressurizer Safety and Relief Valves Design Parameters
5.4.15-1	Reactor Vessel Head Vent System Equipment Design Parameters

LIST OF TABLES (CONTINUED)

6.1.1-1	Principal ESF Pressure-Retaining Materials
6.1.1-2	Principal ESF Materials Exposed to Reactor Coolant or Containment Spray
6.1.2-1	Regulatory Guide 1.54, Revision 0, June 1973, Quality Assurance Requirements for Protective Coatings Applied to Water-Cooled Nuclear Power Plants
6.1.2-2	Containment Components - Coating Schedule
6.1.2-3	Protective Coatings on Westinghouse-Supplied Equipment Inside Containment
6.1.2-4	Other Organic Materials
6.2.1-1	Containment Design Limits and Calculated Containment Peak Pressure and Temperature
6.2.1-2	Assumptions for Containment Analysis - Part 1
6.2.1-3	Assumptions for Containment Analysis - Part 2
6.2.1-4	Containment Structural Heat Sinks
6.2.1-5	Thermophysical Properties of Containment Heat Sinks
6.2.1-6	Accident Sequence for Double-Ended Pump Suction Break, Minimum Safety Injection
6.2.1.7	Deleted
6.2.1-8	Postulated Subcompartment Pipe Breaks
6.2.1-9	Reactor Cavity Flow Model: Node Characteristics (Initial Conditions Remain the Same)
6.2.1-10	Reactor Cavity Flow Model: Flow Characteristics
6.2.1-11	Steam Generator Compartment Model (Pipe Break Below el 220 ft): Node Characteristics Loop Closure Weld (336-in.2 Break)
6.2.1-11A	Steam Generator Compartment Model (Pipe Break Above el 220 ft): Node Characteristics
6.2.1-12	Steam Generator Compartment Model (Pipe Break Below el 220 ft): Node Characteristics Steam Generator Inlet Nozzle (306-in.2 Break)
6.2.1-13	Steam Generator Compartment Model (Pipe Break Below el 220 ft): Node Characteristics Steam Generator Outlet Nozzle (436-in.2 Break)

LIST OF TABLES (CONTINUED)

6.2.1-14 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Node Characteristics Reactor Coolant Pump Outlet Nozzle (236-in.2 Break)

6.2.1-15 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Node Characteristics Reactor Coolant Pump Inlet Nozzle (366-in.2 Break)

6.2.1-16 Steam Generator Compartment Model (Pipe Break below el 220 ft): Node Characteristics Steam Generator Inlet Elbow (736-in.2 Break)

6.2.1-16A Steam Generator Compartment Model (Pipe Break Above el 220 ft): Flow Characteristics

6.2.1-17 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Steam Generator Inlet Elbow (763-in.2 Break)

6.2.1-18 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Steam Generator Inlet Nozzle (306-in.2 Break)

6.2.1-19 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Steam Generator Outlet Nozzle (436-in.2 Break)

6.2.1-20 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Reactor Coolant Pump Outlet Nozzle (236-in.2 Break)

6.2.1-21 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Reactor Coolant Pump Inlet Nozzle (336-in.2 Break)

6.2.1-22 Steam Generator Compartment Model (Pipe Break Below el 220 ft): Flow Characteristics Loop Closure Weld (336-in.2 Break)

6.2.1-23 Pressurizer Compartment Model: Flow Characteristics (Spray Line) Loss Coefficient (K)

6.2.1-24 Pressurizer Compartment Flow Characteristic Mode (Surge Line) Loss Coefficient (K)

6.2.1-25 Pressurizer Compartment Model: Node Characteristics

6.2.1-26 Reactor Cavity Time Dependent Flow Conditions

6.2.1-26A Steam Generator Compartment Time Dependent Flow Conditions (16 in. Feedwater Line Condition)

6.2.1-27 Steam Generator Compartment Time Dependent Flow Conditions (236 $in.^2$ Break)

6.2.1-28 Pressurizer Compartment Mass and Energy Release Pressurizer Surge Line Break

LIST OF TABLES (CONTINUED)

6.2.1-28A Pressurizer Compartment Mass and Energy Release Pressurizer Spray Line Break

6.2.1-29 Blowdown Mass and Energy Releases Double-Ended Pump Suction

6.2.1-30 Blowdown Mass and Energy Releases Double-Ended Hot Leg Guillotine

6.2.1-31 Reflood Mass and Energy Releases Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-32 Reflood Mass and Energy Releases Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-33 Principal Parameters During Reflood Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-34 Principal Parameters During Reflood Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-35 Post-Reflood Mass and Energy Releases Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-36 Post-Reflood Mass and Energy Releases Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-37 Mass Balance Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-38 Mass Balance Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-39 Mass Balance Double-Ended Hot Leg Guillotine

6.2.1-40 Energy Balance Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-41 Energy Balance Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-42 Energy Balance Double-Ended Hot Leg Guillotine

6.2.1-43 System Parameters

6.2.1-44 Deleted

6.2.1-45 Deleted

6.2.1-46 Deleted

6.2.1-47 Deleted

6.2.1-48 Deleted

LIST OF TABLES (CONTINUED)

6.2.1-49 Deleted

6.2.1-50 Deleted

6.2.1-51 Deleted

6.2.1-52 Deleted

6.2.1-53 Deleted

6.2.1-54 Deleted

6.2.1-55 Deleted

6.2.1-56 Deleted

6.2.1-57 Deleted

6.2.1-58 Deleted

6.2.1-59 Deleted

6.2.1-60 Spectrum of Secondary System Pipe Ruptures Analyzed

6.2.1-61 Mass and Energy Release Data for Case 15 – Peak Calculated Containment Temperature for MSLB

6.2.1-62 Mass and Energy Release Data for Case 6 – Peak Calculated Containment Temperature for MSLB

6.2.1-63 Deleted

6.2.1-64 Specific Plant Design Input for MSLB Analysis

6.2.1-65 Summary of Results for MSLB Containment Pressure - Temperature Analysis

6.2.1-66 Sequence of Events for Case 11 - Peak Calculated Containment Pressure for MSLB

6.2.1-67 Sequence of Events for Case 13 - Peak Calculated Containment Temperature for MSLB

6.2.1-68 Blowdown Mass and Energy Releases for Limiting DECLG (CD = 0.6, Low T_{AVG})

6.2.1-69 Reflood Mass and Energy Releases DECLG (CD = 0.6, Low T_{AVG}, Min SI)

6.2.1-70 Broken Loop Injection Spill During Blowdown (CD = 0.6, Low T_{AVG})

6.2.1-71 Active Heat Sinks for Minimum Containment Pressure Analysis

LIST OF TABLES (CONTINUED)

6.2.1-72	Passive Heat Sinks
6.2.1-73	Forces and Moments for Broken Cold Leg with Support
6.2.1-74	Uplift Forces and Moments for Broken Cold Leg with Support
6.2.2-1	Containment Fan Cooler Design Data
6.2.2-2	Containment Fan Cooling Heat Removal Capacity (Post-LOCA Modes)
6.2.2-3	Containment Cooling System Failure Mode and Effects Analysis
6.2.2-4	Containment Spray System Component Design Parameters
6.2.2-5	Failure Mode and Effects Analysis - Containment Spray System - Active Components
6.2.4-1	Containment/Penetration/Isolation Valve Information
6.2.4-2	Containment Isolation Valves
6.2.5-1	Design Data for Hydrogen Recombiners
6.2.5-2	Containment Building - Failure Modes and Effects Analysis, Post-LOCA Cavity Purge System
6.2.5-3	Design Data for Principal Components of Post-LOCA Containment Hydrogen Purge System
6.2.5-4	Design Data for Principal Components of Post-LOCA Cavity Purge System
6.2.5-5	Design Data for Principal Components of the Containment Hydrogen Monitoring System
6.2.5-6	Plant Parameters Used To Calculate Post-Accident Hydrogen Production
6.2.5-7	Deleted
6.2.5-8	Deleted
6.2.5-9	Post-Accident Containment Temperature Transient for Hydrogen Generation Analysis
6.2.5-10	Corrosion Rates Used in the Post-Accident Containment Hydrogen Generation Analysis
6.2.6-1	Penetrations Not Vented to Containment or Drained During Type A Testing

LIST OF TABLES (CONTINUED)

6.3.2-1 Emergency Core Cooling System Component Parameters

6.3.2-2 Emergency Core Cooling System Relief Valve Data

6.3.2-3 Motor-Operated Isolation Valves in the Emergency Core Cooling System

6.3.2-4 Materials Employed for Emergency Core Cooling System Components

6.3.2-5 Emergency Core Cooling System - Safeguards Operations-Failure Modes and Effects Analysis

6.3.2-6 Emergency Core Cooling System Recirculation Piping Passive Failure Analysis Long-Term Phase

6.3.2-7 Sequence of Switchover Operations

6.3.2-8 Emergency Core Cooling System Air-Operated Valves

6.3.2-9 Failure Modes and Effects Analysis for Safety-Grade Cold Shutdown Operations

6.3.3-1 Emergency Core Cooling System Shared Functions Evaluation

6.3.3-2 Normal Operating Status of Emergency Core Cooling System Components for Core Cooling

6.4.2-1 Performance Characteristics of Major System Components

6.4.2-2 Leakage Data and Leakage Rates

6.4.4-1 Control Room Emergency HVAC System Failure Modes and Effects Analysis

6.4.6-1 Control Room HVAC Indications and Alarms

6.5.1-1 ESF Filter System Design Parameters (For Unit 1 or 2)

6.5.1-2 ESF Filter System Instrumentation (Typical for Each Filter Train)

6.5.1-3 ESF Filter System Materials

6.5.2-1 Containment Unsprayed Regions

6.5.2-2 Input Parameters and Results of Spray Iodine Removal Analysis

6.5.3-1 Primary Containment Operation Following a Design Basis Accident

7.1.1-1 Listing of Criteria as Applied to Instrumentation and Control Systems

7.2.1-1 List of Reactor Trips

LIST OF TABLES (CONTINUED)

7.2.1-2 Protection System Interlocks

7.2.1-3 Reactor Trip System Instrumentation

7.2.1-4 Reactor Trip System Instrumentation Response Times

7.2.1-5 Reactor Trip Allocation Times

7.2.2-1 Reactor Trip Correlation

7.3.1-1 Instrumentation Operating Condition for Engineered Safety Features

7.3.1-2 Instrumentation Operating Conditions for Isolation Functions

7.3.1-3 Interlocks for Engineered Safety Features Actuation System

7.3.1-4 Primary System Accidents and Required Instrumentation Ruptures in Small Pipes, Cracks in Large Pipes, Ruptures of Large Pipes, and Steam Generator Tube Rupture

7.3.1-5 Secondary System Accidents and Required Instrumentation, Minor Secondary System Pipe Break, and Major Secondary System Pipe Break

7.3.1-6 Engineered Safety Features Response Items

7.3.1-7 Engineered Safety Features Allocation Times

7.3.3-1 Containment Combustible Gas Control System Actuated Equipment List

7.3.4-1 Containment Purge Isolation System Actuated Devices

7.3.5-1 Fuel Handling Building Ventilation Post-Accident Actuated Equipment

7.3.6-1 Control Room Ventilation Isolation Control System Monitor Sensitivities and Response Times

7.3.6-2 Control Room Ventilation Isolation Control System Actuated Equipment List

7.3.8-1 Main Steam, Mainsteam Bypass, and Main Feedwater and Feedwater Bypass Isolation Actuated Devices

7.3.9-1 NSCW Actuated Devices

7.3.10-1 Component Cooling Water System Actuated Devices

7.3.11-1 Containment Heat Removal System Actuated Devices

7.3.12-1 Control Building ESF HVAC System Actuated Equipment List

LIST OF TABLES (CONTINUED)

7.3.13-1	Auxiliary Building ESF HVAC System Actuated Equipment List
7.3.14-1	Auxiliary Feedwater Pumphouse ESF HVAC System Actuated Equipment List
7.3.15-1	Diesel Generator Building ESF HVAC System Actuated Equipment List
7.3.16-1	Electrical Tunnel ESF HVAC System Actuated Equipment List
7.3.17-1	Diesel Generator Fuel Oil System Actuated Equipment List
7.4.1-1	Systems Available for Safe Shutdown
7.4.2-1	Instrumentation and Controls Available for Hot Standby and Hot or Cold Shutdown
7.5.2-1	Post-Accident Monitoring Instrumentation
7.5.2-2	Summary of Selection of Criteria
7.5.2-3	Summary of Design, Qualification, and Interface Requirements
7.5.3-1	Summary of Type A Variables
7.5.3-2	Summary of Type B Variables
7.5.3-3	Summary of Type C Variables
7.5.3-4	Summary of Type D Variables
7.5.3-5	Summary of Type E Variables
7.5.4-1	Summary of Variables and Categories
7.5.4-2	NUREG-0737 Conformance
7.5.5-1	ESF Systems Monitored on the System Status Monitoring Panel
7.6.2-1	Interlock Table for Outer/Inner Isolation Valves
7.7.1-1	Plant Control System Interlocks
8.1-1	Acceptance Criteria and Guidelines for Electric Power Systems
8.2.1-1	Summary of 230- and 500-kV Line Construction
8.2.1-2	The Assignment of 230-kV Circuit Breaker Supplies to Substation Batteries
8.2.1-3	The Assignment of 500-kV Circuit Breaker Supplies to Substation Batteries

LIST OF TABLES (CONTINUED)

8.2.2-1	46-, 69-, 115-, 230-, and 500-kV Line Interruptions Caused by Lightning Interruptions for 100 Miles for Year 1979
8.2.2-2	Summary of Transmission Line Failures - 1979
8.3.1-1	Diesel Generator Annunciator Points
8.3.1-2	Diesel Generator Loading Profile for LOCA and Loss of Offsite Power
8.3.1-3	Onsite Power System Failure Modes and Effects Analysis
8.3.1-4	Circuits Analyzed for Separation Requirements
8.3.2-1	125-V dc Battery A Load Requirements (LOCA/LOSP)
8.3.2-2	125-V dc Battery B Load Requirements (LOCA/LOSP)
8.3.2-3	125-V dc Battery C Load Requirements (LOCA/LOSP)
8.3.2-4	125-V dc Battery D Load Requirements (LOCA/LOSP)
8.3.2-5	Class 1E 125-V dc and 120-V Vital ac System Failure Modes and Effects Analysis
8.3.2-6	125-V dc Battery A Load Requirements (SBO)
8.3.2-7	125-V dc Battery B Load Requirements (SBO)
8.3.2-8	125-V dc Battery C Load Requirements (SBO)
8.3.2-9	125-V dc Battery D Load Requirements (SBO)
9.1.2-1A	Loads and Load Combinations - Unit 1 Pool
9.1.2-1B	Loads and Load Combinations - Unit 2 Pool
9.1.3-1	Spent Fuel Pool Cooling and Purification System Component Design Parameters
9.1.3-2	Failure Mode and Effects Analysis for Cooling Portion of SFPCPS
9.1.5-1	Spent Fuel Cask Bridge Crane and Polar Crane Data
9.1.5-2	Evaluation of Overhead Heavy Load Handling Systems
9.1.5-3	Containment Building Overhead Load Handling Systems
9.1.5-4	Fuel Building Cask and Fuel Handling Systems
9.1.5-5	Single Failure Proof Crane Conformance to NUREG-0554

LIST OF TABLES (CONTINUED)

9.1.5-6	NUREG 0612 Guidelines and Location of FSAR Description
9.1.5-7	Integrated Head and Internals
9.2.1-1	Nuclear Service Cooling Water System Heat Loads and Flows
9.2.1-2	Nuclear Service Cooling Water Failure Modes and Effects Analysis
9.2.1-3	NSCW System Component Data
9.2.2-1	CCW System Component Data
9.2.2-2	CCW System Heat Loads and Flows
9.2.2-3	Component Cooling Water System Failure Modes and Effects Analysis
9.2.3-1	Demineralized Water Makeup System Component Data
9.2.4-1	Potable and Sanitary Water System Component Data
9.2.5-1	Ultimate Heat Sink Process Parameters
9.2.5-2	Maximum Ultimate Heat Sink Heat Loads
9.2.5-3	Ultimate Heat Sink Design LOCA Case
9.2.5-4	Ultimate Heat Sink Performance (Post-LOCA)
9.2.5-5	Ultimate Heat Sink Maximum Temperature Case
9.2.5-6	Ultimate Heat Sink Design MSLBA Case
9.2.5-7	Ultimate Heat Sink Performance (Post-MSLB)
9.2.5-8	Meteorological Data for Augusta, Georgia, Airport (Maximum NSCW Temperatures)
9.2.5-9	Meteorological Data for Augusta, Georgia, Airport (Maximum NSCW Tower Basin Water Usage)
9.2.5-10	Total NSCW Heat Loads for Shutdown with Loss of Offsite Power
9.2.7-1	Summary of Primary Makeup Water Requirements
9.2.8-1	Auxiliary Component Cooling Water System Heat Loads and Flows
9.2.8-2	Auxiliary Component Cooling Water System Component Data

LIST OF TABLES (CONTINUED)

9.2.9-1 Essential Chilled Water System Design Data

9.2.9-2 Normal Chilled Water System Design Data

9.2.9-3 Essential Chilled Water System Failure Modes and Effects Analysis

9.2.10-1 Turbine Plant Closed Cooling Water System Flow Requirements Normal Power Generation Operation

9.2.11-1 Turbine Plant Cooling Water System Flow Requirements - Normal Power Generation Operation

9.3.1-1 Component Description Compressed Air System

9.3.1-2 Safety-Related Pneumatically Operated Valves

9.3.2-1 Nuclear Sampling System - Liquid Sample Points

9.3.2-2 Nuclear Sampling System - Gaseous Sample Points

9.3.2-3 Turbine Plant Sampling System

9.3.2-4 Process Grab Sample Points

9.3.2-5 Radwaste Grab Sample Points

9.3.2-6 Post-Accident Sampling Sample Points

9.3.2-7 Environmentally Qualified Post-Accident Sampling Valves

9.3.3-1 Equipment and Floor Drainage System Component Data

9.3.3-2 Sump Parameters

9.3.3-3 Equipment and Floor Drainage Systems Failure Mode and Effects Analysis

9.3.4-1 Chemical and Volume Control System Design Parameters

9.3.4-2 Chemical and Volume Control System Principal Component Data Summary

9.3.4-3 Boron Recycle System Principal Component Data Summary

9.3.4-4 Differential Pressures

9.3.5-1 Design Parameters for Major Components of the Auxiliary Gas System

9.3.7-1 Chlorination System Component Data

9.4.1-1 Outside Design Conditions

LIST OF TABLES (CONTINUED)

9.4.1-2	Normal Environmental Design Conditions
9.4.1-3	Heating, Ventilation, Air-Conditioning, and Cooling Systems
9.4.1-4	Design Parameters for Onsite Technical Support Center HVAC System Components
9.4.2-1	Fuel Handling Building Ventilation System Component Data
9.4.2-2	Fuel Handling Building Ventilation Failure Modes and Effects Analysis
9.4.3-1	Auxiliary Building Normal Ventilation System Design Data for Major Components
9.4.3-2	ESF Room Cooler Design Data for Major Components
9.4.3-3	Auxiliary Building Emergency Filtration System Design Data for Major Components (Per Unit)
9.4.3-4	Auxiliary Building - ESF Room Cooler Failure Modes and Effects Analysis
9.4.3-5	Piping Penetration Filter Exhaust System Failure Modes and Effects Analysis
9.4.3-6	Alternate Radwaste Building Design Data for Major Components
9.4.3-7	Radwaste Processing Facility Design Data for Major Components
9.4.4-1	Turbine Building HVAC Systems, Condenser Vacuum Exhaust Filter System, and Steam Packing Exhauster Filter System Component Data
9.4.5-1	Engineered Safety Feature Ventilation System Component Data (Per Unit)
9.4.5-2	Control Building Safety Feature Electrical Equipment Room System Failure Modes and Effects Analysis
9.4.6-1	Design Data for Major Components of Containment Normal, Auxiliary, and Lower Level Heat Removal Systems
9.4.6-2	Design Data for Major Components of Containment Purge and Preaccess Filter Systems
9.4.6-3	Design Data for Major Components of Reactor Cavity, Reactor Support, and CRDM Cooling Systems
9.4.6-4	Comparison of Minipurge System with Branch Technical Position CSB6-4
9.4.7-1	Diesel Generator Building Ventilation System Component Data (Per Train)
9.4.7-2	Diesel Generator Building Ventilation System Failure Modes and Effects Analysis

LIST OF TABLES (CONTINUED)

9.4.8-1	Auxiliary Feedwater Pumphouse HVAC System Component Data (Per Unit)
9.4.8-2	Auxiliary Feedwater Pumphouse HVAC System Failure Modes and Effects Analysis
9.4.9-1	Equipment Building Ventilation System Component Data
9.4.9-2	Electrical Tunnel Ventilation System Component Data (Per Unit)
9.4.9-3	Electrical Tunnel Ventilation System Single Failure Analysis
9.4.9-4	Piping Restraint and MSIV Ventilation Systems Component Data (Per Unit)
9.5.1-1	Fire Event Safe Shutdown Systems/Components
9.5.1-2	Fire Protection System Component Data
9.5.1-3	Safe Shutdown Function Success Paths
9.5.1-4	Fire Event Safe Shutdown Separation Analysis Methodology
9.5.1-5	Deleted
9.5.1-6	Areas Designed for Storage of Radioactive Material
9.5.1-7	Components Designed to Retain and Collect Radioactivity
9.5.1-8	Major Process Collection Points in Radioactive Waste Systems
9.5.1-9	Exceptions to NFPA Codes
9.5.1-10	Fire Protection Functionality Requirements
9.5.1-10A	Fire Detection Instruments
9.5.1-10B	Sprinkler Systems
9.5.1-10C	Hose Stations
9.5.1-10D	Yard Fire Hydrants and Associated Hydrant Hose Houses
9.5.2-1	Communication Equipment and Locations Available for Safe Shutdown
9.5.3-1	Emergency and Essential Lighting System Failure Modes and Effects Analysis
9.5.3-2	Illumination Levels of Emergency Lighting for the Main Control Board and Remote Shutdown Panels

LIST OF TABLES (CONTINUED)

9.5.4-1	Standby Diesel Generator Fuel Oil Storage and Transfer System Component Data (Quantities Per Unit)
9.5.4-2	Failure Modes and Effects Analysis
9.5.4-3	Standby Diesel Generator Fuel Oil Storage and Transfer System Indicating and Alarm Devices
9.5.5-1	Emergency Diesel Engine Cooling Water System Component Data (Per Diesel Engine)
9.5.5-2	Diesel Generator Cooling Water System Failure Modes and Effects Analysis (Preliminary)
9.5.6-1	Standby Diesel Generator Starting System Component Data
9.5.6-2	Diesel Generator Starting System Failure Modes and Effects Analysis
9.5.7-1	Emergency Diesel Engine Lubrication System Component Data
9.5.7-2	Diesel Generator Lubrication System Failure Modes and Effects Analysis
9.5.7-3	Emergency Diesel Generator Lubrication System Indicating Devices
9.5.8-1	Emergency Diesel Engine Combustion Air Intake and Exhaust System Component Data
9.5.8-2	Diesel Generator Combustion Air Intake and Exhaust System Failure Modes and Effects Analysis
9.5.9-1	Equipment Supplied by Auxiliary Steam System
9.5.10-1	Deleted
9A-1	Fire Area Index
9A-2	Fire Zone to Fire Area Cross Reference List
10.1-1	Significant Design Features and Performance Characteristics for Major Steam and Power Conversion System Components
10.2.2-1	Turbine-Generator and Auxiliaries Design Parameters
10.2.2-2	Events Following Loss of Turbine Load with Postulated Equipment Failures
10.3.2-1	Main Steam Supply System Design Data
10.3.2-2	Design Data for Main Steam Safety Valves

LIST OF TABLES (CONTINUED)

10.3.2-3 Description of Main Steam Piping

10.3.3-1 Main Steam System Failure Modes and Effects Analysis

10.3.5-1 Secondary Side Water Chemistry Specifications During Power Operation

10.4.1-1 Main Condenser Design Data

10.4.2-1 Condenser Air Ejection System Design Data

10.4.5-1 Design Parameters for Major Components of Circulating Water System

10.4.6-1 Condensate Filter/Demineralizer System Major Components

10.4.6-2 Impurity Concentrations in Influent Condensate

10.4.6-3 Water Chemistry for Reactor Coolant System

10.4.6-4 Water Chemistry for Circulating Water System

10.4.6-5 Deleted

10.4.7-1 Condensate and Feedwater System Component Failure Analysis

10.4.7-2 Condensate and Feedwater System Design Data For Major Components

10.4.7-3 Condensate and Feedwater System Controls and Indication

10.4.8-1 Parameters Used To Calculate Design Basis SGBPS Sources

10.4.8-2 Steam Generator Secondary Side Water Specific Activity

10.4.8-3 Steam Generator Blowdown Processing System Parameters

10.4.8-4 Steam Generator Blowdown Processing System Major Component Parameters

10.4.9-1 Auxiliary Feedwater System Component Data

10.4.9-2 NSSS Steam Generator Makeup Requirements

10.4.9-3 Auxiliary Feedwater Flow Information for Various Postulated Events

10.4.9-4 Auxiliary Feedwater System Failure Modes and Effects Analysis

10.4.9-5 Auxiliary Feedwater System Summary of Indication and Controls

10.4.10-1 Condensate and Feedwater Chemical Injection System

LIST OF TABLES (CONTINUED)

10A-1	AFWS Control Capabilities
10A-2	Electric Power Source List for the AFWS
10A-3	Component Groupings in AFWS Block Diagram
10A-4	AFWS Component Failure Data
11.1-1	Parameters Used in the Calculation of Design Basis Fission and Corrosion Product Activities
11.1-2	Reactor Coolant Design Basis Fission and Corrosion Product Specific Activity
11.1-3	Pressurizer Activities
11.1-4	Volume Control Tank Activities
11.1-5	Design Basis Iodine Concentrations in Secondary Side Water at Technical Specification Limits
11.1-6	Parameters Used To Describe the Reactor System - Realistic Basis
11.1-7	Specific Activities in Principal Fluid Streams - Realistic Basis
11.1-8	Parameters Specified by Regulatory Guide 1.112 Appendix B (Input Parameters for the GALE Computer Code)
11.1-9	Tritium Production
11.1-10	Expected Spent Resin Volume
11.2.1-1	Parameters Used in the Calculation of Estimated Activity in Liquid Wastes
11.2.1-2	Equipment Design Parameters
11.2.1-3	Estimated Liquid Waste Processing System Isotopic Inventories and Concentrations
11.2.1-4	Summary of Tank Level Indication, Level Annunciators, and Overflows
11.2.2-1	Range of Measured Decontamination Factors for Selected Isotopes
11.2.3-1	Calculated Releases of Radioactive Materials in Liquid Effluents (Per Unit) Assuming Expected Fuel Leakage
11.2.3-2	Comparison of Calculated Concentrations in Effluent Water Discharge with 10 CFR 20 Limits Assuming Expected Fuel Leakage

LIST OF TABLES (CONTINUED)

11.2.3-3 Radioactive Liquid Releases from Westinghouse-Designed Pressurized Water Reactor Plants (Zircaloy Fuel Cladding)

11.2.3-4 Estimated Individual Doses from Liquid Effluents as Low as Reasonably Achievable

11.3.2-1 Design Basis Accumulated Radioactivity in the GWPS after 40 Years Operation of Two Units

11.3.2-2 Expected Accumulated Radioactivity in the GWPS after 40 Years Operation of Two Units

11.3.2-3 Reduction in RCS Gaseous Fission Products Resulting from Normal Operation of the GWPS

11.3.2-4 Process Parameters for GWPS, Indefinite Holdup, 1-Month Accumulation

11.3.2-5 Process Parameters for GWPS, Indefinite Holdup, 90-Day Accumulation

11.3.2-6 Process Parameters for GWPS, Indefinite Holdup, 90-Day Holdup and Release

11.3.2-7 GWPS Component Description

11.3.3-1 Gaseous Releases from Westinghouse-Designed Operating Reactors

11.3.3-2 Expected Annual Average Release of Airborne Radionuclides

11.3.3-3 Comparison of Calculated Maximum Offsite Airborne Concentration with 10 CFR 20 Assuming Expected Fuel Leakage

11.3.3-4 Estimated Annual Doses to an Individual from Gaseous and Particulate Effluents

11.4.2-1 Parameters Used in the Calculation of Estimated Activity To Be Solidified

11.4.2-2 Estimated Expected Annual Activities of the Influents to the Solid Radwaste System

11.4.2-3 Estimated Maximum Annual Activities of the Influents to the Solid Radwaste System

11.4.2-4 Estimated Annual Quantities of Radwaste

11.4.2-5 Estimated Expected Annual Activities in Shipped Radwaste

11.4.2-6 Estimated Maximum Annual Activities in Shipped Radwaste

11.4.2-7 Summary of Backflushable Filters

11.5.2-1 Design Parameters for Process and Effluent Radiation Monitors

LIST OF TABLES (CONTINUED)

11.5.2-2 Detector Requirements for Process and Effluent Radiation Monitors

11.5.2-3 Conditions of Service for Process and Effluent Radiation Monitors

11.5.2-4 Deleted

11.5.2-5 Flowrate Monitoring for Liquid and Gaseous Normal Release Pathways

11.5.3-1 Airborne Radiological Sampling Capability for PERMS

11.5.3-2 Liquid Radiological Sampling Capability for PERMS

11.5.5-1 Design Parameters for Post-Accident Radiation Monitors

11.5.5-2 Detector Requirements for Post-Accident Radiation Monitors

11.5.5-3 Conditions of Service for Post-Accident Radiation Monitors

11.5.5-4 Deleted

12.2.1-1 Core Average Gamma Ray Source Strengths at Various Times after Shutdown

12.2.1-2 Radiation Sources Reactor Coolant Nitrogen-16 Activity

12.2.1-3 Nitrogen-16 Radiation Sources - Pressurizer

12.2.1-4 Radiation Sources - Pressurizer

12.2.1-5 Isotopic Composition and Specific Activity of Typical Out-of-Core Crud Deposits

12.2.1-6 Radiation Sources - CVCS: Regenerative Heat Exchanger Source Strengths; Regenerative Heat Exchanger Specific Activity; Excess Letdown Heat Exchanger (Tube Side) Source Strengths; Excess Letdown Heat Exchanger (Tube Side) Specific Activity; Letdown Heat Exchanger and Seal Water Heat Exchanger (Tube Side) Source Strengths; Letdown Heat Exchanger and Seal Water Heat Exchanger (Tube Side) Specific Activity; Letdown Reheat Heat Exchanger Source Strengths; Letdown Reheat Heat Exchanger Specific Activity; Letdown Chiller Heat Exchanger (Tube Side) and Moderating Heat Exchanger Source Strengths; Mixed Bed Demineralizer Source Strengths for 30 ft^3 of Resin; Cation Bed Demineralizer Source Strengths for 20 ft^3 of Resin; Boron Thermal Regeneration Demineralizer Source Strengths for 150 ft^3 of Resin; Chemical and Volume Control System Filter Source Strengths Assumed To Establish Shielding Requirements; Volume Control Tank Liquid Phase Source Strengths for a 200-ft^3 Liquid Phase; Volume Control Tank Vapor Phase Source Strengths for a 200-ft^3 Vapor Phase

12.2.1-7 Steam Generator Blowdown Demineralizer Source Strengths for 75 ft^3 of Resin

LIST OF TABLES (CONTINUED)

12.2.1-8 Steam Generator Blowdown Demineralizer Specific Activity

12.2.1-9 Steam Generator Blowdown Spent Resin Storage Tank Source Strengths

12.2.1-10 Steam Generator Blowdown Spent Resin Storage Tank Specific Activity

12.2.1-11 Steam Generator Blowdown Prefilter Source Strengths

12.2.1-12 Steam Generator Blowdown Outlet and Spent Resin Sluice Filter Source Strengths

12.2.1-13 Dimensions and Composition of Steam Generator Blowdown Purification System Filters

12.2.1-14 Deleted

12.2.1-15 Recycle Holdup Tank Specific Activities

12.2.1-16 Deleted

12.2.1-17 Deleted

12.2.1-18 Spent Fuel Gamma Ray Source Strengths at Various Times after Shutdown

12.2.1-19 Spent Fuel Pool Specific Activities for Determining Shield Wall Thicknesses

12.2.1-20 Spent Fuel Pool Demineralizer Source Strengths for 30 ft^3 of Resin

12.2.1-21 Spent Fuel Pool Demineralizer Specific Activity

12.2.1-22 Spent Fuel Pool Filter Source Strengths

12.2.1-23 Spent Fuel Pool Filter Dimensions and Composition Assumed To Establish Shielding Requirements

12.2.1-24 Deleted

12.2.1-25 Waste Monitor Tank Demineralizer Specific Activity

12.2.1-26 Reactor Coolant Drain Tank Liquid Phase Specific Activity

12.2.1-27 Reactor Coolant Drain Tank Vapor Phase Specific Activity

12.2.1-28 Floor Drain Tank, Waste Monitor Tanks, and Waste Holdup Tank Specific Activity

12.2.1-29 Chemical Drain Tank Specific Activity

12.2.1-30 Spent Resin Storage Tank Specific Activity

LIST OF TABLES (CONTINUED)

12.2.1-31 Deleted

12.2.1-32 Deleted

12.2.1-33 Radioactive Gas Distribution - Gaseous Radwaste System Operating

12.2.1-34 Volume Control Tank Noble Gas Stripping Fractions

12.2.1-35 Waste Gas Processing System Kr-85 Inventory

12.2.1-36 Hydrogen Recombiner, Waste Gas Compressor, and Gas Decay Tank Specific Activity

12.2.1-37 Radiation Sources Residual Heat Removal System

12.2.1-38 Residual Heat Removal Loop Specific Activity - 4 Hours after Shutdown

12.2.1-39 Residual Heat Removal Loop Specific Activity - 8 Hours after Shutdown

12.2.1-40 Core Average and Spent Fuel Neutron Source Strengths at Various Times after Shutdown

12.2.1-41 Irradiated Sb-Be Secondary Source Rod Source Strengths

12.2.1-42 Hafnium Control Rod Source Strengths

12.2.1-43 Irradiated Type 304 Stainless Steel (0.12 Weight Percent Cobalt) Cladding Source Strengths

12.2.1-44 Irradiated Incore Detector and Drive Cable Maximum Withdrawal Source Strengths

12.2.1-45 Irradiated Incore Detector Drive Cable Source Strengths

12.2.1-46 Irradiated Type 316 Stainless Steel (0.12 Weight Percent Cobalt) Flux Thimble Source Strengths

12.2.1-47 Integrated Gamma Ray and Beta Source Strengths at Various Times Following a Design Basis Accident (TID-14844 Release Fractions)

12.2.1-48 Source Strength in the Residual Heat Removal Loop at Various Times Following an Equivalent Full-Core Meltdown Accident

12.2.1-49 Post-Accident Source Terms Specific Activities for TID-14844 Release Fractions

12.2.1-50 Refueling Water Storage Tank Specific Activities

12.2.1-51 Reactor Makeup Water Storage Tank Specific Activities

LIST OF TABLES (CONTINUED)

12.2.1-52 Condensate Storage Tank Specific Activities

12.2.2-1 Parameters and Assumptions for Calculating Airborne Radioactive Concentrations

12.2.2-2 Airborne Radioactivity Concentrations

12.3.1-1 Radiation Zones

12.3.1-2 Equipment Specification Limits for Cobalt Impurity Levels

12.3.1-3 Approximate Reactor Coolant System Wetted Surface Areas

12.3.1-4 Approximate Reactor Coolant System Wetted Surface Areas of Stellite

12.3.1-5 Post-Accident Radiation Levels in Vital Areas (NUREG-0737, 11.B.2 Shielding Review)

12.3.4-1 Conditions of Service for Area Radiation Monitors

12.3.4-2 Range and Control Functions for Area Radiation Monitors

12.4.1-1 Average Number of Personnel Per PWR Unit for the Period 1969-1981

12.4.1-2 Average Occupational Radiation Exposure (Man-Rem Dose) Per PWR Unit for the Period 1969-1981

12.4.1-3 Average Occupational Radiation Exposure (Man-Rem Dose) Based on PWR Plant Age

12.4.1-4 Distribution of the Number of Personnel (>100 mrem/Year) According to Work Function

12.4.1-5 Distribution of Personnel (#100 mrem/Year) According to Employee Category

12.4.1-6 Percentages of Personnel Dose by Work Function

12.4.1-7 Annual Occupational Exposures for Various PWR Vendor's Units

12.4.1-8 Average Annual Occupational Exposure and Power for Individual PWR

12.4.1-9 Average Individual Exposure Based on PWR Plant Age

12.4.1-10 Cumulative Average of Annual Exposure by Years of Operation

12.4.1-11 Occupational Radiation Exposure Estimate for Inservice Inspection and Special Maintenance (For One Unit)

LIST OF TABLES (CONTINUED)

12.4.1-12 Plant Staff Classification - Working Time and Zone Distribution (VEGP Units 1 and 2)

12.4.1-13 Estimated Annual Gamma Dose to Plant Personnel (Extracted Number of Manhours of Occupancy Per Year)

12.4.1-14 Doses to Plant Personnel Caused by Airborne Radioactivity

12.4.1-15 Total Body Dose Factors

12.4.1-16 Assumptions Used To Determine Doses to Plant Personnel Caused by Airborne Radioactivity

12.4.3-1 Construction Worker Doses

12.4.3-2 Individual Dose

12.4.3-3 Near Field Dispersion (X/Q) and Deposition (D/Q) Values

12.4.4-1 Estimated Occupational Radiation Exposure During Decommissioning

12.4.4-2 Dominant Radioactive Isotopes at Decommissioning

12.5.2-1 Fixed Laboratory Instrumentation

12.5.2-2 Portable Health Physics Survey Instruments

12.5.2-3 Personnel Monitoring Equipment

12.5.2-4 Health Physics Equipment

13.1.3-1 Acceptable Education and Experience for Selection and Training of VEGP Personnel

14.2.1-1 Preoperational Test Procedures

14.2.1-2 Startup Test Procedures

15.0.3-1 Nuclear Steam Supply System Power Ratings

15.0.3-2 Summary of Initial Conditions and Computer Codes Used

15.0.3-3 Nominal Values of Pertinent Plant Parameters Utilized in the Accident Analyses

15.0.6-1 Trip Points and Time Delays to Trip Assumed in Accident Analyses

15.0.7-1 Determination of Maximum Overpower Trip Point, Power Range Neutron Flux Channel, Based on Nominal Setpoint Considering Inherent Instrumentation Errors

LIST OF TABLES (CONTINUED)

15.0.8-1 Plant Systems and Equipment Available for Transient and Accident Conditions

15.0.8-2 Fission Product Barriers for Transient and Accident Analyses.

15.0.9-1 Fuel and Rod Gap Inventories, Core (Ci)

15.0.12-1 Single Failures Assumed in Accident Analyses

15.0.13-1 Operator Actions Required for Small and Large LOCAs

15.0.13-2 Short-Term Operator Actions Required for Steam Generator Tube Rupture

15.1.2-1 Time Sequence of Events for Incidents That Result in an Increase in Heat Removal by the Secondary System

15.1.5-1 Equipment Required Following a Rupture of a Main Steam Line

15.1.5-2 Parameters Used in Evaluating the Radiological Consequences of a Main Steam Line Break

15.1.5-3 Radiological Consequences of a Main Steam Line Break

15.2.3-1 Time Sequence of Events for Incidents Which Result in a Decrease in Heat Removal by the Secondary System

15.2.6-1 Parameters Used in Evaluating Radiological Consequences of Nonemergency ac Power

15.2.6-2 Radiological Consequences of Loss of Nonemergency ac Power

15.3.1-1 Time Sequence of Events for Incidents Which Result in a Decrease in Reactor Coolant System Flowrate

15.3.3-1 Summary of Results for Locked Rotor Transients (Four Loops Operating Initially)

15.3.3-2 Parameters Used in Evaluating the Radiological Consequences of a Locked Rotor Accident

15.3.3-3 Radiological Consequences of a Locked Rotor Accident

15.4.1-1 Time Sequence of Events for Incidents Which Result in Reactivity and Power Distribution Anomalies

15.4.6-1 Parameters

15.4.8-1 Parameters Used in the Analysis of the Rod Cluster Control Assembly Ejection Accident

LIST OF TABLES (CONTINUED)

15.4.8-2 Parameters Used in Evaluating the Radiological Consequences of a Control Rod Ejection Accident

15.4.8-3 Radiological Consequences of a Control Rod Ejection Accident

15.5.1-1 Time Sequence of Events for Incidents Which Result in an Increase in Reactor Coolant Inventory

15.6.1-1 Time Sequence of Events for Incidents Which Cause a Decrease in Reactor Coolant Inventory

15.6.2-1 Parameters Used To Evaluate the Consequences of a Break in an RCS Instrument Line Outside the Containment

15.6.2-2 Parameters Used To Evaluate the Consequences of a Letdown Line Break Outside the Containment

15.6.2-3 Doses Resulting from an RCS Instrument Line Break Outside Containment

15.6.2-4 Doses Resulting from a Letdown Line Break Outside Containment

15.6.3-1 Operator Action Times for Design Basis SGTR Analysis

15.6.3-2 Sequence of Events

15.6.3-3 Mass Release Results

15.6.3-4 Parameters Used in Evaluating Radiological Consequences

15.6.3-5 Iodine Specific Activities in the Secondary Coolant Based on 1, 60, and 0.1 μCi/gram of D.E. I-131

15.6.3-6 Deleted

15.6.3-7 Deleted

15.6.3-8 Breathing Rates

15.6.3-9 Deleted

15.6.3-10 Whole Body and Beta Skin Dose Conversion Factors for Noble Gasses

15.6.3-11 Offsite Radiation Doses

15.6.5-1 Summary of Large Break LOCA Analysis Assumptions

15.6.5-2 Large-Break LOCA Results

15.6.5-3 Large Break LOCA Time Sequence of Events

LIST OF TABLES (CONTINUED)

15.6.5-4 Peak Clad Temperature Changes for Large Break LOCA Analysis

15.6.5-5 Summary of Small Break LOCA Analysis Assumptions

15.6.5-6 Small Break LOCA Low TAVG NOTRUMP Transient Results

15.6.5-7 Small Break LOCA Low TAVG Beginning of Life (BOL) Rod Heatup Results

15.6.5-8 Peak Clad Temperature Changes for Small Break LOCA Analysis

15.6.5-9 Parameters Used in Evaluating the Radiological Consequences of a Loss-of-Coolant Accident

15.6.5-10 Design Comparison to the Regulatory Positions of Regulatory Guide 1.4, Assumptions Used for Evaluating the Potential Radiological Consequences of a Loss-of-Coolant Accident for Pressurized Water Reactors, Revision 2, June 1974

15.6.5-11 Doses Resulting from a Loss-of-Coolant Accident

15.6.5-12 Activity Releases to the Environment Due to a Loss-of-Coolant Accident

15.7.1-1 Parameters Used in Evaluating the Radiological Consequences of a Waste Gas Decay Tank Rupture

15.7.1-2 Design Comparison to the Regulatory Positions of Regulatory Guide 1.24, Assumptions Used for Evaluating the Potential Radiological Consequences of a Pressurized Water Reactor Radioactive Gas Storage Tank Failure, Revision 0, March 23, 1972

15.7.1-3 Radiological Consequences of a Waste Gas Decay Tank Rupture

15.7.2-1 Parameters Used in Evaluating the Radiological Consequences of a Liquid Radwaste Tank Failure

15.7.2-2 Radiological Consequences of a Liquid Radwaste Tank Failure

15.7.3-1 Recycle Holdup Tank Data for Failure Analysis

15.7.4-1 Parameters Used in Evaluating the Radiological Consequences of a Fuel Handling Accident

15.7.4-2 Regulatory Guide 1.25, Assumptions Used for Evaluating the Potential Radiological Consequences of a Fuel Handling Accident in the Fuel Handling and Storage Facility for Boiling and Pressurized Water Reactors, Revision 0, Dated March 23, 1972

15.7.4-3 Deleted

LIST OF TABLES (CONTINUED)

15.7.4-4 Radiological Consequences of a Fuel Handling Accident

15A-1 Parameters Used in Accident Analysis

15A-2 Limiting Short-Term Atmospheric Dispersion Factors for Accident Analysis

15A-3 Core Fission Product Inventory

15A-4 Primary Coolant Noble Gas Concentrations

15A-5 Dose Conversion Factors Used in Accident Analysis

15A-6 Reactor Coolant Iodine Concentrations for 1 μCi/g and 60 μCi/g of Dose Equivalent I-131

15A-7 Iodine Appearance Rates in the Reactor Coolant (Ci/s)

18.1-1 Main Control Room Annunciator Alarm Sequence, First-Out Sequence of Operation (Modified)

18.1-2 Main Control Room Annunciator Alarm Sequence, Ring-Back Sequence of Operation

18.1-3 Main Control Room Annunciator Alarm Sequence

LIST OF FIGURES

2.1.1-1 Population Centers

2.1.1-2 Area Map

2.1.1-3 Area Map

2.1.3-1 Population Distribution Within 10 Miles

2.1.3-2 Population Between 16.1 and 80.5 Kilometers (10 and 50 Miles)

2.1.3-3 1987 Population Projections (50-Mile Radius)

2.1.3-4 2028 Population Projections (50-Mile Radius)

2.1.3-5 Population Between 10 and 50 Miles

2.2.1-1 Location of Major Industrial Facilities

2.2.1-2 Major Industrial Facilities, Military Bases, and Pipelines Within 25 Miles

2.2.1-3 Highway Transportation Routes, Airports, Dock, and Railroad Facilities Within 25 Miles

2.2.2-1 Savannah River Plant Site Map

2.2.2-2 Chem-Nuclear Systems, Inc. Land Utilization Plan

2.3.1-1 Total Number of Hail Reports 3/4 in. and Greater by 1° Squares 1955 to 1967

2.3.1-2 Total Number of Hail Reports 3/4 in. and Greater by 2° Squares 1955 to 1967

2.3.1-3 Snow Load in lb/ft^2 on the Ground, 100-Year Mean Recurrence Interval

2.3.1-4 Total Number Days with Freezing Precipitation 1939 to 1948

2.3.1-5 Extreme Radial Thickness of Glaze on Utility Wires 1928-29 to 1936-37

2.3.1-6 Tropical Storm and Hurricane Probability

2.3.1-7 Total Tornadoes by 1° Squares 1955 to 1967

2.3.1-8 Total Tornadoes by 2° Squares 1955 to 1967

2.3.1-9 Total Windstorms 50 Knots and Greater by 2° Squares 1955 to 1967

2.3.1-10 Total Windstorms 50 Knots and Greater by 1° Squares 1955 to 1967

2.3.1-11 Tornado Wind Groups

LIST OF FIGURES (CONTINUED)

2.3.2-1 Monthly Wind Roses from Augusta Airport (1959 to 1963)

2.3.2-2 Seasonal Wind Roses for Augusta Airport (1959 to 1963)

2.3.2-3 Annual Wind Rose for Augusta Airport (1959 to 1963)

2.3.2-4 33-ft Level Monthly Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-5 33-ft Level Seasonal Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-6 33-ft Level Annual Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-7 150-ft Level Monthly Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-8 150-ft Level Seasonal Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-9 150-ft Level Annual Wind Rose 1972 to 1973 VEGP Site Data

2.3.2-10 33-ft Level Monthly Wind Rose 1977 to 1978 VEGP Site Data

2.3.2-11 33-ft Level Seasonal Wind Rose 1977 to 1978 VEGP Site Data

2.3.2-12 33-ft Level Annual Wind Rose 1977 to 1978 VEGP Site Data

2.3.2-13 150-ft Level Monthly Wind Rose 1977 to 1978 VEGP Site Data

2.3.2-14 150-ft Level Seasonal Wind Rose 1977 to 1978 VEGP Site Data

2.3.2-15 150-ft Level Annual Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-16 33-ft Level Monthly Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-17 33-ft Level Seasonal Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-18 33-ft Level Annual Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-19 150-ft Level Monthly Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-20 150-ft Level Seasonal Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-21 150-ft Level Annual Wind Rose 1978 to 1979 VEGP Site Data

2.3.2-22 33-ft Level Monthly Wind Rose 1980 to 1981 VEGP Site Data

2.3.2-23 33-ft Level Seasonal Wind Rose 1980 to 1981 VEGP Site Data

2.3.2-24 33-ft Level Annual Wind Rose 1980 to 1981 VEGP Site Data

2.3.2-25 150-ft Level Monthly Wind Rose 1980 to 1981 VEGP Site Data

LIST OF FIGURES (CONTINUED)

2.3.2-26 150-ft Level Seasonal Wind Rose 1980 to 1981 VEGP Site Data

2.3.2-27 150-ft Level Annual Wind Rose 1980 to 1981 VEGP Site Data

2.3.2-28 Monthly Average and Average Daily Extremes of Dry Bulb Temperature

2.3.2-29 Monthly Average and Average of Daily Extremes of Dry Bulb Temperature

2.3.2-30 Monthly Average and Average of Daily Extremes of Wet Bulb Temperature

2.3.2-31 Monthly Average and Average Daily Extremes of Dewpoint Temperature

2.3.2-32 Monthly Average and Average of Daily Extremes of Wet Bulb Temperature

2.3.2-33 Monthly Average and Average Daily Extremes of Dewpoint Temperature

2.3.2-34 Monthly Average and Average Daily Extremes of Dry Bulb Temperature

2.3.2-35 Monthly Average and Average Daily Extremes of Wet Bulb Temperature

2.3.2-36 Monthly Average and Average Daily Extremes of Dewpoint Temperature

2.3.2-37 Monthly Average and Averages of Daily Extremes of Relative Humidity

2.3.2-38 Monthly Average and Average of Daily Extremes of Relative Humidity

2.3.2-39 Monthly Average and Average Daily Extremes of Relative Humidity

2.3.2-40 Monthly Average and Averages of Daily Extremes of Absolute Humidity

2.3.2-41 Monthly Average and Average of Daily Extremes of Absolute Humidity

2.3.2-42 Monthly Average and Average Daily Extremes of Absolute Humidity

2.3.2-43 Monthly Average and 24-Hour Maximum Precipitation

2.3.2-44 Precipitation Wind Roses for Augusta Airport (1959 to 1963)

2.3.2-45 Precipitation Wind Roses for Augusta Airport (1959 to 1963)

2.3.2-46 33-ft Level Precipitation Wind Rose 1972 to 1973

2.3.2-47 33-ft Level Precipitation Wind Rose 1972 to 1973

2.3.2-48 33-ft Level Precipitation Wind Rose 1977 to 1978

2.3.2-49 33-ft Level Precipitation Wind Rose 1977 to 1978

LIST OF FIGURES (CONTINUED)

2.3.2-50 33-ft Level Precipitation Wind Rose 1978 to 1979

2.3.2-51 33-ft Level Precipitation Wind Rose 1978 to 1979

2.3.2-52 Precipitation Wind Rose Seasonal 1980-81

2.3.2-53 Precipitation Wind Rose Annual 1980-81

2.3.2-54 Monthly Average and Averages of Daily Extremes of Visibility

2.3.2-55 Topographic Features 0- to 5-Mile Radius from Plant Site

2.3.2-56 Topographic Features 0- to 50-Mile Radius from Plant Site

2.3.2-57 Topographic Features

2.3.4-1 Cumulative Probability of Hourly X/Q Values

2.3.4-2 Cumulative Distribution of X/Q for Directions (N through SSE)

2.3.4-3 Cumulative Distribution of X/Q for Directions (N through SSE)

2.3.4-4 Cumulative Distribution of X/Q for Directions (N through SSE)

2.3.4-5 Plot of X/Q at the LPZ vs. Averaging Times for All Direction Sectors

2.3.4-6 Plot of X/Q at the LPZ vs. Averaging Times for All Direction Sectors

2.3.4-7 Plot of X/Q at the LPZ vs. Averaging Times for All Direction Sectors

2.3.4-8 Plot of X/Q vs Averaging Time Based on Vogtle Site Data (4-Year Composite)

2.3.5-1 Isopleth of Annual Average X/Q

2.3.5-2 Isopleth of Annual Average Depleted X/Q

2.3.5-3 Isopleth of Annual Average Deposition (D/Q)

2.3.5-4 Isopleth of Annual Average X/Q

2.3.5-5 Isopleth of Annual Average Depleted X/Q

2.3.5-6 Isopleth of Annual Average Deposition D/Q

2.4.1-1 Hydrologic Map, Savannah River Basin Above Site

2.4.1-2 Savannah River Basin

2.4.3-1 Depth-Area-Duration Envelopes

LIST OF FIGURES (CONTINUED)

2.4.3-2	PMP Depth-Duration Curve for Drainage Area (8015 mi^2) above the Plant
2.4.3-3	Savannah River Steady Flow Condition-Discharge Relation at River Mile 151.1
2.4.3-4	Probable Maximum Flood Hydrograph at River Mile 151.1 by Routing Corps of Engineers PMF Outflow Hydrograph (Valley Storage Taken Into Account) at Clark Hill Dam Through Savannah River
2.4.4-1	Location of Dams on the Savannah River
2.4.4-2	Savannah River Stream Profile
2.4.4-3	Clark Hill Dam Plan and Section
2.4.4-4	Area and Capacity Curves for Major Upstream Dams
2.4.4-5	Clark Hill Tailwater Rating Curve
2.4.4-6	Stability of Clark Hill Dam Spillway Section
2.4.4-7	Standard Project Flood at River Mile 151.1
2.4.4-8	Effect of Dam Failure at VEGP Site
2.4.11-1	Flow Duration Curve, Savannah River at Butler Creek - River Mile 187.0
2.4.11-2	Savannah River Low Flow Rating Curves at Intake Structure River Mile 151.1
2.4.11-3	Savannah River Intermediate Flow Rating Curve at Intake Structure River Mile 151.1
2.4.11-4	Locations of Sections for Low Water Study
2.4.11-5	VEGP Low Water Study
2.4.11-6	Savannah River at Augusta, Gauge Readings for September 23, 24, and 25, 1939, Minimum Flow of Record
2.4.12-1	Site Area
2.5.4-1	Settlement of Units 1 and 2 Power Block Structures
2.5.4-2	Heave Points Location Plan
2.5.4-3	Young's Modulus vs. Depth
2B-1	Heave Point Locations

LIST OF FIGURES (CONTINUED)

3.5.1-1 Missile Ejection Angles

3.5.1-2 Missile Trajectories

3.6.2-1 Loss of Reactor Coolant Accident Boundary Limits

3.6.2-2 Typical U-Bar Restraint

3.6.2-3 Typical EAM Restraint

3.7.B.1-1 Safe Shutdown Earthquake Horizontal Response Spectra

3.7.B.1-2 Safe Shutdown Earthquake Vertical Response Spectra

3.7.B.1-3 Operating Basis Earthquake Horizontal Response Spectra

3.7.B.1-4 Operating Basis Earthquake Vertical Response Spectra

3.7.B.1-5 Synthetic Time History Horizontal Direction

3.7.B.1-6 Synthetic Time History Vertical Direction

3.7.B.1-7 Damping Values for Cable Trays and Supports

3.7.B.1-8 Damping Ratios vs. Shear Strain for Compacted Sand Backfill

3.7.B.1-9 Damping Ratios vs. Shear Strain for Clay Marl Bearing Stratum

3.7.B.1-10 Damping Ratios vs. Shear Strain for Lower Sand Stratum

3.7.B.1-11 Alternate Damping Values for ASME Boiler and Pressure Vessel Code, Section III, Division 1, Code Class 1,2, and 3 Piping Systems

3.7.N.1-1 Alternate Damping Values Used for Seismic Analysis of Piping for Westinghouse-Analyzed Piping Systems*

3.7.B.2-1 Lumped Parameter Model of Diesel Generator Building

3.7.B.2-2 Power Block Plan View Showing Sections for Finite Element Soil-Structure Interaction Flush Models

3.7.B.2-3 Flush Model Along Section 2 of Figure 3.7.B.2-2

3.7.B.2-4 Flush Model Along Section 4 of Figure 3.7.B.2-2

3.7.B.2-5 G/Gmax vs. Shear Strain for Compacted Sand Backfill

3.7.B.2-6 G/Gmax vs. Shear Strain for Saturated Clay Marl-Bearing Stratum

LIST OF FIGURES (CONTINUED)

3.7.B.2-7 G/Gmax vs. Shear Strain for Lower Sand Stratum

3.7.B.2-8 Auxiliary Building el 109 ft 0 in., SSE Horizontal

3.7.B.2-9 Nuclear Service Cooling Water Tower el 128 ft 0 in., SSE Horizontal

3.7.B.2-10 Containment Building el 144 ft 0 in., SSE Horizontal

3.7.B.2-11 Fuel Handling Building el 152 ft 0 in., SSE Horizontal

3.7.B.2-12 Control Building el 173 ft 0 in., SSE Horizontal

3.7.B.2-13 Auxiliary Building el 109 ft 0 in., OBE Horizontal

3.7.B.2-14 Nuclear Service Cooling Water Tower el 128 ft 0 in., OBE Horizontal

3.7.B.2-15 Containment Building el 144 ft 0 in., OBE Horizontal

3.7.B.2-16 Fuel Handling Building el 152 ft 0 in., OBE Horizontal

3.7.B.2-17 Control Building el 173 ft 0 in., OBE Horizontal

3.7.B.2-18 Auxiliary Building el 109 ft 0 in., SSE Vertical

3.7.B.2-19 Nuclear Service Cooling Water Tower el 128 ft 0 in., SSE Vertical

3.7.B.2-20 Containment Building el 144 ft 0 in., SSE Vertical

3.7.B.2-21 Fuel Handling Building el 152 ft 0 in., SSE Vertical

3.7.B.2-22 Control Building el 173 ft 0 in., SSE Vertical

3.7.B.2-23 Auxiliary Building el 109 ft 0 in., OBE Vertical

3.7.B.2-24 Nuclear Service Cooling Water Tower el 128 ft 0 in., OBE Vertical

3.7.B.2-25 Containment Building el 144 ft 0 in., OBE Vertical

3.7.B.2-26 Fuel Handling Building el 152 ft 0 in., OBE Vertical

3.7.B.2-27 Control Building el 173 ft 0 in., OBE Vertical

3.7.B.2-28 Soil-Structure Interaction Model Common Nodes

3.7.N.2-1 Multidegree-of-Freedom System

3.7.4-1 Seismic Monitoring Instrument Locations

3.7.4-2 Deleted

LIST OF FIGURES (CONTINUED)

3.8.1-1	Temperature Gradients Through Containment Wall for LOCA and for Main Steam Line Break
3.8.1-2	Deleted
3.9.N.1-1	Reactor Coolant Loop Supports System Dynamic Structural Model
3.9.N.1-2	RPV Shell Submodel
3.9.N.1-3	Core Barrel Submodel
3.9.N.1-4	Internals Submodel
3.9.B.3-1	Pipe Support Reference Sketches
3.9.B.3-2	Pump Components Showing ASME Section III Jurisdictional Boundary (Typical Sketch)
3.9.B.3-3	Components Such as Heat Exchangers and Tanks Showing ASME Section III NF Jurisdictional Boundary (Typical Sketch)
3.9.N.3-1	Class 1 Piping Layout - Safety Lines
3.9.N.3-2	Class 1 Piping Layout - Relief Lines
3.9.N.3-3	Downstream Piping Layout - Safety and Relief Lines
3.9.4-1	Full-Length Control Rod Drive Mechanism
3.9.4-2	Full-Length Control Rod Drive Mechanism Schematic
3.9.4-3	Nominal Latch Clearance at Minimum and Maximum Temperatures
3.9.4-4	Control Rod Drive Mechanism Latch Clearance Thermal Effect
3.9.5-1	Lower Internals Assembly
3.9.5-2	Upper Core Support Assembly
3.9.5-3	Plan View of Upper Core Support Assembly
3.11.B.1-1	Temperature Conditions for Equipment Qualification in the Auxiliary Building; Pressure Conditions for Equipment Qualification in the Auxiliary Building; Temperature Conditions for Equipment Qualification Inside MSIV or MFIV Area; Pressure Conditions for Equipment Qualification Inside MSIV or MFIV Area; Temperature Conditions for Environmental Qualification Inside Containment (Vapor Region); Temperature Conditions for Equipment Qualification Inside Containment (Sump Region); Pressure Conditions for Equipment Qualification

LIST OF FIGURES (CONTINUED)

	Inside Containment; Temperature Conditions for Equipment Qualification in the Auxiliary Building; LOCA Temperature Conditions for Equipment Qualification
3C-1	Maximum Allowable Ductility Ratio for Reinforced Concrete Section With Beam-Column Action
3D-1	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 169 ft 0 in.
3D-2	Safe Shutdown Earthquake Vertical Accel. Response Spectra el 169 ft 0 in.
3D-3	Operating Basis Earthquake Horiz. Accel. Response Spectra el 169 ft 0 in.
3D-4	Operating Basis Earthquake Vertical Accel. Response Spectra el 169 ft 0 in.
3D-5	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.
3D-6	Safe Shutdown Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.
3D-7	Operating Basis Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.
3D-8	Operating Basis Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.
3D-9	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 261 ft 0 in.
3D-10	Safe Shutdown Earthquake Vertical Accel. Response Spectra el 261 ft 0 in.
3D-11	Operating Basis Earthquake Horiz. Accel. Response Spectra el 261 ft 0 in.
3D-12	Operating Basis Earthquake Vertical Accel. Response Spectra el 261 ft 0 in.
3D-13	Safe Shutdown Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.
3D-14	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.
3D-15	Operating Basis Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.
3D-16	Operating Basis Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.
3D-17	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 258 ft 0 in.
3D-18	Operating Basis Earthquake Horiz. Accel. Response Spectra el 258 ft 0 in.
3D-19	Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 323 ft 0 in.
3D-20	Safe Shutdown Earthquake Vertical Accel. Response Spectra el 323 ft 0 in.
3D-21	Operating Basis Earthquake Horiz. Accel. Response Spectra el 323 ft 0 in.
3D-22	Operating Basis Earthquake Vertical Accel. Response Spectra el 323 ft 0 in.

LIST OF FIGURES (CONTINUED)

3D-23 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 400 ft 0 in.

3D-24 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 400 ft 0 in.

3D-25 Operating Basis Earthquake Horiz. Accel. Response Spectra el 400 ft 0 in.

3D-26 Operating Basis Earthquake Vertical Accel. Response Spectra el 400 ft 0 in.

3D-27 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 180 ft 0 in.

3D-28 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 180 ft 0 in.

3D-29 Operating Basis Earthquake Horiz. Accel. Response Spectra el 180 ft 0 in.

3D-30 Operating Basis Earthquake Vertical Accel. Response Spectra el 180 ft 0 in.

3D-31 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-32 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

3D-33 Operating Basis Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-34 Operating Basis Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

3D-35 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 260 ft 0 in.

3D-36 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 260 ft 0 in.

3D-37 Operating Basis Earthquake Horiz. Accel. Response Spectra 260 ft. 0 in.

3D-38 Operating Basis Earthquake Vertical Accel. Response Spectra 260 ft 0 in.

3D-39 Safe Shutdown Earthquake Horiz. Accel. Response Spectra 143 ft 6 in.

3D-40 Safe Shutdown Earthquake Vertical Accel. Response Spectra 143 ft 6 in.

3D-41 Operating Basis Earthquake Horiz. Accel. Response Spectra el 143 ft 6 in.

3D-42 Operating Basis Earthquake Vertical Accel. Response Spectra el 143 ft 6 in.

3D-43 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-44 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

3D-45 Operating Basis Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-46 Operating Basis Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

LIST OF FIGURES (CONTINUED)

3D-47 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 288 ft 3 in.

3D-48 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 288 ft 3 in.

3D-49 Operating Basis Earthquake Horiz. Accel. Response Spectra el 288 ft 3 in.

3D-50 Operating Basis Earthquake Vertical Accel. Response Spectra el 288 ft 3 in.

3D-51 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 160 ft 0 in.

3D-52 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 160 ft 0 in.

3D-53 Operating Basis Earthquake Horiz. Accel. Response Spectra el 160 ft 0 in.

3D-54 Operating Basis Earthquake Vertical Accel. Response Spectra el 160 ft 0 in.

3D-55 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-56 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

3D-57 Operating Basis Earthquake Horiz. Accel. Response Spectra el 220 ft 0 in.

3D-58 Operating Basis Earthquake Vertical Accel. Response Spectra el 220 ft 0 in.

3D-59 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 288 ft 2 in.

3D-60 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 288 ft 2 in.

3D-61 Operating Basis Earthquake Horiz. Accel. Response Spectra el 288 ft 2 in.

3D-62 Operating Basis Earthquake Vertical Accel. Response Spectra el 288 ft 2 in.

3D-63 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 137 ft 0 in.

3D-64 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 137 ft 0 in.

3D-65 Operating Basis Earthquake Horiz. Accel. Response Spectra el 137 ft 0 in.

3D-66 Operating Basis Earthquake Vertical Accel. Response Spectra el 137 ft 0 in.

3D-67 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 218 ft 6 in.

3D-68 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 218 ft 6 in.

3D-69 Operating Basis Earthquake Horiz. Accel. Response Spectra el 218 ft 6 in.

3D-70 Operating Basis Earthquake Vertical Accel. Response Spectra el 218 ft 6 in.

3D-71 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 219 ft 0 in.

LIST OF FIGURES (CONTINUED)

3D-72 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 219 ft 0 in.

3D-73 Operating Basis Earthquake Horiz. Accel. Response Spectra el 219 ft 0 in.

3D-74 Operating Basis Earthquake Vertical Accel. Response Spectra el 219 ft 0 in.

3D-75 Safe Shutdown Earthquake Horiz. Accel. Response Spectra el 254 ft 0 in.

3D-76 Safe Shutdown Earthquake Vertical Accel. Response Spectra el 254 ft 0 in. and el 274 ft 0 in.

3D-77 Operating Basis Earthquake Horiz. Accel. Response Spectra el 254 ft 0 in.

3D-78 Operating Basis Earthquake Vertical Accel. Response Spectra el 254 ft 0 in. and el 274 ft 0 in.

3D-79 Containment Building el 169 ft Basemat

3D-80 Containment Building el 169 ft Basemat

3D-81 Containment Building el 169 ft Basemat

3D-82 Containment Building el 195 ft Internal Str.

3D-83 Containment Building el 195 ft Internal Str.

3D-84 Containment Building el 195 ft Internal Str.

3D-85 Containment Building el 220 ft Operating Lvl.

3D-86 Containment Building el 220 ft Operating Lvl.

3D-87 Containment Building el 220 ft Operating Lvl.

3D-88 Containment Building el 323 ft Polar Crane

3D-89 Containment Building el 323 ft Polar Crane

3D-90 Containment Building el 323 ft Polar Crane

3D-91 Control Building el 180 ft Basemat

3D-92 Control Building el 180 ft Basemat

3D-93 Control Building el 180 ft Basemat

3D-94 Control Building el 220 ft

LIST OF FIGURES (CONTINUED)

3D-95 Control Building el 220 ft

3D-96 Control Building el 220 ft

3D-97 Control Building el 260 ft

3D-98 Control Building el 260 ft

3D-99 Control Building el 260 ft

3D-100 Ground Motion Analyses

3D-101 Ground Motion Analyses

3D-102 Ground Motion Analyses

3D-103 Ground Motion Analyses

3D-104 Ground Motion Analyses

3D-105 Ground Motion Analyses

3D-106 Ground Motion Analyses

3D-107 Ground Motion Analyses

3D-108 Ground Motion Analyses

3D-109 Ground Motion Analyses

3D-110 Ground Motion Analyses

3D-111 Ground Motion Analyses

3D-112 Ground Motion Analyses

3D-113 Ground Motion Analyses

3D-114 Ground Motion Analyses

3D-115 Ground Motion Analyses

3D-116 Ground Motion Analyses

3D-117 Ground Motion Analyses

3D-118 Ground Motion Analyses

3D-119 Ground Motion Analyses

LIST OF FIGURES (CONTINUED)

3D-120 Ground Motion Analyses

3D-121 Ground Motion Analyses

3D-122 Ground Motion Analyses

3D-123 Ground Motion Analyses

3D-124 Ground Motion Analyses

3D-125 Ground Motion Analyses

3D-126 Ground Motion Analyses

3D-127 Ground Motion Analyses

3D-128 Containment Building el 169 ft Basemat

3D-129 Containment Building el 169 ft Basemat

3D-130 Containment Building el 169 ft Basemat

3D-131 Containment Building el 195 ft Internal Str.

3D-132 Containment Building el 195 ft Internal Str.

3D-133 Containment Building el 195 ft Internal Str.

3D-134 Containment Building el 220 ft Operating Lvl.

3D-135 Containment Building el 220 ft Operating Lvl.

3D-136 Containment Building el 220 ft Operating Lvl.

3D-137 Containment Building el 323 ft Polar Crane

3D-138 Containment Building el 323 ft Polar Crane

3D-139 Containment Building el 323 ft Polar Crane

3D-140 Containment Building el 180 ft Basemat

3D-141 Containment Building el 180 ft Basemat

3D-142 Containment Building el 180 ft Basemat

3D-143 Control Building el 220 ft

LIST OF FIGURES (CONTINUED)

3D-144	Control Building el 220 ft
3D-145	Control Building el 220 ft
3D-146	Control Building el 260 ft
3D-147	Control Building el 260 ft
3D-148	Control Building el 260 ft
3E-1	Model and Coordinate System
3E-2	Polar Coordinate System
3F-1	Nodal Boundary for Auxiliary Building - MSIV/MFIV Rooms; Nodal Boundary for Control Building - MSIV/MFIV Rooms (Inside and Outside Restraint Walls)
3F-2	Nodal Diagram for MSIV/MFIV GOTHIC Analysis
3F-3	Time-History Plot for Maximum Compartment Composite Temperature for MSIV Area Break Node
4.2-1	Fuel Assembly Cross-Section, 17 x 17
4.2-2	Fuel Assembly Outline, 17 x 17
4.2-3	Fuel Rod Schematic (LOPAR and VANTAGE 5)
4.2-4	Plan View (LOPAR and VANTAGE 5)
4.2-5	Top Grid to Nozzle Attachment (LOPAR and VANTAGE 5)
4.2-6	Grid to Thimble Attachment (LOPAR and VANTAGE 5)
4.2-7	Guide Thimble to Bottom Nozzle Joint (LOPAR and VANTAGE 5)
4.2-8	RCC and Drive Rod Assembly with Interfacing Components
4.2-9	Full-Length RCCA Outline
4.2-10	Absorber Rod
4.2-11	Wet Annular Burnable Absorber (WABA) Assembly
4.2-12	BA Rod Cross Section (Wet Annular Burnable Absorber)
4.2-13	Primary Source Assembly
4.2-14	Secondary Source Assembly

LIST OF FIGURES (CONTINUED)

4.2-15	Thimble Plug Assembly
4.2-16	Stainless Steel Rod Insert Assembly
4.3-1	Fuel Loading Arrangement
4.3-2	Production and Consumption of Higher Isotopes
4.3-3	Boron Concentration Versus First Cycle Burnup With and Without BA Rods
4.3-4	Rod Arrangement Within an Assembly
4.3-5	Loading Pattern
4.3-6	Normalized Power Density Distribution Near Beginning of Life, Unrodded Core, Hot Full Power, No Xenon
4.3-7	Normalized Power Density Distribution Near Beginning of Life, Unrodded Core, Hot Full Power, Equilibrium Xenon
4.3-8	Normalized Power Density Distribution Near Beginning of Life, Group D at Rod Insertion Limits, Hot Full Power, Equilibrium Xenon
4.3-9	Normalized Power Density Distribution Near Middle of Life, Unrodded Core, Hot Full Power, Equilibrium Xenon
4.3-10	Normalized Power Density Distribution Near End of Life, Unrodded Core, Hot Full Power, Equilibrium Xenon
4.3-11	Normalized Power Density Distribution Near End of Life, Group D at Rod Insertion Limits, Hot Full Power, Equilibrium Xenon
4.3-12	Rodwise Power Distribution in a Typical Assembly (G-10 Near Beginning of Life, Hot Full Power, Equilibrium Xenon, Unrodded Core
4.3-13	Rodwise Power Distribution in a Typical Assembly (G-10) Near End of Life, Hot Full Power, Equilibrium Xenon, Unrodded Core
4.3-14	Typical Axial Power Shapes Occurring at Beginning of Life
4.3-15	Typical Axial Power Shapes Occurring at Middle of Life
4.3-16	Typical Axial Power Shapes Occurring at End of Life
4.3-17	Deleted
4.3-18	Flow Chart for Determining Spike Model

LIST OF FIGURES (CONTINUED)

4.3-19 Predicted Power Spike Due to Single Nonflattened Gap in the Adjacent Fuel

4.3-20 Power Spike Factor as a Function of Axial Position

4.3-21 Maximum FQ = Power Versus Axial Height During Normal Operation

4.3-22 Peak Linear Power During Control Rod Malfunction Overpower Transients

4.3-23 Peak Linear Power During Boration Dilution Transients

4.3-24 Comparison Between Calculated and Measured Relative Fuel Assembly Power Distribution

4.3-25 Comparison of Typical Calculated and Measured Axial Shapes

4.3-26 Measured Values of FQ for Full-Power Rod Configurations

4.3-27 Typical Doppler Temperature Coefficient at Beginning of Life and End of Life

4.3-28 Typical Doppler-Only Power Coefficient at Beginning of Life

4.3-29 Typical Doppler-Only Power Defect at Beginning of Life and End of Life

4.3-30 Typical Moderator Temperature Coefficient at Beginning of Life Unrodded

4.3-31 Typical Moderator Temperature Coefficient at End of Life

4.3-32 Typical Moderator Temperature Coefficient as a Function of Boron Concentration at Beginning of Life Unrodded

4.3-33 Typical Hot Full-Power Temperature Coefficient vs Cycle Burnup

4.3-34 Typical Total Power Coefficient at Beginning of Life and End of Life

4.3-35 Typical total Power Defect at Beginning of Life and End of Life

4.3-36 Rod Cluster Control Assembly Pattern

4.3-37 Typical Accidental Simultaneous Withdrawal of Two Control Banks at End of Life, Hot Zero Power, Bank D and B Moving in the Same Plane

4.3-38 Design Trip Curve

4.3-39 Typical Normalized Rod Worth Versus Percent Insertion, All Rods Out But One

4.3-40 Axial Offset Versus Time, PWR Core with a 12-ft Height and 121 Assemblies

4.3-41 X-Y Xenon Test Thermocouple Response Quadrant Tilt Difference Versus Time

LIST OF FIGURES (CONTINUED)

4.3-42 Calculated and Measured Doppler Defect and Coefficients at Beginning of Life, 2-Loop Plant, 121 Assemblies, 12-ft Core

4.3-43 Comparison of Calculated and Measured Boron Concentration, 2-Loop Plant, 121 Assemblies, 12-ft Core

4.3-44 Comparison of Calculated and Measured CB, 2-Loop Plant, 121 Assemblies, 12-ft Core

4.3-45 Comparison of Calculated and Measured CB, 3-Loop Plant, 157 Assemblies, 12-ft Core

4.3-46 Burnup Credit Requirement for All Cell Storage

4.3-47 Burnup Credit Requirement for 3-Out-of-4 Checkerboard Storage

4.3-48 Minimum Burnup Requirements

4.3-49 Burnup Credit Requirement for 3x3 Checkerboard Storage

4.3-50 IFBA Requirement for Center Assembly in 3x3 Checkerboard

4.3-51 Minimum IFBA Requirement for the Center Assembly 3x3 Checkerboard Storage

4.3-52 Checkerboard Storage Configurations

4.3-53 Interface Requirements

4.4-1 Measured vs. Predicted Critical Heat Flux WRB-1 Correlation

4.4-2 TDC Versus Reynolds Number for 26-in. Grid Spacing

4.4-3 Normalized Radial Flow and Enthalpy Distribution at 4-ft Elevation

4.4-4 Normalized Radial Flow and Enthalpy Distribution at 8-ft Elevation

4.4-5 Normalized Radial Flow and Enthalpy Distribution at 12-ft Elevation, Core Exit

4.4-6 Thermal Conductivity of UO_2 (Data Corrected to 95% Theoretical Density)

4.4-7 Deleted

4.4-8 RCS Temperature-Percent Power Map

4.4-9 100% Power Shapes Evaluated at Conditions Representative of Loss of Flow; All Shapes Evaluated with $F^N_{\Delta H}$ = 1.55

4.4-10 Distribution of Incore Instrumentation

LIST OF FIGURES (CONTINUED)

4.4-11	Loose Parts Monitoring System Block Diagram
4A-1	Core Exit Thermocouple Monitoring System (Layout Sketch)
4A-2	Core Subcooling Margin System
4A-3	Reactor Vessel Level Instrumentation Fluid Layout Drawing
4A-4	Reactor Vessel Level Instrumentation System
4A-5	Vogtle PSMS Electrical Interconnection
5.1.2-1	RCS Process Flow Diagram
5.2.5-1	Primary Coolant Leak Detection Response Time
5.3.3-1	Reactor Vessel
5.4.1-1	Reactor Coolant Pump
5.4.1-2	Reactor Coolant Pump Estimated Performance Characteristic
5.4.2-1	Model F Steam Generator
5.4.2-2	Quatrefoil Tube Support Plates
5.4.7-1	RHRS Process Flow Diagram
5.4.7-2	RHRS Pump Performance Curve
5.4.7-3	RHRS Cooldown Curves
5.4.10-1	Pressurizer
5.4.11-1	Pressurizer Relief Tank
5.4.11-2	Pressurizer Safety and Relief Valve Piping and Support Arrangement
5.4.13-1	Pressurizer Safety Valves Relief Rate
5.4.14-1	Reactor Vessel Supports
5.4.14-2	Steam Generator Supports
5.4.14-3	Reactor Coolant Pumps Supports
5.4.14-4	Pressurizer Supports

LIST OF FIGURES (CONTINUED)

6.1.2-1 Containment Temperature Profile for Post-LOCA Coating Test

6.2.1-1 Containment Pressure Transient LOCA - Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-2 Containment Pressure Transient LOCA - Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-3 Containment Pressure Transient LOCA - Double-Ended Hot Leg Guillotine

6.2.1-4 Containment Temperature Transient LOCA - Double-Ended Pump Suction - Minimum Safety Injection

6.2.1-5 Containment Temperature Transient LOCA - Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-6 Containment Temperature Transient LOCA - Double-Ended Hot Leg Guillotine

6.2.1-7 Containment Fan Cooler Performance LOCA - Double-Ended Pump Suction - Maximum Safety Injection

6.2.1-8 Deleted

6.2.1-9 Deleted

6.2.1-10 Deleted

6.2.1-11 Deleted

6.2.1-12 Deleted

6.2.1-13 Deleted

6.2.1-14 Deleted

6.2.1-15 Reactor Cavity Pressure Response - Nodes E1 Through E65

6.2.1-16 Reactor Cavity Model

6.2.1-16A Steam Generator Compartment Model (Pipe Break Above el 220 ft)

6.2.1-17 Steam Generator Compartment Model (Pipe Break Below el 220 ft)

6.2.1-17A Steam Generator Compartments Differential Pressure Response Across Doghouse Wall (144.5 $in.^2$ Main Feedwater Line Break)

6.2.1-18 Steam Generator Compartment Pressure Response – Nodes E1 Through E74 (236-$in.^2$ Break Area)

LIST OF FIGURES (CONTINUED)

6.2.1-19 Steam Generator Inlet Nozzle - Nodes E1 Through E74 (306-in.^{2} Break Area)

6.2.1-20 Reactor Coolant Pump Inlet Nozzle - Nodes E1 Through E74 (336-in.^{2} Break Area)

6.2.1-21 Steam Generator Outlet Nozzle - Nodes E1 Through E74 (436-in.^{2} Break Area)

6.2.1-22 Steam Generator Inlet Elbow - Nodes E1 Through E74 (763-in.^{2} Break Area)

6.2.1-23 Loop Closure Weld - Nodes E1 Through E74 (336-in.^{2} Break Area)

6.2.1-24 Pressurizer Model

6.2.1-25 Pressurizer Compartment Pressure Response - Nodes 1 Through 28 (308-in.^{2} Break Area)

6.2.1-25A Pressurizer Compartment Pressure Response - Nodes 1 through 28 Spray Line Break at Top of Pressurizer

6.2.1-26 Containment Pressure Transient MSLB - 0.22 ft^2 Double-Ended Rupture Without Entrainment - 30% Power Case 11

6.2.1-27 Containment Temperature Transient MSLB - 0.22 ft^2 Double-Ended Rupture Without Entrainment - 30% Power Case 11

6.2.1-28 Containment Pressure Transient MSLB - 0.86 ft^2 Split Rupture - 102% Power Case 13

6.2.1-29 Containment Temperature Transient MSLB - 0.86 ft^2 Split Rupture - 102% Power Case 13

6.2.1-30 Containment Pressure DECLG (CD = 0.6, Low T_{AVG}, Min SI Cosine)

6.2.1-31 Containment Temperature DECLG (CD = 0.6, Low T_{AVG}, Min SI Cosine)

6.2.1-32 Containment Wall Condensation Heat Transfer Coefficient DECLG (CD = 0.6, Low T_{AVG}, Min SI Cosine)

6.2.4-1 Valve Arrangement

6.2.5-1 Electric Hydrogen Recombiner (Typical)

6.2.5-2 Electric Hydrogen Recombiner System Schematic

6.2.5-3 Deleted

6.2.5-4 Deleted

6.2.5-5 Containment Hydrogen Concentration

LIST OF FIGURES (CONTINUED)

6.2.5-6	Deleted
6.2.5-7	Hydrogen Accumulation from All Sources
6.3.2-1	Emergency Core Cooling System Process Flow Diagram
6.3.2-2	Performance Curves Residual Heat Removal Pumps
6.3.2-3	Performance Curves Centrifugal Charging Pumps
6.3.2-4	Performance Curves Safety Injection Pumps
6.3.2-5	RWST Sizing
6.5.2-1	Spatial Drop-Size Distribution
6.5.2-2	Spray Envelope Reduction Factor
6.5.2-3	Capacity Curve Spraco 1713A Nozzle
7.1.1-1	Protection System Block Diagram
7.2.1-1	Setpoint Reduction Function for Overpower and Overtemperature ΔT Trips
7.2.1-2	Reactor Trip/Engineered Safety Features Actuation Mechanical Linkage
7.3.1-1	Typical Engineered Safety Features Test Circuits
7.3.1-2	Engineered Safeguards Test Cabinet (Index, Notes, and Legend)
7.6.2-1	Logic Diagram for the RHRS Isolation Valves
7.6.4-1	Functional Block Diagram of Accumulator Isolation Valve
7.6.5-1	Safety Injection System Recirculation Sump and RHR Suction Isolation Valves
7.7.1-1	Simplified Block Diagram of Reactor Control System
7.7.1-2	Control Bank Rod Insertion Monitor
7.7.1-3	Rod Deviation Comparator
7.7.1-4	Block Diagram of Pressurizer Pressure Control System
7.7.1-5	Block Diagram of Pressurizer Level Control System
7.7.1-6	Block Diagram of Steam Generator Water Level Control System Unit 2

LIST OF FIGURES (CONTINUED)

7.7.1-7	Block Diagram of Main Feedwater Pump Speed Control System Unit 2
7.7.1-8	Block Diagram of Steam Dump Control System
7.7.1-9	Basic Flux-Mapping System
7.7.1-10	Actuation Logic System Architecture
7.7.2-1	Simplified Block Diagram Rod Control System
7.7.2-2	Control Bank D Partial Simplified Schematic Diagram Power Cabinets 1BD and 2BD
8.3.1-1	Penetration Overcurrent Protection Coordination Curves
9.1.1-1	New Fuel Rack
9.1.2-1	Spent Fuel Pool Storage Rack Array, Side View (Unit 1)
9.1.2-1	Spent Fuel Pool Storage Rack Array, Isometric View (Unit 2)
9.1.2-2	Spent Fuel Pool Storage Cell Nominal Dimensions (Unit 1)
9.1.2-3	Spent Fuel Pool Storage Layout (Unit 1)
9.1.2-4	Spent Fuel Pool Rack's, Schematic Model for Dynrack (Unit 1)
9.1.2-4	Spent Fuel Pool Rack's, Two-Dimensional View of the Spring-Mass Simulation (Unit 2)
9.1.2-4	Spent Fuel Pool Rack's, Impact Spring Arrangement at Node 1 (Unit 2)
9.1.2-4	Spent Fuel Pool Rack's, Schematic Model for Dynrack (Unit 2)
9.1.2-5	Spent Fuel Pool Storage Layout (Unit 2)
9.1.4-1	Refueling Machine
9.1.4-2	Fuel Handling Machine
9.1.4-3	New Fuel Elevator
9.1.4-4	Fuel Transfer System
9.1.4-5	Fuel Transfer System

LIST OF FIGURES (CONTINUED)

9.1.4-6	Spent Fuel Handling Tool
9.1.4-7	New Fuel Handling Tool
9.1.4-8	Reactor Internals Lifting Device
9.1.4-9	Typical Quick-Acting Stud Tensioner
9.1.5-1	Arrangement Drawing Spent Fuel Cask Bridge Crane
9.1.5-2	Arrangement Drawing Containment Building Polar Crane
9.1.5-3	Maximum Allowable Lift Heights and Loads
9.1.5-4	Circuit Arrangement for Local and Remote Display of Detection and Suppression Systems
10.2.2-1a	Unit 1Turbine Overspeed Protection Schematic (effective after U1 2017 outage)
10.2.2-1b	Unit 2Turbine Overspeed Protection Schematic
10.2.2-2a	Unit 1 Protective Systems Signal Flow Diagram (effective after U1 2017 outage)
10.2.2-2b	Unit 2 Protective Systems Signal Flow Diagram
10.4.8-1	Steam Generator Blowdown Processing System Process Flow Diagram
10A-1	AFWS
10A-2	Unit 1 Auxiliary Feedwater/Steam Generators Intake
10A-3	AFWS Simplified Piping Layout
10A-4	AFWS Reliability Evaluation Methodology Flow Chart
10A-5	Unit 1 AFWS Block Diagram
10A-6	AFWS Expanded Block Diagram
10A-7	Unit 1 AFWS Fault Tree Model
11.2.2-1	LWPS Process Flow Diagram
11.2.3-1	Process Flow Model (for CVCS Letdown & Equipment Drains; for Clean Waste; for Dirty Waste & Laundry; for Radwaste Processing Facility; and for Steam Generator Blowdown)
11.3.2-1	GWPS Fission Gas Accumulation Based On Continuous Core Operation of 2 Units at 3565 MWt with 1% Fuel Defects

LIST OF FIGURES (CONTINUED)

11.3.2-2	Expected GWPS Fission Gas Accumulation Based On Table and Full-Power Operation of 2 Units at 3565 MWt
11.3.2-3	Process Diagram During Operation With GDT Pressure < 20 psig
11.3.2-4	Process Diagram During Operation With GDT Pressure Between 20 and 100 psig
11.3.2-5	Waste Gas Compressor Package
11.3.2-6	Catalytic Hydrogen Recombiner Package
11.5.2-1	Radiation Monitoring System Block Diagram
11.5.2-2a	Safety Subsystem Block Diagram
11.5.2-2b	Safety Subsystem Block Diagram
11.5.2-3	PERMS Communication Console
11.5.2-4a	Three-Channel Airborne Monitoring Assembly
11.5.2-4b	Three-Channel Airborne Monitoring Assembly
11.5.2-5	Monitoring Locations for Liquid Release Pathways
11.5.2-6	PERMS Normal Gaseous Effluent Release Pathway
12.2.1-1	Azimuthal Distribution of Neutron Flux Incident on the Primary Shield at the Reactor Core Midplane
12.2.1-2	Azimuthal Distribution of Gamma Ray Energy Flux Incident on the Primary Shield at the Reactor Core Midplane
12.2.1-3	Azimuthal Distribution of Gamma Ray Dose Rate Incident on the Primary Shield at the Reactor Core Midplane
13.1.1-1	Nuclear Operations Organization VEGP Units 1 and 2
13.1.1-2	SNC Technical Support Organization VEGP Units 1 and 2 (Deleted)
13.1.2-1	Nuclear Operations Organization VEGP Units 1 and 2 (Deleted)
13.5.1-1	Limited Access Area
14.2.7-1	Initial Test Program Milestone Schedule
15.0.1-1	Excessive Heat Removal Due to Feedwater Systems Malfunction

LIST OF FIGURES (CONTINUED)

15.0.1-2 Excessive Load Increase

15.0.1-3 Depressurization of Main Steam System

15.0.1-4 Loss of External Load

15.0.1-5 Loss of Offsite Power to Station Auxiliaries (Blackout)

15.0.1-6 Loss of Normal Feedwater

15.0.1-7 Major Rupture of a Main Feedwater Line

15.0.1-8 Loss of Forced Reactor Coolant Flow

15.0.1-9 Uncontrolled Rod Cluster Control Assembly Bank Withdrawal

15.0.1-10 Dropped Rod Cluster Control Assembly

15.0.1-11 Single Rod Cluster Control Assembly Withdrawal at Full Power

15.0.1-12 Startup of an Inactive Reactor Coolant Loop

15.0.1-13 Boron Dilution

15.0.1-14 Rupture on Control Rod Drive Mechanism Housing

15.0.1-15 Inadvertent ECCS Operation at Power

15.0.1-16 Accidental Depressurization of Reactor Coolant System

15.0.1-17 Steam Generator Tube Rupture

15.0.1-18 Loss-of-Coolant Accident

15.0.1-19 CVCS Letdown Line Rupture

15.0.1-20 GWPS Gas Decay Tank Rupture

15.0.1-21 Recycle Holdup Tank Failure

15.0.1-22 Fuel Handling Accident in Fuel Building

15.0.1-23 Fuel Handling Accident Inside Containment

15.0.1-24 Spent Fuel Cask Drop Accident

15.0.1-25 Abbreviations and Symbols Used in Sequence Diagrams

LIST OF FIGURES (CONTINUED)

15.0.4-1 Doppler Power Coefficient Used in Accident Analysis

15.0.4-2 Moderator Density Coefficient Used in Accident Analysis

15.0.5-1 Rod Position vs. Time on Reactor Trip

15.0.5-2 RCCA Reactivity Worth vs. Fraction Full Insertion

15.0.5-3 Normalized RCCA Bank Worth vs. Time After Trip

15.0.6-1 Overtemperature and Overpower ΔT Protection

15.0.6-2 $F(\Delta I)$ Penalty

15.1.2-1 Transients for Feedwater Control Valve Malfunction

15.1.2-2 Transients for Feedwater Control Valve Malfunction

15.1.2-3 Transients for Feedwater Control Valve Malfunction

15.1.3-1 10 Percent Step Load Increase, Minimum Moderator Feedback, Manual Rod Control

15.1.3-2 10 Percent Step Load Increase, Minimum Moderator Feedback, Manual Rod Control

15.1.3-3 10 Percent Step Load Increase, Maximum Moderator Feedback, Manual Rod Control

15.1.3-4 10 Percent Step Load Increase, Maximum Moderator Feedback, Manual Rod Control

15.1.3-5 10 Percent Step Load Increase, Minimum Moderator Feedback, Automatic Rod Control

15.1.3-6 10 Percent Step Load Increase, Minimum Moderator Feedback, Automatic Rod Control

15.1.3-7 10 Percent Step Load Increase, Maximum Moderator Feedback, Automatic Rod Control

15.1.3-8 10 Percent Step Load Increase, Maximum Moderator Feedback, Automatic Rod Control

15.1.4-1 K_{eff} vs. Coolant Average Temperature

15.1.4-2 Failure of a Steam Generator Safety or Dump Valve - Heat Flux vs. Time, Steam Flow vs. Time, Average Temp. vs. Time, Reactivity vs. Time

LIST OF FIGURES (CONTINUED)

15.1.4-3 Failure of a Steam Generator Safety or Dump Valve - RCS Pressure vs. Time, Pressurizer Water Vol. vs. Time, Boron Concentration vs. Time

15.1.4-4 Failure of a Steam Generator Safety or Dump Valve (RCS Pressure vs. Time, Boron Concentration vs. Time)

15.1.4-5 Failure of a Steam Generator Safety or Dump Valve (Pressurizer Water Volume vs. Time)

15.1.5-1 1.4 ft^2 Steam Line Rupture at Hot Zero Power With Offsite Power Available. Nuclear Power, Core Heat Flux, and Pressurizer Pressure Transients

15.1.5-2 1.4 ft^2 Steam Line Rupture at Hot Zero Power With Offsite Power Available. Feed Flow, Core Flow, and Steam Flow Transients

15.1.5-3 1.4 ft^2 Steam Line Rupture at Hot Zero Power With Offsite Power Available. SG Pressure, Average Core Moderator Temperature, and Vessel Inlet Temperature Transients

15.1.5-4 1.4 ft^2 Steam Line Rupture at Hot Zero Power With Offsite Power Available. Pressurizer Water Volume, Reactivity, and Core Boron Transients

15.1.5-5 1.4 ft^2 Steam Line Rupture at Hot Zero Power Without Offsite Power Available. Nuclear Power, Core Heat Flux,and Pressurizer Pressure Transients

15.1.5-6 1.4 ft^2 Steam Line Rupture at Hot Zero Power Without Offsite Power Available. Feed Flow, Core Flow, and Steam Flow Transients

15.1.5-7 1.4 ft^2 Steam Line Rupture at Hot Zero Power Without Offsite Power Available. SG Pressure, Average Core Moderator Temperature, and Vessel Inlet Temperature Transients

15.1.5-8 1.4 ft^2 Steam Line Rupture at Hot Zero Power Without Offsite Power Available. Pressurizer Water Volume, Reactivity, and Core Boron Transients

15.1.5-7 Nuclear Power, Pressurizer Pressure and Pressurizer Water Volume Transients for 0.8 ft^2 Steam Line Break at Full Power

15.1.5-10 Core Average Temperature, Core Inlet Temperature, and Core Heat Flux Transients for 0.8 ft^2 Steam Line Break at Full Power

15.1.5-11 Total Steam Flow and Steam Generator Pressure Transients for 0.8 ft^2 Steam Line Break at Full Power

15.2.3-1 Turbine Trip Accident with Pressurizer Spray and Power-Operated Relief Valves, Minimum Moderator Feedback

15.2.3-2 Turbine Trip Accident with Pressurizer Spray and Power-Operated Relief Valves, Minimum Moderator Feedback

LIST OF FIGURES (CONTINUED)

15.2.3-3 Turbine Trip Accident with Pressurizer Spray and Power-Operated Relief Valves, Max. Moderator Feedback
15.2.3-4 Turbine Trip Accident with Pressurizer Spray and Power-Operated Relief Valves, Maximum Moderator Feedback
15.2.3-5 Turbine Trip Accident Without Pressurizer Spray and Power-Operated Relief Valves, Minimum Moderator Feedback
15.2.3-6 Turbine Trip Accident Without Pressurizer Spray and Power-Operated Relief Valves, Minimum Moderator Feedback
15.2.3-7 Turbine Trip Accident Without Pressurizer Spray and Power-Operated Relief Valves, Maximum Moderator Feedback
15.2.3-8 Turbine Trip Accident Without Pressurizer Spray and Power-Operated Relief Valves, Maximum Moderator Feedback
15.2.6-1 Pressurizer Pressure and Water Volume Transients for Loss of Offsite Power
15.2.6-2 Loop Temperature and Steam Generator Pressure Transients for Loss of Offsite Power
15.2.7-1 Pressurizer Pressure and Water Volume Transients for Loss of Normal Feedwater
15.2.7-2 Loop Temperature and Steam Generator Pressure Transients for Loss of Normal Feedwater
15.2.8-1 Nuclear Power Transient and Core Heat Flux for Main Feedline Rupture with Offsite Power Available
15.2.8-2 Pressurizer Pressure and Water Volume Transients for Main Feedline Rupture with Offsite Power Available
15.2.8-3 Reactor Coolant Temperature Transients for the Faulted and Intact Loops for Main Feedline Rupture with Offsite Power Available
15.2.8-4 Steam Generator Pressure and Water Mass Transients for Main Feedline Rupture with Offsite Power Available
15.2.8-5 Nuclear Power and Core Heat Flux Transients for Main Feedline Rupture Without Offsite Power Available
15.2.8-6 Pressurizer Pressure and Water Volume Transients for Main Feedline Rupture Without Offsite Power Available
15.2.8-7 Reactor Coolant Temperature Transients for the Faulted and Intact Loops for Main Feedline Rupture Without Offsite Power Available

LIST OF FIGURES (CONTINUED)

15.2.8-8 Steam Generator Pressure and Steam Generator Water Mass Transients for Main Feedline Rupture Without Offsite Power Available

15.3.1-1 Flow Transients for Four Loops in Operation, Two Pumps Coasting Down

15.3.1-2 Nuclear Power and Pressurizer Pressure Transients for Four Loops in Operation, Two Pumps Coasting Down

15.3.1-3 Average and Hot Channel Heat Flux Transients for Four Loops in Operation, Two Pumps Coasting Down

15.3.1-4 DNBR Versus Time for Four Loops in Operation, Two Pumps Coasting Down

15.3.2-1 Flow Transients for Four Loops in Operation, Four Pumps Coasting Down

15.3.2-2 Nuclear Power and Pressurizer Pressure Transients for Four Loops in Operation, Four Pumps Coasting Down

15.3.2-3 Average and Hot Channel Heat Flux Transients for Four Loops in Operation, Four Pumps Coasting Down

15.3.2-4 DNBR Versus Time for Four Loops in Operation, Four Pumps Coasting Down

15.3.3-1 Flow Transients for Four Loops in Operation

15.3.3-2 Peak Reactor Coolant Pressure for Four Loops in Operation

15.3.3-3 Average and Hot Channel Heat Flux Transients for Four Loops in Operation

15.3.3-4 Nuclear Power and Maximum Clad Temperature at Hot Spot Transients for Four Loops in Operation

15.4.1-1 Neutron Flux Transient for Uncontrolled Rod Withdrawal from a Subcritical Condition

15.4.1-2 Thermal Flux Transient for Uncontrolled Rod Withdrawal from a Subcritical Condition

15.4.1-3 Fuel and Clad Temperature for Uncontrolled Rod Withdrawal from a Subcritical Condition

15.4.2-1 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (80 pcm/s Withdrawal Rate)

15.4.2-2 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (80 pcm/s Withdrawal Rate)

LIST OF FIGURES (CONTINUED)

15.4.2-3 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (80 pcm/s Withdrawal Rate)

15.4.2-4 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (2 pcm/s Withdrawal Rate)

15.4.2-5 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (2 pcm/s Withdrawal Rate)

15.4.2-6 Uncontrolled RCCA Bank Withdrawal from Full Power with Minimum Reactivity Feedback (2 pcm/s Withdrawal Rate)

15.4.2-7 Minimum DNBR vs. Reactivity Insertion Rate for Rod Withdrawal from 100 Percent Power

15.4.2-8 Minimum DNBR vs. Reactivity Insertion Rate for Rod Withdrawal from 60 Percent Power

15.4.2-9 Minimum DNBR vs. Reactivity Insertion Rate for Rod Withdrawal from 10 Percent Power

15.4.3-1 Nuclear Power Transient and Core Heat Flux Transient for Dropped RCCA

15.4.3-2 Pressurizer Pressure Transient and Core Average Temperature Transient for Dropped RCCA

15.4.4-1 Improper Startup of an Inactive Reactor Coolant Pump

15.4.4-2 Improper Startup of an Inactive Reactor Coolant Pump

15.4.4-3 Improper Startup of an Inactive Reactor Coolant Loop

15.4.4-4 Improper Startup of an Inactive Reactor Coolant Pump

15.4.4-5 Improper Startup of an Inactive Reactor Coolant Pump

15.4.7-1 Representative % Change in Local Assy. Avg. Power for Interchange Between Region 1 and Region 3 Assy.

15.4.7-2 Representative % Change in Local Assy. Avg. Power for Interchange Between Region 1 and Region 2 Assy. with BP Rods Retained by the Region 2 Assy.

15.4.7-3 Representative % Change in Local Assy. Avg. Power for Interchange Between Region 1 and Region 2 Assy. with the BP Rods Transferred to Region 1 Assy.

15.4.7-4 Representative % Change in Local Assy. Avg. Power for Enrichment Error (Region 2 Assy. Loaded into Core Central Position)

LIST OF FIGURES (CONTINUED)

15.4.7-5 Representative % Change in Local Assy. Avg. Power for Loading Region 2 Assy. into Region 1 Position Near Core Periphery

15.4.8-1 Nuclear Power Transient BOL Full Power

15.4.8-2 Hot Spot Fuel and Clad Temperature vs. Time BOL Full Power

15.4.8-3 Nuclear Power Transient EOL Zero Power

15.4.8-4 Hot Spot Fuel and Clad Temperature vs. Time EOL Zero Power

15.4.9-1 Steam Line Break Coincident with Control Rod Withdrawal: Steam Flow and Steam Pressure

15.4.9-2 Steam Line Break Coincident with Control Rod Withdrawal: RCS Pressure and Core Average Temperature

15.4.9-3 Steam Line Break Coincident with Control Rod Withdrawal: Core Heat Flux and Reactivity

15.5.1-1 Inadvertent Operation of ECCS at Power

15.5.1-2 Inadvertent Operation of ECCS During Power Operation

15.5.1-3 Inadvertent Operation of ECCS During Power Operation

15.6.1-1 Nuclear Power and DNBR Transients for Inadvertent Opening of a Pressurizer Safety Valve

15.6.1-2 Pressurizer Pressure Transients and Core Average Temperature Transient for Inadvertent Opening of a Pressurizer Safety Valve

15.6.3-1 Pressurizer Level

15.6.3-2 RCS Pressure

15.6.3-3 Secondary Pressure

15.6.3-4 Intact Loop T_{hot} and T_{cold}

15.6.3-5 Ruptured Loop T_{hot} and T_{cold}

15.6.3-6 Differential Pressure

15.6.3-7 Primary to Secondary Break Flow

15.6.3-8 Ruptured SG Water Volume

15.6.3-9 Ruptured SG Water Mass

LIST OF FIGURES (CONTINUED)

15.6.3-10 Ruptured SG Atmospheric Mass Releases

15.6.3-11 Intact SG Atmosopheric Mass Release
15.6.3-12 Iodine Transport Model

15.6.3-13 Break Flow Flashing Fraction

15.6.5-1 Sequence of Events for Large Break LOCA Analysis

15.6.5-2 Cladding Temperature at PCT and Burst Elevations

15.6.5-3 Core Pressure During Blowdown

15.6.5-4 Vessel Liquid Levels During Reflood

15.6.5-5 Core Inlet Flooding Rate During Reflood

15.6.5-6 Normalized Core Power During Blowdown

15.6.5-7 Containment Pressure

15.6.5-8 Core Inlet and Outlet Mass Flow Rate During Blowdown

15.6.5-4 Cladding Surface Heat Transfer Coefficient at PCT and Burst Elevations

15.6.5-5 Vapor Temperature at PCT and Burst Elevations

15.6.5-11 Break Mass Flow Rate During Blowdown

15.6.5-12 Break Energy Release Rate During Blowdown

15.6.5-13 Fluid Quality at PCT and Burst Elevations

15.6.5-14 Fluid Mass Velocity at PCT and Burst Elevations

15.6.5-15 Intact Loop Accumulator Mass Flow Rate During Blowdown

15.6.5-16 Intact Leg Accumulator and SI Mass Flow Rate During Reflood

15.6.5-17 Safety Injection Flow (Minimum Safety Injection)

15.6.5-18 Safety Injection Flow (Maximum Safety Injection)

15.6.5-19 Small Break LOCA Intact Loop Safety Injection Flow

15.6.5-20 Small Break LOCA Broken Loop Safety Injection Flow

15.6.5-21 Small Break LOCA Power Shape

LIST OF FIGURES (CONTINUED)

15.6.5-22 Reactor Coolant System Pressurizer Pressure

15.6.5-23 Core Mixture Level 2 in., Low T_{AVG}

15.6.5-24 Reactor Coolant System Pressurizer Pressure 3 in., Low T_{AVG}

15.6.5-25 Core Mixture Level 3 in., Low T_{AVG}

15.6.5-26 Core Steam Flow Rate 3 in., Low T_{AVG}

15.6.5-27 Pumped Safety Injection 3 in., Low T_{AVG}

15.6.5-28 Peak Clad Temperature at 11.25 ft 3 in., Low T_{AVG}

15.6.5-29 Hot Spot Fluid Temperature at 11.25 ft 3 in., Low T_{AVG}

15.6.5-30 Hot Rod Heat Transfer Coefficient at 11.25 ft 3 in., Low T_{AVG}

15.6.5-31 Reactor Coolant System Pressurizer Pressure 4 in., Low T_{AVG}

15.6.5-32 Core Mixture Level 4 in., Low T_{AVG}

15.6.5-33 Peak Clad Temperature at 10.75 ft 4 in., Low T_{AVG}

15A-1 Release Pathways

17.2.1-1 Deleted

18.1-1 Control Room Layout (Unit 1)

18.3-1 Human Engineering Discrepancy Evaluation Algorithm

Page/Section	Rev
Table of Contents	20
Section 1.1	16
Section 1.2	20
Section 1.3	16
t 1.3.1-1 (5 sheets)	16
t 1.3.1-2 (5 sheets)	16
t 1.3.2-1 (6 sheets)	14
t 1.3.2-2 (3 sheets)	14
Section 1.4	14
Section 1.5	16
Section 1.6	14
t 1.6-1 (2 sheets)	14
t 1.6-2 (15 sheets)	14
t 1.6-3	14
Section 1.7	14
t 1.7.1-1 (43 sheets)	17
Section 1.8	14
t 1.8-1 (5 sheets)	14
Section 1.9	19
t 1.9-1 (8 sheets)	13
t 1.9-2 (7 sheets)	13
t 1.9-3 (4 sheets)	13
Section 2.1	15
t 2.1.3-1	15
t 2.1.3-2	15
t 2.1.3-3	15
t 2.1.3-4	15
t 2.1.3-5	15
t 2.1.3-6	15
t 2.1.3-7	15
t 2.1.3-8	15
t 2.1.3-9	15
t 2.1.3-10	15
t 2.1.3-11	15
t 2.1.3-12	15
t 2.1.3-13	15
t 2.1.3-14	15
t 2.1.3-15	15
t 2.1.3-16	15
t 2.1.3-17	15
t 2.1.3-18	15
t 2.1.3-19	15
t 2.1.3-20 (2 sheets)	15
t 2.1.3-21 (2 sheets)	15
t 2.1.3-22 (2 sheets)	15
t 2.1.3-23 (2 sheets)	15
t 2.1.3-24 (2 sheets)	15
t 2.1.3-25 (2 sheets)	15
t 2.1.3-26 (2 sheets)	15
t 2.1.3-27 (2 sheets)	15
t 2.1.3-28 (2 sheets)	15
t 2.1.3-29 (2 sheets)	15
t 2.1.3-30 (2 sheets)	15
t 2.1.3-31 (2 sheets)	15
t 2.1.3-32 (2 sheets)	15
t 2.1.3-33 (2 sheets)	15
t 2.1.3-34 (2 sheets)	15
t 2.1.3-35 (2 sheets)	15
t 2.1.3-36 (2 sheets)	15
t 2.1.3-37 (2 sheets)	15
t 2.1.3-38 (2 sheets)	15
f 2.1.1-1	15
f 2.1.1-2	14
f 2.1.1-3	14
f 2.1.3-1	15
f 2.1.3-2	15
f 2.1.3-3	15
f 2.1.3-4	15
f 2.1.3-5	15
Section 2.2	20
t 2.2.2-1	14
t 2.2.2-2	14
t 2.2.2-3	14
t 2.2.2-4 (2 sheets)	14
t 2.2.2-5 (2 sheets)	14
t 2.2.2-6 (8 sheets)	14
t 2.2.2-7 (2 sheets)	14
t 2.2.2-8	14
t 2.2.2-9	14
t 2.2.2-10	14
t 2.2.2-11	14
t 2.2.2-12	14
t 2.2.3-1 deleted (Rev. 1)	14
t 2.2.3-2 deleted (Rev. 1)	14
t 2.2.3-3 deleted (Rev. 1)	14
t 2.2.3-4 deleted (Rev. 1)	14
t 2.2.3-5 deleted (Rev. 1)	14
t 2.2.3-6 (2 sheets)	14
t 2.2.3-7 deleted (Rev. 1)	14
t 2.2.3-8 deleted (Rev. 0)	14
t 2.2.3-9 deleted (Rev. 1)	14
t 2.2.3-10 deleted (Rev. 0)	14
t 2.2.3-11 (2 sheets)	14
t 2.2.3-12 (2 sheets)	14
t 2.2.3-13 (2 sheets)	14

Page/Section	Rev
t 2.2.3-14	14
t 2.2.3-15	14
t 2.2.3-16 deleted (Rev. 0)	14
t 2.2.3-17	14
t 2.2.3-18 (7 sheets)	20
t 2.2.3-19	14
t 2.2.3-20 (2 sheets)	19
f 2.2.1-1	14
f 2.2.1-2	14
f 2.2.1-3	14
f 2.2.2-1	14
f 2.2.2-2	14
Section 2.3	20
t 2.3.1-1	14
t 2.3.1-2	14
t 2.3.1-3 (2 sheets)	14
t 2.3.1-4	14
t 2.3.1-5	14
t 2.3.2-1 (6 sheets)	14
t 2.3.2-2	20
t 2.3.2-3 (4 sheets)	14
t 2.3.2-4 (4 sheets)	14
t 2.3.2-5 (4 sheets)	14
t 2.3.2-6 (4 sheets)	14
t 2.3.2-7 (4 sheets)	14
t 2.3.2-8 (4 sheets)	14
t 2.3.2-9 (4 sheets)	14
t 2.3.2-10 (4 sheets)	14
t 2.3.2-11 (4 sheets)	14
t 2.3.2-12	14
t 2.3.2-13	14
t 2.3.2-14 (48 sheets)	14
t 2.3.2-15 (4 sheets)	14
t 2.3.2-16 (48 sheets)	14
t 2.3.2-17 (4 sheets)	14
t 2.3.2-18 (4 sheets)	14
t 2.3.2-19 (4 sheets)	14
t 2.3.2-20 (4 sheets)	14
t 2.3.2-21	14
t 2.3.3-1	14
t 2.3.4-1	14
t 2.3.4-2	14
t 2.3.4-3	14
t 2.3.5-1	14
t 2.3.5-2	14
t 2.3.5-3	14
t 2.3.5-4	14
t 2.3.5-5	14
t 2.3.5-6 (2 sheets)	14
t 2.3.5-7 (2 sheets)	14
t 2.3.5-8 (2 sheets)	14
t 2.3.5-9 (2 sheets)	14
t 2.3.5-10 (2 sheets)	14
t 2.3.5-11 (2 sheets)	14
t 2.3.5-12 (2 sheets)	14
f 2.3.1-1	14
f 2.3.1-2	14
f 2.3.1-3	14
f 2.3.1-4	14
f 2.3.1-5	14
f 2.3.1-6	14
f 2.3.1-7	14
f 2.3.1-8	14
f 2.3.1-9	14
f 2.3.1-10	14
f 2.3.1-11	14
f 2.3.2-1 (3 sheets)	14
f 2.3.2-2	14
f 2.3.2-3	14
f 2.3.2-4 (3 sheets)	14
f 2.3.2-5	14
f 2.3.2-6	14
f 2.3.2-7 (3 sheets)	14
f 2.3.2-8	14
f 2.3.2-9	14
f 2.3.2-10 (3 sheets)	14
f 2.3.2-11	14
f 2.3.2-12	14
f 2.3.2-13 (3 sheets)	14
f 2.3.2-14	14
f 2.3.2-15	14
f 2.3.2-16 (3 sheets)	14
f 2.3.2-17	14
f 2.3.2-18	14
f 2.3.2-19 (3 sheets)	14
f 2.3.2-20	14
f 2.3.2-21	14
f 2.3.2-22 (3 sheets)	14
f 2.3.2-23	14
f 2.3.2-24	14
f 2.3.2-25 (3 sheets)	14
f 2.3.2-26	14
f 2.3.2-27	14
f 2.3.2-28	14
f 2.3.2-29	14
f 2.3.2-30	14
f 2.3.2-31	14
f 2.3.2-32	14
f 2.3.2-33	14
f 2.3.2-34	14
f 2.3.2-35	14
f 2.3.2-36	14
f 2.3.2-37	14
f 2.3.2-38	14
f 2.3.2-39	14

Page/Section	Rev
f 2.3.2-40	14
f 2.3.2-41	14
f 2.3.2-42	14
f 2.3.2-43	14
f 2.3.2-44	14
f 2.3.2-45	14
f 2.3.2-46	14
f 2.3.2-47	14
f 2.3.2-48	14
f 2.3.2-49	14
f 2.3.2-50	14
f 2.3.2-51	14
f 2.3.2-52	14
f 2.3.2-53	14
f 2.3.2-54	14
f 2.3.2-55	14
f 2.3.2-56	14
f 2.3.2-57 (4 sheets)	14
f 2.3.4-1	14
f 2.3.4-2 (2 sheets)	14
f 2.3.4-3 (2 sheets)	14
f 2.3.4-4 (2 sheets)	14
f 2.3.4-5	14
f 2.3.4-6	14
f 2.3.4-7	14
f 2.3.4-8	14
f 2.3.5-1	14
f 2.3.5-2	14
f 2.3.5-3	14
f 2.3.5-4	14
f 2.3.5-5	14
f 2.3.5-6	14
Section 2.4	16
t 2.4.1-1	14
t 2.4.1-2 (5 sheets)	14
t 2.4.1-3 (2 sheets)	14
t 2.4.2-1 (4 sheets)	14
t 2.4.2-2	14
t 2.4.2-3	14
t 2.4.3-1	14
t 2.4.3-2	14
t 2.4.3-3	14
t 2.4.3-4	14
t 2.4.3-5	14
t 2.4.3-6	14
t 2.4.7-1	14
t 2.4.12-1	14
t 2.4.12-2	14
t 2.4.12-3 (2 sheets)	14
t 2.4.12-4	14
t 2.4.12-5	14
t 2.4.12-6	14
t 2.4.12-7A (2 sheets)	16
t 2.4.12-7B (2 sheets)	14
t 2.4.12-7C	14
t 2.4.12-7D	14
t 2.4.12-8	14
t 2.4.12-9	14
t 2.4.12-10 (4 sheets)	14
t 2.4.12-11	14
t 2.4.12-12 (2 sheets)	14
t 2.4.12-13 (2 sheets)	14
t 2.4.12-14	14
t 2.4.12-15	14
t 2.4.13-1	14
f 2.4.1-1	14
f 2.4.1-2	14
f 2.4.3-1	14
f 2.4.3-2	14
f 2.4.3-3	14
f 2.4.3-4	14
f 2.4.4-1	14
f 2.4.4-2	14
f 2.4.4-3 (2 sheets)	14
f 2.4.4-4 (5 sheets)	14
f 2.4.4-5	14
f 2.4.4-6	14
f 2.4.4-7	14
f 2.4.4-8 (2 sheets)	14
f 2.4.11-1	14
f 2.4.11-2	14
f 2.4.11-3	14
f 2.4.11-4	14
f 2.4.11-5	14
f 2.4.11-6	14
f 2.4.12-1	14
Section 2.5	16
t 2.5.1-1	13
t 2.5.2-1 (9 sheets)	13
t 2.5.2-2 (2 sheets)	13
t 2.5.4-1	13
t 2.5.4-2	13
t 2.5.4-3	13
t 2.5.4-4	13
t 2.5.4-5	13
t 2.5.4-6	13
t 2.5.4-7	13
t 2.5.4-8	13
t 2.5.4-9	13
t 2.5.4-10	13
t 2.5.4-11	13
t 2.5.4-12 (2 sheets)	13
t 2.5.4-13	13
t 2.5.4-14 deleted	13

Page/Section	Rev
t 2.5.4-15 deleted	13
f 2.5.4-1	13
f 2.5.4-2	13
f 2.5.4-3	13
Section 2A	15
Section 2B	14
t 2B-1 (36 sheets)	14
t 2B-2	14
f 2B-1	14
Section 3.1	19
Section 3.2	1
(t 3.2.2-1 contents)	13
t 3.2.2-1 (98 sheets)	20
t 3.2.2-2 (2 sheets)	14
t 3.2.2-3	14
Section 3.3	14
Section 3.4	14
Section 3.5	20
t 3.5.1-1 (5 sheets)	14
t 3.5.1-2	14
t 3.5.1-3 (2 sheets)	14
t 3.5.1-4 (2 sheets)	14
t 3.5.1-5	14
t 3.5.1-6	14
t 3.5.1-7 (3 sheets)	14
t 3.5.1-8	14
f 3.5.1-1	14
f 3.5.1-2	14
Section 3.6	17
t 3.6.1-1 (2 sheets)	14
t 3.6.1-2 (2 sheets)	14
t 3.6.1-3 (3 sheets)	14
t 3.6.2-1	14
t 3.6.2-2 deleted (Rev. 0)	14
t 3.6.2-3	14
f 3.6.2-1	14
f 3.6.2-2	14
f 3.6.2-3	14
Section 3.7	14
t 3.7.B.1-1	14
t 3.7.B.1-2	14
t 3.7.N.1-1	14
t 3.7.B.2-1	14
t 3.7.B.2-2	14
t 3.7.B.2-3	14
t 3.7.4-1 (2 sheets)	14
f 3.7.B.1-1	14
f 3.7.B.1-2	14
f 3.7.B.1-3	14
f 3.7.B.1-4	14
f 3.7.B.1-5	14
f 3.7.B.1-6	14
f 3.7.B.1-7	14
f 3.7.B.1-8	14
f 3.7.B.1-9	14
f 3.7.B.1-10	14
f 3.7.B.1-11	14
f 3.7.N.1-1	14
f 3.7.N.1-2	14
f 3.7.N.1-3	14
f 3.7.N.1-4	14
f 3.7.B.2-1	14
f 3.7.B.2-2	14
f 3.7.B.2-3	14
f 3.7.B.2-4	14
f 3.7.B.2-5	14
f 3.7.B.2-6	14
f 3.7.B.2-7	14
f 3.7.B.2-8	14
f 3.7.B.2-9	14
f 3.7.B.2-10	14
f 3.7.B.2-11	14
f 3.7.B.2-12	14
f 3.7.B.2-13	14
f 3.7.B.2-14	14
f 3.7.B.2-15	14
f 3.7.B.2-16	14
f 3.7.B.2-17	14
f 3.7.B.2-18	14
f 3.7.B.2-19	14
f 3.7.B.2-20	14
f 3.7.B.2-21	14
f 3.7.B.2-22	14
f 3.7.B.2-23	14
f 3.7.B.2-24	14
f 3.7.B.2-25	14
f 3.7.B.2-26	14
f 3.7.B.2-27	14
f 3.7.B.2-28	14
f 3.7.N.2-1	14
f 3.7.4-1	14
Section 3.8	19
t 3.8.1-1 (2 sheets)	14
t 3.8.4-1	14
t 3.8.4-2	14

Page/Section	Rev
t 3.8.4-3	14
t 3.8.5-1	14
f 3.8.1-1 (2 sheets)	14
f 3.8.1-2 (Deleted)	15
Section 3.9	20
t 3.9.N.1-1 (3 sheets)	14
t 3.9.N.1-2 (3 sheets)	14
t 3.9.N.1-3	15
t 3.9.B.3-1 (5 sheets)	19
t 3.9.B.3-2	13
t 3.9.B.3-3	13
t 3.9.B.3-4	13
t 3.9.B.3-5	13
t 3.9.B.3-6	13
t 3.9.B.3-7 (3 sheets)	13
t 3.9.B.3-8 (2 sheets)	13
t 3.9.B.3-9 (7 sheets)	13
t 3.9.B.3-10 (4 sheets)	13
t 3.9.N.3-1	13
t 3.9.N.3-2 (8 sheets)	18
t 3.9.N.3-3	13
t 3.9.N.3-4	13
t 3.9.N.3-5	13
t 3.9.5-1	13
f 3.9.N.1-1	13
f 3.9.N.1-2	13
f 3.9.N.1-3	13
f 3.9.N.1-4	13
f 3.9.B.3-1	13
f 3.9.B.3-2	13
f 3.9.B.3-3	13
f 3.9.N.3-1	13
f 3.9.N.3-2	13
f 3.9.N.3-3	13
f 3.9.4-1	13
f 3.9.4-2	13
f 3.9.4-3	13
f 3.9.4-4	13
f 3.9.5-1	13
f 3.9.5-2	13
f 3.9.5-3	13
Section 3.10	14
Section 3.11	16
t 3.11.B.1-1 (92 sheets)	16
t 3.11.B.3-1 (14 sheets)	14
t 3.11.N.3-1 (16 sheets)	14
f 3.11.B.1-1 (18 sheets)	14
Section 3A	14
Section 3B	14
Section 3C	14
t 3C-1 (2 sheets)	14
f 3C-1	14
Section 3D	14
t 3D-1	14
t 3D-2	14
t 3D-3	14
t 3D-4	14
f 3D-1	14
f 3D-2	14
f 3D-3	14
f 3D-4	14
f 3D-5	14
f 3D-6	14
f 3D-7	14
f 3D-8	14
f 3D-9	14
f 3D-10	14
f 3D-11	14
f 3D-12	14
f 3D-13	14
f 3D-14	14
f 3D-15	14
f 3D-16	14
f 3D-17	14
f 3D-18	14
f 3D-19	14
f 3D-20	14
f 3D-21	14
f 3D-22	14
f 3D-23	14
f 3D-24	14
f 3D-25	14
f 3D-26	14
f 3D-27	14
f 3D-28	14
f 3D-29	14
f 3D-30	14
f 3D-31	14
f 3D-32	14
f 3D-33	14
f 3D-34	14
f 3D-35	14
f 3D-36	14
f 3D-37	14
f 3D-38	14
f 3D-39	14
f 3D-40	14
f 3D-41	14
f 3D-42	14

Page/Section	Rev
f 3D-43	14
f 3D-44	14
f 3D-45	14
f 3D-46	14
f 3D-47	14
f 3D-48	14
f 3D-49	14
f 3D-50	14
f 3D-51	14
f 3D-52	14
f 3D-53	14
f 3D-54	14
f 3D-55	14
f 3D-56	14
f 3D-57	14
f 3D-58	14
f 3D-59	14
f 3D-60	14
f 3D-61	14
f 3D-62	14
f 3D-63	14
f 3D-64	14
f 3D-65	14
f 3D-66	14
f 3D-67	14
f 3D-68	14
f 3D-69	14
f 3D-70	14
f 3D-71	14
f 3D-72	14
f 3D-73	14
f 3D-74	14
f 3D-75	14
f 3D-76	14
f 3D-77	14
f 3D-78	14
f 3D-79	14
f 3D-80	14
f 3D-81	14
f 3D-82	14
f 3D-83	14
f 3D-84	14
f 3D-85	14
f 3D-86	14
f 3D-87	14
f 3D-88	14
f 3D-89	14
f 3D-90	14
f 3D-91	14
f 3D-92	14
f 3D-93	14
f 3D-94	14
f 3D-95	14
f 3D-96	14
f 3D-97	14
f 3D-98	14
f 3D-99	14
f 3D-100	14
f 3D-101	14
f 3D-102	14
f 3D-103	14
f 3D-104	14
f 3D-105	14
f 3D-106	14
f 3D-107	14
f 3D-108	14
f 3D-109	14
f 3D-110	14
f 3D-111	14
f 3D-112	14
f 3D-113	14
f 3D-114	14
f 3D-115	14
f 3D-116	14
f 3D-117	14
f 3D-118	14
f 3D-119	14
f 3D-120	14
f 3D-121	14
f 3D-122	14
f 3D-123	14
f 3D-124	14
f 3D-125	14
f 3D-126	14
f 3D-127	14
f 3D-128	14
f 3D-129	14
f 3D-130	14
f 3D-131	14
f 3D-132	14
f 3D-133	14
f 3D-134	14
f 3D-135	14
f 3D-136	14
f 3D-137	14
f 3D-138	14
f 3D-139	14
f 3D-140	14
f 3D-141	14
f 3D-142	14
f 3D-143	14
f 3D-144	14
f 3D-145	14
f 3D-146	14
f 3D-147	14
f 3D-148	14

Page/Section	Rev
Section 3E	14
f 3E-1	14
f 3E-2	14
Appendix 3F	15
t 3F-1 (84 sheets)	15
t 3F-2	14
t 3F-3A (4 sheets)	14
t 3F-3B (2 sheets)	15
t 3F-4 (7 sheets)	14
t 3F-5	14
f 3F-1 (4 sheets)	14
f 3F-2	14
f 3F-3	14
Section 4.1	15
t 4.1-1 (4 sheets)	16
t 4.1-2 (2 sheets)	19
t 4.1-3	14
Section 4.2	20
t 4.2-1	14
f 4.2-1 (2 sheets)	14
f 4.2-2 (6 sheets)	20
f 4.2-3 (4 sheets)	14
f 4.2-4 (2 sheets)	14
f 4.2-5 (3 sheets)	14
f 4.2-6 (2 sheets)	14
f 4.2-7 (2 sheets)	14
f 4.2-8	14
f 4.2-9	14
f 4.2-10	14
f 4.2-11 (2 sheets)	14
f 4.2-12 (2 sheets)	14
f 4.2-13	14
f 4.2-14 (2 sheets)	14
f 4.2-15 (2 sheets)	14
f 4.2-16	14
Section 4.3	19
t 4.3-1 (3 sheets)	13
t 4.3-2 (2 sheets)	13
t 4.3-3	13
t 4.3-4 deleted (Rev. 8)	13
t 4.3-5	13
t 4.3-6	13
t 4.3-7	13
t 4.3-8	13
t 4.3-9	13
t 4.3-10	13
t 4.3-11	13
t 4.3-12	13

Page/Section	Rev
f 4.3-1 (2 sheets)	13
f 4.3-2	13
f 4.3-3 (2 sheets)	13
f 4.3-4 (2 sheets)	13
f 4.3-5 (2 sheets)	13
f 4.3-6	13
f 4.3-7	13
f 4.3-8	13
f 4.3-9	13
f 4.3-10	13
f 4.3-11	13
f 4.3-12	13
f 4.3-13	13
f 4.3-14	13
f 4.3-15	13
f 4.3-16	13
f 4.3-17 deleted (Rev. 3)	13
f 4.3-18 deleted (Rev. 6)	13
f 4.3-19 deleted (Rev. 6)	13
f 4.3-20 deleted (Rev. 6)	13
f 4.3-21	13
f 4.3-22	13
f 4.3-23	13
f 4.3-24	13
f 4.3-25	13
f 4.3-26	13
f 4.3-27	13
f 4.3-28	13
f 4.3-29	13
f 4.3-30	13
f 4.3-31	13
f 4.3-32	13
f 4.3-33	13
f 4.3-34	13
f 4.3-35	13
f 4.3-36	13
f 4.3-37	13
f 4.3-38	13
f 4.3-39	13
f 4.3-40	13
f 4.3-41	13
f 4.3-42	13
f 4.3-43	13
f 4.3-44	13
f 4.3-45	13
f 4.3-46	13
f 4.3-47	13
f 4.3-48	13
f 4.3-49	13
f 4.3-50	13
f 4.3-52	13
f 4.3-51	13
f 4.3-53	13

Page/Section	Rev
f 4.3-54	13
f 4.3-55	13
f 4.3-56	13
f 4.3-57	13
Section 4.4	20
t 4.4-1 (3 sheets)	15
t 4.4-2	15
f 4.4-1 (2 sheets)	15
f 4.4-2	14
f 4.4-3	14
f 4.4-4	14
f 4.4-5	14
f 4.4-6	14
f 4.4-7	15
f 4.4-8	14
f 4.4-9	15
f 4.4-10	14
f 4.4-11	14
Section 4.5	16
Section 4.6	14
Section 4A	14
f 4A-1	14
f 4A-2	13
f 4A-3	13
f 4A-4	13
f 4A-5	13
Section 5.1	19
t 5.1.2-1 (2 sheets)	20
f 5.1.2-1 (3 sheets)	14
Section 5.2	16
t 5.2.1-1	13
t 5.2.3-1 (5 sheets)	15
t 5.2.3-2	13
t 5.2.3-3 (2 sheets)	20
f 5.2.5-1	13
Section 5.3	19
t 5.3.1-1 (2 sheets)	13
t 5.3.1-2	13
t 5.3.1-3	13
t 5.3.1-4	13
t 5.3.1-5	13
t 5.3.1-6 deleted (Rev. 4)	13
t 5.3.1-7	17
t 5.3.1-8	13
t 5.3.1-9	17
t 5.3.2-1 deleted (Rev. 4)	13
t 5.3.2-2 (2 sheets)	13
t 5.3.2-3	13
t 5.3.2-4 (2 sheets)	13
t 5.3.2-5 (2 sheets)	13
t 5.3.3-1	13
t 5.3.3-2	16
t 5.3.3-3	16
f 5.3.3-1	13
Section 5.4	20
t 5.4.1-1 (2 sheets)	13
t 5.4.1-2	13
t 5.4.2-1	15
t 5.4.2-2 (2 sheets)	13
t 5.4.3-1	13
t 5.4.3-2	13
t 5.4.7-1	15
t 5.4.7-2	13
t 5.4.7-3 (5 sheets)	13
t 5.4.7-4 (5 sheets)	13
t 5.4.10-1	13
t 5.4.10-2	13
t 5.4.10-3	13
t 5.4.11-1	13
t 5.4.11-2	13
t 5.4.11-3	13
t 5.4.12-1	13
t 5.4.12-2	13
t 5.4.12-3 (2 sheets)	19
t 5.4.13-1	13
t 5.4.15-1	13
f 5.4.1-1	13
f 5.4.1-2	13
f 5.4.2-1	13
f 5.4.2-2	13
f 5.4.7-1 (5 sheets)	13
f 5.4.7-2	13
f 5.4.7-3 (2 sheets)	13
f 5.4.10-1	13
f 5.4.11-1	13
f 5.4.11-2	13
f 5.4.13-1	13
f 5.4.14-1	13
f 5.4.14-2	13
f 5.4.14-3	13
f 5.4.14-4	13
Section 6.1	15
t 6.1.1-1 (2 sheets)	14
t 6.1.1-2 (2 sheets)	14
t 6.1.2-1 (3 sheets)	15
t 6.1.2-2 (10 sheets)	14
t 6.1.2-3	20

Page/Section	Rev
t 6.1.2-4	14
f 6.1.2-1	14
Section 6.2	20
t 6.2.1-1	14
t 6.2.1-2	17
t 6.2.1-3	13
t 6.2.1-4 (2 sheets)	13
t 6.2.1-5	13
t 6.2.1-6	13
t 6.2.1-7 deleted (Rev. 0)	13
t 6.2.1-8	13
t 6.2.1-9 (6 sheets)	13
t 6.2.1-10 (3 sheets)	13
t 6.2.1-11 (7 sheets)	13
t 6.2.1-11A	13
t 6.2.1-12 (7 sheets)	13
t 6.2.1-13 (7 sheets)	13
t 6.2.1-14 (7 sheets)	13
t 6.2.1-15 (7 sheets)	13
t 6.2.1-16 (7 sheets)	13
t 6.2.1-16A	13
t 6.2.1-17 (5 sheets)	13
t 6.2.1-18 (5 sheets)	13
t 6.2.1-19 (5 sheets)	13
t 6.2.1-20 (5 sheets)	13
t 6.2.1-21 (5 sheets)	13
t 6.2.1-22 (5 sheets)	13
t 6.2.1-23 (2 sheets)	13
t 6.2.1-24 (2 sheets)	13
t 6.2.1-25 (4 sheets)	13
t 6.2.1-26 (7 sheets)	13
t 6.2.1-26A	13
t 6.2.1-27 (36 sheets)	13
t 6.2.1-28 (7 sheets)	13
t 6.2.1-28A (7 sheets)	13
t 6.2.1-29	13
t 6.2.1-30	13
t 6.2.1-31	13
t 6.2.1-32	13
t 6.2.1-33	13
t 6.2.1-34	13
t 6.2.1-35	13
t 6.2.1-36	13
t 6.2.1-37	13
t 6.2.1-38	13
t 6.2.1-39	13
t 6.2.1-40	13
t 6.2.1-41	13
t 6.2.1-42	13
t 6.2.1-43	13
t 6.2.1-44 through 59 deleted (Rev. 4)	13
t 6.2.1-60	15
t 6.2.1-61 (9 sheets)	18
t 6.2.1-62 (8 sheets)	13
t 6.2.1-63 deleted (Rev. 7)	13
t 6.2.1-64 (3 sheets)	15
t 6.2.1-65	18
t 6.2.1-66	15
t 6.2.1-67	13
t 6.2.1-68	13
t 6.2.1-69	13
t 6.2.1-70	13
t 6.2.1-71	13
t 6.2.1-72 (2 sheets)	13
t 6.2.1-73	13
t 6.2.1-74	13
t 6.2.2-1	13
t 6.2.2-2	13
t 6.2.2-3 (5 sheets)	13
t 6.2.2-4	13
t 6.2.2-5 (2 sheets)	13
t 6.2.4-1 (17 sheets)	17
t 6.2.4-2 (15 sheets)	19
t 6.2.5-1	13
t 6.2.5-2 (2 sheets)	13
t 6.2.5-3	13
t 6.2.5-4	13
t 6.2.5-5	13
t 6.2.5-6 (4 sheets)	15
t 6.2.5-7 deleted (Rev. 0)	13
t 6.2.5-8 deleted (Rev. 0)	13
t 6.2.5-9	13
t 6.2.5-10	13
t 6.2.6-1 (2 sheets)	13
f 6.2.1-1	13
f 6.2.1-2	13
f 6.2.1-3	13
f 6.2.1-4	13
f 6.2.1-5	13
f 6.2.1-6	13
f 6.2.1-7	13
f 6.2.1-8 through -14 deleted (Rev. 4)	13
f 6.2.1-15 (65 sheets)	13
f 6.2.1-16 (3 sheets)	13
f 6.2.1-16A (3 sheets)	13
f 6.2.1-17 (6 sheets)	13
f 6.2.1-17A	13
f 6.2.1-18 (74 sheets)	13
f 6.2.1-19 (74 sheets)	13
f 6.2.1-20 (74 sheets)	13
f 6.2.1-21 (74 sheets)	13
f 6.2.1-22 (74 sheets)	13
f 6.2.1-23 (74 sheets)	13
f 6.2.1-24	13
f 6.2.1-25 (8 sheets)	13

Page/Section	Rev
f 6.2.1-25A (8 sheets)	13
f 6.2.1-26	15
f 6.2.1-27	15
f 6.2.1-28	13
f 6.2.1-29	18
f 6.2.1-30	13
f 6.2.1-31	13
f 6.2.1-32	13
f 6.2.4-1 (13 sheets)	16
f 6.2.5-1	13
f 6.2.5-2	13
f 6.2.5-3 deleted (Rev. 0)	13
f 6.2.5-4 deleted (Rev. 0)	13
f 6.2.5-5	13
f 6.2.5-6 deleted (Rev. 0)	13
f 6.2.5-7	15
Section 6.3	20
t 6.3.2-1 (3 sheets)	19
t 6.3.2-2	14
t 6.3.2-3 (3 sheets)	14
t 6.3.2-4 (2 sheets)	14
t 6.3.2-5 (9 sheets)	14
t 6.3.2-6	14
t 6.3.2-7 (4 sheets)	19
t 6.3.2-8	14
t 6.3.2-9 (5 sheets)	14
t 6.3.3-1	14
t 6.3.3-2	14
f 6.3.2-1 (22 sheets)	15
f 6.3.2-2	14
f 6.3.2-3	14
f 6.3.2-4	14
f 6.3.2-5	17
Section 6.4	15
t 6.4.2-1 (2 sheets)	14
t 6.4.2-2	15
t 6.4.4-1 (14 sheets)	14
t 6.4.6-1	14
Section 6.5	15
t 6.5.1-1 (3 sheets)	13
t 6.5.1-2 (2 sheets)	13
t 6.5.1-3 (3 sheets)	13
t 6.5.2-1	13
t 6.5.2-2 (2 sheets)	16
t 6.5.3-1	13
f 6.5.2-1	13
f 6.5.2-2	13
f 6.5.2-3	13
Section 6.6	20

Page/Section	Rev
Section 7.1	19
t 7.1.1-1 (7 sheets)	15
f 7.1.1-1	14
Section 7.2	19
t 7.2.1-1 (2 sheets)	14
t 7.2.1-2 (2 sheets)	19
t 7.2.1-3 (3 sheets)	19
t 7.2.1-4 (3 sheets)	19
t 7.2.1-5 (2 sheets)	19
t 7.2.2-1 (5 sheets)	17
f 7.2.1-1	14
f 7.2.1-2	14
Section 7.3	19
t 7.3.1-1	14
t 7.3.1-2 (2 sheets)	14
t 7.3.1-3 (2 sheets)	14
t 7.3.1-4	14
t 7.3.1-5	14
t 7.3.1-6 (6 sheets)	19
t 7.3.1-7 (2 sheets)	19
t 7.3.3-1 (2 sheets)	14
t 7.3.4-1	14
t 7.3.5-1	14
t 7.3.6-1	14
t 7.3.6-2	14
t 7.3.8-1 (2 sheets)	14
t 7.3.9-1	14
t 7.3.10-1	14
t 7.3.11-1	14
t 7.3.12-1 (2 sheets)	14
t 7.3.13-1 (2 sheets)	14
t 7.3.14-1	14
t 7.3.15-1 (2 sheets)	14
t 7.3.16-1	14
t 7.3.17-1	14
f 7.3.1-1	14
f 7.3.1-2	14
Section 7.4	14
t 7.4.1-1	14
t 7.4.2-1 (9 sheets)	14
Section 7.5	14
t 7.5.2-1 (14 sheets)	20
t 7.5.2-2	14
t 7.5.2-3	14
t 7.5.3-1	14
t 7.5.3-2 (2 sheets)	14
t 7.5.3-3	14
t 7.5.3-4 (4 sheets)	14

Page/Section	Rev
t 7.5.3-5	14
t 7.5.4-1 (5 sheets)	14
t 7.5.4-2	14
t 7.5.5-1	14
Section 7.6	20
t 7.6.2-1	14
f 7.6.2-1	14
f 7.6.4-1	14
f 7.6.5-1 (2 sheets)	14
Section 7.7	20
t 7.7.1-1	17
f 7.7.1-1	13
f 7.7.1-2	17
f 7.7.1-3	13
f 7.7.1-4	13
f 7.7.1-5	13
f 7.7.1-6	18
f 7.7.1-7	18
f 7.7.1-8	13
f 7.7.1-9	13
f 7.7.1-10	13
f 7.7.2-1	13
f 7.7.2-2	13
Section 8.1	14
t 8.1-1 (3 sheets)	14
Section 8.2	17
t 8.2.1-1 (2 sheets)	20
t 8.2.1-2	14
t 8.2.1-3	14
t 8.2.2-1	14
t 8.2.2-2	14
Section 8.3	20
t 8.3.1-1 (3 sheets)	14
t 8.3.1-2	16
t 8.3.1-3 (12 sheets)	14
t 8.3.1-4 (6 sheets)	14
t 8.3.2-1	13
t 8.3.2-2	13
t 8.3.2-3	13
t 8.3.2-4	13
t 8.3.2-5 (10 sheets)	13
t 8.3.2-6	13
t 8.3.2-7	13
t 8.3.2-8	13
t 8.3.2-9	13
f 8.3.1-1 (34 sheets)	16
Section 8.4	14

Page/Section	Rev
Section 9.1	20
t 9.1.2-1	13
t 9.1.3-1 (3 sheets)	13
t 9.1.3-2 (8 sheets)	13
t 9.1.5-1 (3 sheets)	13
t 9.1.5-2 (11 sheets)	20
t 9.1.5-3 (3 sheets)	20
t 9.1.5-4 (2 sheets)	19
t 9.1.5-5 (8 sheets)	16
t 9.1.5-6	13
t 9.1.5-7 (6 sheets)	13
f 9.1.1-1	13
f 9.1.2-1 (2 sheets)	13
f 9.1.2-2 (3 sheets)	13
f 9.1.2-3	13
f 9.1.2-4 (4 sheets)	13
f 9.1.2-5	13
f 9.1.4-1	13
f 9.1.4-2	13
f 9.1.4-3	13
f 9.1.4-4	13
f 9.1.4-5	13
f 9.1.4-6	13
f 9.1.4-7	13
f 9.1.4-8	13
f 9.1.4-9	13
f 9.1.5-1	13
f 9.1.5-2	13
f 9.1.5-3	13
Section 9.2	18
t 9.2.1-1 (2 sheets)	13
t 9.2.1-2 (34 sheets)	15
t 9.2.1-3 (3 sheets)	13
t 9.2.2-1 (2 sheets)	13
t 9.2.2-2	20
t 9.2.2-3 (13 sheets)	13
t 9.2.3-1	13
t 9.2.4-1	13
t 9.2.5-1	13
t 9.2.5-2	13
t 9.2.5-3 (2 sheets)	15
t 9.2.5-4 (2 sheets)	13
t 9.2.5-5	15
t 9.2.5-6 (2 sheets)	13
t 9.2.5-7 (2 sheets)	13
t 9.2.5-8 (16 sheets)	13
t 9.2.5-9 (17 sheets)	13
t 9.2.5-10	13
t 9.2.7-1	15
t 9.2.8-1	13
t 9.2.8-2 (3 sheets)	13

Page/Section	Rev
t 9.2.9-1	13
t 9.2.9-2	13
t 9.2.9-3 (2 sheets)	13
t 9.2.10-1	13
t 9.2.11-1	13
Section 9.3	20
t 9.3.1-1 (2 sheets)	13
t 9.3.1-2 (3 sheets)	13
t 9.3.2-1	13
t 9.3.2-2	13
t 9.3.2-3 (4 sheets)	14
t 9.3.2-4 (6 sheets)	13
t 9.3.2-5 (2 sheets)	13
t 9.3.2-6	13
t 9.3.2-7	13
t 9.3.3-1 (3 sheets)	14
t 9.3.3-2 (2 sheets)	13
t 9.3.3-3 (8 sheets)	17
t 9.3.4-1	18
t 9.3.4-2 (8 sheets)	19
t 9.3.4-3 (2 sheets)	13
t 9.3.4-4	13
t 9.3.5-1	13
t 9.3.7-1	13
Section 9.4	16
t 9.4.1-1	14
t 9.4.1-2 (2 sheets)	14
t 9.4.1-3 (5 sheets)	14
t 9.4.1-4 (2 sheets)	14
t 9.4.2-1 (2 sheets)	14
t 9.4.2-2 (4 sheets)	14
t 9.4.3-1	14
t 9.4.3-2 (3 sheets)	14
t 9.4.3-3	14
t 9.4.3-4 (11 sheets)	14
t 9.4.3-5 (6 sheets)	14
t 9.4.3-6	14
t 9.4.3-7	14
t 9.4.4-1 (7 sheets)	14
t 9.4.5-1	14
t 9.4.5-2 (10 sheets)	14
t 9.4.6-1	14
t 9.4.6-2	14
t 9.4.6-3	14
t 9.4.6-4 (4 sheets)	14
t 9.4.7-1	14
t 9.4.7-2 (3 sheets)	14
t 9.4.8-1	14
t 9.4.8-2 (2 sheets)	14
t 9.4.9-1	14
t 9.4.9-2	14
t 9.4.9-3 (4 sheets)	14
t 9.4.9-4	14
Section 9.5	20
t 9.5.1-1 (81 sheets)	20
t 9.5.1-2	13
t 9.5.1-3	13
t 9.5.1-4	13
t 9.5.1-5 deleted (Rev. 0)	13
t 9.5.1-6	16
t 9.5.1-7 (2 sheets)	19
t 9.5.1-8	13
t 9.5.1-9 (13 sheets)	15
t 9.5.1-10 (10 sheets)	19
t 9.5.1-10A (12 sheets)	15
t 9.5.1-10B (5 sheets)	13
t 9.5.1-10C (10 sheets)	13
t 9.5.1-10D	13
t 9.5.2-1	13
t 9.5.3-1 (7 sheets)	20
t 9.5.3-2 (2 sheets)	13
t 9.5.4-1 (2 sheets)	13
t 9.5.4-2 (6 sheets)	16
t 9.5.4-3	13
t 9.5.5-1 (2 sheets)	13
t 9.5.5-2 (4 sheets)	13
t 9.5.6-1 (2 sheets)	14
t 9.5.6-2 (5 sheets)	13
t 9.5.7-1 (3 sheets)	13
t 9.5.7-2 (6 sheets)	13
t 9.5.7-3	13
t 9.5.8-1	13
t 9.5.8-2 (2 sheets)	13
t 9.5.9-1	13
f 9.5.1-1 . .	15
Section 9A	14
t 9A-1 (3 sheets)	16
t 9A-2 (6 sheets)	16
9A.1.1	14
9A.1.2	15
9A.1.3	14
9A.1.4	14
9A.1.5	14
9A.1.6	14
9A.1.7	15
9A.1.8	14
9A.1.9	14
9A.1.10	14
9A.1.11	14
9A.1.12	14
9A.1.13	20

Page/Section	Rev
9A.1.14	15
9A.1.15	14
9A.1.16	14
9A.1.17	14
9A.1.18	14
9A.1.19	14
9A.1.20	14
9A.1.21	14
9A.1.22	14
9A.1.23	14
9A.1.24	14
9A.1.25	14
9A.1.26	14
9A.1.27	14
9A.1.28	14
9A.1.29	14
9A.1.30	14
9A.1.31	14
9A.1.32	14
9A.1.33	14
9A.1.34 deleted (Rev. 0)	14
9A.1.35	14
9A.1.36	14
9A.1.37	14
9A.1.38	14
9A.1.39	20
9A.1.40	20
9A.1.41 deleted (Rev. 0)	14
9A.1.42	14
9A.1.43	14
9A.1.44	20
9A.1.45	14
9A.1.46	14
9A.1.47	14
9A.1.48	14
9A.1.49	14
9A.1.50	14
9A.1.51	14
9A.1.52	14
9A.1.53	20
9A.1.54	14
9A.1.55	20
9A.1.56	20
9A.1.57	14
9A.1.58	14
p 9A.1.59 deleted (Rev. 0)	14
p 9A.1.60	14
9A.1.60A	14
9A.1.61	14
9A.1.62	14
9A.1.63	14
9A.1.64	14
9A.1.65	14
9A.1.66	14
9A.1.67	14
9A.1.68	15
9A.1.69	14
9A.1.70	14
9A.1.71	14
9A.1.72	14
9A.1.73	17
9A.1.74	14
9A.1.75	14
9A.1.76	14
9A.1.77	14
9A.1.78	14
9A.1.79	14
9A.1.80	14
9A.1.80A	14
9A.1.81	20
9A.1.82	20
9A.1.83	14
9A.1.84	14
9A.1.85	14
9A.1.86	20
9A.1.87	14
9A.1.88	20
9A.1.89	14
9A.1.90	14
9A.1.91 deleted (Rev. 0)	14
9A.1.92 deleted (Rev. 0)	14
9A.1.93	14
9A.1.94	20
9A.1.95	14
9A.1.96	14
9A.1.97 deleted (Rev. 4)	14
9A.1.98 deleted (Rev. 4)	14
9A.1.99 deleted (Rev. 4)	14
9A.1.100 deleted (Rev. 0)	14
9A.1.101	14
9A.1.102 deleted (Rev. 0)	14
9A.1.103	14
9A.1.104	14
9A.1.105	14
9A.1.105A	14
9A.1.106	17
9A.1.107	14
9A.1.108 deleted (Rev. 0)	14
9A.1.109	14
9A.1.110	14
9A.1.111	14
t 9A.1.111-1 (3 sheets)	14
9A.1.112-1 deleted (Rev. 0)	14
9A.1.113	14
9A.1.114	14
9A.1.115	14

Page/Section	Rev
9A.1.116	14
9A.1.117	14
9A.1.118	14
9A.1.119	14
9A.1.120 deleted (Rev. 0)	14
9A.1.121	14
9A.1.122	14
9A.1.123	14
9A.1.124	14
9A.1.124A deleted	16
9A.1.124B deleted	16
9A.1.125	14
9A.1.126	14
9A.1.126A	14
9A.1.127	14
9A.1.128	14
9A.1.129	14
9A.1.130	14
9A.1.131 deleted (Rev. 0)	14
9A.1.132	16
9A.2.1	20
9A.2.2	15
9A.2.3	14
9A.2.4	14
9A.2.5	14
9A.2.6	14
9A.2.7	15
9A.2.8	15
9A.2.9	14
9A.2.10	14
9A.2.11	14
9A.2.12	20
9A.2.13	15
9A.2.14	14
9A.2.15	14
9A.2.16	15
9A.2.17	15
9A.2.18	14
9A.2.19	14
9A.2.20	14
9A.2.21	14
9A.2.22	14
9A.2.23	14
9A.2.24	15
9A.2.25	14
9A.2.26	14
9A.2.27	14
9A.2.28	14
9A.2.29	20
9A.2.30	14
9A.2.31	15
9A.2.32	20
9A.2.33	15
9A.2.34	14
9A.2.35	14
9A.2.36	14
9A.2.37	15
9A.2.38	14
9A.2.39	14
9A.2.40	14
9A.2.41	20
9A.2.42	14
9A.2.43	20
9A.2.44	20
9A.2.45	14
9A.2.46	14
9A.2.47	15
9A.2.48	15
9A.2.49	14
9A.2.50	14
9A.2.51	14
9A.2.52	14
9A.2.53	14
9A.2.54	15
9A.2.55	15
9A.2.56	14
9A.2.57	15
9A.2.58	14
9A.2.59	14
9A.2.60	20
9A.2.61	14
9A.2.62	14
9A.2.63	14
9A.2.64	14
9A.2.65	15
9A.2.66	14
9A.2.67	14
9A.2.68	15
9A.2.69	14
9A.2.70	20
9A.2.71	15
9A.2.72	14
9A.2.73	14
9A.2.74	14
9A.2.75	14
9A.2.76	14
t 9A.2.76-1 (3 sheets)	14
9A.2.77	14
9A.2.78	14
9A.2.79	14
9A.2.80	14
9A.2.81	14
9A.2.82	14
9A.2.83	14
9A.2.84	14

Page/Section	Rev
9A.2.85	14
9A.2.86	14
9A.2.87	14
9A.2.88	15
9A.2.89	15
Section 9B	20
Section 10.1	20
t 10.1-1 (3 sheets)	17
Section 10.2	20
t 10.2.2-1	14
t 10.2.2-2	20
f 10.2.2-1a	20
f 10.2.2-1b	20
f 10.2.2-2a	20
f 10.2.2-2b	20
Section 10.3	20
t 10.3.2-1 (2 sheets)	14
t 10.3.2-2	14
t 10.3.2-3	14
t 10.3.3-1 (13 sheets)	14
t 10.3.5-1 (4 sheets)	20
Section 10.4	20
t 10.4.1-1 (2 sheets)	14
t 10.4.2-1	14
t 10.4.5-1	14
t 10.4.6-1 (3 sheets)	14
t 10.4.6-2 (2 sheets)	14
t 10.4.6-3	14
t 10.4.6-4 (2 sheets)	14
t 10.4.7-1	14
t 10.4.7-2 (2 sheets)	14
t 10.4.7-3	14
t 10.4.8-1	15
t 10.4.8-2	14
t 10.4.8-3	14
t 10.4.8-4 (3 sheets)	16
t 10.4.9-1 (2 sheets)	15
t 10.4.9-2	14
t 10.4.9-3 (4 sheets)	17
t 10.4.9-4 (31 sheets)	14
t 10.4.9-5 (2 sheets)	14
t 10.4.10-1	20
f 10.4.8-1	14
Section 10A	14
t 10A-1 (2 sheets)	14
t 10A-2	14
t 10A-3	14
t 10A-4 (3 sheets)	14
t 10A-5	14
f 10A-1	14
f 10A-2	14
f 10A-3	14
f 10A-4	14
f 10A-5	14
f 10A-6	14
f 10A-7 (30 sheets)	14
Section 11.1	16
t 11.1-1 (3 sheets)	16
t 11.1-2 (2 sheets)	14
t 11.1-3	14
t 11.1-4	14
t 11.1-5	14
t 11.1-6	16
t 11.1-7 (3 sheets)	14
t 11.1-8 (3 sheets)	15
t 11.1-9	16
t 11.1-10	14
Section 11.2	13
t 11.2.1-1 (2 sheets)	13
t 11.2.1-2 (8 sheets)	19
t 11.2.1-3 (10 sheets)	13
t 11.2.1-4	13
t 11.2.2-1	13
t 11.2.3-1	15
t 11.2.3-2 (2 sheets)	13
t 11.2.3-3 (2 sheets)	13
t 11.2.3-4	13
f 11.2.2-1	13
f 11.2.3-1 (7 sheets)	13
Section 11.3	16
t 11.3.2-1	16
t 11.3.2-2	16
t 11.3.2-3	16
t 11.3.2-4 (2 sheets)	16
t 11.3.2-5 (2 sheets)	16
t 11.3.2-6 (2 sheets)	16
t 11.3.2-7 (2 sheets)	14
t 11.3.3-1	14
t 11.3.3-2	15
t 11.3.3-3	14
t 11.3.3-4 (6 sheets)	14
f 11.3.2-1	16
f 11.3.2-2	16
f 11.3.2-3	14
f 11.3.2-4	14
f 11.3.2-5	14
f 11.3.2-6	14

Page/Section	Rev
Section 11.4	16
t 11.4.2-1	14
t 11.4.2-2 (2 sheets)	14
t 11.4.2-3 (2 sheets)	14
t 11.4.2-4	14
t 11.4.2-5	14
t 11.4.2-6	14
t 11.4.2-7	19
Section 11.5	19
t 11.5.2-1 (4 sheets)	16
t 11.5.2-2 (3 sheets)	16
t 11.5.2-3 (2 sheets)	16
t 11.5.2-4 deleted (Rev. 0)	14
t 11.5.2-5 (2 sheets)	16
t 11.5.3-1 (2 sheets)	16
t 11.5.3-2	14
t 11.5.5-1 (2 sheets)	14
t 11.5.5-2	14
t 11.5.5-3	14
f 11.5.2-1	20
f 11.5.2-2a	19
f 11.5.2-2b	19
f 11.5.2-3	14
f 11.5.2-4a	19
f 11.5.2-4b	19
f 11.5.2-5	14
f 11.5.2-6	14
Section 12.1	19
Section 12.2	19
t 12.2.1-1	14
t 12.2.1-2	14
t 12.2.1-3	14
t 12.2.1-4	14
t 12.2.1-5	14
t 12.2.1-6 (15 sheets)	14
t 12.2.1-7	14
t 12.2.1-8	14
t 12.2.1-9	14
t 12.2.1-10	14
t 12.2.1-11	14
t 12.2.1-12	14
t 12.2.1-13	14
t 12.2.1-14 deleted (Rev. 4)	14
t 12.2.1-15	14
t 12.2.1-16 deleted (Rev. 4)	14
t 12.2.1-17 deleted (Rev. 4)	14
t 12.2.1-18	14
t 12.2.1-19 (2 sheets)	14
t 12.2.1-20	14
t 12.2.1-21	14
t 12.2.1-22	14
t 12.2.1-23	14
t 12.2.1-24 deleted (Rev. 4)	14
t 12.2.1-25	14
t 12.2.1-26	14
t 12.2.1-27	14
t 12.2.1-28	14
t 12.2.1-29	14
t 12.2.1-30	14
t 12.2.1-31 deleted (Rev. 4)	14
t 12.2.1-32 deleted (Rev. 4)	14
t 12.2.1-33	14
t 12.2.1-34	14
t 12.2.1-35	16
t 12.2.1-36	14
t 12.2.1-37	14
t 12.2.1-38	14
t 12.2.1-39	14
t 12.2.1-40	14
t 12.2.1-41	14
t 12.2.1-42 (2 sheets)	14
t 12.2.1-43	14
t 12.2.1-44	14
t 12.2.1-45	14
t 12.2.1-46	14
t 12.2.1-47 (2 sheets)	14
t 12.2.1-48	14
t 12.2.1-49 (3 sheets)	14
t 12.2.1-50	14
t 12.2.1-51	14
t 12.2.1-52	14
t 12.2.2-1 (2 sheets)	14
t 12.2.2-2 (2 sheets)	14
f 12.2.1-1	14
f 12.2.1-2	14
f 12.2.1-3	14
Section 12.3	19
t 12.3.1-1	14
t 12.3.1-2	14
t 12.3.1-3	14
t 12.3.1-4	14
t 12.3.1-5	14
t 12.3.4-1 (2 sheets)	14
t 12.3.4-2 (2 sheets)	19
Section 12.4	15
t 12.4.1-1	13
t 12.4.1-2	13
t 12.4.1-3 (2 sheets)	13
t 12.4.1-4	13

Page/Section	Rev
t 12.4.1-5	13
t 12.4.1-6	13
t 12.4.1-7	13
t 12.4.1-8 (2 sheets)	13
t 12.4.1-9	13
t 12.4.1-10 (2 sheets)	13
t 12.4.1-11	13
t 12.4.1-12 (2 sheets)	13
t 12.4.1-13	13
t 12.4.1-14	13
t 12.4.1-15	13
t 12.4.1-16 (2 sheets)	13
t 12.4.3-1	13
t 12.4.3-2	13
t 12.4.3-3	13
t 12.4.4-1	13
t 12.4.4-2	13
Section 12.5	19
t 12.5.2-1	14
t 12.5.2-2	14
t 12.5.2-3	14
t 12.5.2-4	17
Section 13.1	19
t 13.1.3-1 (2 sheets)	19
f 13.1.1-1	19
f 13.1.1-2	19
f 13.1.2-1	18
Section 13.2	15
Section 13.3	14
Section 13.4	15
Section 13.5	16
f 13.5.1-1	14
Section 13.6	14
Section 13.7	15
Section 13.8	20
Section 14.1	14
Section 14.2	15
t 14.2.1-1 (7 sheets)	14
t 14.2.1-2 (4 sheets)	14
f 14.2.7-1	14
Section 15.0	19
t 15.0.3-1	15
t 15.0.3-2 (3 sheets)	15
t 15.0.3-3	15
t 15.0.6-1 (2 sheets)	17
t 15.0.7-1	14
t 15.0.8-1 (3 sheets)	17
t 15.0.8-2 (6 sheets)	17
t 15.0.9-1	16
t 15.0.12-1 (2 sheets)	14
t 15.0.13-1	14
t 15.0.13-2	14
f 15.0.1-1	14
f 15.0.1-2	14
f 15.0.1-3	14
f 15.0.1-4	14
f 15.0.1-5	14
f 15.0.1-6	14
f 15.0.1-7	14
f 15.0.1-8	14
f 15.0.1-9	14
f 15.0.1-10	14
f 15.0.1-11	14
f 15.0.1-12	14
f 15.0.1-13	14
f 15.0.1-14	14
f 15.0.1-15	14
f 15.0.1-16	14
f 15.0.1-17	14
f 15.0.1-18	14
f 15.0.1-19	14
f 15.0.1-20	14
f 15.0.1-21	14
f 15.0.1-22	14
f 15.0.1-23	14
f 15.0.1-24	14
f 15.0.1-25	14
f 15.0.4-1	14
f 15.0.4-2	14
f 15.0.5-1	14
f 15.0.5-2	14
f 15.0.5-3	14
f 15.0.6-1	14
f 15.0.6-2	14
Section 15.1	18
t 15.1.2-1 (3 sheets)	14
t 15.1.5-1 (2 sheets)	14
t 15.1.5-2 (3 sheets)	14
t 15.1.5-3	20
f 15.1.2-1	14
f 15.1.2-2	14
f 15.1.2-3	14
f 15.1.3-1	14

Page/Section	Rev
f 15.1.3-2	14
f 15.1.3-3	14
f 15.1.3-4	14
f 15.1.3-5	14
f 15.1.3-6	14
f 15.1.3-7	14
f 15.1.3-8	14
f 15.1.4-1	14
f 15.1.4-2	14
f 15.1.4-3	14
f 15.1.4-4	14
f 15.1.4-5	14
f 15.1.5-1	14
f 15.1.5-2	15
f 15.1.5-3	15
f 15.1.5-4	14
f 15.1.5-5	14
f 15.1.5-6	14
f 15.1.5-7	14
f 15.1.5-8	14
f 15.1.5-9	14
f 15.1.5-10	14
f 15.1.5-11	14
Section 15.2	15
t 15.2.3-1 (5 sheets)	14
t 15.2.6-1 (2 sheets)	15
t 15.2.6-2	20
f 15.2.3-1	14
f 15.2.3-2	14
f 15.2.3-3	14
f 15.2.3-4	14
f 15.2.3-5	14
f 15.2.3-6	14
f 15.2.3-7	14
f 15.2.3-8	14
f 15.2.6-1	14
f 15.2.6-2	14
f 15.2.7-1	14
f 15.2.7-2	14
f 15.2.8-1	14
f 15.2.8-2	14
f 15.2.8-3	14
f 15.2.8-4	14
f 15.2.8-5	14
f 15.2.8-6	14
f 15.2.8-7	14
f 15.2.8-8	14
Section 15.3	15
t 15.3.1-1 (2 sheets)	14
t 15.3.3-1	14
t 15.3.3-2 (2 sheets)	15
t 15.3.3-3	20
f 15.3.1-1	14
f 15.3.1-2	14
f 15.3.1-3	14
f 15.3.1-4	14
f 15.3.2-1	14
f 15.3.2-2	17
f 15.3.2-3	14
f 15.3.2-4	14
f 15.3.3-1 (2 sheets)	14
f 15.3.3-2 (2 sheets)	14
f 15.3.3-3 (2 sheets)	14
f 15.3.3-4 (2 sheets)	14
Section 15.4	19
t 15.4.1-1 (4 sheets)	15
t 15.4.6-1	14
t 15.4.8-1	14
t 15.4.8-2 (2 sheets)	15
t 15.4.8-3	15
f 15.4.1-1	14
f 15.4.1-2	14
f 15.4.1-3	14
f 15.4.2-1	14
f 15.4.2-2	14
f 15.4.2-3	14
f 15.4.2-4	14
f 15.4.2-5	14
f 15.4.2-6	14
f 15.4.2-7	14
f 15.4.2-8	14
f 15.4.2-9	14
f 15.4.3-1	14
f 15.4.3-2	14
f 15.4.4-1	14
f 15.4.4-2	14
f 15.4.4-3	14
f 15.4.4-4	14
f 15.4.4-5	14
f 15.4.7-1	14
f 15.4.7-2	14
f 15.4.7-3	14
f 15.4.7-4	14
f 15.4.7-5	14
f 15.4.8-1	14
f 15.4.8-2	14
f 15.4.8-3	14
f 15.4.8-4	14
f 15.4.9-1	14
f 15.4.9-2	14
f 15.4.9-3	14
Section 15.5	14

Page/Section	Rev
t 15.5.1-1 (2 sheets)	14
f 15.5.1-1 (9 sheets)	14
Section 15.6	20
t 15.6.1-1	14
t 15.6.2-1	15
t 15.6.2-2	15
t 15.6.2-3	15
t 15.6.2-4	15
t 15.6.3-1	14
t 15.6.3-2	14
t 15.6.3-3	15
t 15.6.3-4 (2 sheets)	15
t 15.6.3-5	15
t 15.6.3-6 (deleted)	15
t 15.6.3-7 (deleted)	15
t 15.6.3-8	15
t 15.6.3-9 (deleted)	15
t 15.6.3-10	15
t 15.6.3-11	20
t 15.6.5-1	16
t 15.6.5-2	14
t 15.6.5-3	14
t 15.6.5-4	20
t 15.6.5-5	16
t 15.6.5-6	14
t 15.6.5-7	14
t 15.6.5-8	14
t 15.6.5-9 (4 sheets)	15
t 15.6.5-10 (7 sheets)	15
t 15.6.5-11 (2 sheets)	16
t 15.6.5-12	15
f 15.6.1-1	14
f 15.6.1-2	14
f 15.6.3-1	14
f 15.6.3-2	14
f 15.6.3-3	14
f 15.6.3-4	14
f 15.6.3-5	14
f 15.6.3-6	14
f 15.6.3-7	14
f 15.6.3-8	14
f 15.6.3-9	14
f 15.6.3-10	14
f 15.6.3-11	14
f 15.6.3-12	14
f 15.6.3-13	14
f 15.6.5-1	14
f 15.6.5-2 (9 sheets)	14
f 15.6.5-3 (9 sheets)	14
f 15.6.5-4 (9 sheets)	14
f 15.6.5-5 (9 sheets)	14
f 15.6.5-6 (9 sheets)	14

Page/Section	Rev
f 15.6.5-7 (9 sheets)	14
f 15.6.5-8 (9 sheets)	14
f 15.6.5-9 (9 sheets)	14
f 15.6.5-10 (9 sheets)	14
f 15.6.5-11 (9 sheets)	14
f 15.6.5-12 (9 sheets)	14
f 15.6.5-13 (9 sheets)	14
f 15.6.5-14 (9 sheets)	14
f 15.6.5-15 (9 sheets)	14
f 15.6.5-16 (9 sheets)	14
f 15.6.5-17	14
f 15.6.5-18	14
f 15.6.5-19	14
f 15.6.5-20	14
f 15.6.5-21	14
f 15.6.5-22	14
f 15.6.5-23	14
f 15.6.5-24	14
f 15.6.5-25	14
f 15.6.5-26	14
f 15.6.5-27	14
f 15.6.5-28	14
f 15.6.5-29	14
f 15.6.5-30	19
f 15.6.5-31	14
f 15.6.5-32	14
f 15.6.5-33	14
Section 15.7	19
t 15.7.1-1	15
t 15.7.1-2 (5 sheets)	15
t 15.7.1-3	15
t 15.7.2-1	15
t 15.7.2-2	15
t 15.7.3-1	14
t 15.7.4-1 (2 sheets)	15
t 15.7.4-2 (9 sheets)	15
t 15.7.4-3 (deleted)	15
t 15.7.4-4 (2 sheets)	15
Section 15.8	16
Section 15A	15
t 15A-1 (2 sheets)	15
t 15A-2	15
t 15A-3	15
t 15A-4	15
t 15A-5	15
t 15A-6	15
t 15A-7	15
f 15A-1	14
Section 15B	14

Page/Section	Rev	Page/Section	Rev

Section 16.1 14

Section 16.2 14

Section 16.3 19
t 16.3-1 (3 sheets) (deleted)..... 17
t 16.3-2 (6 sheets) (deleted)..... 14
t 16.3-3A (2 sheets) (deleted) 14
t 16.3-3B (2 sheets) (deleted) 14
t 16.3-4 (15 sheets) (deleted)..... 14
t 16.3-5 (30 sheets) (deleted)..... 17
t 16.3-6 (2 sheets) (deleted)..... 15
t 16.3-7 (2 sheets) (deleted)..... 14

Section 17.1 deleted (Rev. 0) 13

Section 17.2 15
f 17.2.1-1 (deleted)..... 15

Section 18.1 20
t 18.1-1 14
t 18.1-2 14
t 18.1-3 (2 sheets)..... 14
f 18.1-1 14

Section 18.2 14

Section 18.3 14
f 18.3-1 (2 sheets)..... 14

Section 19.1 16

Section 19.2 16

Section 19.3 16

Section 19.4 16