

Mathfly core commands

Mike Roberts

February 6, 2019

Contents

1	Introduction	1
2	Phonetic alphabet	2
3	Punctuation	3
4	Repeatable keys	4
5	Other keys	5
6	Movement and selection	5
6.1	Directions	5
6.2	Modifiers	5
6.3	Examples	5
7	Aliases	6

1 Introduction

These commands are enabled with the voice command "enable core" and are common across all editors. They can be modified by editing `mathfly/config/core.toml` in any text editor or saying "configure Core" while the module is enabled.

2 Phonetic alphabet

alpha	a
bravo	b
charlie	c
delta	d
echo	e
foxtrot	f
golf	g
hotel	h
india	i
juliet	j
kilo	k
lima	l
mike	m
november	n
oscar	o
papa	p
quebec	q
romeo	r
sierra	s
tango	t
uniform	u
victor	v
whiskey	w
x-ray	x
yankee	y
zulu	z

3 Punctuation

ampersand	&
apostrophe	'
(asterisk starling)	*
at sign	@
backslash	\
backtick	`

pipe symbol	
caret	^
colon	:
comma	,
dollar	\$
(dot point)	.
(quote quotes)	"
equals	=
exclamation	!
hashtag	#
hyphen	-
minus	-
percent	%
plus	+
question	?
semicolon	;
slash	/
single quote	'
tilde	~
underscore	_
greater than	>
less than	<
brax	[]
prekris	()
curly	{ }

4 Repeatable keys

These keys may all be repeated up to 10 times by saying a number afterwards, e.g. "shock two" will press enter twice.

(space ace)	space
(tab tabby)	tab
(enter shock)	enter
(backspace clear)	backspace
(delete deli)	delete
splat	delete words

5 Other keys

(escape eskimo)	escape
shackle	selects the current line
(copy stoosh)	copy the current selection
(paste spark)	paste from clipboard
cut	cut the current selection
(duple duplicate)	duplicate the current line
home	home
end	end
save	save the current file

6 Movement and selection

All of these commands are repeatable by saying a number afterwards.

6.1 Directions

left	left
right	right
up	up
down	down

6.2 Modifiers

Saying one of these before a direction will change the commands behaviour.

shin	select by character
queue	select by word
fly	move by word

6.3 Examples

left three	move left three
queue right four	select four words to the right

7 Aliases

Aliases allow for easy on-the-fly creation of new commands. Simply highlight a piece of text or mathematics (using eg “queue left two”) and say the command "alias" followed by a memorable command name. From now on, saying that command name will paste in the highlighted text. To delete aliases, use the command “delete aliases”. Does not work in Scientific Notebook at the moment.