[variable]
$$\frac{\gcd(\sigma\ R) \rhd Z}{\langle \operatorname{deref}(R), \sigma \rangle \to \langle Z, \sigma \rangle}$$

$$[\mathsf{divInt}] \ \frac{n_1 \rhd \mathsf{int32}(_) \quad n_2 \rhd \mathsf{int32}(_)}{\langle \mathsf{div}(n_1 \ n_2), \sigma \rangle \to \langle \mathsf{div}(n_1 \ n_2), \sigma \rangle}$$

$$[\mathsf{divReal}] \ \frac{n_1 \rhd \mathit{real64}(_) \quad n_2 \rhd \mathit{real64}(_)}{\left\langle \, \mathsf{div}(n_1 \ n_2), \sigma \, \right\rangle \rightarrow \left\langle \, \mathit{div}(n_1 \ n_2), \sigma \, \right\rangle}$$

$$[\mathsf{divRightInt}] \ \frac{n \rhd \mathsf{int32}(_) \quad \big\langle E_2, \sigma \big\rangle \to \big\langle I_2, \sigma' \big\rangle}{\big\langle \mathsf{div}(n \ E_2), \sigma \big\rangle \to \big\langle \mathsf{div}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{divRightReal}] \ \frac{n \vartriangleright \mathit{real64}(_) \ \ \big\langle E_2, \sigma \big\rangle \to \big\langle I_2, \sigma' \big\rangle}{\big\langle \operatorname{div}(n \ E_2), \sigma \big\rangle \to \big\langle \operatorname{div}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{divLeft}] \ \frac{\langle E_1, \sigma \rangle \to \langle I_1, \sigma' \rangle}{\langle \mathsf{div}(E_1 \ E_2), \sigma \rangle \to \langle \mathsf{div}(I_1 \ E_2), \sigma' \rangle}$$

[sequenceDone]
$$\langle \operatorname{seq}(\operatorname{done} C), \sigma \rangle \rightarrow \langle C, \sigma \rangle$$

$$[\mathsf{sequence}] \ \frac{\left< \left. C_1, \sigma \right. \right> \to \left< \left. C_1', \sigma' \right. \right>}{\left< \mathsf{seq}(\left. C_1 \right. \left. C_2\right), \sigma \right. \right> \to \left< \mathsf{seq}(\left. C_1' \right. \left. C_2\right), \sigma' \right>}$$

$$[\mathsf{gt}] \quad \frac{n_1 \rhd \mathsf{int32}(_) \quad n_2 \rhd \mathsf{int32}(_)}{\langle \mathsf{gt}(n_1 \ n_2), \sigma \rangle \rightarrow \langle \mathsf{gt}(n_1 \ n_2), \sigma \rangle}$$

$$[\mathsf{gt}] \quad \frac{n_1 \rhd \mathit{real64}(_) \quad n_2 \rhd \mathit{real64}(_)}{\langle \mathsf{gt}(n_1 \ n_2), \sigma \rangle \rightarrow \langle \mathit{gt}(n_1 \ n_2), \sigma \rangle}$$

[gtRight]
$$\frac{n \rhd \mathsf{int32}(_) \quad \langle E_2, \sigma \rangle \to \langle I_2, \sigma' \rangle}{\langle \mathsf{gt}(n \ E_2), \sigma \rangle \to \langle \mathsf{gt}(n \ I_2), \sigma' \rangle}$$

$$[\mathsf{gtRight}] \ \frac{n \rhd \mathit{real64}(_) \ \left\langle E_2, \sigma \right\rangle \to \left\langle I_2, \sigma' \right\rangle}{\left\langle \, \mathsf{gt}(n \ E_2), \sigma \right\rangle \to \left\langle \, \mathsf{gt}(n \ I_2), \sigma' \right\rangle}$$

$$[\mathsf{gtLeft}] \ \frac{\langle E_1, \sigma \rangle \to \langle I_1, \sigma' \rangle}{\langle \mathsf{gt}(E_1 \ E_2), \sigma \rangle \to \langle \mathsf{gt}(I_1 \ E_2), \sigma' \rangle}$$

$$[\mathsf{box}] \ \frac{x \rhd \mathit{real64}(_) \quad y \rhd \mathit{real64}(_) \quad z \rhd \mathit{real64}(_)}{\left\langle \mathsf{box}(x \ y \ z), \sigma \right\rangle \rightarrow \left\langle \mathit{user}(\mathit{string}(\mathsf{box}) \ x \ y \ z), \sigma \right\rangle}$$

$$[\mathsf{rotate}] \ \frac{Z \rhd \mathsf{int32}(_) \quad x \rhd \mathsf{real64}(_) \quad y \rhd \mathsf{real64}(_) \quad z \rhd \mathsf{real64}(_)}{\left\langle \mathsf{rotate}(Z \ x \ y \ z), \sigma \right\rangle \rightarrow \left\langle \mathsf{user}(\mathsf{string}(\mathsf{rotate}) \ Z \ x \ y \ z), \sigma \right\rangle}$$

$$[\text{rotateResolve}] \ \frac{\left< E_1, \sigma \right> \rightarrow \left< V_1, \sigma \right> \quad \left< E_2, \sigma \right> \rightarrow \left< V_2, \sigma \right> \quad \left< E_3, \sigma \right> \rightarrow \left< V_3, \sigma \right> \quad \left< E_4, \sigma \right> \rightarrow \left< V_4, \sigma \right> }{\left< \text{rotate}(E_1 \ E_2 \ E_3 \ E_4), \sigma \right> \rightarrow \left< \text{rotate}(V_1 \ V_2 \ V_3 \ V_4), \sigma \right> }$$

$$[\mathsf{scale}] \ \frac{Z \rhd \mathsf{int32}(_) \quad x \rhd \mathsf{real64}(_) \quad y \rhd \mathsf{real64}(_) \quad z \rhd \mathsf{real64}(_)}{\langle \, \mathsf{scale}(Z \ x \ y \ z), \sigma \, \rangle \to \langle \, \mathsf{user}(\mathsf{string}(\mathsf{scale}) \ Z \ x \ y \ z), \sigma \, \rangle}$$

$$[\mathsf{scaleResolve}] \ \frac{\left< E_1, \sigma \right> \rightarrow \left< V_1, \sigma \right> \ \left< E_2, \sigma \right> \rightarrow \left< V_2, \sigma \right> \ \left< E_3, \sigma \right> \rightarrow \left< V_3, \sigma \right> \ \left< E_4, \sigma \right> \rightarrow \left< V_4, \sigma \right> }{\left< \mathsf{scale}(E_1 \ E_2 \ E_3 \ E_4), \sigma \right> \rightarrow \left< \mathsf{scale}(V_1 \ V_2 \ V_3 \ V_4), \sigma \right> }$$

[ne]
$$\frac{n_1 \rhd \mathsf{int32}(_) \quad n_2 \rhd \mathsf{int32}(_)}{\langle \mathsf{ne}(n_1 \ n_2), \sigma \rangle \to \langle \mathsf{ne}(n_1 \ n_2), \sigma \rangle}$$

$$[\mathsf{neRight}] \ \frac{n \rhd \mathsf{int32}(_) \quad \big\langle E_2, \sigma \big\rangle \to \big\langle I_2, \sigma' \big\rangle}{\big\langle \mathsf{ne}(n \ E_2), \sigma \big\rangle \to \big\langle \mathsf{ne}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{neLeft}] \ \frac{\langle \, E_1, \sigma \, \rangle \to \langle \, I_1, \sigma' \, \rangle}{\langle \, \mathsf{ne}(E_1 \ E_2), \sigma \, \rangle \to \langle \, \mathsf{ne}(I_1 \ E_2), \sigma' \rangle}$$

[cube]
$$\frac{e \rhd real64(_)}{\langle \operatorname{cube}(e), \sigma \rangle \to \langle \operatorname{user}(\operatorname{string}(\operatorname{cube}) \ e), \sigma \rangle}$$

$$[\mathsf{cubeResolve}] \ \frac{\langle E, \sigma \rangle \to \langle I, \sigma' \rangle}{\langle \mathsf{cube}(E), \sigma \rangle \to \langle \mathsf{cube}(I), \sigma' \rangle}$$

[ifTrue]
$$\langle$$
 if($\frac{bool}{C_1}$ (True) C_1 C_2), $\sigma \rangle \rightarrow \langle C_1, \sigma \rangle$

[ifFalse]
$$\langle$$
 if($\frac{bool}{False}$) C_1 C_2), $\sigma \rangle \rightarrow \langle C_2, \sigma \rangle$

$$[\mathsf{ifResolve}] \ \frac{\langle E, \sigma \rangle \to \langle E', \sigma' \rangle}{\langle \mathsf{if}(E \ C_1 \ C_2), \sigma \rangle \to \langle \mathsf{if}(E' \ C_1 \ C_2), \sigma' \rangle}$$

[init]
$$\frac{w \rhd int32(_) \quad h \rhd int32(_)}{\langle \operatorname{init}(w \ h), \sigma \rangle \rightarrow \langle \operatorname{user}(\operatorname{string}(\operatorname{init}) \ w \ h), \sigma \rangle}$$

$$[\mathsf{subInt}] \ \frac{n_1 \rhd \mathsf{int32}(_) \quad n_2 \rhd \mathsf{int32}(_)}{\left\langle \mathsf{sub}(n_1 \ n_2), \sigma \right\rangle \rightarrow \left\langle \mathsf{sub}(n_1 \ n_2), \sigma \right\rangle}$$

$$[\mathsf{subReal}] \ \frac{n_1 \rhd \mathit{real64}(_) \quad n_2 \rhd \mathit{real64}(_)}{\left\langle \mathsf{sub}(n_1 \ n_2), \sigma \right\rangle \rightarrow \left\langle \mathit{sub}(n_1 \ n_2), \sigma \right\rangle}$$

$$[\mathsf{subRightInt}] \ \frac{n \rhd \mathsf{int32}(_) \ \ \big\langle \ E_2, \sigma \ \big\rangle \to \big\langle \ I_2, \sigma' \big\rangle}{\big\langle \ \mathsf{sub}(n \ E_2), \sigma \ \big\rangle \to \big\langle \ \mathsf{sub}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{subRightReal}] \ \frac{n \rhd \mathit{real64}(_) \quad \big\langle E_2, \sigma \big\rangle \to \big\langle I_2, \sigma' \big\rangle}{\big\langle \mathsf{sub}(n \ E_2), \sigma \big\rangle \to \big\langle \mathsf{sub}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{subLeft}] \ \frac{\left\langle E_1, \sigma \right\rangle \rightarrow \left\langle I_1, \sigma' \right\rangle}{\left\langle \mathsf{sub}(E_1 \ E_2), \sigma \right\rangle \rightarrow \left\langle \mathsf{sub}(I_1 \ E_2), \sigma' \right\rangle}$$

$$[\mathsf{sphere}] \ \frac{r \rhd \mathit{real64}(_)}{\left\langle \mathsf{sphere}(r), \sigma \right\rangle \rightarrow \left\langle \mathit{user}(\mathit{string}(\mathsf{sphere}) \ r), \sigma \right\rangle}$$

[paint]
$$\langle paint, \sigma \rangle \rightarrow \langle user(string(paint)), \sigma \rangle$$

[while]
$$\langle \mathsf{while}(E \ C), \sigma \rangle \rightarrow \langle \mathsf{if}(E \ \mathsf{seq}(C \ \mathsf{while}(E \ C)) \ \mathsf{done}), \sigma \rangle$$

$$[\mathsf{cylinder}] \ \frac{r \rhd \mathit{real64}(_) \quad h \rhd \mathit{real64}(_)}{\big\langle \, \mathsf{cylinder}(r \ h), \sigma \, \big\rangle \to \big\langle \, \mathit{user}(\mathsf{string}(\mathsf{cylinder}) \ r \ h), \sigma \, \big\rangle}$$

$$[\mathsf{addInt}] \ \frac{n_1 \rhd \mathsf{int32}(_) \quad n_2 \rhd \mathsf{int32}(_)}{\left\langle \, \mathsf{add}(n_1 \ n_2), \sigma \, \right\rangle \rightarrow \left\langle \, \mathsf{add}(n_1 \ n_2), \sigma \, \right\rangle}$$

[addReal]
$$\frac{n_1 \rhd real64(_) \quad n_2 \rhd real64(_)}{\langle \operatorname{add}(n_1 \ n_2), \sigma \rangle \rightarrow \langle \operatorname{add}(n_1 \ n_2), \sigma \rangle}$$

$$[\mathsf{addRightInt}] \ \frac{n \rhd \mathsf{int32}(_) \ \langle E_2, \sigma \rangle \to \langle I_2, \sigma' \rangle}{\langle \mathsf{add}(n \ E_2), \sigma \rangle \to \langle \mathsf{add}(n \ I_2), \sigma' \rangle}$$

$$[\mathsf{addRightReal}] \ \frac{n \rhd \mathit{real64}(_) \ \ \big\langle E_2, \sigma \big\rangle \to \big\langle I_2, \sigma' \big\rangle}{\big\langle \mathsf{add}(n \ E_2), \sigma \big\rangle \to \big\langle \mathsf{add}(n \ I_2), \sigma' \big\rangle}$$

$$[\mathsf{addLeft}] \ \frac{\langle E_1, \sigma \rangle \to \langle I_1, \sigma' \rangle}{\langle \mathsf{add}(E_1 \ E_2), \sigma \rangle \to \langle \mathsf{add}(I_1 \ E_2), \sigma' \rangle}$$

$$[\mathsf{cone}] \ \frac{r \rhd \mathit{real64}(_) \quad h \rhd \mathit{real64}(_)}{\big\langle \mathsf{cone}(r \ h), \sigma \big\rangle \to \big\langle \mathit{user}(\mathit{string}(\mathsf{cone}) \ r \ h), \sigma \big\rangle}$$

$$[\mathsf{assignInt}] \ \ \frac{n \rhd \mathsf{int32}(_)}{\big\langle \, \mathsf{assign}(X \ n), \sigma \, \big\rangle \to \big\langle \, \mathsf{done}, \mathsf{put}(\sigma \ X \ n) \, \big\rangle}$$

$$[\mathsf{assignReal}] \ \frac{n \rhd \mathit{real64}(_)}{\big\langle \, \mathsf{assign}(X \ n), \sigma \, \big\rangle \to \big\langle \, \mathit{done}, \mathit{put}(\sigma \ X \ n) \, \big\rangle}$$

$$[\mathsf{assignStr}] \ \frac{s \rhd \mathit{string}(_)}{\big\langle \, \mathsf{assign}(X \ s), \sigma \, \big\rangle \to \big\langle \, \mathit{done}, \mathit{put}(\sigma \ X \ s) \, \big\rangle}$$

$$[\mathsf{assignBool}] \ \frac{b \rhd \mathit{bool}(_)}{\big\langle \, \mathsf{assign}(X \ b), \sigma \, \big\rangle \to \big\langle \, \mathit{done}, \mathit{put}(\sigma \ X \ b) \, \big\rangle}$$

$$[\mathsf{assignResolve}] \ \frac{\left< E, \sigma \right> \to \left< I, \sigma' \right>}{\left< \mathsf{assign}(X \ E), \sigma \right> \to \left< \mathsf{assign}(X \ I), \sigma' \right>}$$

$$[\mathsf{torus}] \ \frac{r \rhd \mathit{real64}(_) \quad R \rhd \mathit{real64}(_)}{\left\langle \mathsf{torus}(r \ R), \sigma \right\rangle \rightarrow \left\langle \mathit{user}(\mathit{string}(\mathsf{torus}) \ r \ R), \sigma \right\rangle}$$

$$[\mathsf{tetrahedron}] \ \frac{e \rhd \mathit{real64}(_)}{\left< \mathsf{tetrahedron}(e), \sigma \right> \rightarrow \left< \mathit{user}(\mathsf{string}(\mathsf{tetrahedron}) \ e), \sigma \right>}$$

$$[\mathsf{mulReal}] \ \frac{n_1 \rhd \mathit{real64}(_) \quad n_2 \rhd \mathit{real64}(_)}{\langle \, \mathsf{mul}(n_1 \ n_2), \sigma \, \rangle \to \langle \, \mathit{mul}(n_1 \ n_2), \sigma \, \rangle}$$

$$[\mathsf{mulRightInt}] \ \frac{n \mathrel{\vartriangleright} \mathsf{int32}(_) \ \ \big\langle \ E_2, \sigma \, \big\rangle \to \big\langle \ I_2, \sigma' \, \big\rangle}{\big\langle \ \mathsf{mul}(n \ E_2), \sigma \, \big\rangle \to \big\langle \ \mathsf{mul}(n \ I_2), \sigma' \, \big\rangle}$$

[mulRightReal]
$$\frac{n \rhd real64(_) \quad \langle E_2, \sigma \rangle \rightarrow \langle I_2, \sigma' \rangle}{\langle \operatorname{mul}(n E_2), \sigma \rangle \rightarrow \langle \operatorname{mul}(n I_2), \sigma' \rangle}$$

[mulLeft]
$$\frac{\langle E_1, \sigma \rangle \to \langle I_1, \sigma' \rangle}{\langle \operatorname{mul}(E_1 \ E_2), \sigma \rangle \to \langle \operatorname{mul}(I_1 \ E_2), \sigma' \rangle}$$

$$[\mathsf{pyramid}] \ \frac{e \rhd \mathit{real64}(_) \quad h \rhd \mathit{real64}(_)}{\left\langle \mathsf{pyramid}(e \ h), \sigma \right\rangle \rightarrow \left\langle \mathit{user}(\mathit{string}(\mathsf{pyramid}) \ e \ h), \sigma \right\rangle}$$

$$[\mathsf{translate}] \ \frac{Z \rhd \mathsf{int32}(_) \quad x \rhd \mathsf{real64}(_) \quad y \rhd \mathsf{real64}(_) \quad z \rhd \mathsf{real64}(_)}{\left\langle \mathsf{translate}(Z \ x \ y \ z), \sigma \right\rangle \rightarrow \left\langle \mathsf{user}(\mathsf{string}(\mathsf{translate}) \ Z \ x \ y \ z), \sigma \right\rangle}$$

$$[\text{translateResolve}] \ \frac{\left< \, E_1, \sigma \, \right> \to \left< \, V_1, \sigma \, \right> \ \left< \, E_2, \sigma \, \right> \to \left< \, V_2, \sigma \, \right> \ \left< \, E_3, \sigma \, \right> \to \left< \, V_3, \sigma \, \right> \ \left< \, E_4, \sigma \, \right> \to \left< \, V_4, \sigma \, \right> }{\left< \, \text{translate}(E_1 \ E_2 \ E_3 \ E_4), \sigma \, \right> \to \left< \, \text{translate}(V_1 \ V_2 \ V_3 \ V_4), \sigma \, \right> }$$