



2.5V Reference Eurorack Bus & Power 5V Power +12V VREF+ +5V R1 ↑ PWR\_FLAG L78L05 470R **-** C3 M4040 CV-BUS & 100N CV-FREQ-BUS 2 O 2V5 100N U2 Jumper\_2 6 Conn\_Eurorack\_16 L79L05 -5V

Note that the +5V supply comes from a regulator, not from the Eurorack power cable. This is to ensure a solid supply for the SSI2131 VCO.

## IC Power





## Hardware

## PCB standoffs

HW\_Screw\_M3x0.50x6

HW\_Standoff\_F-F\_11mm\_M3x0.50

HW\_Standoff\_F-F\_11mm\_M3x0.50

#### Front panel


HW\_Screw\_M3x0.50x6

HW\_Screw\_M3x0.50x6

HW\_Screw\_M3x0.50x6



### Leftovers



All fixed resistors are 1% tolerance unless otherwise specified. All eletrolytic capacitors are rated for 25VDC unless otherwise specified.

This work is licensed under the Creative Commons Attribution 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA.

Eurorack VCO module based on SSI2131, 10 HP Copyright © 2022 Len Popp CC BY

# Len Popp

Sheet: /Power/ File: Power.kicad\_sch

# Title: Main - Eurorack SSI2131 VCO

 Size: A4
 Date: 2022-04-07
 Rev: 1.4

 KiCad E.D.A. kicad (6.0.6)
 Id: 3/3