Unit 20 – Client Side Customisation of Web Pages
Assignment 3 – Website Design and Build

Introduction

You have been employed by InsertName Website Development to produce a showcase website that can promote the expertise within the company, you must also produce documentation that can be used as a reference point for the design for new junior website developers that are due to start at the company next year.

Produce design documentation for your website


Pick the topic for your website (this can be your title!)

The topic I am picking for my website is going to be virtual reality. I picked this because VR really caught my attention when it was first introduced to the public and that it is a simple topic to put on a simple website.

Write a paragraph introducing your site idea and the content that will be present.

My website will consist of 4 different pages which can be navigated using the buttons which will be found on the top right of the webpage and at the bottom of the webpage. Each of the pages will contain a title on the top left on the screen, and the title that I am intending on creating will say “Virtual Reality”. Using some Javascript, I will make the ‘Reality’ blue and when the mouse hovers over it, I will use the *onmouseover* event to change it from blue to gray. All the pages will contain information about virtual reality, each page will have its own topic. For example, “What is VR used for?”, “What is VR?” and “The different types of VR”.

Create a sitemap



Choose a colour scheme (background, text, links, headings)

The colours that I will be using in my website are going to be: #F8F7EE, #7A7A68, #362C20, #00000, #009FBC, #BBBBBB, #09D4FF, #FFFFFF, #47433F.

#F8F7EE is a yellow that has been mixed with a lot of white, this colour is going to be used as the background for the web page, where the paragraphs are going to be located.

#7A7A68 is a gray-yellow colour, the colour is going to also be used as the background colour, but it's for the top and bottom bars of the website, so it includes the navigation buttons on it.

#362C20 is the colour that is going to be used on some of the text on the webpage (i.e. the paragraphs.)

#00000 is just the colour black that is going be used on some of the text on the webpage. (i.e. the external links.)

#009FBC is a blue colour which is going to be used on the navigation buttons when its hovered on by the mouse cursor.

#BBBBBB is the colour gray, which is going to be used on text such as the title of the paragraphs on a webpage.

#09D4FF is a bright blue colour, this colour is used on the title of the webpage, on the “Reality” section of the title.

#FFFFFF is the colour white, which is used on the text located on the navigation buttons.

#47433F is a dark gray colour which is used on the links used on the navigation bar located on the very bottom of the webpage.

Decide on a font to use for your headings.

The font that I will be using on my website is the Yanone Kaffeesatz and century gothic fonts.


Make a note of any graphics you will need to find for your site and any external links you will want to include (e.g. to official pages, places to purchase etc.)

On my site I will be creating external links to official pages, the external links that will be included will link to: Oculus, HTC, Samsung and Playstation.

I will be also including an image on the home page which will be referenced from the internet, instead of me having it stored locally on the PC.

Sketch out at least one possible page design for your site.


This is a simple design of what I am intending the website page to look like in the finished project.



The Completed Website

Page 1 - Home Page (with code)

Below is the homepage I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.



HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html

```
<!DOCTYPE HTML>
<html>

<head>
  <title>VR by Leandro Baroca</title>
  <link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
  <!-- modernizr enables HTML5 elements and feature detects -->
  <script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
</head>

<body onload="startTime()">
  <div id="main">
    <header>
      <div id="logo">
        <div id="logo_text">
          <!-- class="logo_colour", allows me to change the colour of the text -->
          <h1><a href="index.html">Virtual<span class="logo_colour">Reality</span></a></h1>
          <h2>
```

```
<!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
          <script>
function startTime() {
    var today = new Date();
    var h = today.getHours();
    var m = today.getMinutes();
    var s = today.getSeconds();
    m = checkTime(m);
    s = checkTime(s);
    document.getElementById('txt').innerHTML =
    h + ":" + m + ":" + s;
    var t = setTimeout(startTime, 500);
}
function checkTime(i) {
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>

<div id="txt"></div>
```


```
</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
```

```
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
        <h1 style="margin: 15px 0 0 0;">Home Page</h1>
        <p>Hello, and welcome to my website explaining the simple details about Vitual Reality.</p>
        <p>I made this website so I could show the different uses and functions of the Virtual Reality technology</p>
        <img src="http://static3.businessinsider.com/image/56bbb386dd089589148b4866-480/oculus-rift.jpeg"/>
        <p>Virtual reality is the creation of a virtual environment presented to our senses in such a way that we experience it as if we were really there. It uses a host of technologies to achieve this goal and is a technically complex feat that has to account for our perception and cognition. It has both entertainment and serious uses. The technology is becoming cheaper and more widespread. We can expect to see many more innovative uses for the technology in the future and perhaps a fundamental way in which we communicate and work thanks to the possibilities of virtual reality.</p>
```

```
    </div>
  </div>
  <div id="scroll">
    <a title="Scroll to the top" class="top" href="#"></a>
  </div>
  <footer>
    <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html">The different types of VR</a></p>
    <p>Leandro Baroca</p>
  </footer>
 </div>
</body>
</html>
```

Page 2 - What is VR? (with code)

Below is the “What is Virtual Reality” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.





```
            <script>
function startTime() {
    var today = new Date();
    var h = today.getHours();
    var m = today.getMinutes();
    var s = today.getSeconds();
    m = checkTime(m);
    s = checkTime(s);
    document.getElementById('txt').innerHTML =
    h + ":" + m + ":" + s;
    var t = setTimeout(startTime, 500);
}
function checkTime(i) {
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>

<div id="txt"></div>
</h2>
        </div>
```


```
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
```

```
        </ul>
      </div>
    </div>
    <div class="content">
      <h1 style="margin: 15px 0 0 0;">What is Virtual Reality?</h1>
      <p>Virtual reality (VR) typically refers to computer technologies that use software to generate realistic images, sounds and other sensations that replicate a real environment (or create an imaginary setting),
      and simulate a user's physical presence in this environment.</p>
      <p>VR has been defined as "...a realistic and immersive simulation of a three-dimensional environment, created using interactive software and hardware, and experienced or controlled by movement of the body"
      or as an "immersive, interactive experience generated by a computer"</p>
      <p>A person using virtual reality equipment is typically able to "look around" the artificial world, move about in it and interact with features or items that are depicted on a screen or in goggles.</p>
      <p>Most 2016-era virtual realities are displayed either on a computer monitor, a projector screen, or with a virtual reality headset (also called head-mounted display or HMD).</p>
```

```
      <p>Most 2016-era virtual realities are displayed either on a computer monitor, a projector screen, or with a virtual reality headset (also called head-mounted display or HMD).</p>
      <p>HMDs typically take the form of head-mounted goggles with a screen in front of the eyes.</p>
      <p>Programs may include audio and sounds through speakers or headphones.</p>
    </div>
  </div>
  <div id="scroll">
    <a title="Scroll to the top" class="top" href="#"></a>
  </div>
  <footer>
    <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html">The different types of VR</a></p>
    <p>Leandro Baroca</p>
  </footer>
</div>
</body>
</html>
```

Page 3 - What is VR used for? (with code)

Below is the “What is Virtual Reality used for?” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.



HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html

```
 1  <!DOCTYPE HTML>
 2  <html>
 3
 4  <head>
 5     <title>What is VR used for?</title>
 6     <link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
 7     <!-- modernizr enables HTML5 elements and feature detects -->
 8     <script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
 9  </head>
10
11  <body onload="startTime()">
12     <div id="main">
13        <header>
14           <div id="logo">
15              <div id="logo_text">
16                 <!-- class="logo_colour", allows me to change the colour of the text -->
17                 <h1><a href="index.html">Virtual<span class="logo_colour">Reality</span></a></h1>
18                 <h2>
19  <!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
20                 <script>
21  function startTime() {
22      var today = new Date();
23      var h = today.getHours();
24      var m = today.getMinutes();
25      var s = today.getSeconds();
26      m = checkTime(m);
27      s = checkTime(s);
28      document.getElementById('txt').innerHTML =
29      h + ":" + m + ":" + s;
30      var t = setTimeout(startTime, 500);
31  }
32  function checkTime(i) {
33      if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
34      return i;
35  }
36  </script>
37
38  <div id="txt"></div>
```


```
</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
       <h1 style="margin: 15px 0 0 0;">What is Virtual Reality used for?</h1>
        <p>There are numerous ways virtual reality can be used which provide enormous benefits to us. These include:

Healthcare/surgery
Military
Architecture
Art
Entertainment
Education
Business
The media
Sport
Rehabilitation/treatment of phobias</p>
        <p>The list of applications for VR is endless. Virtual reality may have been considered an overnight sensation but it has been re-invented under the term 'virtual environments' and is proving to be useful in ways which had never been previously considered.</p>
        <p>Medicine is one of the biggest beneficiaries with the development of surgery simulation. This is often used as a training aid and enables the surgeon to perform an operation on a 'virtual patient' or to see inside the human body. It is also used as a diagnostic tool in that it provides a more detail view of the human body compared to X-rays and scans.</p>
        <p>Another popular use of virtual reality is aviation: a three dimensional aircraft can be designed which allows the designer to test their prototype without having to have several versions - which are time consuming and costly.</p>
        <p>It is cheaper and easier to make changes to the simulation rather than having to design and build a new aircraft.</p>
        <p>Games, surgery and flight simulators are the most well known uses of virtual reality but other, lesser well known applications include:

Visualisations, e.g. geographical
Study and treatment of addictions
Weather forecasting
Historical, e.g. re-creating ancient civilisations
Data analysis, e.g. financial data</p>
      </div>
      <div id="scroll">
        <a title="Scroll to the top" class="top" href="#"></a>
      </div>
      <footer>
        <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html">The different types of VR</a></p>
        <p>Leandro Baroca</p>
      </footer>
    </div>
</body>
</html>
```

Page 4 - The different types of VR (with code)

Below is the “The different types of VR” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.



HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html

```
<!DOCTYPE HTML>
<html>

<head>
  <title>The different types of VR</title>
  <link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
  <!-- modernizr enables HTML5 elements and feature detects -->
  <script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
</head>

<body onload="startTime()">
  <div id="main">
    <header>
      <div id="logo">
        <div id="logo_text">
          <!-- class="logo_colour", allows me to change the colour of the text -->
          <h1><a href="index.html">Virtual<span class="logo_colour">Reality</span></a></h1>
          <h2>
<!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
          <script>
function startTime() {
    var today = new Date();
    var h = today.getHours();
    var m = today.getMinutes();
    var s = today.getSeconds();
    m = checkTime(m);
    s = checkTime(s);
    document.getElementById('txt').innerHTML =
    h + ":" + m + ":" + s;
    var t = setTimeout(startTime, 500);
}
function checkTime(i) {
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>

<div id="txt"></div>
```

```
</h2>
          </div>
        </div>
        <nav>
          <div id="menu_container">
            <ul class="sf-menu" id="nav">
              <li><a href="HomePage.html">Home</a></li>
              <li><a href="whatisvr.html">What is VR?</a></li>
              <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
              <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
            </ul>
          </div>
        </nav>
      </header>
      <div id="site_content">
        <div id="sidebar_container">
          <div class="sidebar">
            <h3>VR Brands</h3>
            <ul>
```

```
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
       <h1 style="margin: 15px 0 0 0;">The different types of VR</h1>
        <p>The virtual reality (VR) industry has made tremendous strides in the past couple of years. Judging by the rate at which the VR industry is currently growing, and the sheer excitement a good VR experience
        generates in the user, I am willing to bet that there will be many more like me who wish to find out more about VR in the immediate future.</p>
        <p>I recall reading about Facebook's Oculus acquisition back in 2014. Google open sourced the cardboard headset design shortly after Facebook's acquisition. Thus, on the one hand, we had Google claiming you
        could experience VR with a phone and a headset put together from a pizza box. On the other hand, we had Facebook who had just spent $2 billion on a company that had a similar product, which would release only
        after two years.</p>
```

```
        <p>Mobile VR HMDs: These offer rotational tracking, variable FPS (maximum of 60 FPS) and variable FOV (~90 degrees). Currently, the Google Cardboard is the most popular HMD in this category. All you need is a
        couple of lenses, a sheet of cardboard, a magnet, and an android phone with a gyroscope. It costs around Rs 400 to make and is a pretty respectable introduction to VR. It does a pretty good job when viewing 360
        degree photos and videos, assuming you don't move your head around too quickly. The only way to provide input is by swiping a magnet on the side of the headset. It is a cleverly hacked together HMD, and is great
        for a first-time experience, but is incapable of delivering consistently high quality VR.</p>
        <p>Premium mobile VR HMDs: These offer positional tracking, consistent 60 FPS and an FOV of 96 degrees. The "Oculus powered Samsung Gear VR" (Oculus software, Samsung hardware) headset comes under this category.
        Presumably, so will Google's recently announced Project Daydream series of headsets. The Gear VR is compatible only with Samsung's flagship phones, the Galaxy S6 and above. Aside from the cost of the phone, the
        headset itself costs Rs 8,000. Experience wise, it trumps the cardboard. The Google Cardboard is forced to use the sensors on your phone, whereas the Gear VR headset comes with motion sensors loaded into the
        headset. Hence, it is able to track the movement of your head with very low latency, giving rise to a consistent FPS and a highly immersive experience. With a D-Pad on the side of the headset for input and the
        option to connect a controller, these HMDs support apps with much more functionality than the Google Cardboard.</p>
        <p>Tethered HMDs: The Oculus Rift and HTC Vive offer rotational tracking, positional tracking, a 90 FPS frame rate and a 110 degree FOV. The HTC Vive also provides room scale tracking in an enclosed 4m x 4m
        space.</p>
        <p>TL;DR: The more expensive HMDs offer more immersive experiences, which are more enjoyable. They are able to do this with the help of sophisticated hardware and are hence priced higher. The Google Cardboard is
        good for an entry level VR experience, to view 360 degree photos and surf YouTube360. The Gear VR offers a more holistic experience and helps the user interact better with VR. Finally, the HTC Vive and Oculus
        Rift are the HMDs that justify the hype behind VR. You HAVE to try them out, if you ever get the chance.</p>
      </div>
    </div>
    <div id="scroll">
      <a title="Scroll to the top" class="top" href="#"></a>
    </div>
    <footer>
      <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html">The different types of VR</a></p>
      <p>Leandro Baroca</p>
    </footer>
  </div>
</body>
</html>
```

CSS document (with proof of functionality)

Below is the CSS document which I had to do extensive research for to gather the exact code i needed in order to operate the page just like I intended. First and most obvious, it contains the "Box model" so the website is properly laid out instead of being a mess. Secondly, is the font that I had initially intended for the web page.

Thirdly, I used all the colour schemes which I picked out initially on the planning phase. Fourthly, I had to find out how to make the small box which contains the external links so I could have them separate from the rest of the text but also still be visible by the user. Lastly, this was a much more advanced CSS that I found out about, the 'hover' code.

What this code does is just like the onmouseover in the JS code, it changes the colour of the navigation buttons and the title into a gray or blue colour when the mouse is hovered over it. I will be explaining this function a bit more on the proof of functionality below this code.

The screenshots shown below will have a comment on top of each section of the CSS code, which is stating the function of each of the sections of the CSS document.

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
/* This contains the font I will be using on the site*/
@font-face {
  font-family: Yanone Kaffeesatz;
    src: url('../fonts/YanoneKaffeesatz-Regular.eot');
    src: local(Yanone Kaffeesatz), url('../fonts/YanoneKaffeesatz-Regular.ttf');
}

/*below is the fundation structure of the whole website. For example the header, padding, body, background, etc.*/

html {
  height: 100%;
}

* {
  margin: 0;
  padding: 0;
}

body {
  font: normal .80em arial, sans-serif;
  background: #F8F7EE url(../images/pattern.png);
  color: #7A7A68;
}

p {
  padding: 0 0 20px 0;
  line-height: 1.7em;
}

h1, h2, h3, h4, h5, h6 {
  color: #362C20;
  letter-spacing: 0em;
  padding: 0 0 5px 0;
}

h1, h2, h3 {
  font: normal 140% 'century gothic', arial;
  margin: 0 0 15px 0;
  padding: 15px 0 5px 0;
  color: #000;
}

h2 {
  font-size: 160%;
  padding: 9px 0 5px 0;
  color: #009FBC;
}

h3 {
  font-size: 140%;
  padding: 5px 0 0 0;
}

h4, h6 {
  color: #009FBC;
  padding: 0 0 5px 0;
  font: normal 120% arial;
}

h5, h6 {
  color: #bbb;
  font: italic 95% arial;
  letter-spacing: normal;
  padding: 0 0 15px 0;
}

ul {
  margin: 2px 0 22px 17px;
}

ul li {
  list-style-type: circle;
  margin: 0 0 6px 0;
  padding: 0 0 4px 5px;
  line-height: 1.5em;
}

ol {
  margin: 8px 0 22px 20px;
}

ol li {
  margin: 0 0 11px 0;
}

#main, #logo, #site_content, footer {
  margin-left: auto;
  margin-right: auto;
}

header {
  background: #404040;
  height: 200px;
  border-bottom: 1px solid #FFF;
}

/* This gives the title and subtitle found on the top of the screen a more modern look, it also changes colour when a mouse hovers over it*/

#logo {
  width: 1000px;
  height: 200px;
  background: transparent url(../images/logo.png) no-repeat right;
  color: #888;
  padding: 0;
}

#logo #logo_text {
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
#logo #logo_text {
  top: 5px;
  left: 0;
}

#logo h1, #logo h2 {
  font: normal 420% 'Yanone Kaffeesatz', arial, sans-serif;
  border-bottom: 0;
  text-transform: none;
  margin: 0;
}

#logo_text h1, #logo_text h1 a, #logo_text h1 a:hover {
  padding: 10px 0 0 0;
  color: #FFF;
  text-decoration: none;
}

#logo_text h1 a .logo_colour {
  color: #09D4FF;
}

#logo_text a:hover .logo_colour {
  color: #FFF;
}

#logo_text h2 {
  font-size: 150%;
  padding: 0 0 0 0;
  color: #A8AA94;
}

nav {
  height: 44px;
  width: 100%;
  margin: -44px auto 0 auto;
  background: transparent url(../images/menubar.png) repeat;
}

#menu_container {
  width: 1000px;
  margin: 0 auto 0 auto;
}

#site_content {
  width: 1000px;
  overflow: hidden;
  margin: 0px auto 0 auto;
  padding: 15px 0 40px 0;
}

#sidebar_container {
  float: right;
  width: 224px;
}

/* This gives a little box on the right hand side so I can store my links for the external sites*/

.sidebar {
  float: right;
  width: 200px;
  margin: 0 0 17px 0;
  background: #FFF;
  border: 1px solid #eee;
  border-radius: 7px 7px 7px 7px;
  -moz-border-radius: 7px 7px 7px 7px;
  -webkit-border: 7px 7px 7px 7px;
  padding: 0 15px 5px 13px;
}

.sidebar h3, .content h1 {
  padding: 5px 15px 20px 15px;
  font: 250% 'Yanone Kaffeesatz';
  text-shadow:  #ffffff 1px 1px;
  margin: 0 1px;
  color: #777;
}

.sidebar h3 {
  padding: 14px 15px 14px 15px;
  color: #74706E;
  font: 190% 'Yanone Kaffeesatz';
  margin-left: 10px;
}

.sidebar h4 {
  color: #c00000;
}

.sidebar ul {
  margin: 0 0 15px 0;
}

.sidebar li a, .sidebar li a:hover {
  color: #555;
  text-decoration: none;
}

.sidebar li a:hover {
  text-decoration: underline;
}

.sidebar_item, .content_item {
  padding: 15px 0;
}

.content {
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
.content {
  text-align: left;
  width: 700px;
  margin: 0 0 15px 0;
  float: left;
  font-size: 120%;
  padding: 14px 0 0 0;
}

.content ul {
  margin: 2px 0 22px 0px;
}

.content ul li, .sidebar ul li {
  list-style-type: none;
  background: url(../images/bullet.png) no-repeat;
  margin: 0 0 0 0;
  padding: 0 0 4px 28px;
  line-height: 1.5em;
}

footer {
  width: 100%;
  font-family: 'lucida sans', sans-serif;
  font-size: 90%;
  height: 60px;
  padding: 20px 0 5px 0;
  text-align: center;
  background: #404040 url(../images/footer.png) repeat-x;
  color: #A8AA94;
  margin: 0 0 0 0;
}

footer p {
  line-height: 1.7em;
  padding: 0 0 10px 0;
}

footer a {
  color: #A8AA94;
  text-decoration: none;
}

footer a:hover {
  color: #FFF;
  text-decoration: none;
}

/* Configuration of menu width */
html body ul.sf-menu ul,html body ul.sf-menu ul li {
  width: 200px;
}

html body ul.sf-menu ul ul {
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
html body ul.sf-menu ul ul {
  margin: 0 0 0 200px;
}

/* Framework for proper showing/hiding/positioning */
ul.sf-menu,ul.sf-menu * {
  margin: 0;
  padding: 0;
}

ul.sf-menu {
  display: block;
  position: relative;
}

ul.sf-menu li {
  display: block;
  list-style: none;
  float: left;
  position: relative;
}

ul.sf-menu a {
  display: block;
  position: relative;
}

ul.sf-menu ul {
  position: absolute;
  left: 0;
  width: 150px;
  top: auto;
  left: -999999px;
}

ul.sf-menu ul ul {
  top: 0;
  margin: 0 0 0 150px;
}

ul ul span.sf-arrow {
  right: 10;
  top: 20px;
  background-position: 0 100%;
}

/*This gives the navigation buttons a much more modern style*/


ul#nav li a {
  padding:7px 20px 6px 20px;
  font: 170% 'Yanone Kaffeesatz',helvetica,arial,verdana,sans;
  text-shadow: 1px 1px #000;
  text-decoration:none;
  color:#FFF;
```

```
/*This gives the navigation buttons a much more modern style*/

ul#nav li a {
  padding:7px 20px 6px 20px;
  font: 170% 'Yanone Kaffeesatz',helvetica,arial,verdana,sans;
  text-shadow: 1px 1px #000;
  text-decoration:none;
  color:#FFF;
  margin-right: 2px;
}

ul#nav li a:hover,ul#nav li a:focus {
  color:#09D4FF;
}
```


This is the proof of functionality for the ‘hover’, below are screenshots I took of my website showcasing that the CSS code for the colour of the font changing colour when the cursor is hovered over the text that it has been assigned by.




The image above is the standard layout of the navigation bar, which includes the title, the subtitle with the real time and each of the navigation buttons to navigate throughout the rest of the website.



In the image above, even though the mouse cursor is not being shown because the screenshot removed it, I am hovering the cursor over the title “VirtualReality” which is changing the blue font in “Reality” into the similar colour font as the “Virtual. The title is also a button which links back to the homepage.



In the image above, I have hovered over the “Home” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “What is VR?” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “What is VR used for?” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “The different types of VR” navigation button, changing the default colour from gray to blue.