Unit 20 – Client Side Customisation of Web Pages
Assignment 3 – Website Design and Build

Introduction

You have been employed by InsertName Website Development to produce a showcase website that can promote the expertise within the company, you must also produce documentation that can be used as a reference point for the design for new junior website developers that are due to start at the company next year.

Produce design documentation for your website


Pick the topic for your website (this can be your title!)

The topic I am picking for my website is going to be virtual reality. I picked this because VR really caught my attention when it was first introduced to the public and that it is a simple topic to put on a simple website.

Write a paragraph introducing your site idea and the content that will be present.

My website will consist of 4 different pages which can be navigated using the buttons which will be found on the top right of the webpage and at the bottom of the webpage. Each of the pages will contain a title on the top left on the screen, and the title that I am intending on creating will say “Virtual Reality”. Using some Javascript, I will make the ‘Reality’ blue and when the mouse hovers over it, I will use the *onmouseover* event to change it from blue to gray. All the pages will contain information about virtual reality, each page will have its own topic. For example, “What is VR used for?”, “What is VR?” and “The different types of VR”.

Create a sitemap



Choose a colour scheme (background, text, links, headings)

The colours that I will be using in my website are going to be: #F8F7EE, #7A7A68, #362C20, #000, #009FBC, #bbb, #09D4FF, #E5E5DB, #FFF, #404040, #888, #A8AA94, #eee, #ffffff, #777, #74706E, #c00000, #555, #47433F, #3B3B3B, #D9D5CF.

Decide on a font to use for your headings.

The font that I will be using on my website is the Yanone Kaffeesatz and century gothic fonts.


Make a note of any graphics you will need to find for your site and any external links you will want to include (e.g. to official pages, places to purchase etc.)

On my site I will be creating external links to official pages, the external links that will be included will link to: Oculus, HTC, Samsung and Playstation.

I will be also including an image on the home page which will be referenced from the internet, instead of me having it stored locally on the PC.

Sketch out at least one possible page design for your site.


This is a simple design of what I am intending the website page to look like in the finished project.




The Completed Website

Page 1 - Home Page (with code)

Below is the homepage I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.


VR by Leandro Baroca
file:///C:/Users/lbaro/OneDrive/Documents/Highlands%20College/BTEC%20Level%203%20Extended%20Diploma%20in%20IT/Unit%2020%20-%20Web%20Development/Assignment%203/HomePage.html
VirtualReality
22:07:14
Home
What is VR?
What is VR used for?
The different types of VR
Home Page
Hello, and welcome to my website explaining the simple details about Vitual Reality.
I made this website so I could show the different uses and functions of the Virtual Reality technology
VR Brands
Oculus
HTC VIVE
Playstation VR
Samsung Gear VR
Virtual reality is the creation of a virtual environment presented to our senses in such a way that we experience it as if we were really there. It uses a host of technologies to achieve this goal and is a technically complex feat that has to account for our perception and cognition. It has both entertainment and serious uses. The technology is becoming cheaper and more widespread. We can expect to see many more innovative uses for the technology in the future and perhaps a fundamental way in which we communicate and work thanks to the possibilities of virtual reality.
Home | What is VR? | What is VR used for? | The different types of VR
Leandro Baroca


C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\HomePage.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
HomePage.html
whatisvr.html
whatisvrusedfor.html
thedifferenttypesofvr.html
<!DOCTYPE HTML>
<html>
<head>
<title>VR by Leandro Baroca</title>
<link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
<!-- modernizr enables HTML5 elements and feature detects -->
<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
</head>
<body>

<header>


<!-- class="logo_colour", allows me to change the colour of the text -->
<h1>VirtualReality</h1>
<h2>
<!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
<script>
function startTime() {
var today = new Date();
var h = today.getHours();
var m = today.getMinutes();
var s = today.getSeconds();
m = checkTime(m);
s = checkTime(s);
document.getElementById('txt').innerHTML =
h + ":" + m + ":" + s;
var t = setTimeout(startTime, 500);
}
function checkTime(i) {
if (i < 10) {i = "0" + i}; // add zero in front of numbers < 10
return i;
}
</script>
<body onload="startTime()">

</h2>

<nav>

<ul class="sf-menu" id="nav">
Home
What is VR?
What is VR used for?
The different types of VR

</nav>
</header>




```
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>


<body onload="startTime()">

<div id="txt"></div>
</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
        <h1 style="margin: 15px 0 0 0;">Home Page</h1>
        <p>Hello, and welcome to my website explaining the simple details about Vitual Reality.</p>
        <p>I made this website so I could show the different uses and functions of the Virtual Reality technology</p>
        <img src="http://static3.businessinsider.com/image/56bbb386dd089589148b4866-480/oculus-rift.jpeg"/>
        <p>Virtual reality is the creation of a virtual environment presented to our senses in such a way that we experience it as if we were really there. It uses a host of techn
      </div>
    </div>
    <div id="scroll">
      <a title="Scroll to the top" class="top" href="#"></a>
    </div>
    <footer>
      <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html
      <p>Leandro Baroca</p>
    </footer>
  </div>
</body>
</html>
```

Page 2 - What is VR? (with code)

Below is the “What is Virtual Reality” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.






```
<!DOCTYPE HTML>
<html>

<head>
  <title>What is VR?</title>
  <link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
  <!-- modernizr enables HTML5 elements and feature detects -->
  <script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
</head>

<body>
  <div id="main">
    <header>
      <div id="logo">
        <div id="logo_text">
          <!-- class="logo_colour", allows me to change the colour of the text -->
          <h1><a href="index.html">Virtual<span class="logo_colour">Reality</span></a></h1>
          <h2>
<!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
          <script>
function startTime() {
    var today = new Date();
    var h = today.getHours();
    var m = today.getMinutes();
    var s = today.getSeconds();
    m = checkTime(m);
    s = checkTime(s);
    document.getElementById('txt').innerHTML =
    h + ":" + m + ":" + s;
    var t = setTimeout(startTime, 500);
}
function checkTime(i) {
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>

<body onload="startTime()">

<div id="txt"></div>
</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
```





```
}
</script>


<body onload="startTime()">

<div id="txt"></div>
</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
       <h1 style="margin: 15px 0 0 0;">What is Virtual Reality?</h1>
        <p>Virtual reality (VR) typically refers to computer technologies that use software to generate realistic images, sounds and other sensations that replicate a real environ
        <p>VR has been defined as "...a realistic and immersive simulation of a three-dimensional environment, created using interactive software and hardware, and experienced or
        <p>A person using virtual reality equipment is typically able to "look around" the artificial world, move about in it and interact with features or items that are depicted
        <p>Most 2016-era virtual realities are displayed either on a computer monitor, a projector screen, or with a virtual reality headset (also called head-mounted display or H
        <p>HMDs typically take the form of head-mounted goggles with a screen in front of the eyes.</p>
        <p>Programs may include audio and sounds through speakers or headphones.</p>
      </div>
    </div>
    <div id="scroll">
      <a title="Scroll to the top" class="top" href="#"></a>
    </div>
    <footer>
      <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html
      <p>Leandro Baroca</p>
    </footer>
  </div>
</body>
</html>
```

Below is the “What is Virtual Reality used for?” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.









```
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
       <h1 style="margin: 15px 0 0 0;">What is Virtual Reality used for?</h1>
        <p>There are numerous ways virtual reality can be used which provide enormous benefits to us. These include:


Healthcare/surgery
Military
Architecture
Art
Entertainment
Education
Business
The media
Sport
Rehabilitation/treatment of phobias</p>
        <p>The list of applications for VR is endless. Virtual reality may have been considered an overnight sensation but it has been re-invented under the term 'virtual environm
        <p>Medicine is one of the biggest beneficiaries with the development of surgery simulation. This is often used as a training aid and enables the surgeon to perform an oper
        <p>Another popular use of virtual reality is aviation: a three dimensional aircraft can be designed which allows the designer to test their prototype without having to hav
        <p>It is cheaper and easier to make changes to the simulation rather than having to design and build a new aircraft.</p>
        <p>Games, surgery and flight simulators are the most well known uses of virtual reality but other, lesser well known applications include:

Visualisations, e.g. geographical
Study and treatment of addictions
Weather forecasting
Historical, e.g. re-creating ancient civilisations
Data analysis, e.g. financial data</p>
      </div>
    </div>
    <div id="scroll">
      <a title="Scroll to the top" class="top" href="#"></a>
    </div>
    <footer>
      <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html
      <p>Leandro Baroca</p>
    </footer>
  </div>
</body>
</html>
```

Page 4 - The different types of VR (with code)

Below is the “The different types of VR” page I have created in notepad++. It contains a welcome message and an image that I have referenced from the internet instead of locally on the PC. The page has a real time clock on the subtitle that works by using Javascript.





```
<!DOCTYPE HTML>
<html>


<head>
  <title>The different types of VR</title>
  <link rel="stylesheet" type="text/css" id="theme" href="Assignment 3 CSS.css" />
  <!-- modernizr enables HTML5 elements and feature detects -->
  <script type="text/javascript" src="js/modernizr-1.5.min.js"></script>
</head>

<body>
  <div id="main">
    <header>
      <div id="logo">
        <div id="logo_text">
          <!-- class="logo_colour", allows me to change the colour of the text -->
          <h1><a href="index.html">Virtual<span class="logo_colour">Reality</span></a></h1>
          <h2>
<!-- Below is the JavaScript code for the realtime clock found in the subtitle -->
          <script>
function startTime() {
    var today = new Date();
    var h = today.getHours();
    var m = today.getMinutes();
    var s = today.getSeconds();
    m = checkTime(m);
    s = checkTime(s);
    document.getElementById('txt').innerHTML =
    h + ":" + m + ":" + s;
    var t = setTimeout(startTime, 500);
}
function checkTime(i) {
    if (i < 10) {i = "0" + i};  // add zero in front of numbers < 10
    return i;
}
</script>

<body onload="startTime()">

<div id="txt"></div>

</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
```



```
</script>

<body onload="startTime()">

<div id="txt"></div>

</h2>
        </div>
      </div>
      <nav>
        <div id="menu_container">
          <ul class="sf-menu" id="nav">
            <li><a href="HomePage.html">Home</a></li>
            <li><a href="whatisvr.html">What is VR?</a></li>
            <li><a href="whatisvrusedfor.html">What is VR used for?</a></li>
            <li><a href="thedifferenttypesofvr.html">The different types of VR</a></li>
          </ul>
        </div>
      </nav>
    </header>
    <div id="site_content">
      <div id="sidebar_container">
        <div class="sidebar">
          <h3>VR Brands</h3>
          <ul>
            <li><a href="https://www.oculus.com/">Oculus</a></li>
            <li><a href="https://www.vive.com/eu/">HTC VIVE</a></li>
            <li><a href="https://www.playstation.com/en-us/explore/playstation-vr/">Playstation VR</a></li>
            <li><a href="http://www.samsung.com/global/galaxy/gear-vr/">Samsung Gear VR</a></li>
          </ul>
        </div>
      </div>
      <div class="content">
        <h1 style="margin: 15px 0 0 0;">The different types of VR</h1>
        <p>The virtual reality (VR) industry has made tremendous strides in the past couple of years. Judging by the rate at which the VR industry is currently growing, and the sh
        <p>I recall reading about Facebook's Oculus acquisition back in 2014. Google open sourced the cardboard headset design shortly after Facebook's acquisition. Thus, on the o
        <p>Mobile VR HMDs: These offer rotational tracking, variable FPS (maximum of 60 FPS) and variable FOV (~90 degrees). Currently, the Google Cardboard is the most popular HM
        <p>Premium mobile VR HMDs: These offer positional tracking, consistent 60 FPS and an FOV of 96 degrees. The "Oculus powered Samsung Gear VR" (Oculus software, Samsung hard
        <p>Tethered HMDs: The Oculus Rift and HTC Vive offer rotational tracking, positional tracking, a 90 FPS frame rate and a 110 degree FOV. The HTC Vive also provides room sc
        <p>TL;DR: The more expensive HMDs offer more immersive experiences, which are more enjoyable. They are able to do this with the help of sophisticated hardware and are henc
      </div>
    </div>
    <div id="scroll">
      <a title="Scroll to the top" class="top" href="#"></a>
    </div>
    <footer>
      <p><a href="HomePage.html">Home</a> | <a href="whatisvr.html">What is VR?</a> | <a href="whatisvrusedfor.html">What is VR used for?</a> | <a href="thedifferenttypesofvr.html
      <p>Leandro Baroca</p>
    </footer>
  </div>
</body>
</html>
```


CSS document (with proof of functionality)

Below is the CSS document which I had to do extensive research for to gather the exact code i needed in order to operate the page just like I intended. First and most obvious, it contains the “Box model” so the website is properly laid out instead of being a mess. Secondly, is the font that I had initially intended for the web page.

Thirdly, I used all the colour schemes which I picked out initially on the planning phase. Fourthly, I had to find out how to make the small box which contains the external links so I could have them separate from the rest of the text but also still be visible by the user. Lastly, this was a much more advanced CSS that I found out about, the ‘hover’ code.

What this code does is just like the onmouseover in the JS code, it changes the colour of the navigation buttons and the title into a gray or blue colour when the mouse is hovered over it. I will be explaining this function a bit more on the proof of functionality below this code.

The screenshots shown below will have a comment on top of each section of the CSS code, which is stating the function of each of the sections of the CSS document.



C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
h4, h6 {
  color: #009FBC;
  padding: 0 0 5px 0;
  font: normal 120% arial;
}

h5, h6 {
  color: #bbb;
  font: italic 95% arial;
  letter-spacing: normal;
  padding: 0 0 15px 0;
}

ul {
  margin: 2px 0 22px 17px;
}

ul li {
  list-style-type: circle;
  margin: 0 0 6px 0;
  padding: 0 0 4px 5px;
  line-height: 1.5em;
}

ol {
  margin: 8px 0 22px 20px;
}

ol li {
  margin: 0 0 11px 0;
}

#main, #logo, #site_content, footer {
  margin-left: auto;
  margin-right: auto;
}

header {
  background: #404040;
  height: 200px;
  border-bottom: 1px solid #FFF;
}

 /* This gives the title and subtitle found on the top of the screen a more modern look, it also changes colour when a mouse hovers over it*/

#logo {
  width: 1000px;
  height: 200px;
  background: transparent url(../images/logo.png) no-repeat right;
  color: #888;
  padding: 0;
}

#logo #logo_text {
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
#logo #logo_text {
  top: 5px;
  left: 0;
}

#logo h1, #logo h2 {
  font: normal 420% 'Yanone Kaffeesatz', arial, sans-serif;
  border-bottom: 0;
  text-transform: none;
  margin: 0;
}

#logo_text h1, #logo_text h1 a, #logo_text h1 a:hover {
  padding: 10px 0 0 0;
  color: #FFF;
  text-decoration: none;
}

#logo_text h1 a .logo_colour {
  color: #09D4FF;
}

#logo_text a:hover .logo_colour {
  color: #FFF;
}

#logo_text h2 {
  font-size: 150%;
  padding: 0 0 0 0;
  color: #A8AA94;
}

nav {
  height: 44px;
  width: 100%;
  margin: -44px auto 0 auto;
  background: transparent url(../images/menubar.png) repeat;
}

#menu_container {
  width: 1000px;
  margin: 0 auto 0 auto;
}

#site_content {
  width: 1000px;
  overflow: hidden;
  margin: 0px auto 0 auto;
  padding: 15px 0 40px 0;
}

#sidebar_container {
  float: right;
  width: 224px;
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
    width: 224px;
}

/* This gives a little box on the right hand side so I can store my links for the external sites*/

.sidebar {
    float: right;
    width: 200px;
    margin: 0 0 17px 0;
    background: #FFF;
    border: 1px solid #eee;
    border-radius: 7px 7px 7px 7px;
    -moz-border-radius: 7px 7px 7px 7px;
    -webkit-border: 7px 7px 7px 7px;
    padding: 0 15px 5px 13px;
}

.sidebar h3, .content h1 {
    padding: 5px 15px 20px 15px;
    font: 250% 'Yanone Kaffeesatz';
    text-shadow:  #ffffff 1px 1px;
    margin: 0 1px;
    color: #777;
}

.sidebar h3 {
    padding: 14px 15px 14px 15px;
    color: #74706E;
    font: 190% 'Yanone Kaffeesatz';
    margin-left: 10px;
}

.sidebar h4 {
    color: #c00000;
}

.sidebar ul {
    margin: 0 0 15px 0;
}

.sidebar li a, .sidebar li a:hover {
    color: #555;
    text-decoration: none;
}

.sidebar li a:hover {
    text-decoration: underline;
}

.sidebar_item, .content_item {
    padding: 15px 0;
}

.content {
```

C:\Users\lbaro\OneDrive\Documents\Highlands College\BTEC Level 3 Extended Diploma in IT\Unit 20 - Web Development\Assignment 3\Assignment 3 CSS.css - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

HomePage.html | whatisvr.html | whatisvrusedfor.html | thedifferenttypesofvr.html | Assignment 3 CSS.css

```
.content {
    text-align: left;
    width: 700px;
    margin: 0 0 15px 0;
    float: left;
    font-size: 120%;
    padding: 14px 0 0 0;
}

.content ul {
    margin: 2px 0 22px 0px;
}

.content ul li, .sidebar ul li {
    list-style-type: none;
    background: url(../images/bullet.png) no-repeat;
    margin: 0 0 0 0;
    padding: 0 0 4px 28px;
    line-height: 1.5em;
}

footer {
    width: 100%;
    font-family: 'lucida sans', sans-serif;
    font-size: 90%;
    height: 60px;
    padding: 20px 0 5px 0;
    text-align: center;
    background: #404040 url(../images/footer.png) repeat-x;
    color: #A8AA94;
    margin: 0 0 0 0;
}


footer p {
    line-height: 1.7em;
    padding: 0 0 10px 0;
}

footer a {
    color: #A8AA94;
    text-decoration: none;
}

footer a:hover {
    color: #FFF;
    text-decoration: none;
}

/* Configuration of menu width */
html body ul.sf-menu ul,html body ul.sf-menu ul li {
    width: 200px;
}

html body ul.sf-menu ul ul {
```



```
/*This gives the navigation buttons a much more modern style*/

ul#nav li a {
  padding:7px 20px 6px 20px;
  font: 170% 'Yanone Kaffeesatz',helvetica,arial,verdana,sans;
  text-shadow: 1px 1px #000;
  text-decoration:none;
  color:#FFF;
  margin-right: 2px;
}

ul#nav li a:hover,ul#nav li a:focus {
  color:#09D4FF;
}
```

This is the proof of functionality for the ‘hover’, below are screenshots I took of my website showcasing that the CSS code for the colour of the font changing colour when the cursor is hovered over the text that it has been assigned by.



The image above is the standard layout of the navigation bar, which includes the title, the subtitle with the real time and each of the navigation buttons to navigate throughout the rest of the website.



In the image above, even though the mouse cursor is not being shown because the screenshot removed it, I am hovering the cursor over the title “VirtualReality” which is changing the blue font in “Reality” into the similar colour font as the “Virtual. The title is also a button which links back to the homepage.



In the image above, I have hovered over the “Home” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “What is VR?” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “What is VR used for?” navigation button, changing the default colour from gray to blue.



In the image above, I have hovered over the “The different types of VR” navigation button, changing the default colour from gray to blue.