SE Lab PC Booking System Test Plan

1. Document Control

Item	Value
Project	SE Lab PC Booking System
System under test	`app/` React/Vite application and `supabase/` backend
Plan owner	SE Lab Booking project team
Primary users	Students, Technicians, Advisors, and the Dean
Required user study	At least 10 real-user sessions
Acceptance model	Technology Acceptance Model (TAM) only
Related backlog	B1–B38 in `.docs/01-requirements/backlog.md`
Target branch	`test/test-plan`
Primary timezone	Asia/Bangkok (UTC+7)
Last reviewed	2026-10-28

This plan is based on the current repository, including the README, implementation plan, requirements, backlog, design documentation, React application, Supabase migrations, database policies, RPC functions, seed data, and automated tests. It is a test plan, not a claim that every test has already been executed in the hosted environment.

2. System Description

The SE Lab PC Booking System lets authenticated university users inspect PC availability and request a computer in the Software Engineering laboratory at Mae Fah Luang University. It supports one-day in-lab use and continuous multi-day remote reservations.

```
Student request → Technician review → selected Advisor review → Dean review →
Approved
Technician request → Advisor review → Dean review → Approved
Advisor request → Dean review → Approved
Dean request → Immediate approval after validation
```

The current implementation includes:

- React 19, Vite 8, React Router 7, and Tailwind CSS 4.
- Google OAuth through Supabase Auth.
- Trusted Student, Technician, Advisor, and Dean roles.
- PostgreSQL profiles, PCs, bookings, and approval events.
- Explicit grants, Row Level Security, and protected RPC functions.
- Per-booking Advisor selection for Student requests.
- Role-specific booking creation and approval routes.
- Week and day PC-availability views.

- One-day bookings from 08:00–18:00 in 15-minute intervals.
- Multi-day remote bookings over complete inclusive date ranges.
- Database-enforced active-booking conflict prevention.
- Requester cancellation with a required reason.
- Technician/Dean PC management and Dean user-role management.
- Student ID extraction from Lamduan email or guarded manual entry.
- Account soft deactivation with a 90-day recovery window.
- English and Thai interface content.

Editing/rebooking, recurring bookings, automatic completion, notifications, check-in/no-show handling, and automatic permanent account deletion are not implemented in the current release.

3. Test Objectives

The test programme will determine whether the system:

1. Allows authenticated users to view reliable PC availability.
2. Requires a Student to select an eligible active Advisor before booking.
3. Stores the selected Advisor on each booking rather than permanently on the Student profile.
4. Routes each requester role through the correct approval stages.
5. Rejects past, invalid, unavailable, and conflicting reservations.
6. Preserves booking, decision, rejection, and cancellation information.
7. Enforces authentication, role boundaries, ownership, and privacy at the database boundary.
8. Supports PC administration, role management, and account recovery.
9. Remains usable on desktop and mobile in English and Thai.
10. Produces usability and acceptance evidence through SUS and TAM.

4. Scope

4.1 In scope

- Google sign-in, callback, session restoration, sign-out, and default Student profile creation.
- Profile identity, role, automatic Lamduan Student ID, and guarded manual ID.
- Active Advisor listing, required Student selection, validation, storage, and independent per-booking attribution.
- PC inventory, operational state, calendar, booking history, and details.
- One-day lab and multi-day remote reservations.
- Bangkok date/time, 15-minute interval, purpose, PC-state, and overlap rules.
- Student, Technician, Advisor, and Dean booking paths.
- Approval, rejection, reasons, wrong-stage denial, and approval history.
- Cancellation of the requester's own active future booking.
- Technician/Dean PC management and Dean role management.
- Soft deactivation, restricted recovery screen, and recovery within 90 days.
- Loading, empty, retry, success, and failure states.
- Responsive layout, keyboard basics, English/Thai wording, and privacy.
- Local migration rebuild, pgTAP, schema lint, frontend tests, lint, and build.

4.2 Out of scope for this release

- Editing or rebooking an existing request.
- Recurring bookings.
- Email or durable in-app notifications.
- Automatic completion, check-in/check-out, and no-show processing.

- Usage analytics and reporting.
- Automatic permanent deletion or pseudonymization.
- Unapproved policy features such as quotas, maximum advance windows, and MFA.

5. Implementation Status, Planned Features and Assumptions

5.1 Implemented features to verify

The implemented backlog covers Google OAuth (B1, with deployment configuration), availability (B2), future booking creation (B3), lab/remote modes (B4), private occupancy (B5), status and reasons (B6), staged review (B7, B8, B34), conflict prevention (B9), anonymous denial (B10), details (B11), decision audit (B12), cancellation (B13), feedback (B15), PC management (B16), role-specific request paths (B20, B21, B35), per-booking Advisor selection (B22), Dean role management (B23), preserved Advisor attribution (B36), and account recovery (B37).

“Implemented” means code and focused checks exist. System, staging, and user evidence are still required before acceptance.

5.2 Planned or deferred features

Rebooking (B14), notifications (B17), configurable limits (B18/B26), recurring reservations (B19), institutional-domain enforcement (B24), MFA (B25), verified manual Student IDs (B27), complete session offboarding (B28), management audit (B29), browser headers (B30), hosted Auth drift control (B31), additional data minimization (B32), PC-status concurrency hardening (B33), and permanent deletion/pseudonymization (B38) remain planned, deployment-dependent, or policy-dependent in this repository state.

5.3 Test assumptions

1. Testing uses synthetic users and bookings, not real Student records.
2. Node.js, npm, Docker, and Supabase CLI dependencies are available.
3. OAuth tests use test-only Google identities and approved callbacks.
4. Asia/Bangkok is authoritative for date/time rules.
5. At least two active Advisor fixtures exist.
6. Each participant receives an isolated or reset test account.
7. Participants never provide real Student IDs, passwords, or booking purposes.
8. TAM is the only acceptance model; SUS is a usability scale.

6. Test Environment and Data

6.1 Environments

Environment	Purpose	Data policy
Local development	Frontend checks, clean rebuild, pgTAP, and diagnosis	Synthetic fixtures only
Staging Supabase/Vercel	OAuth, migration, browser, API, and role workflows	Isolated test accounts and bookings
User-study environment	At least ten observed sessions	One isolated account per participant

Production smoke environment	Non-destructive OAuth and route checks	Approved test accounts; no reset or bulk seed

6.2 Required fixtures

- Student A and Student B with valid Student IDs.
- Student without a Student ID.
- Technician, Advisor Alpha, Advisor Beta, and Dean.
- Deactivated Advisor and users inside/outside the recovery window.
- Available, Maintenance, and Inactive PCs.
- Pending Technician, Pending Advisor, Pending Dean, Approved, Rejected, Cancelled, and Completed bookings.
- One-day and multi-day bookings.
- Overlapping intervals for conflict/concurrency testing.
- Controlled invalid Advisor, date, time, purpose, session, and network cases.

6.3 Data protection controls

- Obtain consent before each user-study session.
- Identify participants as P01–P10 rather than by name.
- Use test Google accounts and synthetic Student IDs.
- Do not collect real passwords, purposes, or university records.
- Record sessions only with separate consent.
- Store study exports in an access-controlled location.
- Delete fixtures according to the approved test-data retention period.
- Never expose OAuth secrets, Supabase secret keys, database passwords, or participant data in source control, screenshots, or logs.

7. Test Levels and Methods

7.1 Static and code-quality verification

Run from the repository root:

```
npm run lint --prefix app
npm test --prefix app
npm run build --prefix app
git diff --check
```

Record the command, date, commit, result, and warnings. The frontend suite has 11 Node tests for mapping, Bangkok dates, time slots, conflict/cancellation rules, and Advisor RPC parameters.

7.2 Unit and component testing

Current unit coverage includes active-status conflicts, database-to-frontend mapping, sanitized calendar rows, Bangkok date boundaries, next bookable slot, past-date behavior, cancellation eligibility, selected Advisor parameters, and Advisor-list mapping.

Additional coverage should target form validation, empty/retry states, role-aware navigation, account recovery, and translation-key parity.

7.3 Database and integration testing

```
npm run supabase:start --prefix app
npm run supabase:reset --prefix app
npm run supabase:test --prefix app
npm run supabase:lint --prefix app
npm run supabase:stop --prefix app
```

Canonical database tests:

- `001_booking_security.test.sql` — 106 assertions.
- `002_account_deletion.test.sql` — 14 assertions.
- `003_booking_advisor_selection.test.sql` — 27 assertions.

The intended canonical total is 147. Duplicate files containing `2.sql` are a known repository issue and are not an additional canonical suite.

7.4 System and end-to-end testing

```
Google sign-in → profile/Student ID → availability → PC/date/time →
selected Advisor → submit → Technician → selected Advisor → Dean →
final status → cancellation when eligible
```

Separate paths cover Technician, Advisor, and Dean requests, reviewer queues, role management, and PC management.

7.5 Security and authorization testing

Test anonymous, expired-session, cross-user, wrong-role, wrong-stage, non-selected Advisor, protected-column, direct-mutation, deactivated-account, and calendar-privacy cases. Requester identity must come from the authenticated session rather than client input.

7.6 Usability and acceptance testing

Conduct the study in Section 10 and collect completion, task time, errors, assistance, observations, SUS, and TAM.

8. Functional Test Cases

ID	Area	Preconditions	Test steps	Expe
AUTH-01	New Google sign-in	Identity has no profile	Sign in and complete callback	Student created opens
AUTH-02	Existing sign-in	Active profile exists	Sign in with same account	Correct opens
AUTH-03	Session restoration	Valid session exists	Reload application	Workspa without
AUTH-04	Sign-out	User is authenticated	Select Sign out	Session login pag

AUTH-05	Protected route	No session	Open `/dashboard` or `/book`	Redirect applicati
AUTH-06	Default role	New Google user	Complete first sign-in	User rec role only
PROF-01	Lamduan ID	New `10digits@lamduan.mfu.ac.th` Student	Sign in and open Profile	ID derive local par
PROF-02	Locked Lamduan ID	Derived ID exists	Save a different ID	Update derived
PROF-03	Manual ID	Non-Lamduan Student has no ID	Save unused 10-digit value	ID persis
PROF-04	Invalid ID	Student profile is open	Submit malformed/duplicate value	Error ap unchang
ADV-01	Advisor list	Student opens booking form	Load dropdown	Only act appear
ADV-02	Required Advisor	Other fields complete	Submit without Advisor	Submiss with vali
ADV-03	Ineligible Advisor	Invalid/non-Advisor/deactivated ID supplied	Submit	Request booking
ADV-04	Valid selection	Active Advisor Alpha selected	Submit valid request	Booking and is Pe Technici
ADV-05	Per-booking choice	Two requests created	Select Alpha then Beta	Each boo own Adv
ADV-06	Load failure	Advisor request fails	Open form and retry	Error/ret submit d loaded
ADV-07	No Advisors	No active Advisor exists	Open form	Empty g Student
BOOK-01	Valid lab booking	Student ID and Advisor exist	Choose free future PC, 09:00–10:00, valid purpose	Lab bool Pending
BOOK-02	Missing ID	Student has no ID	Attempt booking	User mu booking
BOOK-03	Past date	Form open	Select date before Bangkok today	Date reje

BOOK-04	Elapsed slot	Booking today	Select elapsed time	Slot unavailal
BOOK-05	Time interval	Form open	Enter non-15-minute time	Validatio request
BOOK-06	Lab hours	Form open	Use time outside 08:00–18:00	Validatio request
BOOK-07	Time order	Form open	End at/before start	Validatio request
BOOK-08	Multi-day remote	Start tomorrow or later	Select valid range	Inclusive Remote
BOOK-09	Multi-day today	Form open	Start multi-day request today	Request
BOOK-10	Unavailable PC	PC is Maintenance/Inactive	Try selection/submission	PC disab booking
BOOK-11	Purpose	Other fields valid	Submit fewer than five characters	Request
BOOK-12	Overlap	Active booking occupies interval	Submit overlapping request	Second rejected
BOOK-13	Released interval	Prior booking closed	Submit same interval	Booking active co
BOOK-14	Technician request	Technician signed in	Submit valid request	Starts Pe
BOOK-15	Advisor request	Advisor signed in	Submit valid request	Starts Pe
BOOK-16	Dean request	Dean signed in	Submit valid request	Immedia after vali
FLOW-01	Technician approval	Student request Pending Technician	Approve	Becomes Advisor;
FLOW-02	Technician rejection	Student request Pending Technician	Reject with reason	Rejected reason/r retained
FLOW-03	Advisor approval	Request addressed to signed-in Advisor	Approve	Becomes Dean; ev
FLOW-04	Advisor rejection	Request Pending Advisor	Reject with reason	Rejected retained
FLOW-05	Wrong Advisor	Student selected Alpha	Sign in as Beta	Request cannot b

FLOW-06	Technician requester	Technician request Pending Advisor	Advisor approves/rejects	Advance closes R
FLOW-07	Dean approval	Request Pending Dean	Approve	Becomes event re
FLOW-08	Dean rejection	Request Pending Dean	Reject with reason	Becomes reason r
FLOW-09	Wrong stage	Request not at reviewer's stage	Attempt decision	Denied; unchang
FLOW-10	Empty reason	Correct rejection stage	Reject without reason	Blocked; unchang
CAN-01	Owner cancellation	Own active future booking	Enter valid reason and cancel	Cancelle reason/a saved; s
CAN-02	Other requester	Another user owns booking	Attempt cancellation	Denied
CAN-03	Started booking	Start passed	Owner attempts cancellation	Denied
CAN-04	Closed booking	Rejected/completed/cancelled	Attempt cancellation	Denied
CAN-05	Invalid reason	Own eligible booking	Use reason outside 5–2000 characters	Denied; unchang
CAL-01	Week calendar	Authenticated	Open Calendar	Seven Ba and occu
CAL-02	Day timeline	Calendar open	Select date	08:00–1 minute s
CAL-03	Calendar-to-form	Free future interval exists	Select PC/time	Booking prefilled
CAL-04	Authorized detail	User owns/reviews booking	Open occupied block	Full auth opens
CAL-05	Private occupancy	Unrelated booking exists	Inspect block/response	Occupar without
HIST-01	My Bookings	User has records	Open history	Own PC/date/ shown
HIST-02	Decision detail	Booking decided	Open detail	Status a reason s
ADMIN-01	Role update	Dean and target exist	Change target role	Role and update c

ADMIN-02	Unauthorized role update	Non-Dean signed in	Attempt management	Unavaila
ADMIN-03	Dean self-change	Dean selects self	Change own role	Rejectec
PC-01	Add PC	Technician/Dean signed in	Save valid PC fields	PC appe manager
PC-02	Edit PC	Existing PC selected	Change supported fields	Changes
PC-03	Maintenance/inactive	Existing PC	Change status	History r booking
PC-04	Unauthorized PC edit	Student/Advisor signed in	Attempt mutation	Unavaila
ACCT-01	Deactivate	Active user	Confirm danger-zone action	Timestar user sign
ACCT-02	Recovery screen	Deactivated within 90 days	Sign in	Recovery replaces
ACCT-03	Reactivate	Recovery screen open	Confirm reactivation	Account workspa
ACCT-04	Expired recovery	More than 90 days elapsed	Attempt reactivation	Rejectec guidance

9. Non-Functional Test Criteria

Area	Measure	Proposed release criterion
Reliability	Valid submit/review/cancel trials	At least 95% complete without data loss/false success
Data integrity	Workflow, conflict, ownership, audit	100% of critical database cases pass
Security	Anonymous/cross-user/wrong-role/stage	100% rejected without disclosure
Usability	SUS	Median at least 70; investigate scores below 50
Efficiency	Task time	Post-system median improves on 3 of 4 comparable tasks
Effectiveness	Independent completion	At least 80% per core task; no critical privacy error
Accessibility	Keyboard, labels, focus, errors, zoom	No blocking core-flow issue
Compatibility	Current Chrome, Firefox, Safari; mobile/tablet	No blocked core workflow

Performance	Local/staging response	Record p50/p95; investigate ordinary p95 above 2 seconds
Maintainability	Tests, lint, build, reset, pgTAP, schema lint	Pass or documented accepted disposition

Threshold changes must be agreed before data collection and documented.

10. Real-User UAT Study

10.1 Mandatory design

- **Participants:** At least 10 university users, primarily Students who use or could use the SE laboratory.
- **Sessions:** At least 10 valid completed sessions.
- **Duration:** 35–50 minutes each.
- **Mode:** Moderated in person or remote with consent.
- **Design:** Within-subject before/after comparison.
- **Before:** Use a provided manual availability sheet and request form.
- **After:** Complete equivalent tasks in the booking system.
- **Evidence:** Time, completion, errors, assistance, observations, SUS, TAM.

10.2 Participant tasks

Task	Participant instruction	Primary measure
UAT-01	Find an available PC for a specified future date/time	Time, correctness, navigation errors
UAT-02	Submit a one-day request and select the specified Advisor	Completion, field errors, confidence
UAT-03	Find the request and explain its current/next approval stage	Findability, workflow understanding
UAT-04	Find an alternative when the first PC/time is occupied	Time, conflict understanding, recovery
UAT-05	Cancel an eligible request and confirm slot release	Completion, data accuracy, confidence

Optional staff tasks may cover Technician, Advisor, and Dean review plus role and PC management. They supplement rather than replace Student evidence.

10.3 UAT acceptance criteria

1. At least ten valid sessions are complete.
2. No cross-user private-data disclosure occurs.
3. At least 8 of 10 independently complete each mandatory task, or it is classified for redesign.
4. Post-system median is faster than baseline for at least three of four comparable timed tasks.
5. Median SUS is at least 70.
6. TAM thresholds in Section 12 are met or have documented remediation.
7. All critical functional and authorization tests pass.

11. Before/After Measurement Protocol

Record start/end time, independent/assisted/failed outcome, errors, moderator interventions, incorrect PC/date/time/Advisor/workflow interpretation, confidence (1–5), and neutral comments.

```
time_seconds = end_timestamp − start_timestamp
completion_rate = independent_completions / valid_attempts × 100
critical_error_rate = critical_errors / valid_attempts × 100
time_improvement = (baseline_median − post_median) / baseline_median × 100
error_reduction = (baseline_error_rate − post_error_rate) / baseline_error_rate ×
100
```

Critical errors include unnoticed wrong PC/time, private-data disclosure, submission to the wrong Advisor, cancelling the wrong booking, or false success. Report paired results, medians, and interquartile ranges; do not generalise from ten participants.

12. Questionnaires

12.1 SUS questionnaire

Use 1 = Strongly disagree to 5 = Strongly agree.

1. I would like to use the SE Lab PC Booking System frequently.
2. I found the system unnecessarily complex.
3. I thought the system was easy to use.
4. I would need technical support to use it.
5. I found the system functions well integrated.
6. I thought there was too much inconsistency.
7. Most university users would learn it quickly.
8. I found the system cumbersome.
9. I felt confident using it.
10. I needed to learn many things before using it.

For odd items subtract 1; for even items subtract the response from 5. Sum and multiply by 2.5. Report 0–100 scores, median, range, and individual scores. SUS is a usability instrument, not an acceptance model.

12.2 Technology Acceptance Model (TAM) questionnaire

TAM is the only acceptance model. Use 1 = Strongly disagree to 7 = Strongly agree.

Perceived usefulness (PU)

1. The system would improve my ability to reserve an SE Lab PC.
2. It would help me understand PC availability before visiting the lab.
3. It would help me track approval status.
4. It would reduce booking conflicts and uncertainty.

Perceived ease of use (PEOU)

5. Learning the system would be easy.
6. Finding a PC and time would be easy.
7. Submitting and tracking a request would be easy.
8. I would find the system easy to use.

Behavioural intention (BI)

9. I intend to use the system for SE Lab bookings.
10. I would recommend it to other SE Lab users.

Calculate participant PU, PEOU, and BI means, then sample median/range.

- PU median ≥ 5.0/7.
- PEOU median ≥ 5.0/7.
- BI median ≥ 5.0/7.

13. Supporting Templates

13.1 Session cover sheet

```
SE Lab PC Booking System UAT Session
Participant ID: P__
Date:
Moderator:
Mode: in person / remote
Role used: Student / Technician / Advisor / Dean
Device and browser:
Prior SE Lab booking experience: none / low / moderate / high
Consent obtained: yes / no
Recording consent: yes / no / not recorded
Accessibility or language needs:
Environment issues:
```

13.2 Task measurement sheet

```
Participant ID: P__
Task ID:
Condition: BEFORE / AFTER
Start time:
End time:
Time in seconds:
Outcome: independent / assisted / failed
Critical error: yes / no
Other errors and omissions:
Moderator interventions:
Confidence (1–5):
Participant comment:
```

13.3 Observation and issue log

```
Observation ID:
Participant ID:
Task ID:
Timestamp:
Observed behaviour or quote:
```

```
Classification: usability / functional / data / performance / accessibility
Severity: critical / high / medium / low
Reproducible: yes / no / unknown
Related backlog or test case:
Immediate action:
Follow-up owner:
```

- **Critical:** Privacy breach, data loss, wrong-account access, duplicate active booking, or blocked core workflow.
- **High:** Core task requires intervention or gives a materially wrong result.
- **Medium:** Recoverable defect or substantial confusion.
- **Low:** Cosmetic, wording, or minor interaction issue.

13.4 SUS response sheet

```
Participant ID: P__
Use 1–5
Item 1: __  Item 2: __  Item 3: __  Item 4: __  Item 5: __
Item 6: __  Item 7: __  Item 8: __  Item 9: __  Item 10: __
Adjusted total:
SUS score:
```

13.5 TAM response sheet

```
Participant ID: P__
Use 1–7
PU1: __  PU2: __  PU3: __  PU4: __
PEOU1: __  PEOU2: __  PEOU3: __  PEOU4: __
BI1: __  BI2: __
PU mean:
PEOU mean:
BI mean:
Comments explaining low scores:
```

13.6 Exit interview prompts

1. Which task was easiest and why?
2. Which task was hardest or least clear?
3. Was availability easy to understand?
4. Was selecting an Advisor clear?
5. Could you understand the approval stage?
6. Did you trust the privacy of booking details?
7. What should change before real use?
8. Was information missing or misleading?

14. Test Schedule

Week	Activity	Deliverable

1	Confirm scope; prepare local/staging Supabase, fixtures, and consent	Environment checklist and fixtures
1	Run frontend checks, reset, pgTAP, and schema lint	Baseline verification record
2	Execute auth, profile, Advisor, booking, review, cancellation, and admin tests	Integration results and defects
2	Run browser regression for roles, calendar, responsive UI, languages, errors	System-test results
3	Fix/triage blockers and rerun failed critical cases	Retest report
3	Pilot one UAT session without changing thresholds	Pilot notes and protocol
4	Conduct P01–P05 with measurements, SUS, TAM	Five session packets
5	Conduct P06–P10 with the same protocol	Five session packets
6	Analyse results, run final regression/staging smoke, recommend acceptance	Final report

No participant data is collected before environment, consent, and fixtures are approved.

15. Entry and Exit Criteria

15.1 Entry criteria

- Branch and commit identify the test build.
- Frontend dependencies are installed.
- Local/staging Supabase is available and resettable.
- Required environment and OAuth test configuration exist.
- Synthetic accounts, Advisors, PCs, and bookings are validated.
- UAT protocol, consent, questionnaires, and participants are ready.

15.2 Exit criteria

- All critical functional and authorization cases pass.
- Frontend tests, lint, and build pass.
- Clean reset, canonical pgTAP, and schema lint pass.
- Failures are fixed, accepted, deferred with owner, or blocked with reason.
- At least ten valid UAT sessions are complete.
- Before/after measures, SUS, and TAM are recorded.
- No unresolved critical privacy, integrity, or data-loss defect remains.
- Final report documents results, limits, risks, and acceptance decision.

16. Defect Management and Reporting

Each defect includes unique ID, environment/build/migration, actor role and account state, relevant PC/Bangkok time/status/Advisor, reproduction steps, expected/actual result, severity/evidence, backlog/test link, privacy impact, owner, status, and retest result.

The final report separates automated frontend, database/integration, browser/end-to-end, migration/hosted smoke, ten-session UAT, SUS, TAM, and deferred-feature results.

17. Traceability Matrix

Requirement/backlog	Verification coverage
B1, B10	AUTH-01 to AUTH-06; anonymous/protected-route checks
B2, B5	CAL-01 to CAL-05; UAT-01/UAT-04
B3, B4	BOOK-01 to BOOK-09; UAT-02
B6, B11, B15	HIST-01/HIST-02; FLOW cases; UAT-03
B7, B8, B34	FLOW-01 to FLOW-10
B9	BOOK-12/BOOK-13 and concurrent overlap test
B12	Decision-event assertions and history inspection
B13	CAN-01 to CAN-05; UAT-05
B16	PC-01 to PC-04
B20, B21, B35	BOOK-14 to BOOK-16; FLOW-06 to FLOW-08
B22, B36	ADV-01 to ADV-07; BOOK-01; FLOW-03 to FLOW-05
B23	ADMIN-01 to ADMIN-03
B37	ACCT-01 to ACCT-04
B14, B17–B19, B24–B33, B38	Deferred/deployment/policy review
Non-functional quality	Section 9 and browser-system evidence
User acceptance	UAT-01 to UAT-05, SUS, TAM

18. Final Acceptance Record

```
Build/commit:
Migration baseline:
Test period:
Frontend tests/lint/build:
Database reset/pgTAP/lint:
Browser/end-to-end result:
Hosted OAuth/migration smoke result:
Valid real-user sessions: __ / 10 minimum
Core-task completion result:
Before/after measurement result:
Median SUS:
Median TAM PU:
Median TAM PEOU:
Median TAM BI:
Open critical defects:
Known limitations confirmed:
```

```
Acceptance decision: ACCEPT / ACCEPT WITH CONDITIONS / NOT ACCEPTED
Conditions and owners:
Test lead:
Product owner:
Date:
```