VIETSTYLE COMMERCE
SOP-INV-002
CYCLE COUNT PROCEDURE
AND INVENTORY ADJUSTMENT
Phiên b·n v1.0 · 16/10/2026 · Owner: Inventory Manager
TÀI LI·U MÔ PH·NG CHO DATATHON 2026. Các ng··ng v·n hành, lead time, KPI và c·p phê duy·t là ··
xu·t gi· l·p c·n ···c ch· s· h·u nghi·p v· phê duy·t tr··c khi áp d·ng th·c t·. Dataset không xác ··nh
rõ ··n v· ti·n t· và không cung c·p d· li·u PO inbound, t·n kho theo kho ho·c backorder; không dùng k·t
qu· m·u nh· s· li·u t·n kho hi·n hành.
B··c
Required Output
1. Preparation
Danh sách SKU / v· trí, ph·m vi ··m, th·i ·i·m freeze giao d·ch n·u c·n
2. Independent Count
S· l··ng th·c t·; ng··i ··m; th·i gian; ·nh / ghi chú ngo·i l·
3. Reconciliation
Chênh l·ch tuy·t ··i và %, giá tr· ·nh h··ng n·u có
4. Investigation
Nguyên nhân g·c và ch·ng t· liên quan
5. Approval
Ng··i duy·t ··c l·p v·i ng··i ··m / nh·p ·i·u ch·nh
6. Update
·i·u ch·nh có audit trail; thông báo cho Planner n·u ·nh h··ng ROP

1. M·c ·ích và ph·m vi
Áp d·ng cho SKU th·i trang và outdoor trong kho / ·i·m x· lý ··n c·a mô hình VietStyle Commerce. SOP bao
g·m ki·m kê chu k·, ki·m kê theo s· ki·n và ·i·u ch·nh chênh l·ch. Không dùng SOP này ·· thay th· quy trình
nh·n hàng ho·c QA hàng tr· v·.
2. When Is an Ad Hoc Count Required?
· A SKU has a fill rate below 95% or experiences a stockout while the system still records high inventory.
· Both stockout_flag and overstock_flag are enabled; recalculated days of supply exceeds 120 while a stockout signal remains.
· A SKU has recurring variances, high value, suspected loss, barcode errors, or size/color mismatches.
· After a major campaign, warehouse-location change, SKU-code change, large return, or system incident.
3. Preparation Before Counting
· The Inventory Controller exports the SKU list, location, unit of measure, snapshot timestamp, and system quantity.
· Warehouse Supervisor phân công ng··i ··m; ng··i ··m không ···c xem s· l··ng h· th·ng n·u t· ch·c áp
d·ng blind count.
· Freeze transactions at the location being counted or record every transaction occurring during the count window.
· Chu·n b· thi·t b· quét, nhãn cách ly, bi·u m·u ghi nh·n, camera và ph··ng án x· lý hàng ·ang pick / pack /
chuy·n kho.
4. Counting and Reconciliation
· Count by SKU + size + color + location; do not combine similar variants.
· Record actual quantity, unit of measure, counter, timestamp, and packaging condition.
· If a variance exists, have a second person recount before changing the data.
· Reconcile receipts, picks, shipments, returns, transfers, cancellations, and transactions pending synchronization.
· Absolute variance = |counted · system|; variance rate = variance / max(system quantity, 1).
5. Handling Thresholds and Approval

Tình hu·ng	Action t·i thi·u	Ng··i duy·t
No variance	Close ticket; retain audit trail	Warehouse Supervisor
Chênh l·ch nh·, có nguyên nhân rõ và b·ng ch·ng	Recount and document; update after approval	Inventory Controller / Supervisor
Chênh l·ch l·p l·i, giá tr· l·n ho·c v··t ng··ng n·i b·	Hold related transactions; investigate root cause	Inventory Manager + Finance
Nghi ng· gian l·n / m·t mát / hàng gi·	Cách ly SKU, b·o toàn b·ng ch·ng, thông báo	Compliance / Operations
Operations / Compliance		

6. Do Not Automatically Reorder When Data Conflicts
N·u t·n kho tính l·i cho th·y d· hàng trên 120 ngày nh·ng có stockout signal (stockout_days · 1 ho·c
fill_rate < 95%), ·ánh d·u DATA CONFLICT. T·m khóa ·· xu·t PO t· ··ng, ki·m tra t·n kh· d·ng, hàng
gi·, ··n ch·a xu·t, snapshot timestamp và công th·c days of supply. Ch· m· l·i quy·t ··nh b· sung sau
khi Inventory Controller ghi nh·n k·t lu·n.
7. System Update and Ticket Closure
· M·i ·i·u ch·nh ph·i có mã phi·u, policy ID, SKU, s· l··ng tr··c/sau, mã nguyên nhân, b·ng ch·ng, ng··i
nh·p và ng··i duy·t.
· Do not delete old transactions or directly edit source files; use traceable adjustment transactions.

· Notify the Planner when a variance affects ROP, target stock, or order fulfillment capability.
· Close the ticket after approval, successful system synchronization, and exception-report updates.

8. Records Retention

L·u danh sách ··m, k·t qu· recount, ·nh / ch·ng t·, phân tích nguyên nhân, phê duy·t, transaction ID và th·i
·i·m ··ng b· theo th·i h·n l·u h· s· do doanh nghi·p quy ··nh. V·i d· li·u ph·c v· AI/RAG, gi· metadata:
policy_id, owner, effective_date, version, approval_status và source_document.

Minimum Form Fields

Field	N·i dung
Count ID / Date	Mã phi·u / th·i ·i·m ki·m kê
SKU / Size / Color / Location	··nh danh bi·n th· và v· trí
System Qty / Counted Qty	S· h· th·ng / s· ··m th·c t·
Variance / Reason Code	Chênh l·ch / nguyên nhân
Evidence / Counter / Reviewer	B·ng ch·ng / ng··i ··m / ng··i duy·t
Adjustment Transaction ID	Mã giao d·ch ·i·u ch·nh sau duy·t