

Offer Automation

Workflow Reference

Capillary Stage · Brand 27 · north-america.api.capillarytech.com




Run Order

- 1 Fill in Offer details.xlsx**
All three sheets: Offer ID, Attributes to be updated, Content
- 2 node automate.js**
Runs Phase 1 (locale management) then Phase 2 (attributes & content) for every offer ID
- 3 Review the console summary**
P1 and P2 status printed per offer — check for any FAILED rows

Available Scripts

node automate.js
Combined — Phase 1 + Phase 2 for all offer IDs
node createOffer.js
Phase 1 only — locale management for all offer IDs
node updateAttributes.js
Phase 2 only — attributes & content for first offer ID

Flowchart Diagram



Excel Input — Offer details.xlsx

Sheet	Column A	Column B	Column C
Offer ID	Offer IDs (row 2+)	—	—
Attributes to be updated	Attribute name	URL or asset ID	—
Content	Field name	English value	French value

Image Attribute Names

Excel name	API field name	Notes
merchantimage	MERCHANT_IMAGE	If value starts with http !' isExternal:true
small image	OFFER_IMAGE_SMALL	Otherwise treated as internal asset ID
medium image	OFFER_IMAGE_MEDIUM	
large image	OFFER_IMAGE_LARGE	

Locale Routing

Locale	Image update	Text source	vendorName & % replaced
en	Yes	— (no text replacement)	No
en-qc	Yes	English column (Col B)	Yes
en-roc	Yes	English column (Col B)	Yes
fr-qc	Yes	French column (Col C)	Yes
fr-roc	Yes	French column (Col C)	Yes

Text Replacement Rules

Field	Vendor name replaced	% value replaced	Pattern
name	Yes	Yes	X% !' cashbackValue%
shortTitle	Yes	Yes	X% !' cashbackValue%
description	Yes	Yes	X% !' cashbackValue%
termsAndConditions	Yes	No	% values are intentionally preserved

Clone Source Priority (Phase 1)

Priority	Source locale	Used when
1st	en-roc	Always tried first when a locale is missing
2nd	en-qc	Used if en-roc is not present on the reward
3rd	en	Last resort — falls back if neither en-roc nor en-qc exist