HörTech
Kompetenzzentrum für Hörgeräte-Systemtechnik

Measurement protocol Categorical Loudness Scaling

AURITEC

Print date: 25/04/2024

Name, Date of birth (Identifier)	*Stored by*	*Page*
6421, , 25/04/2024 (d1c2542f-07ae-44bb-acc3-6fe2c16cf6ca)		1/4

Profile, Transducer — *Saved on*

Headphones, broadband, binaural (26/03) 4 blocks
Headphones (left: HDA300, right: HDA300)

Remark

Signal group

Single signals

Method — *Stimulus presentation*

Adaptive — 1x

Loudness categories (CU): 0 = not heard , 5 = very soft , 15 = soft , 25 = medium , 35 = loud , 45 = very loud , 50 = extremely loud test



HörTech
Kompetenzzentrum für Hörgeräte-Systemtechnik

Measurement protocol Categorical Loudness Scaling

AURITEC

Print date: 25/04/2024

Name, Date of birth (Identifier)	*Stored by*	*Page*
6421, , 25/04/2024 (d1c2542f-07ae-44bb-acc3-6fe2c16cf6ca)		2/4

Profile, Transducer — *Saved on*

Headphones, broadband, binaural (26/03) 4 blocks
Headphones (left: HDA300, right: HDA300)

Remark

Signal group

Single signals

Method — *Stimulus presentation*

Adaptive — 1x

Loudness categories (CU): 0 = not heard , 5 = very soft , 15 = soft , 25 = medium , 35 = loud , 45 = very loud , 50 = extremely loud test



HörTech
Kompetenzzentrum für Hörgeräte-Systemtechnik

Measurement protocol Categorical Loudness Scaling

AURITEC

Print date: 25/04/2024

Name, Date of birth (Identifier)	*Stored by*	*Page*
6421, , 25/04/2024 (d1c2542f-07ae-44bb-acc3-6fe2c16cf6ca)		3/4

Profile, Transducer — *Saved on*

Headphones, broadband, binaural (26/03) 4 blocks
Headphones (left: HDA300, right: HDA300)

Remark

Signal group

Single signals

Method — *Stimulus presentation*

Adaptive — 1x

Loudness categories (CU): 0 = not heard , 5 = very soft , 15 = soft , 25 = medium , 35 = loud , 45 = very loud , 50 = extremely loud test



HörTech
Kompetenzzentrum für Hörgeräte-Systemtechnik

Measurement protocol Categorical Loudness Scaling

AURITEC

Print date: 25/04/2024

Name, Date of birth (Identifier)	*Stored by*	*Page*
6421, , 25/04/2024 (d1c2542f-07ae-44bb-acc3-6fe2c16cf6ca)		4/4

Profile, Transducer — *Saved on*

Headphones, broadband, binaural (26/03) 4 blocks
Headphones (left: HDA300, right: HDA300)

Remark

Signal group

Single signals

Method — *Stimulus presentation*

Adaptive — 1x

Loudness categories (CU): 0 = not heard , 5 = very soft , 15 = soft , 25 = medium , 35 = loud , 45 = very loud , 50 = extremely loud test