
MATH500


Baseline accuracy: Student 71.60% | Teacher 84.60% (teacher token shares: 0% / 100%)



One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

OlympiadBench


Baseline accuracy: Student 41.69% | Teacher 55.04% (teacher token shares: 0% / 100%)



One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

BBH


Baseline accuracy: Student 43.06% | Teacher 79.81% (teacher token shares: 0% / 100%)



One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

CRUXEval-O


Baseline accuracy: Student 21.88% | Teacher 46.75% (teacher token shares: 0% / 100%)



One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

CRUXEval-I


Baseline accuracy: Student 19.75% | Teacher 50.75% (teacher token shares: 0% / 100%)




One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

HumanEval+

Baseline accuracy: Student 62.80% | Teacher 87.20% (teacher token shares: 0% / 100%)






One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

MBPP+


Baseline accuracy: Student 51.85% | Teacher 72.49% (teacher token shares: 0% / 100%)




One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.

LiveCodeBench

Baseline accuracy: Student 17.71% | Teacher 30.86% (teacher token shares: 0% / 100%)





One threshold per row; aligned panels share the same configuration ordering. Axes zoom to hybrid results.
Stopping rules differ. Token share excludes prompts / discarded drafts and does not measure total compute cost.