Fixed-prefix rollout combinations | Intervention cap = 1

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=1	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	559 (69.88%)	278 (34.75%)	183 (22.88%)	126 (15.75%)	18 (2.25%)	460 (57.50%)	364 (45.50%)	119 (14.88%)
Correct	Correct	Wrong	0 (0.00%)	22 (2.75%)	13 (1.62%)	15 (1.88%)	22 (2.75%)	12 (1.50%)	5 (0.62%)	0 (0.00%)
Correct	Wrong	Correct	47 (5.88%)	38 (4.75%)	109 (13.62%)	23 (2.88%)	82 (10.25%)	35 (4.38%)	23 (2.88%)	19 (2.38%)
Correct	Wrong	Wrong	2 (0.25%)	24 (3.00%)	39 (4.88%)	22 (2.75%)	51 (6.38%)	7 (0.88%)	8 (1.00%)	0 (0.00%)
Wrong	Correct	Correct	50 (6.25%)	62 (7.75%)	131 (16.38%)	57 (7.12%)	17 (2.12%)	46 (5.75%)	70 (8.75%)	29 (3.62%)
Wrong	Correct	Wrong	2 (0.25%)	28 (3.50%)	13 (1.62%)	29 (3.62%)	11 (1.38%)	10 (1.25%)	3 (0.38%)	2 (0.25%)
Wrong	Wrong	Correct	72 (9.00%)	78 (9.75%)	201 (25.12%)	170 (21.25%)	315 (39.38%)	139 (17.38%)	119 (14.88%)	89 (11.12%)
Wrong	Wrong	Wrong	68 (8.50%)	270 (33.75%)	111 (13.88%)	358 (44.75%)	284 (35.50%)	91 (11.38%)	208 (26.00%)	542 (67.75%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 2

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=2	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	533 (66.62%)	268 (33.50%)	182 (22.75%)	133 (16.62%)	27 (3.38%)	447 (55.88%)	362 (45.25%)	122 (15.25%)
Correct	Correct	Wrong	1 (0.12%)	29 (3.62%)	15 (1.88%)	12 (1.50%)	16 (2.00%)	10 (1.25%)	1 (0.12%)	0 (0.00%)
Correct	Wrong	Correct	73 (9.12%)	48 (6.00%)	110 (13.75%)	16 (2.00%)	73 (9.12%)	48 (6.00%)	25 (3.12%)	16 (2.00%)
Correct	Wrong	Wrong	1 (0.12%)	17 (2.12%)	37 (4.62%)	25 (3.12%)	57 (7.12%)	9 (1.12%)	12 (1.50%)	0 (0.00%)
Wrong	Correct	Correct	65 (8.12%)	56 (7.00%)	144 (18.00%)	123 (15.38%)	97 (12.12%)	55 (6.88%)	100 (12.50%)	39 (4.88%)
Wrong	Correct	Wrong	2 (0.25%)	24 (3.00%)	17 (2.12%)	36 (4.50%)	13 (1.62%)	6 (0.75%)	7 (0.88%)	0 (0.00%)
Wrong	Wrong	Correct	57 (7.12%)	84 (10.50%)	188 (23.50%)	104 (13.00%)	235 (29.38%)	130 (16.25%)	89 (11.12%)	79 (9.88%)
Wrong	Wrong	Wrong	68 (8.50%)	274 (34.25%)	107 (13.38%)	351 (43.88%)	282 (35.25%)	95 (11.88%)	204 (25.50%)	544 (68.00%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 3

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=3	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	545 (68.12%)	269 (33.62%)	182 (22.75%)	132 (16.50%)	51 (6.38%)	458 (57.25%)	358 (44.75%)	127 (15.88%)
Correct	Correct	Wrong	1 (0.12%)	26 (3.25%)	13 (1.62%)	6 (0.75%)	10 (1.25%)	12 (1.50%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	61 (7.62%)	47 (5.88%)	110 (13.75%)	17 (2.12%)	49 (6.12%)	37 (4.62%)	29 (3.62%)	11 (1.38%)
Correct	Wrong	Wrong	1 (0.12%)	20 (2.50%)	39 (4.88%)	31 (3.88%)	63 (7.88%)	7 (0.88%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	60 (7.50%)	58 (7.25%)	134 (16.75%)	168 (21.00%)	190 (23.75%)	68 (8.50%)	114 (14.25%)	43 (5.38%)
Wrong	Correct	Wrong	3 (0.38%)	30 (3.75%)	18 (2.25%)	20 (2.50%)	16 (2.00%)	6 (0.75%)	12 (1.50%)	7 (0.88%)
Wrong	Wrong	Correct	62 (7.75%)	82 (10.25%)	198 (24.75%)	59 (7.38%)	142 (17.75%)	117 (14.62%)	75 (9.38%)	75 (9.38%)
Wrong	Wrong	Wrong	67 (8.38%)	268 (33.50%)	106 (13.25%)	367 (45.88%)	279 (34.88%)	95 (11.88%)	199 (24.88%)	537 (67.12%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 4

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=4	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	546 (68.25%)	284 (35.50%)	198 (24.75%)	133 (16.62%)	70 (8.75%)	460 (57.50%)	368 (46.00%)	130 (16.25%)
Correct	Correct	Wrong	0 (0.00%)	24 (3.00%)	11 (1.38%)	0 (0.00%)	11 (1.38%)	12 (1.50%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	60 (7.50%)	32 (4.00%)	94 (11.75%)	16 (2.00%)	30 (3.75%)	35 (4.38%)	19 (2.38%)	8 (1.00%)
Correct	Wrong	Wrong	2 (0.25%)	22 (2.75%)	41 (5.12%)	37 (4.62%)	62 (7.75%)	7 (0.88%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	58 (7.25%)	55 (6.88%)	151 (18.88%)	184 (23.00%)	248 (31.00%)	82 (10.25%)	121 (15.12%)	47 (5.88%)
Wrong	Correct	Wrong	4 (0.50%)	28 (3.50%)	17 (2.12%)	16 (2.00%)	17 (2.12%)	8 (1.00%)	15 (1.88%)	8 (1.00%)
Wrong	Wrong	Correct	64 (8.00%)	85 (10.62%)	181 (22.62%)	43 (5.38%)	84 (10.50%)	103 (12.88%)	68 (8.50%)	71 (8.88%)
Wrong	Wrong	Wrong	66 (8.25%)	270 (33.75%)	107 (13.38%)	371 (46.38%)	278 (34.75%)	93 (11.62%)	196 (24.50%)	536 (67.00%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 5

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=5	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	553 (69.12%)	290 (36.25%)	190 (23.75%)	133 (16.62%)	77 (9.62%)	470 (58.75%)	368 (46.00%)	132 (16.50%)
Correct	Correct	Wrong	0 (0.00%)	24 (3.00%)	12 (1.50%)	0 (0.00%)	11 (1.38%)	5 (0.62%)	1 (0.12%)	0 (0.00%)
Correct	Wrong	Correct	53 (6.62%)	26 (3.25%)	102 (12.75%)	16 (2.00%)	23 (2.88%)	25 (3.12%)	19 (2.38%)	6 (0.75%)
Correct	Wrong	Wrong	2 (0.25%)	22 (2.75%)	40 (5.00%)	37 (4.62%)	62 (7.75%)	14 (1.75%)	12 (1.50%)	0 (0.00%)
Wrong	Correct	Correct	62 (7.75%)	64 (8.00%)	176 (22.00%)	193 (24.12%)	264 (33.00%)	96 (12.00%)	143 (17.88%)	51 (6.38%)
Wrong	Correct	Wrong	1 (0.12%)	30 (3.75%)	13 (1.62%)	16 (2.00%)	11 (1.38%)	5 (0.62%)	9 (1.12%)	8 (1.00%)
Wrong	Wrong	Correct	60 (7.50%)	76 (9.50%)	156 (19.50%)	34 (4.25%)	68 (8.50%)	89 (11.12%)	46 (5.75%)	67 (8.38%)
Wrong	Wrong	Wrong	69 (8.62%)	268 (33.50%)	111 (13.88%)	371 (46.38%)	284 (35.50%)	96 (12.00%)	202 (25.25%)	536 (67.00%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 6

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=6	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	556 (69.50%)	278 (34.75%)	211 (26.38%)	134 (16.75%)	81 (10.12%)	470 (58.75%)	367 (45.88%)	131 (16.38%)
Correct	Correct	Wrong	0 (0.00%)	27 (3.38%)	16 (2.00%)	0 (0.00%)	11 (1.38%)	4 (0.50%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	50 (6.25%)	38 (4.75%)	81 (10.12%)	15 (1.88%)	19 (2.38%)	25 (3.12%)	20 (2.50%)	7 (0.88%)
Correct	Wrong	Wrong	2 (0.25%)	19 (2.38%)	36 (4.50%)	37 (4.62%)	62 (7.75%)	15 (1.88%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	64 (8.00%)	69 (8.62%)	177 (22.12%)	199 (24.88%)	274 (34.25%)	109 (13.62%)	155 (19.38%)	56 (7.00%)
Wrong	Correct	Wrong	4 (0.50%)	39 (4.88%)	13 (1.62%)	16 (2.00%)	11 (1.38%)	6 (0.75%)	14 (1.75%)	7 (0.88%)
Wrong	Wrong	Correct	58 (7.25%)	71 (8.88%)	155 (19.38%)	28 (3.50%)	58 (7.25%)	76 (9.50%)	34 (4.25%)	62 (7.75%)
Wrong	Wrong	Wrong	66 (8.25%)	259 (32.38%)	111 (13.88%)	371 (46.38%)	284 (35.50%)	95 (11.88%)	197 (24.62%)	537 (67.12%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 7

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=7	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	563 (70.38%)	290 (36.25%)	215 (26.88%)	135 (16.88%)	84 (10.50%)	466 (58.25%)	370 (46.25%)	131 (16.38%)
Correct	Correct	Wrong	0 (0.00%)	25 (3.12%)	11 (1.38%)	0 (0.00%)	11 (1.38%)	4 (0.50%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	43 (5.38%)	26 (3.25%)	77 (9.62%)	14 (1.75%)	16 (2.00%)	29 (3.62%)	17 (2.12%)	7 (0.88%)
Correct	Wrong	Wrong	2 (0.25%)	21 (2.62%)	41 (5.12%)	37 (4.62%)	62 (7.75%)	15 (1.88%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	71 (8.88%)	63 (7.88%)	191 (23.88%)	201 (25.12%)	281 (35.12%)	124 (15.50%)	161 (20.12%)	59 (7.38%)
Wrong	Correct	Wrong	4 (0.50%)	35 (4.38%)	14 (1.75%)	16 (2.00%)	11 (1.38%)	4 (0.50%)	23 (2.88%)	6 (0.75%)
Wrong	Wrong	Correct	51 (6.38%)	77 (9.62%)	141 (17.62%)	26 (3.25%)	51 (6.38%)	61 (7.62%)	28 (3.50%)	59 (7.38%)
Wrong	Wrong	Wrong	66 (8.25%)	263 (32.88%)	110 (13.75%)	371 (46.38%)	284 (35.50%)	97 (12.12%)	188 (23.50%)	538 (67.25%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 8

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=8	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	569 (71.12%)	293 (36.62%)	228 (28.50%)	134 (16.75%)	84 (10.50%)	474 (59.25%)	369 (46.12%)	132 (16.50%)
Correct	Correct	Wrong	0 (0.00%)	24 (3.00%)	15 (1.88%)	0 (0.00%)	11 (1.38%)	5 (0.62%)	2 (0.25%)	0 (0.00%)
Correct	Wrong	Correct	37 (4.62%)	23 (2.88%)	64 (8.00%)	15 (1.88%)	16 (2.00%)	21 (2.62%)	18 (2.25%)	6 (0.75%)
Correct	Wrong	Wrong	2 (0.25%)	22 (2.75%)	37 (4.62%)	37 (4.62%)	62 (7.75%)	14 (1.75%)	11 (1.38%)	0 (0.00%)
Wrong	Correct	Correct	78 (9.75%)	74 (9.25%)	194 (24.25%)	201 (25.12%)	285 (35.62%)	137 (17.12%)	166 (20.75%)	63 (7.88%)
Wrong	Correct	Wrong	3 (0.38%)	36 (4.50%)	11 (1.38%)	16 (2.00%)	11 (1.38%)	3 (0.38%)	17 (2.12%)	4 (0.50%)
Wrong	Wrong	Correct	44 (5.50%)	66 (8.25%)	138 (17.25%)	26 (3.25%)	47 (5.88%)	48 (6.00%)	23 (2.88%)	55 (6.88%)
Wrong	Wrong	Wrong	67 (8.38%)	262 (32.75%)	113 (14.12%)	371 (46.38%)	284 (35.50%)	98 (12.25%)	194 (24.25%)	540 (67.50%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 9

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=9	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	577 (72.12%)	294 (36.75%)	229 (28.62%)	133 (16.62%)	84 (10.50%)	477 (59.62%)	373 (46.62%)	129 (16.12%)
Correct	Correct	Wrong	0 (0.00%)	25 (3.12%)	13 (1.62%)	0 (0.00%)	11 (1.38%)	4 (0.50%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	29 (3.62%)	22 (2.75%)	63 (7.88%)	16 (2.00%)	16 (2.00%)	18 (2.25%)	14 (1.75%)	9 (1.12%)
Correct	Wrong	Wrong	2 (0.25%)	21 (2.62%)	39 (4.88%)	37 (4.62%)	62 (7.75%)	15 (1.88%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	82 (10.25%)	76 (9.50%)	205 (25.62%)	201 (25.12%)	287 (35.88%)	138 (17.25%)	170 (21.25%)	66 (8.25%)
Wrong	Correct	Wrong	1 (0.12%)	36 (4.50%)	12 (1.50%)	16 (2.00%)	11 (1.38%)	6 (0.75%)	21 (2.62%)	2 (0.25%)
Wrong	Wrong	Correct	40 (5.00%)	64 (8.00%)	127 (15.88%)	26 (3.25%)	45 (5.62%)	47 (5.88%)	19 (2.38%)	52 (6.50%)
Wrong	Wrong	Wrong	69 (8.62%)	262 (32.75%)	112 (14.00%)	371 (46.38%)	284 (35.50%)	95 (11.88%)	190 (23.75%)	542 (67.75%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.

Fixed-prefix rollout combinations | Intervention cap = 10

k=1, threshold=2 | Count (% of 800 paired continuations per dataset); 100 prefixes, 8 replicate seeds.

Student continuation cap=0	Intervention cap=10	Teacher-only reference Historical, whole question	MATH500 100 prefixes × 8	OlympiadBench 100 prefixes × 8	BBH 100 prefixes × 8	CRUXEval-O 100 prefixes × 8	CRUXEval-I 100 prefixes × 8	HumanEval+ 100 prefixes × 8	MBPP+ 100 prefixes × 8	LiveCodeBench 100 prefixes × 8
Correct	Correct	Correct	571 (71.38%)	293 (36.62%)	242 (30.25%)	134 (16.75%)	84 (10.50%)	483 (60.38%)	374 (46.75%)	134 (16.75%)
Correct	Correct	Wrong	0 (0.00%)	25 (3.12%)	17 (2.12%)	0 (0.00%)	11 (1.38%)	3 (0.38%)	0 (0.00%)	0 (0.00%)
Correct	Wrong	Correct	35 (4.38%)	23 (2.88%)	50 (6.25%)	15 (1.88%)	16 (2.00%)	12 (1.50%)	13 (1.62%)	4 (0.50%)
Correct	Wrong	Wrong	2 (0.25%)	21 (2.62%)	35 (4.38%)	37 (4.62%)	62 (7.75%)	16 (2.00%)	13 (1.62%)	0 (0.00%)
Wrong	Correct	Correct	83 (10.38%)	73 (9.12%)	229 (28.62%)	201 (25.12%)	288 (36.00%)	138 (17.25%)	172 (21.50%)	67 (8.38%)
Wrong	Correct	Wrong	3 (0.38%)	40 (5.00%)	11 (1.38%)	16 (2.00%)	11 (1.38%)	4 (0.50%)	17 (2.12%)	1 (0.12%)
Wrong	Wrong	Correct	39 (4.88%)	67 (8.38%)	103 (12.88%)	26 (3.25%)	44 (5.50%)	47 (5.88%)	17 (2.12%)	51 (6.38%)
Wrong	Wrong	Wrong	67 (8.38%)	258 (32.25%)	113 (14.12%)	371 (46.38%)	284 (35.50%)	97 (12.12%)	194 (24.25%)	543 (67.88%)

Student cap=0 and intervention are matched by prefix + replicate index. Teacher reference is one historical whole-question result per problem, reused across 8 replicates.
This is NOT a three-way same-prefix rollout comparison, NOT pass@8, and NOT 800 independent problems. Paired seeds do not guarantee identical token trajectories.