

Report from Feb 1, 2026, 10:07:04 PM

https://etti.pt/

Analyze

Showing results for URL: <https://etti.pt/en>

[Run with original URL](#)



Discover what your real users are experiencing



No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0-49



50-89



90-100



METRICS

Expand view

First Contentful Paint 1.7 s	Largest Contentful Paint 44.1 s
Total Blocking Time 540 ms	Cumulative Layout Shift 0
Speed Index 6.7 s	

Calendar

Captured at Feb 1, 2026, 10:06 PM GMT-3

Clock

Initial page load

Mobile

Emulated Moto G Power with Lighthouse 13.0.1

Signal


Slow 4G throttling

Network

Single page session

Shield

Using HeadlessChromium 137.0.7151.119 with Ir



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

Render blocking requests — Est savings of 360 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#) [Unscored](#)

etti.pt

1st Party

13.6 KiB

600 ms

...chunks/c958bc65ebcdb565.css (etti.pt)

1.2 KiB

450 ms

URL

Transfer Size

Duration

▲ Legacy Javascript — Est savings of 14 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

etti.pt 1st Party

13.7 KiB

...chunks/aee6c7720838f8a2.js (etti.pt)

13.7 KiB

...chunks/aee6c7720838f8a2.js:1:6066 (etti.pt)

Array.prototype.at

...chunks/aee6c7720838f8a2.js:1:5454 (etti.pt)

Array.prototype.flat

...chunks/aee6c7720838f8a2.js:1:5567 (etti.pt)

Array.prototype.flatMap

...chunks/aee6c7720838f8a2.js:1:5943 (etti.pt)

Object.fromEntries

...chunks/aee6c7720838f8a2.js:1:6201 (etti.pt)

Object.hasOwn

...chunks/aee6c7720838f8a2.js:1:5196 (etti.pt)

String.prototype.trimEnd

URL

Wasted bytes

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call

Total reflow time

...chunks/1b853a0073bff034.js:1:53728 (etti.pt)

593 ms

...chunks/1b853a0073bff034.js:1:59013 (etti.pt)

28 ms

...chunks/1b853a0073bff034.js:1:70953 (etti.pt)

12 ms

...chunks/1b853a0073bff034.js:1:80711 (etti.pt)

15 ms

...chunks/8b886a719f5e2bdb.js:1:4882 (etti.pt)

28 ms

...chunks/8b886a719f5e2bdb.js:6:31893 (etti.pt)

0 ms

Source


Total reflow time

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or

maximum critical path latency: 475 ms

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.
No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 6,748 KiB


Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

etti.pt 1st Party		8,113.4 KiB	6,748.0 KiB
Emergency Lighting			
<h3 class="system-card-title text-4xl md:text-5xl lg:text-6xl xl:text-7xl font-bold t..." ...systems/systemCard2.png (etti.pt)		4,363.6 KiB	3,681.0 KiB
style="background-image:url(/assets/systems/systemCard2.png)">			
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			3,681.0 KiB
Early Detection			
<h3 class="system-card-title			

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Time to first byte0 ms

Subpart**Duration**



VERSÃO EM PORTUGUÊS

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 4.8 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Style & Layout	1,752 ms
Script Evaluation	1,644 ms
Other	1,024 ms
Rendering	254 ms
Script Parsing & Compilation	82 ms
Parse HTML & CSS	14 ms
Category	Time Spent

▲ Reduce JavaScript execution time — 1.6 s

^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

Mobile

Desktop

etti.pt 1st Party	4,463 ms	1,594 ms	42 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	3,203 ms	1,343 ms	23 ms

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	226 ms	6 ms	0 ms
Unattributable	226 ms	6 ms	0 ms

▲

URL

Total CPU Time

Script Evaluation

Script Parse

reduce unused javascript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored

etti.pt 1st Party	108.2 KiB	42.7 KiB
...chunks/aee6c7720838f8a2.js (etti.pt)	69.6 KiB	22.3 KiB
URL	Transfer Size	Est Savings

■

Avoid enormous network payloads — Total size was 18,422 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

URL	Transfer Size
etti.pt 1st Party	18,024.0 KiB
...systems/systemCard4.png (etti.pt)	5,370.4 KiB
...systems/systemCard2.png (etti.pt)	4,364.2 KiB
...systems/systemCard1.png (etti.pt)	3,750.3 KiB
...systems/systemCard3.png (etti.pt)	2,749.7 KiB
...systems/systems-bg.mp4 (etti.pt)	1,517.3 KiB
...chunks/aee6c7720838f8a2.js (etti.pt)	70.3 KiB
/_next/image?url=%2Fassets%2FheroMobile.png&w=750&q=80 (etti.pt)	69.5 KiB
...media/83afe278b6a6bb3c-s.p.3a6ba036.woff2 (etti.pt)	47.9 KiB
...chunks/1b853a0073bff034.js (etti.pt)	45.2 KiB
...chunks/74c9ca46d80a8b03.js (etti.pt)	39.3 KiB

○

Avoid long main-thread tasks — 5 long tasks found

^

URL	Start Time	Duration
etti.pt 1st Party		893 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	3,176 ms	449 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	84,901 ms	241 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	2,401 ms	87 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	2,507 ms	60 ms
...chunks/aee6c7720838f8a2.js (etti.pt)	85,142 ms	56 ms

○ Avoid non-composited animations — 39 animated elements found ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
Design ReportDetailed sizing calculations and technical justification for every... <code><div data-doc-card="true" class="flex flex-col items-center h-full self-end max-w-[500px] w-full rounded..." style="translate: none; rotate: none; scale: none;"></code> Unsupported CSS Property: visibility	
Electrical DatasheetOfficial technical specifications for the electrical instal... <code><div data-doc-card="true" class="flex flex-col items-center h-full self-end max-w-[500px] w-full rounded..." style="translate: none; rotate: none; scale: none;"></code> Unsupported CSS Property: visibility	
Statement of ResponsibilityTechnical statement that guarantees regulatory compl... <code><div data-doc-card="true" class="flex flex-col items-center h-full self-end max-w-[500px] w-full rounded..." style="translate: none; rotate: none; scale: none;"></code> Unsupported CSS Property: visibility	
Go to certification slide 2 <code><button class="h-3 w-3 rounded-full transition-all bg-[#dadada] hover:bg-white/80" aria-label="Go to certification slide 2"></code> Unsupported CSS Property: visibility	
Go to certification slide 1 <code><button class="h-3 w-3 rounded-full transition-all bg-[#EB9948]" aria-label="Go to certification slide 1"></code> Unsupported CSS Property: visibility	
Next certification slide <code><button class="absolute right-4 top-1/2 -translate-y-1/2 z-30 flex h-12 w-12 items-center..." aria-label="Next certification slide"></code>	

Previous certification slide

```
<button class="absolute left-4 top-1/2 -translate-y-1/2 flex h-12 w-12 items-center just..." aria-label="Previous certification slide">
```

Unsupported CSS Property: visibility

Early Detection

```
<h3 class="system-card-title text-4xl md:text-5xl lg:text-6xl xl:text-7xl font-bold t..." style="background-image:url(/assets/systems/systemCard1.png)">
```

Unsupported CSS Property: visibility

Emergency Lighting

```
<h3 class="system-card-title text-4xl md:text-5xl lg:text-6xl xl:text-7xl font-bold t..." style="background-image:url(/assets/systems/systemCard2.png)">
```

Unsupported CSS Property: visibility

Continuous Monitoring

```
<h3 class="system-card-title text-4xl md:text-5xl lg:text-6xl xl:text-7xl font-bold t..." style="background-image:url(/assets/systems/systemCard3.png)">
```

Unsupported CSS Property: visibility

Preventive Maintenance

```
<h3 class="system-card-title text-4xl md:text-5xl lg:text-6xl xl:text-7xl font-bold t..." style="background-image:url(/assets/systems/systemCard4.png)">
```

Unsupported CSS Property: visibility

Icon representing home automation

```
<div class="flex justify-center items-center border-2 border-[hsl(30,50%,70%)] rounded..." style="border-color: rgb(217, 179, 140);">
```

Unsupported CSS Property: box-shadow

Unsupported CSS Property: box-shadow

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



Unsupported CSS Property: border-bottom-color

bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-bottom-color

border-bottom-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

Unsupported CSS Property: border-left-color

border-left-color

[illegible]

[illegible]

[illegible]

	color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: box-shadow

box-shadow

Unsupported CSS Property: visibility

visibility

Unsupported CSS Property: visibility

visibility

Unsupported CSS Property: visibility

visibility

Icon representing technical certification

```

```

Unsupported CSS Property: color

color

Unsupported CSS Property: visibility

visibility

Icon representing safety systems

```

```

Unsupported CSS Property: color

color



Go to service card 3

```
<button class="w-2 h-2 rounded-full transition-all duration-300 scale-110 bg-[#EB9948]"
aria-label="Go to service card 3">
```

Unsupported CSS Property: visibility

visibility

Icon representing safety systems

```
<div class=" service-card-carousel-mobile flex flex-col items-center cursor-po...">
```

Unsupported CSS Property: visibility

visibility

Icon representing home automation

```
<div class=" service-card-carousel-mobile flex flex-col items-center cursor-po...">
```

Unsupported CSS Property: visibility

visibility

Go to service card 4

```
<button class="w-2 h-2 rounded-full transition-all duration-300 bg-white/30" aria-
label="Go to service card 4">
```

Unsupported CSS Property: visibility

visibility

Previous service card

```
<button class="w-10 h-10 flex items-center justify-center rounded-full bg-[#00000080]
bac..." aria-label="Previous service card">
```

Unsupported CSS Property: visibility

visibility

Go to service card 1

```
<button class="w-2 h-2 rounded-full transition-all duration-300 bg-white/30" aria-
label="Go to service card 1">
```

Unsupported CSS Property: visibility

visibility

Icon representing technical certification

```
<div class=" service-card-carousel-mobile flex flex-col items-center cursor-po...">
```

Unsupported CSS Property: visibility

visibility

Next service card

```
<button class="w-10 h-10 flex items-center justify-center rounded-full bg-[#00000080]
bac..." aria-label="Next service card">
```

Unsupported CSS Property: visibility

visibility

Go to service card 2

```
<button class="w-2 h-2 rounded-full transition-all duration-300 bg-white/30" aria-
label="Go to service card 2">
```

Unsupported CSS Property: visibility

visibility

div.w-full > div.relative > div.relative > h3.system-card-title

```
<h3 class="system-card-title font-semibold text-center tracking-[0.05em] leading-tig..."
style="background-image: url(&quot;/assets/systems/systemCard2.png&quot;);">
```

Unsupported CSS Property: visibility

visibility

div.w-full > div.relative > div.relative > h3.system-card-title

```
<h3 class="system-card-title font-semibold text-center tracking-[0.05em] leading-tig..."
style="background-image: url(&quot;/assets/systems/systemCard1.png&quot;);">
```



div.w-full > div.relative > div.relative > h3.system-card-title

```
<h3 class="system-card-title font-semibold text-center tracking-[0.05em] leading-tig..." style="background-image: url("/assets/systems/systemCard4.png");">
```

Unsupported CSS Property: visibility

visibility

div.w-full > div.relative > div.relative > h3.system-card-title

```
<h3 class="system-card-title font-semibold text-center tracking-[0.05em] leading-tig..." style="background-image: url("/assets/systems/systemCard3.png");">
```

Unsupported CSS Property: visibility

visibility

div.flex > div.absolute > div.service-card-carousel-mobile > div.w-full

```
<div class="w-full flex flex-col justify-center items-center font-medium text-center ..." >
```

Unsupported CSS Property: visibility

visibility

div.flex > div.absolute > div.service-card-carousel-mobile > div.w-full

```
<div class="w-full flex flex-col justify-center items-center font-medium text-center ..." >
```

Unsupported CSS Property: visibility

visibility

div.flex > div.flex > div.service-card-carousel-mobile > div.w-full

```
<div class="w-full flex flex-col justify-center items-center font-medium text-center ..." >
```

Unsupported CSS Property: visibility

visibility

Icon representing technical certification

```
<div class="flex flex-col gap-4 w-full justify-center items-center transition-all dura..." >
```

Unsupported CSS Property: visibility

visibility

Icon representing home automation

```
<div class="flex flex-col gap-4 w-full justify-center items-center transition-all dura..." >
```

Unsupported CSS Property: visibility

visibility

Icon representing safety systems

```
<div class="flex flex-col gap-4 w-full justify-center items-center transition-all dura..." >
```

Unsupported CSS Property: visibility

visibility

div.absolute > div.service-card-carousel-mobile > div.flex > div.h-[5px]

```
<div class="h-[5px] w-3/4 bg-[hsl(30,80%,80%)] rounded-full transition-all duration-300" style="" >
```

Unsupported CSS Property: visibility

visibility

Icon representing technical certification

```
<div class="flex justify-center items-center border-2 border-[hsl(30,50%,70%)] rounded..." style="" >
```

Unsupported CSS Property: visibility

visibility


```
<div class="h-[5px] w-3/4 bg-[hsl(30,80%,80%)] rounded-full transition-all duration-300" style="">
```

Unsupported CSS Property: visibility visibility

Icon representing safety systems

```
<div class="flex justify-center items-center border-2 border-[hsl(30,50%,70%)] rounded..." style="">
```

Unsupported CSS Property: visibility visibility

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (15) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

- ▲ Document does not have a main landmark. ▼

These items highlight common accessibility best practices.

AUDIO AND VIDEO

- <video> elements contain a <track> element with [kind="captions"] ▼

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

NOT APPLICABLE (38)

Show



Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate clickjacking with XFO or CSP ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

PASSED AUDITS (13)

Show

NOT APPLICABLE (2)

Show



optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

 Document doesn't have a valid `hreflang`

▼

Format your HTML in a way that enables crawlers to better understand your app’s content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Show

NOT APPLICABLE (2)

Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube