```
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('BERTOULD','24 Rue de la Barre,
59000 Lille');
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('PEUGEOT', '43 Rue Edouard
Delesalle, 59800 Lille');
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('MBK', '11-13 Rue des Arts, 59000
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('MOTOBECANE', '21 Rue Pierre
Legrand, 59800 Lille');
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('GITANE', '166 Rue Léon Gambetta,
59000 Lille');
insert into FOURNISSEUR (RAISON SOCIALE, ADRESSE) values ('RALEIGH', '96 Rue Nationale, 59800
Lille');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values ('AR232', 'guidon');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values ('HD934', 'jante');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values('LP412','cadre');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values('TL683', 'pneu');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values ('GR674', 'plateau');
insert into TYPE PIECE (REFERENCE TYPE PIECE, LIBELLE TYPE PIECE) values('DE524','pignon');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(1, 'BERTOULD', '2006-04-12', '2006-04-18');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(2, 'BERTOULD', '2006-04-17', '2006-04-21');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(3,'PEUGEOT','2006-04-19','2006-04-23');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(4, 'PEUGEOT', '2006-04-29', '2006-05-03');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(5, 'MOTOBECANE', '2006-05-02', '2006-05-08');
insert into COMMANDE (REFERENCE COMMANDE, RAISON SOCIALE, DATE COMMANDE,
DATE LIVRAISON SOUHAITEE) values(6, 'MOTOBECANE', '2006-06-03', '2006-06-08');
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(1,1,'TL683',1,54.20);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(1,2,'LP412',5,23.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(1,3,'AR232',3,64.34);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(1,4,'HD934',2,13.65);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(1,5,'AR232',1,77.54);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE_PIECES_COMMANDEES, PRIX_PIECE) values(2,1,'TL683',6,53.20);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(2,2,'LP412',5,24.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(2,3,'AR232',3,61.34);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(2,4,'HD934',1,15.65);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE_PIECES_COMMANDEES, PRIX_PIECE) values(2,5,'AR232',1,74.54);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(3,1,'TL683',2,56.20);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
```

```
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(3,2,'LP412',1,22.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(3,3,'AR232',3,66.34);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (3,4,'HD934',1,17.65);
insert into LIGNE_COMMANDE (REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE, REFERENCE_TYPE_PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (3,5,'AR232',1,72.54);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(4,1,'TL683',1,57.20);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(4,2,'LP412',5,21.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (4,3,'AR232',3,67.34);
insert into LIGNE_COMMANDE (REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE, REFERENCE_TYPE_PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (4,4,'HD934',1,16.65);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(4,5,'AR232',2,74.54);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (4,6,'LP412',1,21.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(5,1,'TL683',1,57.20);
insert into LIGNE_COMMANDE (REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE, REFERENCE_TYPE_PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (5,2,'LP412',5,27.43);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values(5,3,'AR232',3,68.34);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE PIECES COMMANDEES, PRIX PIECE) values (5,4,'HD934',1,15.65);
insert into LIGNE COMMANDE (REFERENCE COMMANDE, NUMERO LIGNE COMMANDE, REFERENCE TYPE PIECE,
QUANTITE_PIECES_COMMANDEES, PRIX_PIECE) values(5,5,'AR232',1,74.54);
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (111, 1, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(211,2,1,'TL683');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (212, 2, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (213, 2, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (214, 2, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (215, 2, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (216, 2, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(311,3,1,'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values(312,3,1,'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (411, 4, 1, 'TL683');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (511, 5, 1, 'TL683');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(121,1,2,'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (122, 1, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
```

```
REFERENCE TYPE PIECE) values (123, 1, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (124,1,2,'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values(125,1,2,'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (221, 2, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (222, 2, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (223, 2, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (224, 2, 2, 'LP412');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE,
REFERENCE TYPE PIECE) values (225, 2, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values(321,3,2,'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (422, 4, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (423, 4, 2, 'LP412');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE,
REFERENCE TYPE PIECE) values (424, 4, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (425, 4, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (521, 5, 2, 'LP412');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (522, 5, 2, 'LP412');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE,
REFERENCE TYPE PIECE) values (523, 5, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (524, 5, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (525, 5, 2, 'LP412');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values(131,1,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (132, 1, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (133,1,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (134,1,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values(135,1,3,'AR232');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE,
REFERENCE TYPE PIECE) values (231, 2, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (232, 2, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (233, 2, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(234,2,3,'AR232');
insert into PIECE (REFERENCE_PIECE, REFERENCE_COMMANDE, NUMERO_LIGNE_COMMANDE,
REFERENCE_TYPE_PIECE) values(235,2,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (331, 3, 3, 'AR232');
```

```
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (332, 3, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (333, 3, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (334,3,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (335, 3, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (431, 4, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (432, 4, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(433,4,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (434, 4, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (435, 4, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (531, 5, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(532,5,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (533, 5, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (534,5,3,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (535, 5, 3, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(141,1,4,'HD934');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (142, 1, 4, 'HD934');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (241, 2, 4, 'HD934');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (341, 3, 4, 'HD934');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (441, 4, 4, 'HD934');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (541,5,4,'HD934');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (151, 1, 5, 'AR232');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (251, 2, 5, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(351,3,5,'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (451, 4, 5, 'AR232');
insert into PIECE (REFERENCE PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE_TYPE_PIECE) values(551,5,5,'AR232');
insert into PIECE (REFERENCE_PIECE, REFERENCE COMMANDE, NUMERO LIGNE COMMANDE,
REFERENCE TYPE PIECE) values (461, 4, 6, 'LP412');
insert into COMMERCIALISER (RAISON_SOCIALE, REFERENCE_TYPE_PIECE, PRIX_VENTE)
values('BERTOULD', 'AR232', 64.34);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('BERTOULD','HD934',13.65);
```

```
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('BERTOULD', 'LP412', 23.43);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('BERTOULD','TL683',54.20);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE_TYPE_PIECE, PRIX_VENTE)
values('PEUGEOT','AR232',66.34);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('PEUGEOT', 'HD934', 17.65);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('PEUGEOT','LP412',22.43);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('PEUGEOT','TL683',56.20);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE_TYPE_PIECE, PRIX_VENTE)
values('MBK','AR232',66.34);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MBK','HD934',17.65);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MBK','LP412',22.43);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MBK','TL683',56.20);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('GITANE','LP412',22.43);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MOTOBECANE', 'AR232', 68.34);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MOTOBECANE', 'HD934', 15.65);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MOTOBECANE','LP412',27.43);
insert into COMMERCIALISER (RAISON SOCIALE, REFERENCE TYPE PIECE, PRIX VENTE)
values('MOTOBECANE', 'TL683', 57.20);
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('BERTOULD',1,'2006-04-08');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('GITANE',1,'2006-04-08');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('PEUGEOT',1,'2006-04-08');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('PEUGEOT', 3, '2006-04-11');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('RALEIGH',3,'2006-04-11');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('MOTOBECANE', 5, '2006-04-25');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('MOTOBECANE', 6, '2006-05-28');
insert into CONSULTER (RAISON SOCIALE, REFERENCE COMMANDE, DATE DE CONSULTATION)
values('PEUGEOT', 6, '2006-05-28');
```