American Samoa Model Checks

Meg Oshima

2022-08-15

This is a summary report for the APVI base model run.

Model Output

Input Data





Convergence Check

```
##   Converged     MaxGrad
## 1      TRUE 3.08231e-06
```

```
## [1] "1 NOTE:  Max data length bin: 85  < max pop len bins: 94; so will accumulate larger pop len bins
## [2] "2 Minimum pop size bin:_1; is > L at Amin for sex: 1; Gpat: 1; L= 0"
## [3] "3 warning: poor convergence in Fmsy, final dy/dy2= -0.00793234"
## [4] " N parameters are on or within 1% of min-max bound: 1; check results, variance may be suspect"
## [5] "N warnings: 3"
```

Fit to Model

CPUE

```
##
##  Running Runs Test Diagnosics for Index
## Plotting Residual Runs Tests
```




```
##
## Runs Test stats by Index:
## Plotting JABBA residual plot
```

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : Chernobyl! trL>n 6
```

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : Chernobyl! trL>n 6

## Warning in sqrt(sum.squares/one.delta): NaNs produced
```




```
##
## RMSE stats by Index:
```

Length Comp

#Factor	Fleet	New_Var_adj	Type	Name
4	1	0.106439	len	FISHERY

```
##
##  Running Runs Test Diagnosics for Mean length
## Plotting Residual Runs Tests

##
## Runs Test stats by Mean length:

##     Index runs.p   test  sigma3.lo sigma3.hi type
## 1 FISHERY      0 Failed -0.1132924 0.1132924  len
```

```
## Plotting JABBA residual plot
```




```
##
## RMSE stats by Index:

##    indices RMSE.perc nobs
## 1  FISHERY       7.6   14
## 2 Combined       7.6   14
```


FISHERY (whole catch)
Mean length
60
55
50
45
40
2005
2010
2015
2020
Year


FISHERY
Sum of N adj.=1412.1
Sum of N eff.=520.6
Proportion
0.25
0.20
0.15
0.10
0.05
0.00
10
20
30
40
50
60
70
80
90
Length (cm)



Retrospective and Hindcasting

Retrospective

```
## Plotting Retrospective pattern
```

```
##
## Mohn's Rho stats, including one step ahead forecasts:
## Plotting Retrospective pattern
```




```
##
## Mohn's Rho stats, including one step ahead forecasts:

##   type     peel          Rho  ForecastRho
## 1    F     2020 0.0527939515 0.0529898255
## 2    F     2019 0.1596800272 0.1874511167
## 3    F     2018 0.0001044998 0.0001055591
## 4    F Combined 0.0708594928 0.0801821671
```

Hindcasting

```
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
##  Computing MASE with only 2 of 3  prediction residuals for Index FISHERY
##
##  Warning:  Unequal spacing of naive predictions residuals may influence the interpretation of MASE
```




```
##
## MASE stats by Index:
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
##  Computing MASE with only 2 of 3  prediction residuals for Index FISHERY
##
##  Warning:  Unequal spacing of naive predictions residuals may influence the interpretation of MASE

##
## MASE stats by Index:
```



Recruitment Deviations

```
## Skipped SSplotrecdevs - no rec devs estimated
```

Likelihood Profile

```
## [1] "SR_LN"
```

```
## Parameter matching profile.string=SR_LN: SR_LN(R0)
```

```
## Parameter values (after subsetting based on input 'models'): 0.5, 0.7, 0.9, 1.1, 1.3, 0.614098
```

```
##
## Likelihood components showing max change as fraction of total change.
## To change which components are included, change input 'minfraction'.
```

```
##                      frac_change include                          label
## TOTAL                     1.0000    TRUE                          Total
## Catch                     0.0249    TRUE                          Catch
## Equil_catch               0.0012   FALSE               Equilibrium catch
## Survey                    0.0546    TRUE                     Index data
## Length_comp               0.9193    TRUE                   Length data
## Recruitment               0.0000   FALSE                    Recruitment
```

```
## InitEQ_Regime             0.0000   FALSE Initital equilibrium recruitment
## Forecast_Recruitment      0.0000   FALSE             Forecast recruitment
## Parm_priors               0.0000   FALSE                           Priors
## Parm_softbounds           0.0000   FALSE                      Soft bounds
## Parm_devs                 0.0000   FALSE             Parameter deviations
## Crash_Pen                 0.0000   FALSE                    Crash penalty
```

```
## Parameter matching profile.string = 'SR_LN': 'SR_LN(R0)
## Parameter values (after subsetting based on input 'models'): 0.5, 0.7, 0.9, 1.1, 1.3, 0.614098,
```

```
## Fleet-specific likelihoods showing max change as fraction of total change.
## To change which components are included, change input 'minfraction'.
##                         frac_change include
## prof.table....c.1.3..           1    TRUE
```





Management Quantities

```
##
##  starter.sso with Bratio: SSB/SSBMSY and F: _abs_F
##
```




```
##
## Plot Comparison of stock
```




```
##
## Plot Comparison of harvest
```




```
##
## Plot Comparison of SSB
```




```
##
## Plot Comparison of F
```


MVLN
Fishing Mortality (F)
0.0
0.2
0.4
0.6
0.8
1970
1980
1990
2000
2010
2020
Year

```
## RStudioGD
##         2
```

Jitter




Spawning biomass (t)
0
2
4
6
8
10
12
1970
1980
1990
2000
2010
2020
Year
model 1
model 2
model 3


model 1
model 2
model 3
abs F; with F=sum(full Fs)
0.0
0.2
0.4
0.6
0.8
1970
1980
1990
2000
2010
2020
Year


model 1
model 2
model 3
Age−0 recruits (1,000s)
0.0
0.5
1.0
1.5
1970
1980
1990
2000
2010
2020
Year