




Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Sat Jul 09 09:29:02 2022
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)




Age (yr)






























Selectivity




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)




Spawning biomass (mt)




Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}







Summary biomass (mt)





Age-0 recruits (1,000s)






Summary Fishing Mortality






Log recruitment deviation





Log recruitment deviation





Recruitment deviation variance

Asymptotic standard error estimate













Log recruitment deviation










Observed and expected Landings (mt)






SPR






Fishing intensity: 1-SPR



Fishing intensity: 1-SPR




Relative spawning output: B/B_{MSY}


Index



Index




Expected index





Log index





Log index


































Deviation








Age















FISHERY

Sum of N adj.=1459.1














FISHERY (whole catch)















Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



LnQ_base_SURVEY2(2)



Parameter value