


Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Tue Jul 12 11:31:08 2022
Data_File: data.ss
Control_File: control.ss

Length (cm, beginning of the year)



Age (yr)















Fecundity



Fecundity




Spawning output







Selectivity




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)




Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality







Log recruitment deviation





Log recruitment deviation





Recruitment deviation variance





















Observed and expected Landings (mt)






SPR







Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index




Index








Log index





Log index





































Standardized index


















FISHERY


• 0.01 ○ 0.2 ○ 0.4




Proportion





Length (cm)




FISHERY (whole catch)








Proportion




Length (cm)

Length (cm)





Effective sample size





Observed sample size


FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



LnQ_base_SURVEY2(2)



Parameter value