Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Tue Aug 16 11:16:16 2022
Data_File: data.ss
Control_File: control.ss


Females
Males
Length (cm, beginning of the year)
0
10
20
30
40
0
5
10
15
20
25
30
Age (yr)


Age (yr)
0
5
10
15
20
25
30
Females
Males
Length (cm, beginning of the year)
40
30
20
10
0
CV of lengths
0.04
0.02
0
CV of lengths
Age (yr)
CV of lengths
0
0.02
0.04
0.0
0.5
1.0
1.5
SD of lengths
SD of lengths
1.0
0.0
Length (cm, beginning of the year)


Age (yr)
Mean weight
Length (cm, beginning of the year)
Females
Males
Frac. mature
Age (yr)


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Length
0
10
20
30
40
0
5
10
15
20
25
30
Age


Females
Males
Mean weight (kg) in last year
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
Length (cm)


Females
Males
Mean weight (kg) in last year
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
Length (cm)


1.0
0.8
0.6
0.4
0.2
0.0
Maturity
0
10
20
30
40
Length (cm)


Egg output proportional to spawning biomass
Eggs per kg
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.5
1.0
1.5
Female weight (kg)


2.0
1.5
1.0
0.5
0.0
Fecundity
0.0
0.5
1.0
1.5
Female weight (kg)


Fecundity
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
Female length (cm)


2.0
1.5
1.0
0.5
0.0
Spawning output
0
10
20
30
40
Length (cm)


Spawning output
1.2
1.0
0.8
0.6
0.4
0.2
0.0
0
5
10
15
20
25
30
Age (yr)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
Age (yr)
FISHERY (f)
FISHERY (f)
FISHERY (f)
FISHERY (m)
FISHERY (m)
FISHERY (m)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Length (cm)
0
10
20
30
40
0
5
10
15
20
25
30
Age (yr)
0.8
0.6
0.4


Length (cm)
0
10
20
30
40
0
5
10
15
20
25
30
Age (yr)
0.8
0.6
0.4


Spawning biomass (mt)
0.0
0.5
1.0
1.5
2.0
2.5
1970
1980
1990
2000
2010
2020
Year


Spawning biomass (mt)
0.0
0.5
1.0
1.5
2.0
2.5
1970
1980
1990
2000
2010
2020
Year


Relative spawning biomass: B/B_MSY
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1970
1980
1990
2000
2010
2020
Year


Relative spawning biomass: B/B_MSY
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1970
1980
1990
2000
2010
2020
Year


Total biomass (mt)
0
1
2
3
4
5
6
7
1970
1980
1990
2000
2010
2020
Year


Summary biomass (mt)
0
1
2
3
4
5
6
7
1970
1980
1990
2000
2010
2020
Year


Age−0 recruits (1,000s)
0.0
0.5
1.0
1.5
2.0
1970
1980
1990
2000
2010
2020
Year


Age−0 recruits (1,000s)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1970
1980
1990
2000
2010
2020
Year


Summary Fishing Mortality
0
1
2
3
4
1970
1980
1990
2000
2010
2020
Year


Spawning biomass (mt)
0.0
0.5
1.0
1.5
2.0
2.5
1970
1980
1990
2000
2010
2020
Year
equilibrium
without fishing
with fishing


Recruitment (1,000s)
0.0
0.5
1.0
1.5
2.0
2.5
Spawning biomass (mt)
0.0
0.5
1.0
1.5
2.0
2.5
Exp. recruitment
Exp. recruitment after bias adj.
Estimated recruitments
Unfished equilibrium


Recruitment (1,000s)
0.0
0.5
1.0
1.5
2.0
2.5
Spawning biomass (mt)
0.0
0.5
1.0
1.5
2.0
2.5
2021
1967
Exp. recruitment
Exp. recruitment after bias adj.
Estimated recruitments
Unfished equilibrium


Landings (mt)
0.0
0.5
1.0
1.5
1970
1980
1990
2000
2010
2020
Year


Landings (mt)
0.0
0.5
1.0
1.5
1970
1980
1990
2000
2010
2020
Year


FISHERY
FISHERY obs.
Observed and expected Landings (mt)
0.0
0.5
1.0
1.5
1970
1980
1990
2000
2010
2020
Year


Continuous F
0.0
0.5
1.0
1.5
2.0
1970
1980
1990
2000
2010
2020
Year


SPR
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


Fishing intensity: 1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1970
1980
1990
2000
2010
2020
Year


Fishing intensity: 1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Relative spawning output: B/B_MSY
1990
2000
2010
2020
2021
1980
1967
1970


Index
0.0
0.5
1.0
1.5
2.0
2016
2017
2018
2019
2020
Year


Index
0.0
0.5
1.0
1.5
2.0
2016
2017
2018
2019
2020
Year


Expected index
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.0
0.2
0.4
0.6
0.8
Observed index


Log index
0
−1
−2
−3
2016
2017
2018
2019
2020
Year


Log index
0
−1
−2
−3
2016
2017
2018
2019
2020
Year


Log expected index
−0.55
−0.56
−0.57
−0.58
−0.59
−1.5
−1.0
−0.5
Log observed index


Residual
1.5
1.0
0.5
0.0
−0.5
−1.5
2016
2017
2018
2019
2020
Year


Deviation
1.0
0.5
0.0
−0.5
−1.0
2016
2017
2018
2019
2020
Year


FISHERY
Standardized index
0.0
0.5
1.0
1.5
2015
2016
2017
2018
2019
2020
2021
Year


0.1
2
30
25
20
15
10
5
0
Age
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


0.1
2
30
25
20
15
10
5
0
Age
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


Mean age (yr)
0
1
2
3
4
5
1970
1980
1990
2000
2010
2020
Year
Females
Males


0.1
2
30
25
20
15
10
5
0
Age
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


0.1
2
30
25
20
15
10
5
0
Age
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


Mean age (yr)
0
1
2
3
4
5
1970
1980
1990
2000
2010
2020
Year
Females
Males


Age
Year
0
5
10
15
20
25
30
1970
1980
1990
2000
2010
2020
0.5
0.51
0.52
0.53
0.54
0.55
0.56
0.57
0.58
0.59


100
300
500
Length
Year
0
10
20
30
40
50
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021


100
300
500
Length
Year
0
10
20
30
40
50
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021


Mean length (cm)
0
5
10
15
20
25
1970
1980
1990
2000
2010
2020
Year
Females
Males


100
300
500
Length
Year
0
10
20
30
40
50
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021


100
300
50
40
30
20
10
0
Length
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021
Year


Mean length (cm)
0
5
10
15
20
25
1970
1980
1990
2000
2010
2020
Year
Females
Males


Length
10
20
30
40
0.1
0.2
0.3
0.5
0.4
0.6
0.5
0.5
0.6
0.5
0.7
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.1
0.2
1970
1980
1990
2000
2010
2020
Year


Females
Males
Numbers at age at equilibrium
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
Age


FISHERY
Sum of N adj.=98.6
Proportion
0.00
0.05
0.10
0.15
15
20
25
30
35
40
Length (cm)

FISHERY
0.01
0.15
0.25
Length (cm)
40
38
36
34
32
30
28
26
24
22
20
18
16
2009
2012
2015
2017
Year


2007
N adj.=15.4
2009
N adj.=12.4
2012
N adj.=20.7
2015
N adj.=20.3
2017
N adj.=18.8
2018
N adj.=11
Proportion
0.25
0.20
0.15
0.10
0.05
0.00
15
20
25
30
35
40
Length (cm)


0.01
0.15
0.25
Length (cm)
40
36
32
28
24
20
16
2007
2009
2012
2015
2017
Year


FISHERY (whole catch)
Mean length
32
30
28
26
2008
2010
2012
2014
2016
2018
Year


FISHERY
Sum of N adj.=98.6
Sum of N eff.=374
Proportion
0.00
0.05
0.10
0.15
15
20
25
30
35
40
Length (cm)


FISHERY
−2
0.1
2
Length (cm)
40
38
36
34
32
30
28
26
24
22
20
18
16
2009
2012
2015
2017
Year


2007
N adj.=15.4
N eff.=44.9
2009
N adj.=12.4
N eff.=28.4
2012
N adj.=20.7
N eff.=91.6
2015
N adj.=20.3
N eff.=60.5
2017
N adj.=18.8
N eff.=90.3
2018
N adj.=11
N eff.=58.3
Proportion
0.00
0.10
0.20
15
20
25
30
35
40
Length (cm)


−2
0.1
2
Length (cm)
40
36
32
28
24
20
16
2007
2009
2012
2015
2017
Year


Effective sample size
0
20
40
60
80
100
0
5
10
15
20
Observed sample size
harmonic mean
arithmetic mean
2017
2012
2018
2015
2007
2009


FISHERY (whole catch)
Mean length
32
30
28
26
2008
2010
2012
2014
2016
2018
Year


Equilibrium yield (mt)
0.0
0.1
0.2
0.3
0.0
0.2
0.4
0.6
0.8
1.0
Fraction unfished


Equilibrium yield (mt)
0.0
0.1
0.2
0.3
0.0
0.2
0.4
0.6
0.8
1.0
Fraction unfished
MSY
B target
SPR target
Current


Surplus production (mt)
0.0
0.1
0.2
0.3
0.4
0
1
2
3
4
5
6
7
Total biomass (mt)


Yield per recruit (kg)
0.00
0.10
0.20
1970
1980
1990
2000
2010
2020
Year


Catches
FISHERY
Abundance indices
FISHERY
Length compositions
FISHERY
1965
1975
1985
1995
2005
2015
Year


Catches
FISHERY
Abundance indices
FISHERY
Length compositions
FISHERY
1965
1975
1985
1995
2005
2015
Year


SR_LN(R0)
prior
max. likelihood
1
2
3
4
5
Size_inflection_FISHERY(1)
16
18
20
22
24
26
28
30
InitF_seas_1_flt_1FISHERY
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Size_95%width_FISHERY(1)
0
2
4
6
8
10
12
14
LnQ_base_FISHERY(1)
−4
−2
0
2
4
Q_extraSD_FISHERY(1)
0.0
0.5
1.0
1.5
2.0
Density
Parameter value