





Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Wed Aug 10 16:38:18 2022
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)









































































Fecundity




Fecundity




Spawning output




Spawning output




Selectivity




Selectivity




Selectivity





Selectivity




Length (cm)













Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality







Log recruitment deviation





Log recruitment deviation




Recruitment deviation variance










Recruitment (1,000s)





Log recruitment deviation














SPR




1-SPR




Fishing intensity: 1-SPR



Fishing intensity: 1-SPR





Index





Year


Index
















Residual



















































Numbers at age at equilibrium









Proportion





Length (cm)




FISHERY (whole catch)









Proportion




Length (cm)





Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



Q_extraSD_FISHERY(1)



Parameter value