

American Samoa Model Checks



Meg Oshima

2022-08-12

This is a summary report for the PRZO base model run.

Model Output

Input Data



Convergence Check


```
## Converged      MaxGrad
## 1      TRUE 2.59573e-05
```

```
## [1] "1 catch is 0.0 in endyr; this can cause problem in the benchmark and forecast calculations"
## [2] "2 NOTE: Max data length bin: 40 < max pop len bins: 44; so will accumulate larger pop len bins"
## [3] "3 warning: poor convergence in Fmsy, final dy/dy2= -0.0167901"
## [4] " N parameters are on or within 1% of min-max bound: 1; check results, variance may be suspect"
## [5] "N warnings: 3"
```

Fit to Model

CPUE

```
##
## Running Runs Test Diagnostics for Index
## Plotting Residual Runs Tests
```



```
##
## Runs Test stats by Index:
## Plotting JABBA residual plot
```


```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : span too small.
## fewer data values than degrees of freedom.
```

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : pseudoinverse used
## at 2016.5

## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : neighborhood radius
## 2.02

## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : reciprocal
## condition number 0

## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : There are other
## near singularities as well. 4.0804
```



```
##
## RMSE stats by Index:
```

Length Comp

#Factor	Fleet	New_Var_adj	Type	Name
4	1	0.335462	len	FISHERY

```
##
## Running Runs Test Diagnostics for Mean length
## Plotting Residual Runs Tests
```

```
##
## Runs Test stats by Mean length:

##      Index runs.p  test  sigma3.lo sigma3.hi type
## 1 FISHERY  0.063 Passed -0.1105795 0.1105795  len

## Plotting JABBA residual plot


## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : span too small.
## fewer data values than degrees of freedom.

## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : pseudoinverse used
## at 2007.5

## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : neighborhood radius
## 5.05


## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : reciprocal
## condition number 0


## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : There are other
## near singularities as well. 25.502
```




```
##
## RMSE stats by Index:

##   indices RMSE.perc nobs
## 1 FISHERY      3.7     5
## 2 Combined      3.7     5
```







Retrospective and Hindcasting


Retrospective

Plotting Retrospective pattern

##

Mohn's Rho stats, including one step ahead forecasts:

Plotting Retrospective pattern




```
##
## Mohn's Rho stats, including one step ahead forecasts:
```

##	type	peel	Rho	Forecast	Rho
## 1	F	2020	3.487454e-04		NaN
## 2	F	2019	-1.823120e-04	0.001505112	
## 3	F	2018	0.000000e+00	0.000000000	
## 4	F Combined		5.547782e-05		NaN

Hindcasting

```
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
## Computing MASE with only 2 of 3 prediction residuals for Index FISHERY
##
##Warning: Unequal spacing of naive predictions residuals may influence the interpretation of MASE
```



```
##
## MASE stats by Index:
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
## No observations in evaluation years to compute prediction residuals for Index FISHERY
##
## MASE stats by Index:
```

Recruitment Deviations

```
## Skipped SSplotrecdevs - no rec devs estimated
```

Likelihood Profile

```
## [1] "SR_LN"
```

```
## Parameter matching profile.string=SR_LN: SR_LN(R0)
```

```
## Parameter values (after subsetting based on input 'models'): 0.2, 0.4, 0.6, 0.8, 1, 1.2, 1.4, 1.6, 0
```

```
##
## Likelihood components showing max change as fraction of total change.
## To change which components are included, change input 'minfraction'.
```

##	frac_change	include	label
## TOTAL	1.0000	TRUE	Total
## Catch	1.2877	TRUE	Catch
## Equil_catch	0.0001	FALSE	Equilibrium catch
## Survey	0.0368	TRUE	Index data
## Length_comp	1.2529	TRUE	Length data
## Recruitment	0.0000	FALSE	Recruitment
## InitEQ_Regime	0.0000	FALSE	Initital equilibrium recruitment
## Forecast_Recruitment	0.0000	FALSE	Forecast recruitment
## Parm_priors	0.0000	FALSE	Priors
## Parm_softbounds	0.0000	FALSE	Soft bounds
## Parm_devs	0.0000	FALSE	Parameter deviations
## Crash_Pen	0.0000	FALSE	Crash penalty


Parameter matching profile.string = 'SR_LN': 'SR_LN(R0)

Parameter values (after subsetting based on input 'models'): 0.2, 0.4, 0.6, 0.8, 1, 1.2, 1.4, 1.6, 0


Fleet-specific likelihoods showing max change as fraction of total change.

To change which components are included, change input 'minfraction'.

##	frac_change	include
## prof.table....c.1.3..	1	TRUE




Changes in survey likelihood by fleet




Management Quantities


```
##  
## starter.sso with Bratio: SSB/SSBMSY and F: _abs_F  
##
```




Plot Comparison of stock




```
##  
## Plot Comparison of harvest
```



Plot Comparison of SSB



```
##  
## Plot Comparison of F
```

```
## RStudioGD  
## 2
```

Jitter

