


Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Fri Aug 12 16:34:28 2022
Data_File: data.ss
Control_File: control.ss

Length (cm, beginning of the year)







































Fecundity



Fecundity



Spawning output

3

2

1

0

0

10


20

30

40

50

Length (cm)






Hermaphroditism transition rate




Fraction females by age at equilibrium



Selectivity




Selectivity





Age (yr)


Selectivity





Selectivity















Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality








Recruitment (1,000s)





Recruitment (1,000s)














SPR







Fishing intensity: 1-SPR



Fishing intensity: 1-SPR




Index





Year


Index




Year













Residual





Deviation














Age







Age

0
2
4
6
8
10
12
14

1970

1980


1990


2000


2010


2020


Year


























FISHERY

Sum of N adj.=368.8







Proportion




Length (cm)




FISHERY (whole catch)








Proportion




Length (cm)


Length (cm)





Effective sample size





FISHERY (whole catch)



















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



Q_extraSD_FISHERY(1)



Parameter value