

Plots created using the 'r4ss' package in R  
Stock Synthesis version: 3.30.19.0  
StartTime: Fri Sep 02 10:36:07 2022  
Data\_File: data.ss  
Control\_File: control.ss


Length (cm, beginning of the year)




























Fecundity



Fecundity

20

15

10

5

0

0

20

40

60


80

100

Female length (cm)




Spawning output






Spawning output




Selectivity




Selectivity




Selectivity










Relative spawning biomass:  $B/B_{MSY}$






Relative spawning biomass:  $B/B_{MSY}$












Age-0 recruits (1,000s)




Summary Fishing Mortality





















SPR




1-SPR



Fishing intensity: 1-SPR



Fishing intensity: 1-SPR






Index



Year





Log index

3.0  
2.5  
2.0  
1.5  
1.0  
0.5  
0.0

2016

2017


2018

2019


2020


2021

Year




Log index



























# FISHERY


Sum of N input=970.8








Proportion



Length (cm)



FISHERY (whole catch)




# FISHERY

Sum of N input=970.8  
Sum of N adj.=765






Proportion




Length (cm)




FISHERY (whole catch)






















SR\_LN(R0)




ln(DM\_theta)\_1




LnQ\_base\_FISHERY(1)



Size\_inflection\_FISHERY(1)



Size\_95%width\_FISHERY(1)



Density

Parameter value