Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Fri Jul 22 08:48:54 2022
Data_File: data.ss
Control_File: control.ss


Females
Males
Length (cm, beginning of the year)
0
10
20
30
40
0
5
10
15
Age (yr)


Age (yr)
0
5
10
15
Females
Males
Length (cm, beginning of the year)
40
30
20
10
0
CV of lengths
0.08
0.04
0
Age (yr)
CV of lengths
0
0.02
0.06
0.0
1.0
2.0
SD of lengths
2.0
1.0
0.0
SD of lengths
Length (cm, beginning of the year)


Age (yr)
Mean weight
Length (cm, beginning of the year)
Females
Males
Frac. mature
Age (yr)


Length
0
10
20
30
40
0
5
10
15
Age


Length
0
10
20
30
40
0
5
10
15
Age


Length
0
10
20
30
40
0
5
10
15
Age


Length
0
10
20
30
40
0
5
10
15
Age


Females
Males
1.5
1.0
0.5
0.0
Mean weight (kg) in last year
0
10
20
30
40
Length (cm)


Females
Males
1.5
1.0
0.5
0.0
Mean weight (kg) in last year
0
10
20
30
40
Length (cm)


1.0
0.8
0.6
0.4
0.2
0.0
Maturity
0
10
20
30
40
Length (cm)


Egg output proportional to spawning biomass
Eggs per kg
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.5
1.0
1.5
Female weight (kg)


Fecundity
0.0
0.5
1.0
1.5
0.0
0.5
1.0
1.5
Female weight (kg)


Fecundity
0.0
0.5
1.0
1.5
0
10
20
30
40
Female length (cm)


Spawning output
1.5
1.0
0.5
0.0
0
10
20
30
40
Length (cm)


Spawning output
0.0
0.1
0.2
0.3
0.4
0.5
0
5
10
15
Age (yr)


Hermaphroditism transition rate
1.0
0.8
0.6
0.4
0.2
0.0
0
5
10
15
Year


Fraction females by age at equilibrium
1.0
0.8
0.6
0.4
0.2
0.0
0
5
10
15
Age (yr)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
Age (yr)
FISHERY (f)
FISHERY (m)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
Length (cm)


Length (cm)
0
10
20
30
40
0
5
10
15
Age (yr)
1
0.8
0.6
0.4
0.2


Length (cm)
0
10
20
30
40
0
5
10
15
Age (yr)
1
0.8
0.6
0.4


Spawning biomass (mt)
0
10
20
30
40
50
1970
1980
1990
2000
2010
2020
Year


Spawning biomass (mt)
0
20
40
60
80
1970
1980
1990
2000
2010
2020
Year


Relative spawning biomass: B/B_MSY
0.00
0.04
0.08
0.12
1970
1980
1990
2000
2010
2020
Year


Relative spawning biomass: B/B_MSY
0.00
0.05
0.10
0.15
1970
1980
1990
2000
2010
2020
Year


Total biomass (mt)
0
10
20
30
40
50
60
1970
1980
1990
2000
2010
2020
Year


Summary biomass (mt)
0
10
20
30
40
50
60
1970
1980
1990
2000
2010
2020
Year


Age−0 recruits (1,000s)
0
50
100
150
200
250
300
1970
1980
1990
2000
2010
2020
Year


Age−0 recruits (1,000s)
0
100
200
300
400
500
1970
1980
1990
2000
2010
2020
Year


Summary Fishing Mortality
0.0
0.4
0.8
1.2
1970
1980
1990
2000
2010
2020
Year


Spawning biomass (mt)
0
10
20
30
40
50
60
1970
1980
1990
2000
2010
2020
Year
equilibrium
without fishing
with fishing


Log recruitment deviation
2.0
1.5
1.0
0.5
0.0
−1.0
1970
1980
1990
2000
2010
2020
Year


Log recruitment deviation
2
1
0
−1
1970
1980
1990
2000
2010
2020
Year


Recruitment deviation variance
Asymptotic standard error estimate
0.0
0.2
0.4
0.6
1970
1980
1990
2000
2010
2020
Year


bias adjust in model
estimated alternative
$1-SE(\hat{r}_y)^2/\sigma_R^2$
1.0
0.5
0.0
−0.5
1970
1980
1990
2000
2010
2020
Year


Exp. recruitment
Exp. recruitment after bias adj.
Estimated recruitments
Unfished equilibrium
Recruitment (1,000s)
0
50
100
150
200
250
300
0
10
20
30
40
50
60
Spawning biomass (mt)


Exp. recruitment
Exp. recruitment after bias adj.
Estimated recruitments
Unfished equilibrium
Recruitment (1,000s)
Spawning biomass (mt)
0
50
100
150
200
250
300
0
10
20
30
40
50
60
1987
2000
2006
2009
1995
2012
2011
2003
2021
2015


Log recruitment deviation
2
1
0
−1
−2
0.0
0.5
1.0
1.5
2.0
Spawning output (relative to B_0)
1987
2000
2006
2009
1995
2012
1967
2021
2020
2016
2015
2018
2003


Landings (mt)
0
5
10
15
20
1970
1980
1990
2000
2010
2020
Year


Landings (mt)
0
5
10
15
20
1970
1980
1990
2000
2010
2020
Year


FISHERY
FISHERY obs.
Observed and expected Landings (mt)
0
5
10
15
20
1970
1980
1990
2000
2010
2020
Year


Continuous F
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


SPR
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


Fishing intensity: 1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
1970
1980
1990
2000
2010
2020
Year


Fishing intensity: 1−SPR
0.0
0.2
0.4
0.6
0.8
1.0
Relative spawning output: B/B_MSY
0.0
0.2
0.4
0.6
0.8
1.0
1990
2000
2010
1970


Index
0
10
20
30
40
50
60
1990
1995
2000
2005
2010
2015
2020
Year


Index
0
10
20
30
40
50
60
1990
1995
2000
2005
2010
2015
2020
Year


Expected index
0
5
10
15
20
25
0
10
20
30
40
Observed index


Log index
1
2
3
4
1990
1995
2000
2005
2010
2015
2020
Year


Log index
1
2
3
4
1990
1995
2000
2005
2010
2015
2020
Year


Log expected index
Log observed index
1.5
2.0
2.5
3.0
1.0
1.5
2.0
2.5
3.0
3.5


Residual
4
2
0
−2
−4
1990
1995
2000
2005
2010
2015
2020
Year


Deviation
0.5
0.0
−0.5
1990
1995
2000
2005
2010
2015
2020
Year


FISHERY
Standardized index
0.0
0.5
1.0
1.5
2.0
2.5
1990
1995
2000
2005
2010
2015
2020
Year


50
150
250
Age
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


5
15
25
Age
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


Mean age (yr)
0
2
4
6
1970
1980
1990
2000
2010
2020
Year
Females
Males


50
150
250
Age
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


5
15
25
Age
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0
1966
1972
1978
1984
1990
1996
2002
2008
2014
2020
Year


Mean age (yr)
0
2
4
6
1970
1980
1990
2000
2010
2020
Year
Females
Males


Age
0
5
10
15
1970
1980
1990
2000
2010
2020
Year
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1


50
150
40
30
20
10
0
Length
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021
Year


0.1
4
8
Length
0
10
20
30
40
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021
Year


Mean length (cm)
0
5
10
15
20
25
30
1970
1980
1990
2000
2010
2020
Year
Females
Males


10
30
50
70
Length
0
10
20
30
40
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021
Year


0.1
4
Length
0
10
20
30
40
1967
1973
1979
1985
1991
1997
2003
2009
2015
2021
Year


Mean length (cm)
0
5
10
15
20
25
30
1970
1980
1990
2000
2010
2020
Year
Females
Males


Length
40
30
20
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1970
1980
1990
2000
2010
2020
Year


Numbers at age at equilibrium
0
10
20
30
40
0
5
10
15
Age
Females
Males


FISHERY
Sum of N adj.=6494
Proportion
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
10
15
20
25
30
35
40
Length (cm)


FISHERY
0.01
0.4
Length (cm)
39
36
33
30
27
24
21
18
15
12
9
2004
2006
2008
2010
2012
2014
2016
2018
2020
Year


2004
N adj.=148.7
2010
N adj.=104.2
2016
N adj.=252.8
2005
N adj.=125.2
2011
N adj.=782
2017
N adj.=110.9
2006
N adj.=105
2012
N adj.=1333.1
2018
N adj.=143.6
2007
N adj.=82.3
2013
N adj.=1564.9
2019
N adj.=191.5
2008
N adj.=250.3
2014
N adj.=190.7
2020
N adj.=153.7
2009
N adj.=332.6
2015
N adj.=542.6
2021
N adj.=79.8
Proportion
0.0
0.1
0.2
0.3
0.4
10
20
30
40
Length (cm)


0.01
0.4
39
36
33
30
27
24
21
18
15
12
9
Length (cm)
2004
2006
2008
2010
2012
2014
2016
2018
2020
Year


FISHERY (whole catch)
Mean length
30
29
28
27
26
25
24
2005
2010
2015
2020
Year


FISHERY
Sum of N adj.=6494
Sum of N eff.=1201.6
Proportion
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
10
15
20
25
30
35
40
Length (cm)


FISHERY
−1000
−600
200
600
1000
39
36
33
30
27
24
21
18
15
12
9
Length (cm)
2004
2006
2008
2010
2012
2014
2016
2018
2020
Year


2004
N adj.=148.7
N eff.=25.6
2010
N adj.=104.2
N eff.=7.3
2016
N adj.=252.8
N eff.=35.1
2005
N adj.=125.2
N eff.=19.1
2011
N adj.=782
N eff.=164.1
2017
N adj.=110.9
N eff.=62.6
2006
N adj.=105
N eff.=19
2012
N adj.=1333.1
N eff.=136
2018
N adj.=143.6
N eff.=39
2007
N adj.=82.3
N eff.=18.4
2013
N adj.=1564.9
N eff.=105.3
2019
N adj.=191.5
N eff.=36.2
2008
N adj.=250.3
N eff.=84.1
2014
N adj.=190.7
N eff.=59.9
2020
N adj.=153.7
N eff.=41
2009
N adj.=332.6
N eff.=87.7
2015
N adj.=542.6
N eff.=139.7
2021
N adj.=79.8
N eff.=121.6
Proportion
0.0
0.1
0.2
0.3
0.4
10
20
30
40
Length (cm)


−1000
−600
200
600
1000
39
36
33
30
27
24
21
18
15
12
9
Length (cm)
2004
2006
2008
2010
2012
2014
2016
2018
2020
Year


Effective sample size
0
50
100
150
0
500
1000
1500
Observed sample size
2011
2015
2012
2013
2021
2009
2008
2017
2014
2004
2010
harmonic mean
arithmetic mean


FISHERY (whole catch)
Mean length
30
29
28
27
26
25
24
2005
2010
2015
2020
Year


Equilibrium yield (mt)
0
200
400
600
0
20
40
60
80
100
Fraction unfished


Equilibrium yield (mt)
0
200
400
600
0
20
40
60
80
100
Fraction unfished
MSY
B target
SPR target
Current

Surplus production (mt)
30
20
10
0
0
10
20
30
40
50
60
Total biomass (mt)


Yield per recruit (kg)
0.00
0.05
0.10
0.15
1970
1980
1990
2000
2010
2020
Year


Catches
FISHERY
Abundance indices
FISHERY
Length compositions
FISHERY
1965
1975
1985
1995
2005
2015
Year


Catches
FISHERY
Abundance indices
FISHERY
Length compositions
FISHERY
1965
1975
1985
1995
2005
2015
Year


SR_LN(R0)
prior
max. likelihood
2.0
2.5
3.0
3.5
4.0
4.5
5.0
Size_95%width_FISHERY(1)
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
InitF_seas_1_flt_1FISHERY
0.00
0.05
0.10
0.15
0.20
0.25
0.30
LnQ_base_FISHERY(1)
−2
−1
0
1
2
Size_inflection_FISHERY(1)
16
18
20
22
24
Density
Parameter value