


Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Tue Jul 12 10:07:53 2022
Data_File: data.ss
Control_File: control.ss

Length (cm, beginning of the year)


















Fecundity



Fecundity




Spawning output







Selectivity




Selectivity





Selectivity





Selectivity















Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality





Log recruitment deviation



Log recruitment deviation

1.0
0.5
0.0
-0.5
-1.0

1970

1980


1990

2000

2010


2020


Year





Recruitment deviation variance

Asymptotic standard error estimate













Log recruitment deviation










Observed and expected Landings (mt)






SPR







Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index




Index







Log index





Log index







Residual











Index






















Standardized index


















FISHERY


• 0.01 ○ 0.2 ○ 0.4




Proportion





Length (cm)




FISHERY (whole catch)









Proportion




Length (cm)





Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1flt_1FISHERY



Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



LnQ_base_SURVEY2(2)

