American Samoa Model Checks

Marc Nadon and Meg Oshima

2023-02-27

This is a summary report for the ETCO base model run.

Model Output

Input Data





Convergence Check

```
  Converged     MaxGrad
1      TRUE 2.52587e-05
```

```
[1] "1 NOTE:  Max data length bin: 90  < max pop len bins: 100; so will accumulate larger po
[2] "N warnings: 1"
```

Fit to Model

CPUE

Fleet	RMSE.perc	Nobs
FISHERY	47.4	6
Combined	47.4	6



Length Comp

Fleet	RMSE.perc	Nobs
FISHERY	6.5	11
Combined	6.5	11

```
         w         lo         hi              Index runs.p   test  sigma3.lo sigma3.hi type
0.4475221 0.3022758 1.1044378          1 FISHERY  0.175 Passed -0.1704781 0.1704781  len
```







Retrospective

```
[1] "No retrospective runs were found"
```

Hindcasting

```
[1] "No information for hindcast was found"
```

Recruitment Deviations

Likelihood Profile

```
[1] "No likelihood runs were found"
```

Management Quantities

```
 starter.sso with Bratio: SSB/SSBMSY and F: _abs_F
```


0%
1.5%
0%
98.5%
F/F_MSY
SSB/SSB_MSY
0.0
1.0
2.0
3.0
0.5
1.5
2.5
3.5


MVLN
SSB/SSB_MSY
Year
0.0
1.0
2.0
3.0
1970
1980
1990
2000
2010
2020


MVLN
F/F_MSY
0
1
2
3
4
5
1970
1980
1990
2000
2010
2020
Year


MVLN
SSB (t)
0
10
20
30
40
1970
1980
1990
2000
2010
2020
Year




```
null device
          1
```

Jitter

```
[1] "No jitter runs were found."
```

Selectivity and Maturity




Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
Age (yr)
FISHERY (f)
FISHERY (f)
FISHERY (f)
FISHERY (m)
FISHERY (m)
FISHERY (m)


Maturity
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
100
Length (cm)


Fecundity
0
2
4
6
8
10
12
14
0
2
4
6
8
10
12
14
Female weight (kg)