American Samoa Model Checks

Marc Nadon and Meg Oshima

2023-02-27

This is a summary report for the PRFL base model run.

Model Output

Input Data





Convergence Check

```
  Converged     MaxGrad
1      TRUE 5.21714e-05
```

```
[1] "1 NOTE:  Max data length bin: 48  < max pop len bins: 53; so will accumulate larger pop
[2] "N warnings: 1"
```

Fit to Model

CPUE

Fleet	RMSE.perc	Nobs
FISHERY	40	5
Combined	40	5





Length Comp

Fleet	RMSE.perc	Nobs
FISHERY	4.3	4
Combined	4.3	4

```
        w         lo         hi              Index runs.p   test   sigma3.lo  sigma3.hi type
0.2736688 0.1861517 6.3739390          1 FISHERY   0.11 Passed -0.09427357 0.09427357  len
```







Retrospective

```
[1] "No retrospective runs were found"
```

Hindcasting

```
[1] "No information for hindcast was found"
```

Recruitment Deviations

Likelihood Profile

```
[1] "No likelihood runs were found"
```

Management Quantities

```
 starter.sso with Bratio: SSB/SSBMSY and F: _abs_F
```


0%
0%
0%
100%
F/F_MSY
SSB/SSB_MSY
0.0
0.5
1.0
1.5
2.0
0
1
2
3
4


MVLN
SSB/SSB_MSY
Year
0
1
2
3
4
1970
1980
1990
2000
2010
2020


MVLN
F/F_MSY
0
2
4
6
1970
1980
1990
2000
2010
2020
Year


MVLN
SSB (t)
0
1
2
3
4
5
6
7
1970
1980
1990
2000
2010
2020
Year




```
null device
          1
```

Jitter


Likelihood
73.90
73.88
73.86
73.84
73.82
0
25
50
75
100
Run


Spawning biomass (t)
4
3
2
1
0
1970
1980
1990
2000
2010
2020
Year





Selectivity and Maturity


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
Length (cm)


Selectivity
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
Age (yr)
FISHERY
FISHERY
FISHERY


Maturity
0.0
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
Length (cm)


Fecundity
0.0
0.5
1.0
1.5
2.0
2.5
0.0
0.5
1.0
1.5
2.0
2.5
Female weight (kg)