

Plots created using the 'r4ss' package in R


Stock Synthesis version: 3.30.19.0


StartTime: Thu Jul 07 08:57:54 2022


Data_File: data.ss


Control_File: control.ss


Length (cm, beginning of the year)

















Fecundity




Fecundity




Spawning output




Spawning output




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality





Log recruitment deviation



Log recruitment deviation

1.0
0.5
0.0
-0.5
-1.0

1980


1990

2000

2010


2020


Year





Recruitment deviation variance


Asymptotic standard error estimate


























SPR







Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index




Index







Log index





Log index







Residual








Standardized index



















FISHERY


• 0.01 ○ 0.2 ○ 0.4




Proportion





Length (cm)




FISHERY (whole catch)









Proportion




Length (cm)





Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_95%width_FISHERY(1)




InitF_seas_1_flt_1FISHERY



LnQ_base_FISHERY(1)



Size_inflection_FISHERY(1)



Density

Parameter value