




Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Fri Aug 05 08:47:38 2022
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)





Age (yr)











































Fecundity




Fecundity




Spawning output




Spawning output




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality







Log recruitment deviation





Log recruitment deviation




Recruitment deviation variance













Log recruitment deviation












SPR







Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




















Deviation

0.2
0.1
0.0
-0.1
-0.2

2016

2017

2018

2019


2020


2021


Year























FISHERY

◦ 0.01 ○ 0.2





Proportion







FISHERY (whole catch)









Proportion








Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



Q_extraSD_FISHERY(1)



Parameter value