

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Administration

General Specifications

Customer Name

Bath\_NE Somerset Council

Intersection/  
General Description

1003 - LONDON RD/CLEVELAND PLACE

Controller

New

Modification

Area Specifications/  
Customer Drawings

1003-NEWDRAWING

Specification Section

1003-ITS1827D-JAN24

Contract/Tender Ref:

Quotation No.

Works Order No.

Customer Order No.

Controller/  
Serial Number

S.T.S. /EM Number

SO0035

Issue

1

Equipment  
Installation by

Slot Cutting by

Civil Works by

Customer's Engineer

Telephone Number

Signal Company Use Only

Signal Engineer

(IF PROM Label as >) PROM Number

16260

PROM Variant

0

Configuration Check Value

A 99 14 1C

Controller Options

Hardware

T800

Firmware Type and Issue

PB800 ISS 31

Other Options

KTD LO

ST950/ST900/ST750 Series Cabinet Options

Cabinet/Rack

Kit Type Options

Cabinet/Rack Variant

Cuckoo Options

Mains Supply

230

Volts

50

Hz

Dimming

120 V

Answer Issue

0

Peak Lamp Current

7

Amps

Low Inrush  
Transformer

Edit Issue

2

Average Lamp Power

1250

Watts

Date Created

14/02/2024

Total Average Power

1250

Watts

Power feed fuse rating: requires 30 Amp minimum for controller, 15 Amp minimum for pelican/lightly loaded controller

# Phases, Stages and Streams

Phases, Stages and Streams

Add/Delete/Insert Streams:

Streams

Current Number of Streams

1

Phases

Current Total Number of Phases

10

Number of Real Phases

8

Number of Dummy Phases

2

Stages

Current Number of stages  
(inc. ALL-RED stages)

7

Switched Signs

Number of Switched Signs

0

Action

Add At

Delete At

Last Modified 12/03/2024, Issue 1.0.2

Form Ref: 1.2

# Facilities/Modes Enabled and Mode Priority Levels

Facilities

UTC

☒ Serial/Internal UTMC OTU

☐ Free-standing OTU

☐ Integral TC12 OTU

☒ Serial MOVA

☒ Master Time Clock

☐ Holiday Clock

☒ FT To Current MAX

☐ Linked Fixed Time

☒ Lamp Monitoring

☒ RED Lamp Monitoring

☐ Pelican/Puffin/Toucan

☐ Standalone Manual

☐ Extend All Red

☐ Speed Measurement

☐ Ripple Change

☐ London IMU

☐

☐ Non-UK

☐ Fail to Part Time

☐ Fail To Hardware Flashing

☐

☐ Download To Level 3

11

Starting Intergreen

Mode Priority

|                                                              |                                  |                                  |                                  |                                  |                                  |                                  |                                  |                       |                       |                       |                       |                       |                       |
|--------------------------------------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                                                              | 1                                | 2                                | 3                                | 4                                | 5                                | 6                                | 7                                | 8                     | 9                     | 10                    | 11                    | 12                    | 13                    |
| <input type="checkbox"/> Part Time                           | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/> Emergency Vehicles                  | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/> Hurry Call                          | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/>                                     | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> Priority Vehicle         | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> Manual Control           | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/> Manual Step On                      | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> Selected FT or VA or CLF | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> UTC                      | <input type="radio"/>            | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/>                                     | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input type="checkbox"/> CLF (Non-Base Time)                 | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> CLF (Base Time)          | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> Vehicle Actuated         | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/>            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| <input checked="" type="checkbox"/> Fixed Time               | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input type="radio"/>            | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Configuration Complexity

☐ Low

☐ Medium

☒ High

☐ Maximum

standard.8DF

Default PROM data file

Correspondence Monitoring to inc.

☒ Reds

☒ Ambers

☐ Switched Signs

☐

Flash Rate (ms)

400

Off

400

On

Works Order : XXXXXXXXXX  
EM Number : SO0035  
Engineer : XXXXXXXXXX  
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Phases in Stages

Phases

In Stages

|   | A           | B           | C           | D           | E           | F           | G           | H           | I           | J           |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 0 |             |             |             |             |             |             |             |             | <div></div> |             |
| 1 | <div></div> | <div></div> |             |             | <div></div> | <div></div> |             |             |             |             |
| 2 |             | <div></div> | <div></div> |             |             | <div></div> |             |             |             |             |
| 3 |             |             | <div></div> |             |             | <div></div> | <div></div> |             |             |             |
| 4 |             |             |             | <div></div> |             |             |             | <div></div> |             |             |
| 5 |             |             |             | <div></div> | <div></div> |             |             |             |             | <div></div> |
| 6 |             |             |             |             |             |             |             |             | <div></div> |             |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Stages in Streams

Stages in Streams

Phase or Stage to revert to in absence of demands/extensions

Startup Stage

Switch Off Stage

Standalone Pedestrian

0

1

2

3

4

5

6

7

1

1

Note: For a Stand-Alone Stream, the reversion must be to All Red stage or Traffic stage/phase to meet the relevant standard or specification.

In Stream

Stages

0

1

2

3

4

5

6

0

Last Modified 12/03/2024, Issue 1.0.2

Form Ref: 1.5

Intersection : 1003 - LONDON RD/CLEVELAND PLACE

## Phase Type and Conditions

[illegible]

1) App Types: 0 = Always Appears, 1 = Appears if dem'd prior to interstage, 2 = If dem'd, 3 = If dem'd before end of window time  
2) Term Types: 0 = Term's at end of stage, 1 = Term's when Assoc phase gains R.O.W, 2 = Term's when Assoc phase loses R.O.W.  
3) The HW/Fail Flash fields are for information only on all but ST900 ELV and ST960 ELV Controllers. For other controllers, physical switches or links (etc.), select which aspects flash; these need to be set up manually.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Opposing and Conflicting Phases

Select Stream(s) To Configure

☐ All

☐ 0

☐

☐

☐

☐

☐

☐

Initialse

From Phase

| To Phase |  | A  | B  | C  | D  | E  | F  | G  | H  | I | J |
|----------|--|----|----|----|----|----|----|----|----|---|---|
| A        |  |    | o  | Co | Co | o  | o  | Co | o  | o | o |
| B        |  | o  |    | o  | Co | o  | o  | Co | o  | o | o |
| C        |  | Co | o  |    | Co | Co | o  | o  | Co | o | o |
| D        |  | Co | Co | Co |    | o  | Co | Co | o  | o | o |
| E        |  | o  | o  | Co | o  |    | o  | Co | Co | o | o |
| F        |  | o  | o  | o  | Co | o  |    | o  | o  | o | o |
| G        |  | Co | Co | o  | Co | Co | o  |    | o  | o | o |
| H        |  | o  | o  | Co | o  | Co | o  | o  |    | o | o |
| I        |  | o  | o  | o  | o  | o  | o  | o  | o  |   | o |
| J        |  | o  | o  | o  | o  | o  | o  | o  | o  | o |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Phase Minimums, Maximums, Extensions, Ped Leaving Periods

Phase Minimums, Maximums, Extensions, Ped Leaving Periods

☒ Phases A to P

☐

| Phase | Min Green    | Min Ped Clr  | Extensions     | Maximums      |               |               |               |              |              |              |              |                                     |
|-------|--------------|--------------|----------------|---------------|---------------|---------------|---------------|--------------|--------------|--------------|--------------|-------------------------------------|
|       |              |              |                | A             | B             | C             | D             | E            | F            | G            | H            | Pre-timed                           |
| A     | <div>7</div> | <div>0</div> | <div>0.0</div> | <div>50</div> | <div>40</div> | <div>50</div> | <div>30</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| B     | <div>7</div> | <div>0</div> | <div>0.0</div> | <div>50</div> | <div>40</div> | <div>50</div> | <div>30</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| C     | <div>7</div> | <div>0</div> | <div>0.0</div> | <div>50</div> | <div>40</div> | <div>50</div> | <div>30</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| D     | <div>7</div> | <div>0</div> | <div>0.0</div> | <div>50</div> | <div>40</div> | <div>50</div> | <div>30</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| E     | <div>4</div> | <div>0</div> | <div>0.0</div> | <div>50</div> | <div>40</div> | <div>50</div> | <div>30</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| F     | <div>6</div> | <div>3</div> | <div>0.0</div> | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| G     | <div>6</div> | <div>6</div> | <div>0.0</div> | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| H     | <div>7</div> | <div>7</div> | <div>0.0</div> | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| I     | <div>3</div> | <div>0</div> | <div>0.0</div> | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
| J     | <div>3</div> | <div>0</div> | <div>0.0</div> | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div>  | <div>0</div> | <div>0</div> | <div>0</div> | <div>0</div> | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |
|       |              |              |                |               |               |               |               |              |              |              |              | <div><input type="checkbox"/></div> |

Note: For Standalone Streams see Help for use of Max Sets.



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Phase Intergreen Times

Select Stream(s) To Configure

☐ All

☐ 0

☐

☐

☐

☐

☐

☐

☐

Note: On a Stand Alone Pelican/Toucan/Puffin Stream the Intergreens between Pedestrian and Traffic Phases are controlled by the timings (PBT, PIT, CMX, CDY, CRD and PAR), therefore 0 should be entered for the appropriate intergreen times in grid below.

|            |   | To Phase |    |    |    |    |   |   |   |   |   |
|------------|---|----------|----|----|----|----|---|---|---|---|---|
|            |   | A        | B  | C  | D  | E  | F | G | H | I | J |
| From Phase | A |          |    | 7  | 5  |    |   | 6 |   | 3 | 3 |
|            | B |          |    |    | 5  |    |   | 8 |   | 3 | 3 |
|            | C | 5        |    |    | 5  | 5  |   |   | 7 | 3 | 3 |
|            | D | 5        | 6  | 5  |    |    | 5 | 9 |   | 3 |   |
|            | E |          |    | 6  |    |    |   | 6 | 8 | 3 |   |
|            | F |          |    |    | 8  |    |   |   |   | 3 | 3 |
|            | G | 11       | 11 |    | 11 | 11 |   |   |   | 3 | 3 |
|            | H |          |    | 11 |    | 11 |   |   |   | 3 |   |
|            | I | 2        | 2  | 2  | 2  | 2  | 2 | 2 | 2 |   | 2 |
|            | J | 2        | 2  | 2  |    |    | 2 | 2 |   | 2 |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Intergreen Handset Limits

HIGH 

199

Copy Intergreen Values

To Phase

From Phase

|   | A  | B  | C  | D  | E  | F | G | H | I | J |
|---|----|----|----|----|----|---|---|---|---|---|
| A |    |    | 6  | 5  |    |   | 5 |   | 3 | 3 |
| B |    |    |    | 5  |    |   | 7 |   | 3 | 3 |
| C | 5  |    |    | 5  | 5  |   |   | 6 | 3 | 3 |
| D | 5  | 5  | 5  |    |    | 5 | 8 |   | 3 |   |
| E |    |    | 5  |    |    |   | 5 | 7 | 3 |   |
| F |    |    |    | 7  |    |   |   |   | 3 | 3 |
| G | 11 | 11 |    | 11 | 11 |   |   |   | 3 | 3 |
| H |    |    | 11 |    | 11 |   |   |   | 3 |   |
| I | 2  | 2  | 2  | 2  | 2  | 2 | 2 | 2 |   | 2 |
| J | 2  | 2  | 2  |    |    | 2 | 2 |   | 2 |   |

# Phase Timing Handset Ranges

Phase Timing Handset Ranges

Initialise Min Green Limits

| Phase | Min. Green |      |
|-------|------------|------|
|       | Min.       | Max. |
| A     | 7          | 255  |
| B     | 7          | 255  |
| C     | 7          | 255  |
| D     | 7          | 255  |
| E     | 4          | 255  |
| F     | 6          | 255  |
| G     | 6          | 255  |
| H     | 7          | 255  |
| I     | 3          | 255  |
| J     | 3          | 255  |
| K     |            |      |
| L     |            |      |
| M     |            |      |
| N     |            |      |
| O     |            |      |
| P     |            |      |

| Phase | Min. Green |      |
|-------|------------|------|
|       | Min.       | Max. |
| Q     |            |      |
| R     |            |      |
| S     |            |      |
| T     |            |      |
| U     |            |      |
| V     |            |      |
| W     |            |      |
| X     |            |      |
| Y     |            |      |
| Z     |            |      |
| A2    |            |      |
| B2    |            |      |
| C2    |            |      |
| D2    |            |      |
| E2    |            |      |
| F2    |            |      |

Max. Green

Min. 0Max. 255

Vehicle Extension

Min. 0.0Max. 10.0

Phase Delay

Min. 0Max. 10

Starting I/G

Min. 4Max. 15

Min Pedestrian Clearance (PBT)

Min. 0Max. 12

Traffic Phase Leaving

Min. 3.0Max. 3.0

Traffic Phase Red/Amber

Min. 2Max. 2

# VA Demand and Extend Definitions

VA Demand and Extend Definitions

Demands

For Unlatched demands precede the name with a #.  
Conditioning MUST be used to specify unlatched demands.

|   |      |        |  |  |
|---|------|--------|--|--|
| A | ASL  | AMVD6  |  |  |
| B | BSL  | BMVD3  |  |  |
| C | CSL  | CMVD2  |  |  |
| D | DSL  | DMVD10 |  |  |
| E | ESL  | EMVD6  |  |  |
| F | FPBU |        |  |  |
| G | GPBU |        |  |  |
| H | HPBU |        |  |  |
| I |      |        |  |  |
| J |      |        |  |  |

☒ Phases A to P

☐

Extensions

|     |        |  |  |
|-----|--------|--|--|
| ASL | AMVD6  |  |  |
| BSL | BMVD3  |  |  |
| CSL | CMVD2  |  |  |
| DSL | DMVD10 |  |  |
| ESL | EMVD6  |  |  |
|     |        |  |  |
|     |        |  |  |
|     |        |  |  |
|     |        |  |  |
|     |        |  |  |
|     |        |  |  |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Phase Internal/Revertive Demands

Phase Internal/Revertive Demands

Start-up Vehicle Responsive Demands

|   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                          |   |                          |  |                          |  |                          |  |                          |  |                          |  |                          |
|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|--------------------------|---|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|
| A | <input checked="" type="checkbox"/> | B | <input checked="" type="checkbox"/> | C | <input checked="" type="checkbox"/> | D | <input checked="" type="checkbox"/> | E | <input checked="" type="checkbox"/> | F | <input checked="" type="checkbox"/> | G | <input checked="" type="checkbox"/> | H | <input checked="" type="checkbox"/> | I | <input type="checkbox"/> | J | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |
|   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/> |   | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |

Demands Inserted When Leaving Manual and Fixed Time Modes

|   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                          |   |                          |  |                          |  |                          |  |                          |  |                          |  |                          |
|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|--------------------------|---|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|
| A | <input checked="" type="checkbox"/> | B | <input checked="" type="checkbox"/> | C | <input checked="" type="checkbox"/> | D | <input checked="" type="checkbox"/> | E | <input checked="" type="checkbox"/> | F | <input checked="" type="checkbox"/> | G | <input checked="" type="checkbox"/> | H | <input checked="" type="checkbox"/> | I | <input type="checkbox"/> | J | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |
|   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/> |   | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |

Unlatched Demands that Start Max Timers

|   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                          |   |                          |  |                          |  |                          |  |                          |  |                          |  |                          |
|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|--------------------------|---|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|--|--------------------------|
| A | <input checked="" type="checkbox"/> | B | <input checked="" type="checkbox"/> | C | <input checked="" type="checkbox"/> | D | <input checked="" type="checkbox"/> | E | <input checked="" type="checkbox"/> | F | <input checked="" type="checkbox"/> | G | <input checked="" type="checkbox"/> | H | <input checked="" type="checkbox"/> | I | <input type="checkbox"/> | J | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |
|   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/> |   | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |  | <input type="checkbox"/> |

Revertive Phase Demands

|   |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |
|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|
| A | B | C | D | E | F | G | H | I | J | K  | L  | M  | N  | O  | P  |
| A | B | C | D | A |   |   |   |   |   |    |    |    |    |    |    |
| Q | R | S | T | U | V | W | X | Y | Z | A2 | B2 | C2 | D2 | E2 | F2 |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Stages - Prohibited, Alternative, Ignored Moves

Stages - Prohibited, Alternative, Ignored Moves

Sets

1

2

3

4

| Modes                 | Restrictions Apply To: | No Restrictions |
|-----------------------|------------------------|-----------------|
| Urban Traffic Control | <div></div>            | <div></div>     |
| Cableless Linking     | <div></div>            | <div></div>     |
| Vehicle Actuated      | <div></div>            | <div></div>     |
|                       | <div></div>            | <div></div>     |
| Fixed Time            | <div></div>            | <div></div>     |
|                       | <div></div>            | <div></div>     |

| Modes    | Restrictions Apply To: | No Restrictions |
|----------|------------------------|-----------------|
| Manual   | <div></div>            | <div></div>     |
| Priority | <div></div>            | <div></div>     |
|          | <div></div>            | <div></div>     |
|          | <div></div>            | <div></div>     |
|          | <div></div>            | <div></div>     |

To Stage

From Stage

|   | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|
| 0 |   |   |   |   |   |   |   |
| 1 |   |   |   |   |   |   |   |
| 2 |   |   |   |   |   |   |   |
| 3 |   |   |   |   |   |   |   |
| 4 |   |   |   |   |   |   |   |
| 5 | 1 |   | 1 | 1 | 1 |   | 1 |
| 6 |   |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Stage Internal Demands/Pedestrian Window Times

Stage Internal Demands/Pedestrian Window Times

Start-up Vehicle Responsive Demands

|   |                          |   |                          |   |                          |   |                          |   |                          |   |                          |   |                          |                          |                          |                          |                          |                          |                          |
|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 0 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | 4 | <input type="checkbox"/> | 5 | <input type="checkbox"/> | 6 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |                          | <input type="checkbox"/> |                          | <input type="checkbox"/> |                          | <input type="checkbox"/> |

Demands Inserted When Leaving Manual and Fixed Time Modes

|   |                          |   |                          |   |                          |   |                          |   |                          |   |                          |   |                          |                          |                          |                          |                          |                          |                          |
|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 0 | <input type="checkbox"/> | 1 | <input type="checkbox"/> | 2 | <input type="checkbox"/> | 3 | <input type="checkbox"/> | 4 | <input type="checkbox"/> | 5 | <input type="checkbox"/> | 6 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |   | <input type="checkbox"/> |                          | <input type="checkbox"/> |                          | <input type="checkbox"/> |                          | <input type="checkbox"/> |

Unlatched Demands that Start Maximum Timers

|   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |   |                                     |                          |                          |                          |                          |                          |                          |
|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|---|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 0 | <input checked="" type="checkbox"/> | 1 | <input checked="" type="checkbox"/> | 2 | <input checked="" type="checkbox"/> | 3 | <input checked="" type="checkbox"/> | 4 | <input checked="" type="checkbox"/> | 5 | <input checked="" type="checkbox"/> | 6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            |   | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Window Times

|                                |                                |                                |                                |                                |                                |                                |    |    |    |    |    |    |    |    |    |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|----|----|----|----|----|----|----|----|----|
| 0                              | 1                              | 2                              | 3                              | 4                              | 5                              | 6                              | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 |
| <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> |    |    |    |    |    |    |    |    |    |
| 16                             | 17                             | 18                             | 19                             | 20                             | 21                             | 22                             | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |

Exceptional Stages

|                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

# Phase Delays

Phase Delays

☒ Phase Delays 0-29

☐ Phase Delays 30-59

☐ Phase Delays 60-89

☐ Phase Delays 90-119

| No. | Delay Phase | On Change from Stage | To Stage | By (X) Seconds | No. | Delay Phase | On Change from Stage | To Stage | By (X) Seconds |
|-----|-------------|----------------------|----------|----------------|-----|-------------|----------------------|----------|----------------|
| 0   | B           | 1                    | 4        | 3              | 15  |             |                      |          | 0              |
| 1   | A           | 1                    | 5        | 3              | 16  |             |                      |          | 0              |
| 2   | B           | 1                    | 5        | 3              | 17  |             |                      |          | 0              |
| 3   | C           | 3                    | 1        | 6              | 18  |             |                      |          | 0              |
| 4   | C           | 3                    | 4        | 4              | 19  |             |                      |          | 0              |
| 5   | C           | 3                    | 5        | 6              | 20  |             |                      |          | 0              |
| 6   | D           | 4                    | 1        | 5              | 21  |             |                      |          | 0              |
| 7   | D           | 4                    | 2        | 5              | 22  |             |                      |          | 0              |
| 8   |             |                      |          | 0              | 23  |             |                      |          | 0              |
| 9   | B           | 2                    | 4        | 1              | 24  |             |                      |          | 0              |
| 10  | C           | 2                    | 4        | 1              | 25  |             |                      |          | 0              |
| 11  |             |                      |          | 0              | 26  |             |                      |          | 0              |
| 12  |             |                      |          | 0              | 27  |             |                      |          | 0              |
| 13  |             |                      |          | 0              | 28  |             |                      |          | 0              |
| 14  |             |                      |          | 0              | 29  |             |                      |          | 0              |



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Fixed Time

Fixed Time

Stage Moves & Times (Not Fixed Time to Current Max)

|               |    |    |    |    |    |    |    |    |
|---------------|----|----|----|----|----|----|----|----|
| Current Stage | 0  | 1  | 2  | 3  | 4  | 5  | 6  | 7  |
| Next Stage    |    |    |    |    |    |    |    |    |
| Time          |    |    |    |    |    |    |    |    |
| Current Stage | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 |
| Next Stage    |    |    |    |    |    |    |    |    |
| Time          |    |    |    |    |    |    |    |    |
| Current Stage | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| Next Stage    |    |    |    |    |    |    |    |    |
| Time          |    |    |    |    |    |    |    |    |
| Current Stage | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
| Next Stage    |    |    |    |    |    |    |    |    |
| Time          |    |    |    |    |    |    |    |    |

Phases Demanded and Extended under Fixed Time to Current Max.

|        |                                     |                                     |                                     |                                     |                                     |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |
|--------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|        | A                                   | B                                   | C                                   | D                                   | E                                   | F                        | G                        | H                        | I                        | J                        | K                        | L                        | M                        | N                        | O                        | P                        |
| Demand | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Extend | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|        | Q                                   | R                                   | S                                   | T                                   | U                                   | V                        | W                        | X                        | Y                        | Z                        | A2                       | B2                       | C2                       | D2                       | E2                       | F2                       |
| Demand | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Extend | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# CLF - Base Time

CLF - Base Time

Controller Base Date

XX/XX/XX

Controller Base Time

00:00:00

Plan Offset

|        | Minutes      | Seconds      |         | Minutes      | Seconds      |
|--------|--------------|--------------|---------|--------------|--------------|
| Plan 0 | <div>0</div> | <div>0</div> | Plan 8  | <div>0</div> | <div>0</div> |
| Plan 1 | <div>0</div> | <div>0</div> | Plan 9  | <div>0</div> | <div>0</div> |
| Plan 2 | <div>0</div> | <div>0</div> | Plan 10 | <div>0</div> | <div>0</div> |
| Plan 3 | <div>0</div> | <div>0</div> | Plan 11 | <div>0</div> | <div>0</div> |
| Plan 4 | <div>0</div> | <div>0</div> | Plan 12 | <div>0</div> | <div>0</div> |
| Plan 5 | <div>0</div> | <div>0</div> | Plan 13 | <div>0</div> | <div>0</div> |
| Plan 6 | <div>0</div> | <div>0</div> | Plan 14 | <div>0</div> | <div>0</div> |
| Plan 7 | <div>0</div> | <div>0</div> | Plan 15 | <div>0</div> | <div>0</div> |

Handset Range Limits

|     | Minutes        | Seconds       |
|-----|----------------|---------------|
| Min | <div>0</div>   | <div>0</div>  |
| Max | <div>255</div> | <div>59</div> |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# CLF - Demand Dependent Moves

Clear Grid Data

Notes:  
If no data is entered for a stage then a demand for any phases in that stage will be considered. The data specified on this screen will also change the screen CLF - Demands to Consider with Demand Dependent Stage Moves.

Phases

Stages

|   | A | B | C | D | E | F | G | H | I | J |
|---|---|---|---|---|---|---|---|---|---|---|
| 0 |   |   |   |   |   |   |   |   |   |   |
| 1 |   |   |   |   |   |   |   |   |   |   |
| 2 |   |   |   |   |   |   |   |   |   |   |
| 3 |   |   |   |   |   |   |   |   |   |   |
| 4 |   |   |   |   |   |   |   |   |   |   |
| 5 |   |   |   |   |   |   |   |   |   |   |
| 6 |   |   |   |   |   |   |   |   |   |   |

Works Order : XXXXXXXXXX  
EM Number : SO0035  
Engineer : XXXXXXXXXX  
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# UTC General Data

UTC General Data

Type of UTC

☒ 106

☐ 316

Integral OTU Address

2

Number of Control Words

4

Number of Reply Words

☐

Controller to respond to TC bit.

☐

Introduction of UTC to be disabled by Priority and LRT M

Non UTC RTC synchronisation input name

RTC Synchronisation Times

Clock Synchronise Time ( UTC TS input )

Day

Time

Time Only

02:00:00

Clock Confirm Time ( UTC RT output )

Day

Time

Saturday

00:00:00

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# UTC Control and Reply Data Format

UTC Control and Reply Data Format

|               | Bit 1 | Bit 2 | Bit 3 | Bit 4 | Bit 5 | Bit 6 | Bit 7 | Bit 8 |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Control Words |       |       |       |       |       |       |       |       |
| Word 1        | F1    | #F2   | #F3   | #F4   | #F5   | D2    | D3    | D4    |
| Word 2        | D5    | DX    | TS    | BF1   | BF2   |       |       |       |
| Word 3        |       |       |       |       |       |       |       |       |
| Word 4        |       |       |       |       |       |       |       |       |
| Reply Words   |       |       |       |       |       |       |       |       |
| Word 1        | G1    | G2    | G3    | G4    | G5    | DR2   | DR3   | DR4   |
| Word 2        | DR5   | DF    | CCR   | LF1   | LF2   | CF    | RR    |       |
| Word 3        |       |       |       |       |       |       |       |       |
| Word 4        |       |       |       |       |       |       |       |       |
| Word 5        |       |       |       |       |       |       |       |       |
| Word 6        |       |       |       |       |       |       |       |       |
| Word 7        |       |       |       |       |       |       |       |       |
| Word 8        |       |       |       |       |       |       |       |       |
| Word 9        |       |       |       |       |       |       |       |       |
| Word 10       |       |       |       |       |       |       |       |       |
| Word 11       |       |       |       |       |       |       |       |       |
| Word 12       |       |       |       |       |       |       |       |       |
| Word 13       |       |       |       |       |       |       |       |       |
| Word 14       |       |       |       |       |       |       |       |       |

# UTC Phase Demand and Extend Definitions

UTC Demand and Extend Definitions

Demands

Phase

A

B

C

D

E

F

G

H

I

J

For Unlatched demands, precede the name with a #.

Conditioning MUST be used to specify unlatched demands.

|     |    |  |  |
|-----|----|--|--|
| #DX |    |  |  |
| #DX |    |  |  |
| #DX | D2 |  |  |
| #DX | D5 |  |  |
| #DX | D5 |  |  |
| #DX |    |  |  |
| #DX | D3 |  |  |
| #DX | D4 |  |  |
|     |    |  |  |
|     |    |  |  |

☒ Phases AtoP

☐

Extensions

|    |    |  |  |
|----|----|--|--|
| DX |    |  |  |
| DX |    |  |  |
| DX | D2 |  |  |
| DX | D5 |  |  |
| DX |    |  |  |
|    |    |  |  |
|    |    |  |  |
|    |    |  |  |
|    |    |  |  |
|    |    |  |  |

# UTC Stage and Mode Data Definitions

UTC Stage and Mode Data Definitions

| Stage | Force Bit | Green Confirm Bit | Demand Confirm Bit | Stage | Force Bit | Green Confirm Bit | Demand Confirm Bit |
|-------|-----------|-------------------|--------------------|-------|-----------|-------------------|--------------------|
| 0     |           |                   |                    | 16    |           |                   |                    |
| 1     | F1        | G1                |                    | 17    |           |                   |                    |
| 2     | #F2       | G2                | DR2                | 18    |           |                   |                    |
| 3     | #F3       | G3                | DR3                | 19    |           |                   |                    |
| 4     | #F4       | G4                | DR4                | 20    |           |                   |                    |
| 5     | #F5       | G5                | DR5                | 21    |           |                   |                    |
| 6     |           |                   |                    | 22    |           |                   |                    |
| 7     |           |                   |                    | 23    |           |                   |                    |
| 8     |           |                   |                    | 24    |           |                   |                    |
| 9     |           |                   |                    | 25    |           |                   |                    |
| 10    |           |                   |                    | 26    |           |                   |                    |
| 11    |           |                   |                    | 27    |           |                   |                    |
| 12    |           |                   |                    | 28    |           |                   |                    |
| 13    |           |                   |                    | 29    |           |                   |                    |
| 14    |           |                   |                    | 30    |           |                   |                    |
| 15    |           |                   |                    | 31    |           |                   |                    |

Mode Data Definitions

Manual Mode Operative:  

☐ G1/G2

☒ RR

☐

Manual Mode Selected:  

☐ G1/G2

☒ RR

☐

No Lamp Power, or Lamps Off due to RLM or Part Time:  

☒ G1/G2

☐

☐

Detector Fault:  

☐

☐

☒ DF

Normal NOT selected on the Manual Panel:  

☐ G1/G2

☒ RR

☐

RR Button Selected:  

☐ G1/G2

☒ RR

☐

If UTC Reply Confirms are required for a Controller Fault (CF) OR for separate MC and RR replies, Conditioning must be used.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# UTC Demand Dependent Forces

Clear Grid Data

Notes:  
If no data is entered for a stage then a demand for any phases in that stage will be considered. The data specified on this screen will also change the screen CLF - Demands to Consider with Demand Dependent Stage Moves.

| Phases |   | A | B | C | D | E | F | G | H | I | J |
|--------|---|---|---|---|---|---|---|---|---|---|---|
| Stages | 0 |   |   |   |   |   |   |   |   |   |   |
|        | 1 |   |   |   |   |   |   |   |   |   |   |
|        | 2 |   |   |   |   |   |   |   |   |   |   |
|        | 3 |   |   |   |   |   |   |   |   |   |   |
|        | 4 |   |   |   |   |   |   |   |   |   |   |
|        | 5 |   |   |   |   |   |   |   |   |   |   |
|        | 6 |   |   |   |   |   |   |   |   |   |   |



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# UTC and MOVA Detectors

## UTC and MOVA Detectors

Detector Mapping

☒ Combined

Set Selection

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

ESL

53

DSL

54

CSL

55

BSL

56

ASL

57

SCOOT7

58

SCOOT8

59

N04211D

60

N04235S

61

SCOOT4

62

N04115O

63

N04211C

64

N04211G

Note - only 32 detectors available on MOVA 4.0


MTC - Time Switch Parameters

MTC - Time Switch Parameters

|    | Type          | Event   |    | Type      | Event |
|----|---------------|---------|----|-----------|-------|
| 0  | Alternate Max | MAXSETB | 16 | No Action |       |
| 1  | Alternate Max | MAXSETC | 17 | No Action |       |
| 2  | Alternate Max | MAXSETD | 18 | No Action |       |
| 3  | Alternate DFM | ALTDFMB | 19 | No Action |       |
| 4  | Alternate DFM | ALTDFMC | 20 | No Action |       |
| 5  | Alternate DFM | ALTDFMD | 21 | No Action |       |
| 6  | No Action     |         | 22 | No Action |       |
| 7  | No Action     |         | 23 | No Action |       |
| 8  | No Action     |         | 24 | No Action |       |
| 9  | No Action     |         | 25 | No Action |       |
| 10 | No Action     |         | 26 | No Action |       |
| 11 | No Action     |         | 27 | No Action |       |
| 12 | No Action     |         | 28 | No Action |       |
| 13 | No Action     |         | 29 | No Action |       |
| 14 | No Action     |         | 30 | No Action |       |
| 15 | No Action     |         | 31 | No Action |       |

Works Order : XXXXXXXXXX  
EM Number : SO0035  
Engineer : XXXXXXXXXX  
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

## MTC - Time Switch Parameters Array



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

MTC - Timetable

MTC - Timetable

View Timetable Settings

☒ 0 - 15

☐ 16 - 31

☐ 32 - 47

☐ 48 - 63

| No.           | Day Type     | Time                | Description         | Function Code | Plan/Parameter |
|---------------|--------------|---------------------|---------------------|---------------|----------------|
| <div>0</div>  | <div>9</div> | <div>07:30:00</div> | <div>MAXSETA</div>  | <div>2</div>  | <div>0</div>   |
| <div>1</div>  | <div>9</div> | <div>09:30:00</div> | <div>MAXSET B</div> | <div>2</div>  | <div>1</div>   |
| <div>2</div>  | <div>9</div> | <div>16:00:00</div> | <div>MAXSET C</div> | <div>2</div>  | <div>2</div>   |
| <div>3</div>  | <div>9</div> | <div>18:30:00</div> | <div>MAXSET D</div> | <div>2</div>  | <div>3</div>   |
| <div>4</div>  | <div>0</div> | <div>09:00:00</div> | <div>MAXSET B</div> | <div>2</div>  | <div>1</div>   |
| <div>5</div>  | <div>0</div> | <div>18:00:00</div> | <div>MAXSET D</div> | <div>2</div>  | <div>3</div>   |
| <div>6</div>  | <div>1</div> | <div>10:00:00</div> | <div>MAXSET B</div> | <div>2</div>  | <div>1</div>   |
| <div>7</div>  | <div>1</div> | <div>17:00:00</div> | <div>MAXSET D</div> | <div>2</div>  | <div>3</div>   |
| <div>8</div>  | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>9</div>  | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>10</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>11</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>12</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>13</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>14</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |
| <div>15</div> | <div>0</div> | <div></div>         | <div></div>         | <div>0</div>  | <div>0</div>   |

Function Codes:

0 = Isolate From CLF

1 = Introduce a CLF Plan

2 = Introduce a Parameter  
(Combination of event switches)

3 = Selects an Individual event  
switch to be set

4 = Selects an Individual event  
switch to be cleared.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# LMU - General

## LMU - General

Lamp Monitoring - LMU Voltage

☐ 200-240

☐

☐ 50-0-50, 100-120

☒ 230 CLS

Red Lamp Monitoring

Max Red Bulb Wattage

50

First Red Lamp Fault Speed

0

☐ RLF2 Cancels RLM additional Intergreens

☒ RLF2 Only Cleared by RFL = 1

☐ RLF1 Only Cleared by RFL = 1

RLM Additional Intergreen Handset Limits

Minimum

0

Maximum

10

Streams with Phase BlackOut on RLF2

☐ 0

☐

☐

☐

☐

☐

☐

☐

Last Modified 12/03/2024, Issue 1.0.2

Form Ref: 4.5.1

# LMU Sensor Load Types

LMU Sensor Load Types

Page

1 of 1

| Sensor | Phase | Sensor Type     | LED R+W         | R/LM | Load Type                | LLF Profile |
|--------|-------|-----------------|-----------------|------|--------------------------|-------------|
| 1      | A     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 2      | B     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 3      | C     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 4      | D     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 5      | E     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 6      | F     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 7      | G     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 8      | H     | As Seq.         | <div>Auto</div> |      | <div>1: Dialight</div>   |             |
| 33     | N/A   | Regulatory Sign | <div>Auto</div> |      | <div>255: Original</div> |             |
| 34     | N/A   | Regulatory Sign | <div>Auto</div> |      | <div>255: Original</div> |             |
| 35     | N/A   | Regulatory Sign | <div>Auto</div> |      | <div>255: Original</div> |             |
| 36     | N/A   | Regulatory Sign | <div>Auto</div> |      | <div>255: Original</div> |             |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# RLM Additional Intergreens

| Phases Delayed   |   |   |   |   |   |   |   |   |   |   |
|------------------|---|---|---|---|---|---|---|---|---|---|
| Phases with RLF1 | A | B | C | D | E | F | G | H | I | J |
|                  |   |   |   |   |   |   | 2 |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   | 1 |   |   |
|                  |   |   |   |   |   | 3 |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# RLM Phase Inhibits

Phases Inhibited/Black-Out

Phases with RLF2

|   | A | B | C | D | E | F | G | H | I | J |
|---|---|---|---|---|---|---|---|---|---|---|
| A |   |   |   |   |   |   |   |   |   |   |
| B |   |   |   |   |   |   |   |   |   |   |
| C |   |   |   |   |   |   |   |   |   |   |
| D |   |   |   |   |   |   |   |   |   |   |
| E |   |   |   |   |   |   |   |   |   |   |
| F |   |   |   |   |   |   |   |   |   |   |
| G |   |   |   |   |   |   |   |   |   |   |
| H |   |   |   |   |   |   |   |   |   |   |
| I |   |   |   |   |   |   |   |   |   |   |
| J |   |   |   |   |   |   |   |   |   |   |



Priority and Emergency Vehicle - General

Priority and Emergency Vehicle- General

|        | Input Name      | Type<br>Priority /<br>Emergency   |                                   | Phase        | DFM<br>Time<br>(x10) | Gap<br>Time  | DFM<br>Self<br>Reset | Demands                           |                                   |                                   |                                   | Revertive<br>Demands              |                                   |                                   |                                   | Revertive Demands to Start<br>Inhibit Timer |                                   |                                   |                                   |   |   |   |
|--------|-----------------|-----------------------------------|-----------------------------------|--------------|----------------------|--------------|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---|---|---|
|        |                 | P                                 | E                                 |              |                      |              |                      | Sets                              | 0                                 | 1                                 | 2                                 | 3                                 | Sets                              | 0                                 | 1                                 | 2                                           | 3                                 | Sets                              | 0                                 | 1 | 2 | 3 |
|        |                 |                                   |                                   |              |                      |              |                      |                                   |                                   |                                   |                                   |                                   |                                   |                                   |                                   |                                             |                                   |                                   |                                   |   |   |   |
| Unit 0 | <div>BF1A</div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div>A</div> | <div>30</div>        | <div>4</div> | <div>1</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 1 | <div>BF2B</div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div>B</div> | <div>30</div>        | <div>4</div> | <div>1</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 2 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 3 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 4 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 5 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 6 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |
| Unit 7 | <div></div>     | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div></div>  | <div>30</div>        | <div>4</div> | <div>0</div>         | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div>           | <div><div></div><div></div></div> | <div><div></div><div></div></div> | <div><div></div><div></div></div> |   |   |   |

☒ Inputs From Conditioning

Note:

Bus Priority Unit values will not be used unless a valid Input Name is specified

If Bus Unit is to generate a VA demand, then input name must also be specified on VA demands screen

Note:

Valid values for DFM Self Reset: 1 or 0 for PB800, 0-255 for PB801 and later

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Priority - Delays, Unit Inhibits and Associations

Priority - Delays, Unit Inhibits and Associations

Delay Time

|       | First                          | Second                         |
|-------|--------------------------------|--------------------------------|
| Unit0 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit1 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit2 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit3 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit4 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit5 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit6 | <input type="text" value="0"/> | <input type="text" value="0"/> |
| Unit7 | <input type="text" value="0"/> | <input type="text" value="0"/> |

Priority Units Inhibited

|       | 0                                   | 1                                   | 2                        | 3                        | 4                        | 5                        | 6                        | 7                        |
|-------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Unit0 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit1 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit2 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit3 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit4 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit5 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit6 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit7 | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Associated Priority Units

|       | 0                        | 1                        | 2                        | 3                        | 4                        | 5                        | 6                        | 7                        |
|-------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Unit0 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit4 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit5 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit6 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Unit7 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Handset Delay Limits

First Delay Handset Range

Min

Max

Second Delay Handset Range

Min

Max

Last Modified 12/03/2024, Issue 1.0.2

Form Ref: 4.6.2

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Priority Time Sets

Priority Time Sets

Sets

☒ 0

☐ 2

☐ 1

☐ 3

Copy Set

| Priority Unit         | 0  | 1  | 2    | 3    | 4    | 5    | 6    | 7    |
|-----------------------|----|----|------|------|------|------|------|------|
| Maximum time (secs)   | 10 | 10 | 15   | 15   | 15   | 15   | 15   | 15   |
| Extension time (secs) | 20 | 20 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Inhibit Time (secs)   | 60 | 60 | 50   | 50   | 50   | 50   | 50   | 50   |

Compensation Times

|   | A | B | C  | D  | E | F | G | H | I | J |
|---|---|---|----|----|---|---|---|---|---|---|
| 0 |   |   | 10 | 10 |   |   |   |   |   |   |
| 1 |   |   | 10 | 10 |   |   |   |   |   |   |
| 2 |   |   |    |    |   |   |   |   |   |   |
| 3 |   |   |    |    |   |   |   |   |   |   |
| 4 |   |   |    |    |   |   |   |   |   |   |
| 5 |   |   |    |    |   |   |   |   |   |   |
| 6 |   |   |    |    |   |   |   |   |   |   |
| 7 |   |   |    |    |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Priority Time Sets

Priority Time Sets

Sets

☐ 0

☐ 2

☒ 1

☐ 3

Copy Set

| Priority Unit         | 0  | 1  | 2    | 3    | 4    | 5    | 6    | 7    |
|-----------------------|----|----|------|------|------|------|------|------|
| Maximum time (secs)   | 10 | 10 | 15   | 15   | 15   | 15   | 15   | 15   |
| Extension time (secs) | 20 | 20 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Inhibit Time (secs)   | 60 | 60 | 50   | 50   | 50   | 50   | 50   | 50   |

Compensation Times

|   | A | B | C  | D  | E | F | G | H | I | J |
|---|---|---|----|----|---|---|---|---|---|---|
| 0 |   |   | 10 | 10 |   |   |   |   |   |   |
| 1 |   |   | 10 | 10 |   |   |   |   |   |   |
| 2 |   |   |    |    |   |   |   |   |   |   |
| 3 |   |   |    |    |   |   |   |   |   |   |
| 4 |   |   |    |    |   |   |   |   |   |   |
| 5 |   |   |    |    |   |   |   |   |   |   |
| 6 |   |   |    |    |   |   |   |   |   |   |
| 7 |   |   |    |    |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Priority Time Sets

Priority Time Sets

Sets

☐ 0

☒ 2

☐ 1

☐ 3

Copy Set

| Priority Unit         | 0  | 1  | 2    | 3    | 4    | 5    | 6    | 7    |
|-----------------------|----|----|------|------|------|------|------|------|
| Maximum time (secs)   | 10 | 10 | 15   | 15   | 15   | 15   | 15   | 15   |
| Extension time (secs) | 20 | 20 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Inhibit Time (secs)   | 60 | 60 | 50   | 50   | 50   | 50   | 50   | 50   |

Compensation Times

|   | A | B | C  | D  | E | F | G | H | I | J |
|---|---|---|----|----|---|---|---|---|---|---|
| 0 |   |   | 10 | 10 |   |   |   |   |   |   |
| 1 |   |   | 10 | 10 |   |   |   |   |   |   |
| 2 |   |   |    |    |   |   |   |   |   |   |
| 3 |   |   |    |    |   |   |   |   |   |   |
| 4 |   |   |    |    |   |   |   |   |   |   |
| 5 |   |   |    |    |   |   |   |   |   |   |
| 6 |   |   |    |    |   |   |   |   |   |   |
| 7 |   |   |    |    |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Priority Time Sets

Priority Time Sets

Sets

☐ 0

☐ 2

☐ 1

☒ 3

Copy Set

| Priority Unit         | 0  | 1  | 2    | 3    | 4    | 5    | 6    | 7    |
|-----------------------|----|----|------|------|------|------|------|------|
| Maximum time (secs)   | 10 | 10 | 15   | 15   | 15   | 15   | 15   | 15   |
| Extension time (secs) | 20 | 20 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 | 10.0 |
| Inhibit Time (secs)   | 60 | 60 | 50   | 50   | 50   | 50   | 50   | 50   |

Compensation Times

|   | A | B | C  | D  | E | F | G | H | I | J |
|---|---|---|----|----|---|---|---|---|---|---|
| 0 |   |   | 10 | 10 |   |   |   |   |   |   |
| 1 |   |   | 10 | 10 |   |   |   |   |   |   |
| 2 |   |   |    |    |   |   |   |   |   |   |
| 3 |   |   |    |    |   |   |   |   |   |   |
| 4 |   |   |    |    |   |   |   |   |   |   |
| 5 |   |   |    |    |   |   |   |   |   |   |
| 6 |   |   |    |    |   |   |   |   |   |   |
| 7 |   |   |    |    |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Priority - Allowed and Enforced Demands

|               |   | Phase |   |   |   |   |   |   |   |   |   |
|---------------|---|-------|---|---|---|---|---|---|---|---|---|
| Priority Unit |   | A     | B | C | D | E | F | G | H | I | J |
|               | 0 |       | a | a | a | a | a | a | a |   |   |
|               | 1 | a     |   | a | a | a | a | a | a |   |   |
|               | 2 |       |   |   |   |   |   |   |   |   |   |
|               | 3 |       |   |   |   |   |   |   |   |   |   |
|               | 4 |       |   |   |   |   |   |   |   |   |   |
|               | 5 |       |   |   |   |   |   |   |   |   |   |
|               | 6 |       |   |   |   |   |   |   |   |   |   |
|               | 7 |       |   |   |   |   |   |   |   |   |   |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Manual Panel

Manual Panel

Stage Buttons and LEDs

| Button No. | Title                             | Called Stage for Stream | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|------------|-----------------------------------|-------------------------|---|---|---|---|---|---|---|---|
| 0          | ALL RED STAGE                     |                         | 0 |   |   |   |   |   |   |   |
| 1          | LONDON RD INBOUND AND OUTBOUND    |                         | 1 |   |   |   |   |   |   |   |
| 2          | LONDON RD OUTBOUND AND RIGHT TURN |                         | 2 |   |   |   |   |   |   |   |
| 3          | PED G ACROSS LONDON RD            |                         | 3 |   |   |   |   |   |   |   |
| 4          | PED H ACROSS CLEVELAND BRIDGE     |                         | 4 |   |   |   |   |   |   |   |
| 5          | CLEVELAND BRIDGE NORTHBOUND       |                         | 5 |   |   |   |   |   |   |   |
| 6          |                                   |                         |   |   |   |   |   |   |   |   |
| 7          |                                   |                         |   |   |   |   |   |   |   |   |

General LEDs

|             | AUX 1                               | AUX 2                               | AUX 3                    | AUX 4<br>(Hurry Call)    | AUX 5<br>(Higher Priority)          |
|-------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Conditioned | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

General Buttons

|              | None                             | SW1                      | SW2                      | SW3                      |
|--------------|----------------------------------|--------------------------|--------------------------|--------------------------|
| Momentary    |                                  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Dim Override | <input checked="" type="radio"/> | <input type="radio"/>    | <input type="radio"/>    | <input type="radio"/>    |
| RR           | <input checked="" type="radio"/> | <input type="radio"/>    | <input type="radio"/>    | <input type="radio"/>    |

Manual Signals On

☐ Immediate Signals On

☒ As Start-Up

Manual Mode Enable

☒ Always

☐ When Handset Plugged in (Note 1)

☐ When 'MIND' Command Entered

NOTE:  
For this to operate Special Conditioning is required.

Mode Select Switches Disabled

☐ VA

☐ Fixed Time

☐ CLF



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Special Conditioning

```
; MANUAL PANEL LEDS
; =====
(MODE0 EQL<6>)=MIL17          ; UTC ACTIVE LIGHT AUX5 LED
BF1=MIL22                     ; BUS PRIORITY ACTIVE PHASE A - AUX1
BF2=MIL23                     ; BUS PRIORITY ACTIVE PHASE B - AUX2

; UTC REPLIES
; =====
/FLFCOM=CF                    ; CONTROLLER FAULT EXCEPT FLF12/22/55, REPLIES UTC CF
/FLF55=LF1                    ; ANY LAMP FAILURE, REPLIES UTC LF1
/(LMPARED0+LMP2RED0)=LF2      ; ANY RED OR 2nd RED LAMP FAIL REPLIES LF2

; TS SYNCH CONFIRM SIGNAL.
; -----

; CONFIRM SIGNALS REPLY ONE MINUTE BEFORE AND ONE MINUTE AFTER THE SYNCH TIME
; AS FOLLOWS:-
; NOTE: CC BIT SHOULD BE RENAMED CCR IN ORDER TO REPLY BY DAY OF WEEK.

; SYNCH TIME SET TO 2 HOURS 00 MINUTES THEN:-

(RTCTOD EQL<2>).(RTCMin EQL<00>)=1SCRT1

/((RTCDYS EQL<2>).1SCRT1./(RTCSEC GRT<2>))=CCR          ; MONDAY ----- FOR 3 SECONDS
/((RTCDYS EQL<3>).1SCRT1./(RTCSEC GRT<4>))=.CCR          ; TUESDAY ----- FOR 5 SECONDS
/((RTCDYS EQL<4>).1SCRT1./(RTCSEC GRT<6>))=.CCR          ; WEDNESDAY -- FOR 7 SECONDS
/((RTCDYS EQL<5>).1SCRT1./(RTCSEC GRT<8>))=.CCR          ; THURSDAY --- FOR 9 SECONDS
/((RTCDYS EQL<6>).1SCRT1./(RTCSEC GRT<10>))=.CCR          ; FRIDAY ----- FOR 11 SECONDS
/((RTCDYS EQL<0>).1SCRT1./(RTCSEC GRT<12>))=.CCR          ; SATURDAY --- FOR 13 SECONDS
/((RTCDYS EQL<1>).1SCRT1./(RTCSEC GRT<14>))=.CCR          ; SUNDAY ----- FOR 15 SECONDS

; DX INSERTS UNLATCHED PHASE DEMANDS
; =====

DX:::~::~+=UCPHA
      +=UCPHB
      +=UCPHC
      +=UCPHD
      +=UCPHE
      +=UCPHF
      +=UCPHG
      +=UCPHH

; BUS PRIORITY ACTIVATION
; =====

BF1=ROUGH0      ; UTC-BF1 ACTIVATES BP UNIT 0
BF2=ROUGH1      ; UTC-BF2 ACTIVATES BP UNIT 1

; INSERT UNLATCHED DEMAND FOR DUMMY PHASE J IF IN STAGE 4 WITH
; ACTIVE EXTENSIONS ON PHASE D AND MIN H TERMINATED.

STAGE4.(PHASEH./MINH).(EXTAD)=+UCPHJ

; STAGE 4 ONLY CALL BY PHASE H
; =====

/(MODE0 EQL<4>)./VRDMNDH=PRVST4
```

# Fault Log Flags

Fault Log Flags

| Fault No | Cond Flag                           | Act Flag                 |
|----------|-------------------------------------|--------------------------|
| 0        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 1        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 2        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 4        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 5        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 6        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 8        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 9        | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 10       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 11       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 12       | <input type="checkbox"/>            | <input type="checkbox"/> |
| 13       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 14       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 15       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| Fault No | Cond Flag                           | Act Flag                 |
|----------|-------------------------------------|--------------------------|
| 16       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 17       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 18       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 19       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 20       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 21       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 22       | <input type="checkbox"/>            | <input type="checkbox"/> |
| 23       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 24       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 25       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 26       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 27       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 28       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 29       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 30       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 31       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| Fault No | Cond Flag                           | Act Flag                 |
|----------|-------------------------------------|--------------------------|
| 32       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 33       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 34       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 35       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 36       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 37       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 38       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 39       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 40       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 41       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 42       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 43       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 44       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 45       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 46       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 47       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| Fault No | Cond Flag                           | Act Flag                 |
|----------|-------------------------------------|--------------------------|
| 48       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 49       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 50       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 51       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 52       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 53       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 54       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 55       | <input type="checkbox"/>            | <input type="checkbox"/> |
| 56       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 57       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 58       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 59       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 60       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 61       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 62       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 63       | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Note:

Cond Flag -  
If a fault occurs which sets a fault log flag that has been checked for this Cond flag option then a flag will be set that can be read in Conditioning.

Act Flag -  
If a fault occurs which sets a fault log flag that has been checked for this Act flag option then firstly the lamps

will be switched OFF and secondly a flag will be set that can be read in conditioning, to allow any further actions required to be performed by conditioning.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Special Instructions

The items list is provided for reference only, any additional items required to be determined on site. Items marked are required for this configuration.

UTC/OTU INFORMATION:

IP Address: 172.16.52.49  
Subnet Mask: 255.255.255.0  
Gateway: 172.16.52.1  
Broadcast: 0.0.0.255

Site Number: 1003  
O.T.U SCN: X04210  
Junction/ Ped SCN: J04211  
Count Site Details: D04211/ D04212/ D04213/ D04214/ D04215/ D04216

BUS PRIORITY:

Bus priority is activated by UTC bits BF1 and BF2, BF1 is phase A  
BF2 is Phase B.

In order to activate priority mode, bus inputs BF1A and BF2B have been configured, these inputs are marked as not required in the IO and will have no effect on the controller.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Special Instructions

SO0035

| Board | Position | Skt | Port | Type I or O | Line    | Cable | Block |
|-------|----------|-----|------|-------------|---------|-------|-------|
| CPU   | A        | X3I | 0    | I           | 00 - 07 | 101   | 1TBG  |
| CPU   | A        | X3I | 1    | I           | 08 - 15 |       | 1TBH  |
| CPU   | A        | X3O | 11   | O           | 88 - 91 | 105   | 1TBX  |
| IO1   | B        | B   | 2    | I           | 16 - 23 | 103   | 1TBJ  |
| IO1   | B        | E   | 4    | O           | 32 - 39 |       | 1TBK  |
| IO1   | B        | C   | 3    | I           | 24 - 31 | 103   | 1TBL  |
| IO1   | B        | D   | 5    | O           | 40 - 47 |       | 1TBM  |

The socket X3 on the CPU pcb is the double stacked one  
X3I = Inner (nearest the board)  
X3O = Outer

Intersection : 1003 - LONDON RD/CLEVELAND PLACE

## Special Instructions

ST800 CONTROLLER ITEMS LIST SHEET 1 (\*I\*L\*)

| ITEM | DRAWING NUMBER  | DESCRIPTION                      | QTY  | TOT | REMARKS |
|------|-----------------|----------------------------------|------|-----|---------|
| 1    |                 |                                  |      |     |         |
| 2    | 667/1/27000/003 | Cabinet 8 Phase wired 8 Phase    | 1    |     |         |
| 3    | 667/1/27000/002 | Cabinet 24 Phase wired 32 Phase  |      |     |         |
| 4    | 667/1/27001/001 | Rack 8 Phase wired 16 Phase      |      |     |         |
| 5    | 667/1/27001/002 | Rack 24 Phase wired 32 Phase     |      |     |         |
| 6    |                 |                                  |      |     |         |
| 7    |                 |                                  |      |     |         |
| 8    |                 |                                  |      |     |         |
| 9    |                 |                                  |      |     |         |
| 10   |                 |                                  |      |     |         |
| 11   |                 |                                  |      |     |         |
| 12   |                 |                                  |      |     |         |
| 13   |                 |                                  |      |     |         |
| 14   |                 |                                  |      |     |         |
| 15   |                 |                                  |      |     |         |
| 16   |                 |                                  |      |     |         |
| 17   |                 |                                  |      |     |         |
| 18   |                 |                                  |      |     |         |
| 19   |                 |                                  |      |     |         |
| 20   |                 |                                  |      |     |         |
| 21   |                 |                                  |      |     |         |
| 22   |                 |                                  |      |     |         |
| 23   | 667/1/27072/001 | Cableform 8 Phase (long)         |      |     |         |
| 24   | 667/1/27002/000 | Lamp Switch Kit 8 Phase          |      |     |         |
| 25   | 667/1/27003/000 | I/O Kit                          | 1    |     |         |
| 26   | 667/1/27005/000 | SDE Facility Kit                 |      |     |         |
| 27   | 667/1/27004/000 | Integral OTU Kit                 |      |     |         |
| 28   |                 |                                  |      |     |         |
| 29   |                 |                                  |      |     |         |
| 30   |                 |                                  |      |     |         |
| 31   |                 |                                  |      |     |         |
| 32   |                 |                                  |      |     |         |
| 33   |                 |                                  |      |     |         |
| 34   |                 |                                  |      |     |         |
| 35   |                 |                                  |      |     |         |
| 36   |                 |                                  |      |     |         |
| 37   |                 |                                  |      |     |         |
| 38   |                 |                                  |      |     |         |
| 39   | 667/1/16260/000 | Configuration Eprom (Issue 1. 0) | ** 1 |     |         |
| 40   |                 |                                  |      |     |         |

Note 1:  
Please refer to special  
instruction pages for  
additional information on  
items marked with an '\*'.

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Special Instructions

ST800 CONTROLLER ITEMS LIST SHEET 2 (\*I\*L\*)

| ITEM | DRAWING NUMBER  | DESCRIPTION                            | QTY | TOT | REMARKS                        |
|------|-----------------|----------------------------------------|-----|-----|--------------------------------|
| 41   |                 |                                        |     |     |                                |
| 42   | 667/1/27056/001 | Manual Panel Assy (Intersection Cont)  |     |     |                                |
| 43   | 667/1/27056/010 | Manual Panel Assy (Sigs on/off)        |     |     |                                |
| 44   | 667/1/27056/000 | Manual Panel Blanking Kit              |     |     |                                |
| 45   |                 |                                        |     |     |                                |
| 46   |                 |                                        |     |     | Note 2:                        |
| 47   |                 |                                        |     |     | Ancillary Processor PLD        |
| 48   |                 |                                        |     |     | Variants                       |
| 49   |                 |                                        |     |     | 101 OTU & LMU                  |
| 50   |                 |                                        |     |     | 102 OTU Only                   |
| 51   |                 |                                        |     |     | 103 LMU Only                   |
| 52   | 667/7/25171/000 | Current Transformer                    |     |     | 104 OTU & LMU + Up/Download    |
| 53   |                 |                                        |     |     | 105 OUT Only + Up/DownLoad     |
| 54   |                 |                                        |     |     | NB Controller Has built in LMU |
| 55   | 667/1/27002/002 | Lamp Switch Kit 8 Phase CLS            | 1   |     | So LMU on Ancillary Processor  |
| 56   | 667/1/27002/102 | Lamp Switch Kit 8 Phase Export CLS     |     |     | Not required included for info |
| 57   |                 |                                        |     |     | only.                          |
| 58   | 667/1/27000/800 | CLS Mod Kit (firmware only)            | 1   |     |                                |
| 59   |                 |                                        |     |     |                                |
| 60   |                 |                                        |     |     | Note 3:                        |
| 61   | 667/1/27000/101 | Cabinet Export 8 Phase wired 16 Phase  |     |     | Fit Current Transformer        |
| 62   | 667/1/27000/102 | Cabinet Export 24 Phase wired 32 Phase |     |     | starting from position         |
| 63   | 667/1/27001/101 | Rack Export 8 Phase wired 16 Phase     |     |     | TLB/z/16 on the first phase    |
| 64   | 667/1/27001/102 | Rack Export 24 Phase wired 32 Phase    |     |     | driver PCB. if more than 3     |
| 65   | 667/1/27002/100 | Export Lamp Switch Kit                 |     |     | sensors are called up fit the  |
| 66   | 667/1/27084/001 | Dimming Assembly (1.5KVA) (Fit Std UK) |     |     | 4th sensor to the second       |
| 67   | 667/1/27084/002 | Dimming Assembly (2.0KVA)              |     |     | Phases driver PCB, and so on   |
| 68   | 667/1/27084/003 | Dimming Assembly (3.0KVA)              |     |     | until all sensors have been    |
| 69   | 667/1/27130/000 | 30A Controller Kit                     |     |     | used up.                       |
| 70   |                 |                                        |     |     | TLB/b/14 - 1st sensor terminal |
| 71   | 667/1/27001/310 | ST800 SE Export Rack up to 8 Phase     |     |     | TLB/z/16 - 2nd sensor terminal |
| 72   | 667/1/27223/003 | ST800 SE 8 Phase Driver No LMU         |     |     | TLB/z/14 - 3rd sensor terminal |
| 73   | 667/1/27223/403 | ST800 SE 4 Phase Driver No LMU         |     |     | TLB/z/12 - 4th sensor terminal |
| 74   |                 |                                        |     |     | 2nd Phases driver PCB          |
| 75   |                 |                                        |     |     | TLB/b/14 - 5th sensor terminal |
| 76   |                 |                                        |     |     | TLB/z/16 - 6th sensor terminal |
| 77   | 667/1/27000/301 | ST800 P In a Cabinet 4Ph 1 Stream PED  |     |     |                                |
| 78   | 667/1/27012/000 | PED 2nd Stream Kit for ST800 P         |     |     |                                |
| 79   | 667/1/27001/300 | ST800 P Rack Only 4Ph 1 Stream PED     |     |     |                                |

Works Order : [REDACTED]  
EM Number : SO0035  
Engineer : [REDACTED]  
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Special Instructions

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required  
Check boxes

Port Number & Type

Port:

☐ ☐  
☒ Inputs & Outputs

|                       | DET No | Bit No | Type I or O | Name  | Req'd                               | BP                       | Count                    | Inv                      | U/D                      | Misc                     | DFM | DFM Group | Ext time | Phs                                 | UTC                      | SDE                      | Used By                  |                          |                          |                          | IG                       | UD                       | LRT                      | Term Block | Terminal No |
|-----------------------|--------|--------|-------------|-------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|-----------|----------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------|
| <input type="radio"/> | 0      | 0      | I           | ASL   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 1.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 1           |
| <input type="radio"/> | 1      | 1      | I           | AMVD6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 0.6      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 2           |
| <input type="radio"/> | 2      | 2      | I           |       | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |           |          | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 3           |
| <input type="radio"/> | 3      | 3      | I           | BSL   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 1.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 4           |
| <input type="radio"/> | 4      | 4      | I           | BMVD3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 0.6      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 5           |
| <input type="radio"/> | 5      | 5      | I           | CSL   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 1.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 6           |
| <input type="radio"/> | 6      | 6      | I           | CMVD2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 0.6      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 7           |
| <input type="radio"/> | 7      | 7      | I           | DSL   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> | A   | 1         | 1.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBG       | 8           |

Add

Delete

Move

Clear Used By



Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required  
Check boxes

Port Number & Type

Port: 

1

☐

☒ Inputs & Outputs

|                       | DET No | Bit No | Type I or O | Name   | Req'd                               | BP                       | Count                    | Inv                      | U/D                      | Misc                     | DFM | DFM Group | Ext time | Phs                                 | UTC                      | SDE                      | Used By                  |                          |                          |                          | IG                       | UD                       | LRT                      | Term Block | Terminal No |
|-----------------------|--------|--------|-------------|--------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|-----------|----------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------|-------------|
| <input type="radio"/> | 8      | 0      | I           | DMVD10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 0.6      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 1           |
| <input type="radio"/> | 9      | 1      | I           | ESL    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 1.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 2           |
| <input type="radio"/> | 10     | 2      | I           | EMVD6  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | A   | 1         | 0.6      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 3           |
| <input type="radio"/> | 11     | 3      | I           | FPBU   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Y   | 2         | 0.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 4           |
| <input type="radio"/> | 12     | 4      | I           | GPBU   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Y   | 2         | 0.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 5           |
| <input type="radio"/> | 13     | 5      | I           |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |           |          | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 6           |
| <input type="radio"/> | 14     | 6      | I           |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |           |          | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 7           |
| <input type="radio"/> | 15     | 7      | I           | HPBU   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> | Y   | 2         | 0.0      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBH       | 8           |

Add

Delete

Move

Clear Used By

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required  
Check boxes

Port Number & Type

Port:

2



Inputs & Outputs

|                       | DET<br>No | Bit<br>No | Type<br>I or O | Name    | Req'd                               | BP                       | Count                    | Inv                      | U/D                      | Misc                     | DFM | DFM<br>Group | Ext<br>time | Phs                                 | UTC                      | SDE                      | Used By                  |                          |                          |                          | IG                       | UD                       | LRT                      | Term<br>Block | Terminal<br>No |
|-----------------------|-----------|-----------|----------------|---------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|--------------|-------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------|----------------|
| <input type="radio"/> | 16        | 0         | I              |         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 1              |
| <input type="radio"/> | 17        | 1         | I              |         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 2              |
| <input type="radio"/> | 18        | 2         | I              | N04211G | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 3              |
| <input type="radio"/> | 19        | 3         | I              | N04211C | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 4              |
| <input type="radio"/> | 20        | 4         | I              | N04115O | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 5              |
| <input type="radio"/> | 21        | 5         | I              | SCOOT4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 6              |
| <input type="radio"/> | 22        | 6         | I              | N04235S | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 7              |
| <input type="radio"/> | 23        | 7         | I              | N04211D | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBJ          | 8              |

Add

Delete

Move

Clear Used By

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required  
Check boxes

Port Number & Type

Port:

3



☒ Inputs & Outputs

|                       | DET<br>No | Bit<br>No | Type<br>I or O | Name   | Req'd                               | BP                       | Count                    | Inv                      | U/D                      | Misc                     | DFM | DFM<br>Group | Ext<br>time | Phs                                 | UTC                      | SDE                      | Used By                             |                          |                          |                          | IG                       | UD                       | LRT                      | Term<br>Block | Terminal<br>No |
|-----------------------|-----------|-----------|----------------|--------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|--------------|-------------|-------------------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------|----------------|
| <input type="radio"/> | 24        | 0         | I              | SC00T7 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 1              |
| <input type="radio"/> | 25        | 1         | I              | SC00T8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 2              |
| <input type="radio"/> | 26        | 2         | I              | BF1A   | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 3              |
| <input type="radio"/> | 27        | 3         | I              | BF2B   | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | N   |              | 0.0         | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 4              |
| <input type="radio"/> | 28        | 4         | I              |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 5              |
| <input type="radio"/> | 29        | 5         | I              |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 6              |
| <input type="radio"/> | 30        | 6         | I              |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 7              |
| <input type="radio"/> | 31        | 7         | I              |        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                          | <input type="checkbox"/> |     |              |             | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1TBL          | 8              |

Add

Delete

Move

Clear Used By

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

# Aspect Drives

Aspect Drives

☒ A-L

☐ M-X

☐ Y-F2

| Phase Driver Card 1 |          |            |         |
|---------------------|----------|------------|---------|
|                     | Used For | Term Block | Term No |
| A - Red             | Phase    | 1TBA       | 1       |
| A - Amber           | Phase    | 1TBA       | 2       |
| A - Green           | Phase    | 1TBA       | 3       |
| B - Red             | Phase    | 1TBA       | 4       |
| B - Amber           | Phase    | 1TBA       | 5       |
| B - Green           | Phase    | 1TBA       | 6       |
| C - Red             | Phase    | 1TBA       | 7       |
| C - Amber           | Phase    | 1TBA       | 8       |
| C - Green           | Phase    | 1TBA       | 9       |
| D - Red             | Phase    | 1TBA       | 10      |
| D - Amber           | Phase    | 1TBA       | 11      |
| D - Green           | Phase    | 1TBA       | 12      |

| Phase Driver Card 1 |          |            |         |
|---------------------|----------|------------|---------|
|                     | Used For | Term Block | Term No |
| E - Red             | Phase    | 1TBB       | 1       |
| E - Amber           | Phase    | 1TBB       | 2       |
| E - Green           | Phase    | 1TBB       | 3       |
| F - Red             | Phase    | 1TBB       | 4       |
| F - Amber           | Phase    | 1TBB       | 5       |
| F - Green           | Phase    | 1TBB       | 6       |
| G - Red             | Phase    | 1TBB       | 7       |
| G - Amber           | Phase    | 1TBB       | 8       |
| G - Green           | Phase    | 1TBB       | 9       |
| H - Red             | Phase    | 1TBB       | 10      |
| H - Amber           | Phase    | 1TBB       | 11      |
| H - Green           | Phase    | 1TBB       | 12      |

| Phase Driver Card 2 |          |            |         |
|---------------------|----------|------------|---------|
|                     | Used For | Term Block | Term No |
| I - Red             |          |            |         |
| I - Amber           |          |            |         |
| I - Green           |          |            |         |
| J - Red             |          |            |         |
| J - Amber           |          |            |         |
| J - Green           |          |            |         |
| K - Red             |          |            |         |
| K - Amber           |          |            |         |
| K - Green           |          |            |         |
| L - Red             |          |            |         |
| L - Amber           |          |            |         |
| L - Green           |          |            |         |

Works Order :   
EM Number : SO0035  
Engineer :   
Intersection : 1003 - LONDON RD/CLEVELAND PLACE

I/O - DFM Group Timings

I/O - DFM Group Timings

| Input Group | State          | SET A                           | SET B                           | SET C                           | SET D                           |
|-------------|----------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Group 0     | Active (Mins)  | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> |
|             | InActive (Hrs) | <input type="text" value="18"/> | <input type="text" value="18"/> | <input type="text" value="18"/> | <input type="text" value="18"/> |
| Group 1     | Active (Mins)  | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> |
|             | InActive (Hrs) | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> |
| Group 2     | Active (Mins)  | <input type="text" value="10"/> | <input type="text" value="10"/> | <input type="text" value="10"/> | <input type="text" value="10"/> |
|             | InActive (Hrs) | <input type="text" value="96"/> | <input type="text" value="96"/> | <input type="text" value="96"/> | <input type="text" value="96"/> |
| Group 3     | Active (Mins)  | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> |
|             | InActive (Hrs) | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> |
| Group 4     | Active (Mins)  | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> | <input type="text" value="30"/> |
|             | InActive (Hrs) | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> | <input type="text" value="48"/> |
| Group 5     | Active (Mins)  | <input type="text" value="10"/> | <input type="text" value="10"/> | <input type="text" value="10"/> | <input type="text" value="10"/> |
|             | InActive (Hrs) | <input type="text" value="96"/> | <input type="text" value="96"/> | <input type="text" value="96"/> | <input type="text" value="96"/> |
| Group 6     | Active (Mins)  | <input type="text" value="15"/> | <input type="text" value="15"/> | <input type="text" value="15"/> | <input type="text" value="15"/> |
|             | InActive (Hrs) | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            |
| Group 7     | Active (Mins)  | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            |
|             | InActive (Hrs) | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            | <input type="text"/>            |

Note - 255 or blank disables DFM monitoring of that state (active or inactive) during that timeset (A to D)

Handset Limiting Values

| State          | Min                            | Max                              |
|----------------|--------------------------------|----------------------------------|
| Active (Mins)  | <input type="text" value="0"/> | <input type="text" value="255"/> |
| InActive (Hrs) | <input type="text" value="0"/> | <input type="text" value="255"/> |

# Index

- 1 General Junction Data
  - 1.1 Administration
  - 1.2 Phases, Stages and Streams
  - 1.3 Facilities/Modes Enabled and Mode Priority Levels
  - 1.4 Phases in Stages
  - 1.5 Stages in Streams
- 2 Phases
  - 2.1 Phase Type and Conditions
  - 2.2 Opposing and Conflicting Phases
  - 2.3 Timings
    - 2.3.1 Phase Minimums, Maximums, Extensions, Ped Leaving Periods
    - 2.3.2 Phase Intergreen Times
    - 2.3.3 Intergreen Handset Limits
    - 2.3.4 Phase Timing Handset Ranges
  - 2.4 VA Demand and Extend Definitions
  - 2.5 Phase Internal/Revertive Demands
- 3 Stage Movements
  - 3.1 Stages - Prohibited, Alternative, Ignored Moves
  - 3.2 Stage Internal Demands/Pedestrian Window Times
  - 3.3 Phase Delays
- 4 Modes and Facilities - Detailed
  - 4.1 Fixed Time
  - 4.2 Cableless Linking
    - 4.2.1 CLF - Plan(s) (No configuration data to print)
    - 4.2.2 CLF - Base Time
    - 4.2.3 CLF - Demand Dependent Moves
  - 4.3 UTC and MOVA
    - 4.3.1 UTC General Data
    - 4.3.2 UTC Control and Reply Data Format
    - 4.3.3 UTC Data Definitions
      - 4.3.3.1 UTC Phase Demand and Extend Definitions
      - 4.3.3.2 UTC Stage and Mode Data Definitions
      - 4.3.3.3 UTC Demand Dependent Forces
    - 4.3.4 UTC and MOVA Detectors
  - 4.4 Master Time Clock
    - 4.4.1 MTC - Time Switch Parameters
    - 4.4.2 MTC - Time Switch Parameters Array
    - 4.4.3 MTC - Timetable
  - 4.5 Integral Lamp Monitoring
    - 4.5.1 LMU - General
    - 4.5.2 LMU Sensor Load Types
    - 4.5.3 RLM Additional Intergreens
    - 4.5.4 RLM Phase Inhibits
  - 4.6 Priority and Emergency Vehicle
    - 4.6.1 Priority and Emergency Vehicle - General
    - 4.6.2 Priority - Delays, Unit Inhibits and Associations
    - 4.6.3 Priority Time Sets
    - 4.6.4 Priority - Allowed and Enforced Demands
  - 4.7 Manual
    - 4.7.1 Manual Panel
    - 4.7.2 Manual Mode - Optional Phases Appearance (No configuration data to print)
- 5 Conditioning Data
  - 5.1 Special Conditioning
  - 5.2 Special Conditioning Timers (No configuration data to print)
  - 5.3 Fault Log Flags
- 6 Special Instructions
- 7 I/O
  - 7.1 Call Cancel (No configuration data to print)
  - 7.2 Inputs and Outputs
  - 7.3 Aspect Drives
  - 7.4 I/O - DFM Group Timings