

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Administration

General Specifications

Customer Name

BATH + NORTH EAST SOMERSET

Intersection/
General Description

A4 LONDON ROAD - MORRISONS
SUPERMARKET
BATH

Controller

☒ New

☐ Modification

Area Specifications/
Customer Drawings

Specification Section

Contract/Tender Ref:

Quotation No.

Works Order No.

Customer Order No.

Controller/
Serial Number

S.T.S. /EM Number

EPR203

Issue

5

Equipment
Installation by

SIEMENS

Slot Cutting by

Civil Works by

Customer's Engineer

Telephone Number

Signal Company Use Only

Signal Engineer

(IF PROM Label as >) PROM Number

16700

PROM Variant

203

Configuration Check Value

C2 F1 63 BC

Controller Options

Hardware

ST900 ELV

Firmware Type and Issue

PB801 ISS 12

Other Options

ST950/ST900/ST750 Series Cabinet Options

Cabinet/Rack

Cabinet

Kit Type Options

☒ UK-Std

☐ Non-UK

☐

☐

Cabinet/Rack Variant

Black

Cuckoo Options

None

Gemini Unit Fitted

☐

Mains Supply

230

Volts

50

Hz

Dimming

27.5 V

Answer Issue

0

Peak Lamp Current

1

Amps

Low Inrush
Transformer

☐

Edit Issue

18

Average Lamp Power

1

Watts

Date Created

10/03/13

Total Average Power

1

Watts

Power feed fuse rating: requires 30 Amp minimum for controller, 15 Amp minimum for pelican/lightly loaded controller

Phases, Stages and Streams

Phases, Stages and Streams

Add/Delete/Insert Streams:

Streams

Current Number of Streams

2

Stages

Current Number of stages
(inc. ALL-RED stages)

8

Phases

Current Total Number of Phases

15

Number of Real Phases

13

Number of Dummy Phases

2

Switched Signs

Number of Switched Signs

0

Action

Add At

Delete At

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Facilities/Modes Enabled and Mode Priority Levels

Facilities

UTC

☒ Serial/Internal UTMC OTU

☐ Free-standing OTU

☐ Integral TC12 OTU

☒ Serial MOVA

☒ Master Time Clock

☐ Holiday Clock

☒ FT To Current MAX

☐ Linked Fixed Time

☒ Lamp Monitoring

☒ RED Lamp Monitoring

☒ Pelican/Puffin/Toucan

☐ Standalone Manual

☒ Extend All Red

☐ Speed Measurement

☐ Ripple Change

☐ London IMU

☐

☐ Non-UK

☐ Fail to Part Time

☐

☐

☐ Download To Level 3

13

Starting Intergreen

Mode Priority

	1	2	3	4	5	6	7	8	9	10	11	12	13
☐ Part Time	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐ Emergency Vehicles	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐ Hurry Call	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☒ Priority Vehicle	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐
☒ Manual Control	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐ Manual Step On	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☒ Selected FT or VA or CLF	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☒ UTC	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐ CLF (Non-Base Time)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☒ CLF (Base Time)	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
☒ Vehicle Actuated	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
☒ Fixed Time	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐

Configuration Complexity

☐ Low

☐ Medium

☐ High

☒ Maximum

standardPB801.8df

Default PROM data file

Correspondence Monitoring to inc.

☒ Reds

☒ Ambers

☐ Switched Signs

☐

Flash Rate (ms)

400

Off

400

On

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Phases in Stages

		Phases														
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
In Stages	0															
	1															
	2															
	3															
	4															
	5															
	6															
	7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Stages in Streams

Stages in Streams

01234567

Phase or Stage to revert to in absence of demands/extensions

1

5

Startup Stage

1

5

Switch Off Stage

Standalone Pedestrian

Note: For a Stand-Alone Stream, the reversion must be to All Red stage or Traffic stage/phase to meet the relevant standard or specification.

Stages

In Stream

	0	1	2	3	4	5	6	7
0								
1								

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Phase Type and Conditions

Phase Type and Conditions

Phases A to P

Manual Output Allocation

Phase	Title	Type	App. Type	Term. Type	Assoc. Phase	No. of Drive Outputs			HW Fail Flash	Critical Phase
						"R"	"A"	"G"		
A	A4 LONDON ROAD INBOUND	0 - UK Traffic	0	0 - E		1	1	1		☐
B	A4 LONDON ROAD OUTBOUND	0 - UK Traffic	0	0 - E		1	1	1		☐
C	A4 LONDON ROAD OUTBOUND RIGHT TURN	2 - UK GreenArrow	0	2 - P	B	0	0	1		☐
D	MORRISONS EXIT LEFT TURN	2 - UK GreenArrow	2	1 - P	E	0	0	1		☐
E	MORRISONS EXIT	0 - UK Traffic	0	0 - E		1	1	1		☐
F	NOT USED	2 - UK GreenArrow	1	0 - E		0	0	1		☐
G	BUS GATE	0 - UK Traffic	0	0 - E		1	1	1		☐
H	PED ACROSS LONDON ROAD	3 - UK Near Side Pedestrian	0	0 - E		1	1	2		☐
I	PED ACROSS MORRISONS ENTRANCE	3 - UK Near Side Pedestrian	0	0 - E		1	1	2		☐
J	PED ACROSS MORRISONS EXIT RIGHT TURN	3 - UK Near Side Pedestrian	0	0 - E		1	1	2		☐
K	PED ACROSS MORRISONS EXIT LEFT TURN	3 - UK Near Side Pedestrian	0	0 - E		1	1	2		☐
L	LLCS A4 LONDON ROAD INBOUND	0 - UK Traffic	2	0 - E		1	1	1		☐
M	LLCS A4 LONDON ROAD OUTBOUND	0 - UK Traffic	0	0 - E		1	1	1		☐
N	DUMMY FOR BUS GATE	2 - UK GreenArrow	0	0 - E						☐
O	DUMMY ALL RED	2 - UK GreenArrow	0	0 - E						☐

1) App Types: 0 = Always Appears, 1 = Appears if dem'd prior to interstage, 2 = If dem'd, 3 = If dem'd before end of window time

2) Term Types: 0 = Term's at end of stage, 1 = Term's when Assoc phase gains R.O.W., 2 = Term's when Assoc phase loses R.O.W.

3) The HW Fail Flash fields are for information only on all but ST900 ELV and ST960 ELV Controllers. For other controllers, physical switches or links (etc.), select which aspects flash; these need to be set up manually.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Opposing and Conflicting Phases

Select Stream(s) To Configure

☐ All

☐ 0

☐ 1

☐

☐

☐

☐

☐

☐

Initialse

☒ Amber Conflict Monitoring

		To Phase														
From Phase		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
	A		o	Co	Co	Co		o	Co	Co	o	o	o	o	o	o
	B	o		o	o	Co		o	Co	Co	o	o	o	o	o	o
	C	Co	o		o	Co		o	Co	Co	o	o	Co	o	o	o
	D	Co	o	o		o		o	o	o	o	Co	Co	o	o	o
	E	Co	Co	Co	o			o	o	o	Co	Co	Co	Co	o	o
	F															
	G	o	o	o	o	o			o	o	o	o	o	o	o	o
	H	Co	Co	Co	o	o		o		o	o	o	Co	Co	o	o
	I	Co	Co	Co	o	o		o	o		o	o	Co	Co	o	o
	J	o	o	o	o	Co		o	o	o		o	o	o	o	o
	K	o	o	o	Co	Co		o	o	o	o		o	o	o	o
	L	o	o	Co	Co	Co		o	Co	Co	o	o		o	o	o
	M	o	o	o	o	Co		o	Co	Co	o	o	o		o	o
	N	o	o	o	o	o		o	o	o	o	o	o	o		o
	O	o	o	o	o	o		o	o	o	o	o	o	o	o	

Phase Minimums, Maximums, Extensions, Ped Leaving Periods

Phase Minimums, Maximums, Extensions, Ped Leaving Periods

☒ Phases A to P

☐

Phase	Min Green	Min Ped Clr	Extensions	Maximums								
				A	B	C	D	E	F	G	H	Pre-timed
A	7	0	0.0	50	50	50	60	0	0	0	0	☐
B	7	0	0.0	50	40	50	60	0	0	0	0	☐
C	4	0	0.0	7	7	10	10	0	0	0	0	☐
D	4	0	0.0	4	4	10	10	0	0	0	0	☐
E	7	0	0.0	10	10	12	12	0	0	0	0	☐
F	0	0	0.0	0	0	0	0	0	0	0	0	☐
G	7	0	0.0	50	50	50	60	0	0	0	0	☐
H	6	3	0.0	0	0	0	0	0	0	0	0	☐
I	5	3	0.0	0	0	0	0	0	0	0	0	☐
J	5	3	0.0	0	0	0	0	0	0	0	0	☐
K	5	3	0.0	0	0	0	0	0	0	0	0	☐
L	4	0	0.0	0	0	0	0	0	0	0	0	☐
M	4	0	0.0	0	0	0	0	0	0	0	0	☐
N	3	0	0.0	0	0	0	0	0	0	0	0	☐
O	3	0	0.0	0	0	0	0	0	0	0	0	☐
												☐

Note: For Standalone Streams see Help for use of Max Sets.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Phase Intergreen Times

Select Stream(s) To Configure

☐ All

☐ 0

☐ 1

☐

☐

☐

☐

☐

☐

Note: On a Stand Alone Pelican/Toucan/Puffin Stream the Intergreens between Pedestrian and Traffic Phases are controlled by the timings (PBT, PIT, CMX, CDY, CRD and PAR), therefore 0 should be entered for the appropriate intergreen times in grid below.

		To Phase														
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
From Phase	A			5	6	6			7	8						3
	B					6			6	11						3
	C	6				6			6	11			6			3
	D	6										5	6			3
	E	6	6	6							5	5	6	6		3
	F															
	G														3	
	H	5	5	5									5	5		3
	I	5	5	5									5	5		3
	J					5										3
	K				5	5										3
	L			5	6	6			7	8						3
	M					6			6	11						3
	N							2								
	O	2	2	2	2	2			2	2	2	2	2	2		

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Intergreen Handset Limits

HIGH

199

Copy Intergreen Values

To Phase

From Phase

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A			5	5	5			5	5						3
B					5			5	5						3
C	5				5			5	5			5			3
D	5										5	5			3
E	5	5	5							5		5	5		3
F															
G														3	
H	5	5	5									5	5		3
I	5	5	5									5	5		3
J					5										3
K				5											3
L			5	5	5			5	5						3
M					5			5	5						3
N							2								
O	2	2	2	2	2			2	2	2	2	2	2		

Phase Timing Handset Ranges

Phase Timing Handset Ranges

Initialise Min Green Limits

Phase	Min. Green	
	Min.	Max.
A	7	255
B	7	255
C	4	255
D	0	255
E	7	255
F	0	255
G	7	255
H	5	255
I	5	255
J	5	255
K	5	255
L	4	255
M	4	255
N	3	255
O	1	255
P		

Phase	Min. Green	
	Min.	Max.
Q		
R		
S		
T		
U		
V		
W		
X		
Y		
Z		
A2		
B2		
C2		
D2		
E2		
F2		

Max. Green

Min. 0Max. 255

Vehicle Extension

Min. 0.0Max. 10.0

Phase Delay

Min. 0Max. 30

Starting I/G

Min. 6Max. 15

Min Pedestrian Clearance (PBT)

Min. 0Max. 20

Traffic Phase Leaving

Min. 3.0Max. 3.0

Traffic Phase Red/Amber

Min. 2Max. 2

VA Demand and Extend Definitions

VA Demand and Extend Definitions

Demands

For Unlatched demands precede the name with a #.
Conditioning MUST be used to specify unlatched demands.

A	ASL	AMVD16	GSL	BUSA
B	BSL	BMVD11	CSL	BUSB
C	#CCC			
D	#DSL			
E	ESL	EMVD5	DSL	
F				
G				
H	HPBU7	HPBU12		
I	IPBU1	IPBU2	IPBU3	
J	JPBU4	JPBU5	JPBU6	
K	KPBU8	KPBU9	KPBU10	
L				
M				
N				
O				

Phases AtoP

Extensions

ASL	AMVD16	GSL	
BSL	BMVD11		
CCC	CSL		
DSL			
ESL	EMVD5	DSL	

Last Modified 16/01/2024, Issue 5.0.18

Form Ref: 2.4

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Phase Internal/Revertive Demands

Phase Internal/Revertive Demands

Start-up Vehicle Responsive Demands

A	☒	B	☒	C	☒	D	☒	E	☒	F	☐	G	☒	H	☒	I	☒	J	☒	K	☒	L	☒	M	☒	N	☐	O	☐	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐	☐

Demands Inserted When Leaving Manual and Fixed Time Modes

A	☒	B	☒	C	☒	D	☒	E	☒	F	☐	G	☒	H	☒	I	☒	J	☒	K	☒	L	☒	M	☒	N	☐	O	☐	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐	☐

Unlatched Demands that Start Max Timers

A	☒	B	☒	C	☒	D	☒	E	☒	F	☐	G	☒	H	☒	I	☒	J	☒	K	☒	L	☒	M	☒	N	☒	O	☒	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐	☐

Revertive Phase Demands

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
A	B	B	E	E		A									
Q	R	S	T	U	V	W	X	Y	Z	A2	B2	C2	D2	E2	F2

Phase - On Crossing and Kerbside Detector Definitions

On Crossing and Kerbside Input Definitions

Phases AtoP

Phase	On Crossing				Kerbside			
A								
B								
C								
D								
E								
F								
G								
H	HONC7	HONC12						
I	IONC1	IONC3						
J	JONC5	JONC6						
K	KONC9	KONC10						
L								
M								
N								
O								

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Stream - Pelican/Puffin/Toucan Times

Stream - Pelican/Puffin/Toucan Times

Pedestrian Enable VA Mode (PEV)

Streams

01234567

PedestrianAll RedTimes (Vehicle to Pedestrian)

Streams

01234567

(PAR n0) VA Gap Change

(PAR n1) VA Max Change

(PAR n2) FVP Change

(PAR n3) UTC Change

(PAR n4) Local Link Change

Handset Range Limits

Min

Max

00

00

00

00

00

00

Pelican Intergreen times

(PIT n0) Veh Red/Ped Flash Green

(PIT n1) Veh Flash Amber/Ped Flash Green

(PIT n2) Veh Flash Amber/Ped red

(PIT n3) Veh Flash Amber/Ped Red Quiescent

00

00

00

00

Phase - Pelican, Puffin and Toucan Times

Phase - Pelican, Puffin and Toucan Times

Phase	PDD Ped Demand Delay	PDX Ped Demand Hold	CMX Clearance Maximum	CDY 0 Clearance Delay Gap Change	CDY 1 Clearance Delay Max Change	CRD Clearance Minimum Red	☒ Phases A to P	☐
A	0	0.0	0	0	0	0		
B	0	0.0	0	0	0	0	☐	
C	0	0.0	0	0	0	0		
D	0	0.0	0	0	0	0	☐	
E	0	0.0	0	0	0	0		
F	0	0.0	0	0	0	0		
G	0	0.0	0	0	0	0		
H	1	20	9	0	0	0		
I	1	20	4	0	0	0		
J	1	20	4	0	0	0		
K	1	20	4	0	0	0		
L	0	0.0	0	0	0	0		
M	0	0.0	0	0	0	0		
N	0	0.0	0	0	0	0		
O	0	0.0	0	0	0	0		

Pedestrian Handset Range Limits

	MIN	MAX
Demand Delay PDD	0	3
Demand Hold PDX	0.0	5.0
Clearance Maximum CMX	0	30
Clearance Delays CDY 0 and CDY1	0	3
Clearance Minimum Red CRD	0	0

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

IO and Link - Pelican/Puffin/Toucan Times

IO and Link - Pelican/Puffin/Toucan Times

Streams

01234567

Computer Control

PV

Window Time

UIE

Local Link

PV1

Link Delay Time

LKD

Link Window Time

LKW

Link Override Time

LKO

Kerbside Mat Test

Output

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Pelican, Puffin, Toucan Pushbutton/Kerbside Associations

Pelican, Puffin, Toucan Pushbutton/Kerbside Associations

Phase	Demand	KBS
0		
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Phase	Demand	KBS
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		

Phase	Demand	KBS
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		

Phase	Demand	KBS
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		

Note: Any association pushed off the screen will have any previous association blanked.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Stages - Prohibited, Alternative, Ignored Moves

Stages - Prohibited, Alternative, Ignored Moves

Sets

☒ 1

☐ 2

☐ 3

☐ 4

Modes	Restrictions Apply To:	No Restrictions
Urban Traffic Control	☒	☐
Cableless Linking	☒	☐
Vehicle Actuated	☒	☐
	☐	☐
Fixed Time	☒	☐
	☐	☐

Modes	Restrictions Apply To:	No Restrictions
Manual	☒	☐
Priority	☒	☐
	☐	☐
	☐	☐
	☐	☐

To Stage

From Stage

	0	1	2	3	4	5	6	7
0		7						
1								
2	3	0						
3		7	7					
4								
5								
6								
7								

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Stage Internal Demands/Pedestrian Window Times

Stage Internal Demands/Pedestrian Window Times

Start-up Vehicle Responsive Demands

0	☐	1	☐	2	☐	3	☐	4	☐	5	☐	6	☐	7	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐	

Demands Inserted When Leaving Manual and Fixed Time Modes

0	☐	1	☐	2	☐	3	☐	4	☐	5	☐	6	☐	7	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐

Unlatched Demands that Start Maximum Timers

0	☒	1	☒	2	☒	3	☒	4	☒	5	☒	6	☒	7	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐		☐

Window Times

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0	0	0	0	0	0	0	0								
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Exceptional Stages

☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Phase Delays

Phase Delays

☒ Phase Delays 0-29

☐ Phase Delays 30-59

☐ Phase Delays 60-89

☐ Phase Delays 90-119

No.	Delay Phase	On Change from Stage	To Stage	By (X) Seconds	No.	Delay Phase	On Change from Stage	To Stage	By (X) Seconds
0	A	0	1	2	15				0
1	A	7	1	2	16				0
2	B	0	1	2	17				0
3	B	7	1	2	18				0
4	B	7	2	2	19				0
5	C	7	2	2	20				0
6	G	6	5	5	21				0
7				0	22				0
8				0	23				0
9				0	24				0
10				0	25				0
11				0	26				0
12				0	27				0
13				0	28				0
14				0	29				0

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Fixed Time

Fixed Time

Stage Moves & Times (Not Fixed Time to Current Max)

Current Stage	0	1	2	3	4	5	6	7
Next Stage								
Time								
Current Stage	8	9	10	11	12	13	14	15
Next Stage								
Time								
Current Stage	16	17	18	19	20	21	22	23
Next Stage								
Time								
Current Stage	24	25	26	27	28	29	30	31
Next Stage								
Time								

Phases Demanded and Extended under Fixed Time to Current Max.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Demand	☒	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Extend	☒	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	Q	R	S	T	U	V	W	X	Y	Z	A2	B2	C2	D2	E2	F2
Demand	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Extend	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

CLF - Plan(s)

CLF - Plan(s)

0

Plan No.

Copy From

Plan Specifics

0

Influence Set

Copy From

Entry Point (secs)

255

Exit Point (secs)

255

Cycle Time (secs)

255

Slow

Fast

Group Offset Handset Range

Min.

0

Max.

180

Group/Influence

Group No.	Group Offset	Group Influence	Related Stage	Group No.	Group Offset	Group Influence	Related Stage
0	0	1	1	16			
1	70	4	2	17			
2	86	2	2	18			
3	90	4	3	19			
4	110	2	3	20			
5	116	4	1	21			
6				22			
7				23			
8				24			
9				25			
10				26			
11				27			
12				28			
13				29			
14				30			
15				31			

CLF Influences

0 - Go To VA

1 - Immediate Move

2 - Demand Dependent Move

3 - Hold

4 - Prevent Except To

5 - Add Immediate Move

6 - Add Demand Dependent Move

7 - Ignore

8 - Stand Alone Inhibited

9 - Stand Alone Ped Allowed

Last Modified 16/01/2024, Issue 5.0.18

Form Ref: 4.2.1 (1)

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

CLF - Base Time

CLF - Base Time

Controller Base Date

XX/XX/XX

Controller Base Time

02:00:00

Plan Offset

	Minutes	Seconds		Minutes	Seconds
Plan 0	0	0	Plan 8	0	0
Plan 1	0	0	Plan 9	0	0
Plan 2	0	0	Plan 10	0	0
Plan 3	0	0	Plan 11	0	0
Plan 4	0	0	Plan 12	0	0
Plan 5	0	0	Plan 13	0	0
Plan 6	0	0	Plan 14	0	0
Plan 7	0	0	Plan 15	0	0

Handset Range Limits

	Minutes	Seconds
Min	0	0
Max	255	59

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

CLF - Demand Dependent Moves

Clear Grid Data

Notes:
If no data is entered for a stage then a demand for any phases in that stage will be considered. The data specified on this screen will also change the screen CLF - Demands to Consider with Demand Dependent Stage Moves.

		Phases														
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Stages	0															
	1															
	2															
	3															
	4															
	5															
	6															
	7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

UTC General Data

UTC General Data

Type of UTC

☒ 106

☐ 316

Integral OTU Address

2

Number of Control Words

2

Number of Reply Words

☐ Controller to respond to TC bit

☐ Introduction of UTC to be disabled by Priority and LRT M

Non UTC RTC synchronisation input name

RTC Synchronisation Times

Clock Synchronise Time (UTC TS input)

Day

Time Only

Time

02:00:00

Clock Confirm Time (UTC RT output)

Day

Time Only

Time

02:00:00

Last Modified 16/01/2024, Issue 5.0.18

Form Ref: 4.3.1

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

UTC Control and Reply Data Format

UTC Control and Reply Data Format

	Bit 1	Bit 2	Bit 3	Bit 4	Bit 5	Bit 6	Bit 7	Bit 8
Control Words								
Word 1	F1	#F2	#F3	F5	#F6	D2	D3	D6
Word 2	DX	TS	BF1	BF2				
Word 3								
Word 4								
Reply Words								
Word 1	G1	G2	G3	G5	G6	DR2	DR3	DR6
Word 2	DF	CC2	CF	LF1	LF2	RR		
Word 3								
Word 4								
Word 5								
Word 6								
Word 7								
Word 8								
Word 9								
Word 10								
Word 11								
Word 12								
Word 13								
Word 14								

UTC Phase Demand and Extend Definitions

UTC Demand and Extend Definitions

Demands

Phase

A

B

C

D

E

F

G

H

I

J

K

L

M

N

O

For Unlatched demands, precede the name with a #.
Conditioning MUST be used to specify unlatched demands.

DX

DX

DX

D2

DX

D3

DX

D3

DX

D3

DX

D3

D6

Phases AtoP

Extensions

DX

DX

DX

D2

DX

D3

DX

D3

Last Modified 16/01/2024, Issue 5.0.18

Form Ref: 4.3.3.1

UTC Stage and Mode Data Definitions

UTC Stage and Mode Data Definitions

Stage	Force Bit	Green Confirm Bit	Demand Confirm Bit	Stage	Force Bit	Green Confirm Bit	Demand Confirm Bit
0				16			
1	F1	G1		17			
2	#F2	G2	DR2	18			
3	#F3	G3	DR3	19			
4				20			
5	F5	G5		21			
6	#F6	G6	DR6	22			
7				23			
8				24			
9				25			
10				26			
11				27			
12				28			
13				29			
14				30			
15				31			

Mode Data Definitions

Manual Mode Operative:

☐ G1/G2

☒ RR

☐

Manual Mode Selected:

☐ G1/G2

☒ RR

☐

No Lamp Power, or Lamps Off due to RLM or Part Time:

☒ G1/G2

☐

☐

Detector Fault:

☐

☐

☒ DF

Normal NOT selected on the Manual Panel:

☐ G1/G2

☒ RR

☐

RR Button Selected:

☐ G1/G2

☒ RR

☐

If UTC Reply Confirms are required for a Controller Fault (CF) OR for separate MC and RR replies, Conditioning must be used.

Last Modified 16/01/2024, Issue 5.0.18

Form Ref: 4.3.3.2

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

UTC Demand Dependent Forces

Clear Grid Data

Notes:
If no data is entered for a stage then a demand for any phases in that stage will be considered. The data specified on this screen will also change the screen CLF - Demands to Consider with Demand Dependent Stage Moves.

		Phases														
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Stages	0															
	1															
	2															
	3															
	4															
	5															
	6															
	7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

UTC and MOVA Detectors

UTC and MOVA Detectors

Detector Mapping

☒ Combined

Set Selection

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

BSL

57

ESL

58

DSL

59

N04121D2

60

N04135O1

61

N0411611

62

CSL

63

N04121D1

64

ASL

Note - only 32 detectors available on MOVA 4.0


MTC - Time Switch Parameters

MTC - Time Switch Parameters

	Type	Event		Type	Event
0	Alternate Max	MAXSETB	16	No Action	
1	Alternate Max	MAXSETC	17	No Action	
2	Alternate Max	MAXSETD	18	No Action	
3	Conditioning	MTCF0	19	No Action	
4	No Action		20	No Action	
5	No Action		21	No Action	
6	No Action		22	No Action	
7	No Action		23	No Action	
8	No Action		24	No Action	
9	No Action		25	No Action	
10	No Action		26	No Action	
11	No Action		27	No Action	
12	No Action		28	No Action	
13	No Action		29	No Action	
14	No Action		30	No Action	
15	No Action		31	No Action	

Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

MTC - Time Switch Parameters Array



Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

MTC - Day Type

MTC - Day Type

No.	Mon	Tue	Wed	Thu	Fri	Sat	Sun
0	☐	☐	☐	☐	☐	☒	☐
1	☐	☐	☐	☐	☐	☐	☒
2	☒	☐	☐	☐	☐	☐	☐
3	☐	☒	☐	☐	☐	☐	☐
4	☐	☐	☒	☐	☐	☐	☐
5	☐	☐	☐	☒	☐	☐	☐
6	☐	☐	☐	☐	☒	☐	☐
7	☒	☒	☒	☒	☒	☒	☒
8	☒	☒	☒	☒	☒	☒	☐
9	☒	☒	☒	☒	☒	☐	☐
10	☐	☐	☐	☐	☐	☐	☐
11	☐	☐	☐	☐	☐	☐	☐
12	☐	☐	☐	☐	☐	☐	☐
13	☐	☐	☐	☐	☐	☐	☐
14	☐	☐	☐	☐	☐	☐	☐
15	☐	☐	☐	☐	☐	☐	☐

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

MTC - Timetable

MTC - Timetable

View Timetable Settings

☒ 0 - 15

☐ 16 - 31

☐ 32 - 47

☐ 48 - 63

No.	Day Type	Time	Description	Function Code	Plan/Parameter
0	9	07:00:00	INTRODUCE MAXSET B	2	1
1	0	09:00:00	INTRODUCE MAXSET D	2	3
2	9	09:30:00	INTRODUCE MAXSETA	2	0
3	9	16:00:00	INTRODUCE MAXSET C	2	2
4	0	19:30:00	INTRODUCE MAXSETA	2	0
5	0	18:00:00	INTRODUCE MAXSETA	2	0
6	0			0	0
7	0			0	0
8	0			0	0
9	0			0	0
10	0			0	0
11	0			0	0
12	0			0	0
13	0			0	0
14	0			0	0
15	0			0	0

Function Codes:

0 = Isolate From CLF

1 = Introduce a CLF Plan

2 = Introduce a Parameter
(Combination of event switches)

3 = Selects an Individual event switch to be set

4 = Selects an Individual event switch to be cleared.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

LMU - General

LMU - General

Lamp Monitoring - LMU Voltage

☐

☒ 48

☐

☐

Red Lamp Monitoring

Max Red Bulb Wattage

First Red Lamp Fault Speed

☐ RLF2 Cancels RLM additional Intergreens

RLM Additional Intergreen Handset Limits

Minimum

Maximum

☒ RLF2 Only Cleared by RFL = 1

☐ RLF1 Only Cleared by RFL = 1

Streams with Phase BlackOut on RLF2

☐ 0

☐ 1

☐

☐

☐

☐

☐

☐

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

LMU Sensors (Built-in)

LMU Sensors (Built-in)

No. of LSLS cards fitted
2

HPU Connection
1

Sensor Configuration For LSLS 1 (Cabinet 1)

Phase	Aspect	Sensor #	Sensor Type	Phase	Aspect	Sensor #	Sensor Type
A	Red	1	As Seq.	H	Amber	9	Wait
A	Amber	1	As Seq.	H	Green	8	R,G
A	Green	1	As Seq.	H	Green	N/A	
B	Red	2	As Seq.	I	Red	10	R,G
B	Amber	2	As Seq.	I	Amber	11	Wait
B	Green	2	As Seq.	I	Green	10	R,G
C	Green	3	As Seq.	I	Green	N/A	
D	Green	4	G	J	Red	12	R,G
E	Red	5	As Seq.	J	Amber	13	Wait
E	Amber	5	As Seq.	J	Green	12	R,G
E	Green	5	As Seq.	J	Green	N/A	
F	Green	N/A		K	Red	14	R,G
G	Red	7	As Seq.	K	Amber	15	Wait
G	Amber	7	As Seq.	K	Green	14	R,G
G	Green	7	As Seq.	K	Green	N/A	
H	Red	8	R,G	N/A	N/A		

Note : A (*) character next to a sensor number indicates that the sensor would also be available on the External sensors screen. Please be sure you wish to use these sensors here, as they will then become unavailable for Regulatory Signs.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

LMU Sensors (Built-in)

LMU Sensors (Built-in)

No. of LSLS cards fitted
2

HPU Connection
1

Sensor Configuration For LSLS 2 (Cabinet 1)

Phase	Aspect	Sensor #	Sensor Type	Phase	Aspect	Sensor #	Sensor Type
L	Red	16	As Seq.	N/A	N/A		
L	Amber	16	As Seq.	N/A	N/A		
L	Green	16	As Seq.	N/A	N/A		
M	Red	17	As Seq.	N/A	N/A		
M	Amber	17	As Seq.	N/A	N/A		
M	Green	17	As Seq.	N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		
N/A	N/A			N/A	N/A		

Note : A (*) character next to a sensor number indicates that the sensor would also be available on the External sensors screen. Please be sure you wish to use these sensors here, as they will then become unavailable for Regulatory Signs.

LMU Sensors (External) for Regulatory Signs

LMU Sensors (External) for Regulatory Signs

External Sensors (1)

Sensor	Sensor Type
48	Regulatory Sign
47	Regulatory Sign
46	Regulatory Sign
45	Regulatory Sign

External Sensors (2)

Sensor	Sensor Type
44	Regulatory Sign
43	Regulatory Sign
42	Regulatory Sign
41	Regulatory Sign

External Sensors (3)

Sensor	Sensor Type
--------	-------------

External Sensors (4)

Sensor	Sensor Type
--------	-------------

External Sensors (5)

Sensor	Sensor Type
--------	-------------

External Sensors (6)

Sensor	Sensor Type
--------	-------------

Note: Sensors which have been used as Onboard sensors will not be available here.

LMU Sensor Load Types

LMU Sensor Load Types

Page

1 of 2

Sensor	Phase	Sensor Type	LED R+W	RLM	Load Type	LLF Profile
1	A	As Seq.			1: Siemens Helios ELV	
2	B	As Seq.			1: Siemens Helios ELV	
3	C	As Seq.			1: Siemens Helios ELV	
4	D	G			1: Siemens Helios ELV	
5	E	As Seq.			1: Siemens Helios ELV	
7	G	As Seq.			1: Siemens Helios ELV	
8	H	R,G			3: Siemens LED Near Side Indicator	
9	H	Wait			2: Siemens LED Demand Indicator	
10	I	R,G			3: Siemens LED Near Side Indicator	
11	I	Wait			2: Siemens LED Demand Indicator	
12	J	R,G			3: Siemens LED Near Side Indicator	
13	J	Wait			2: Siemens LED Demand Indicator	
14	K	R,G			3: Siemens LED Near Side Indicator	
15	K	Wait			2: Siemens LED Demand Indicator	
16	L	As Seq.			1: Siemens Helios ELV	
17	M	As Seq.			1: Siemens Helios ELV	

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

LMU Sensor Load Types

LMU Sensor Load Types

Sensor	Phase	Sensor Type	LED R+W	RLM	Load Type	LLF Profile
41	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
42	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
43	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
44	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
45	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
46	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
47	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	
48	N/A	Regulatory Sign			4: Siemens ELV Regulatory Sign	

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

RLM Additional Intergreens

Phases Delayed

Phases with RLF1

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A								1							
B								2							
C								2							
D										3					
E									3						
F															
G															
H															
I															
J															
K															
L															
M															
N															
O															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

RLM Phase Inhibits

Phases Inhibited/Blacked-Out

Phases with RLF2

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A															
B															
C															
D															
E															
F															
G															
H															
I															
J															
K															
L															
M															
N															
O															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority and Emergency Vehicle - General

Priority and Emergency Vehicle- General

	Input Name	Type Priority / Emergency		Phase	DFM Time (x10)	Gap Time	DFM Self Reset	Demands				Revertive Demands				Revertive Demands to Start Inhibit Timer			
		P	E					Sets				Sets				Sets			
								0	1	2	3	0	1	2	3	0	1	2	3
Unit 0	BUSA	☒	☐	A	30	4	1	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
Unit 1	BUSB	☒	☐	B	30	4	1	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
Unit 2		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
Unit 3		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
Unit 4		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
Unit 5		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
Unit 6		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
Unit 7		☐	☒		30	4		☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐

☒ Inputs From Conditioning

Note:

Bus Priority Unit values will not be used unless a valid Input Name is specified
If Bus Unit is to generate a VA demand, then input name must also be specified on VA demands screen

Note:

Valid values for DFM Self Reset: 1 or 0 for PB800, 0-255 for PB801 and later

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority - Delays, Unit Inhibits and Associations

Priority - Delays, Unit Inhibits and Associations

Delay Time

	First	Second
Unit 0	0	0
Unit 1	0	0
Unit 2	0	0
Unit 3	0	0
Unit 4	0	0
Unit 5	0	0
Unit 6	0	0
Unit 7	0	0

Priority Units Inhibited

	0	1	2	3	4	5	6	7
Unit 0	☒	☒	☐	☐	☐	☐	☐	☐
Unit 1	☒	☒	☐	☐	☐	☐	☐	☐
Unit 2	☐	☐	☐	☐	☐	☐	☐	☐
Unit 3	☐	☐	☐	☐	☐	☐	☐	☐
Unit 4	☐	☐	☐	☐	☐	☐	☐	☐
Unit 5	☐	☐	☐	☐	☐	☐	☐	☐
Unit 6	☐	☐	☐	☐	☐	☐	☐	☐
Unit 7	☐	☐	☐	☐	☐	☐	☐	☐

Associated Priority Units

	0	1	2	3	4	5	6	7
Unit 0	☐	☐	☐	☐	☐	☐	☐	☐
Unit 1	☐	☐	☐	☐	☐	☐	☐	☐
Unit 2	☐	☐	☐	☐	☐	☐	☐	☐
Unit 3	☐	☐	☐	☐	☐	☐	☐	☐
Unit 4	☐	☐	☐	☐	☐	☐	☐	☐
Unit 5	☐	☐	☐	☐	☐	☐	☐	☐
Unit 6	☐	☐	☐	☐	☐	☐	☐	☐
Unit 7	☐	☐	☐	☐	☐	☐	☐	☐

Handset Delay Limits

First Delay Handset Range	Min	0	Max	255	Second Delay Handset Range	Min	0	Max	255
---------------------------	-----	--------------------------------	-----	----------------------------------	----------------------------	-----	--------------------------------	-----	----------------------------------

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority Time Sets

Priority Time Sets

Sets

☒ 0

☐ 2

☐ 1

☐ 3

Copy Set

Priority Unit	0	1	2	3	4	5	6	7
Maximum time (secs)	15	15	15	15	15	15	15	15
Extension time (secs)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Inhibit Time (secs)	50	50	50	50	50	50	50	50

Compensation Times

Priority Units

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
0			1	1	1		1								
1			1	1	1		7								
2															
3															
4															
5															
6															
7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority Time Sets

Priority Time Sets

Sets

☐ 0

☐ 2

☒ 1

☐ 3

Copy Set

Priority Unit	0	1	2	3	4	5	6	7
Maximum time (secs)	15	15	15	15	15	15	15	15
Extension time (secs)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Inhibit Time (secs)	50	50	50	50	50	50	50	50

Compensation Times

Priority Units

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
0			1	1	1		1								
1			1	1	1		7								
2															
3															
4															
5															
6															
7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority Time Sets

Priority Time Sets

Sets

☐ 0

☒ 2

☐ 1

☐ 3

Copy Set

Priority Unit	0	1	2	3	4	5	6	7
Maximum time (secs)	15	15	15	15	15	15	15	15
Extension time (secs)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Inhibit Time (secs)	50	50	50	50	50	50	50	50

Compensation Times

Priority Units

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
0			1	1	1		1								
1			1	1	1		7								
2															
3															
4															
5															
6															
7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority Time Sets

Priority Time Sets

Sets

☐ 0

☐ 2

☐ 1

☒ 3

Copy Set

Priority Unit	0	1	2	3	4	5	6	7
Maximum time (secs)	15	15	15	15	15	15	15	15
Extension time (secs)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
Inhibit Time (secs)	50	50	50	50	50	50	50	50

Compensation Times

Priority Units

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
0			1	1	1		1								
1			1	1	1		7								
2															
3															
4															
5															
6															
7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Priority - Allowed and Enforced Demands

		Phase														
Priority Unit		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
	0															
	1															
	2															
	3															
	4															
	5															
	6															
	7															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Manual Panel

Manual Panel

Stage Buttons and LEDs

Button No.	Title	Called Stage for Stream							
		0	1	2	3	4	5	6	7
0	ALL RED	0	4						
1	LONDON ROAD	1	5						
2	LONDON ROAD OUTBOUND RIGHT TURN	2	4						
3	MORRISONS EXIT	3	4						
4									
5									
6									
7									

General LEDs

	AUX 1	AUX 2	AUX 3	AUX 4 (Hurry Call)	AUX 5 (Higher Priority)
Conditioned	☒	☒	☒	☒	☒

General Buttons

	None	SW1	SW2	SW3
Momentary		☐	☐	☐
Dim Override	☒	☐	☐	☐
RR	☒	☐	☐	☐

Manual Signals On

☐ Immediate Signals On

☒ As Start-Up

Manual Mode Enable

☒ Always

☐ When Handset Plugged in (Note 1)

☐ When 'MND' Command Entered

NOTE:
For this to operate Special Conditioning is required.

Mode Select Switches Disabled

☐ VA

☐ Fixed Time

☐ CLF

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Manual Mode - Optional Phases Appearance

Manual Mode - Optional Phases Appearance

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Never Appears	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Demand Dependant	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Always Appears	☒	☒	☒	☒	☒	☐	☒	☒	☒	☒	☒	☒	☒	☒	☒	☐
	Q	R	S	T	U	V	W	X	Y	Z	A2	B2	C2	D2	E2	F2
Never Appears	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Demand Dependant	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Always Appears	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Extend All Red - General

Extend All Red - General

Auto Extend to Max

- Part Time

Emergency Vehicle

Hurry Call

LRT

Priority

Manual

Manual Step On

UTC

MOVA

CLF

VA*

Fixed Time
- ☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

All Red Timings

Stream	0	1	2	3	4	5	6	7
Extension Time	0.2	0.0						
Max Time	4	0						

* Selecting Extend to Max on VA mode will also cause Extend to Max on CLF, UTC and Priority modes.

Detectors Associated with All Red Extension Units

Unit	Associated Detectors							
1								
2								
3								
4								
5								
6								
7								

The association between detectors and extension units must be performed in special conditioning.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Extend All Red - Stage To Stage Moves

		To Stage							
From Stage		0	1	2	3	4	5	6	7
	0								
	1								
	2								
	3		1						
	4								
	5								
	6								
	7								

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Extend All Red - Independent Intergreens

Phase Not Affected by Hold

Phase Terminating

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A															
B															
C															
D															
E															
F															
G															
H															
I															
J															
K															
L															
M															
N															
O															

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Conditioning

```
;
;
; MANUAL PANEL
; =====

CFE0.MAUXSW1=CONDFLASH0      ; SWITCH 1 PRESSED TURNS ON/OFF STREAM 0
IFT (MODE0 EQL<7>) THN      ; AUX 1 LED FLASHING = STREAM 0 OFF
  INC 2SCRTCH28              ; (ENABLED BY SETTING CFE0=1)
  2SCRT224=MIL22
ELS
  FALSE=MIL22
END

CFE1.MAUXSW2=CONDFLASH1      ; SWITCH 2 PRESSED TURNS ON/OFF STREAM 1
IFT (MODE1 EQL<7>) THN      ; AUX 2 LED FLASHING = STREAM 1 OFF
  INC 2SCRTCH27              ; (ENABLED BY SETTING CFE1=1)
  2SCRT216=MIL23
ELS
  FALSE=MIL23
END

SCRT1+SCRT2=MIL07            ; BUS PRIORITY LIGHTS AUX LED 4
(MODE0 EQL<6>)=MIL17        ; UTC MODE ACTIVE LIGHTS HIGHER PRIORITY LED

; BUS PROIRTY
; =====

(PRIDEM0+PRIEXT0)=SCRT1      ; BUSA PRIORITY UNIT 0 ACTIVE OR EXTENDING SETS SCRT1
(PRIDEM1+PRIEXT1)=SCRT2      ; BUSB PRIORITY UNIT 1 ACTIVE OR EXTENDING SETS SCRT2

BF1=ROUGH0                   ; UTC BF1 ACTIVE SETS BUS PRIORITY UNIT 0
BF2=ROUGH1                   ; UTC BF2 ACTIVE SETS BUS PRIORITY UNIT 1

; UTC REPLIES
; =====

NOT (FLFCOM)=CF              ; ANY CONTROLLER FAULT REPLIES CF
NOT (FLF55)=LF1              ; ANY LAMP FAIL REPLIES LF1
NOT (FLF22)=LF2              ; ANY RED LAMP FAIL REPLIES LF2

; UTC CC REPLY BIT
; =====

TS.(RTCTOD EQL<2>).(RTCMIN EQL<0>).(RTCSEC EQL<0>)=2SCRT1
IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<2>) THN ; MON
  LOD<15> 1SCRTCH0
ELS
  IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<3>) THN ; TUES
    LOD<30> 1SCRTCH0
  ELS
    IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<4>) THN ; WED
      LOD<45> 1SCRTCH0
    ELS
      IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<5>) THN ; THUR
        LOD<60> 1SCRTCH0
      ELS
        IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<6>) THN ; FRI
```

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Conditioning

```

        LOD<75> 1SCRTCH0
    ELS
        IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<0>) THN ; SAT
        LOD<90> 1SCRTCH0
    ELS
        IFT 2SCRT1.NOT(2SCRT0).(RTCDYS EQL<1>) THN ; SUN
        LOD<105> 1SCRTCH0
    END
END
END
END
END
END
END
NOT(2SCRT1)=+2SCRT0
NOT(1SCRTST0 EQL<0>)=.2SCRT0
IFT (1SCRTST0 GRT<0>) THN
    DEC 1SCRTCH0
END
NOT(2SCRT0)=CC2
```

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Conditioning

```
; STAGE MOVEMENTS FOR STREAM 1 (BUS GATE)
; =====
IFT (NXTSTG0 EQL<1>) .NOT (CMXTMAH+CMXTMAI+PBTTMAH+PBTTMAI+PHASEH+PHASEI) THN ; to old stage1
; IFT (NXTSTG0 EQL<7>) .NOT (CMXTMAH+CMXTMAI+PBTTMAH+PBTTMAI+PHASEH+PHASEI) THN ; llc in stage 7
  FALSE=PRVST5
  TRUE=PRVST6                      ; ALLOW BUS GATE TO GO TO ROW 3 SECOND BEFORE STAGE 1
ELS
  TRUE=PRVST5                      ; ELSE PREVENT BUS GATE GOING TO ROW
  FALSE=PRVST6
END
  TRUE=+LCPHG                      ; PERMANENT DEMANDS FOR BUS GATE AND ALL RED TO ALLOW INSTANT MOVE
  TRUE=+LCPHN
  TRUE=DISCLF1                     ; PERMANENTLY DISABLE CLF ON BUS GATE STREAM
  TRUE:=+IGE01
  *:=+IGEC1

; STAGE MOVEMENTS
; =====

IFT STAGE2.PHASED.F1.NOT(F2+F3) THN ; IN STAGE 2 WITH PHASE D RUNNING AND F1 THE CONTROLLER MOVES
  TRUE=F3                          ; ONTO STAGE 3 THEN TO STAGE 1
  FALSE=.F1
ELS
  TRUE=.F1
END

STAGE2.DSL=+UCPHD                  ; PHASE D ONLY DEMANDED BY DSL WHEN IN STAGE 2

(MODE0 EQL<2>) .NOT (LCPHC+UCPHC+LCST2+UCST2)=PRVST2          ; PREVENT STAGE 2 UNLESS A DEMAND FOR C
PHASED.STAGE2:=+UCST3          ; IF PHASE D APPEARS IN STAGE 2 DEMAND STAGE 3
  *=PRVST1                    ; AND PREVENT STAGE 1

; LLC DEMAND L IF A DEMAND FOR A
; =====

VRDMNDA:=+UCPHL
```

Fault Log Flags

Fault Log Flags

Fault No	Cond Flag	Act Flag	Fault No	Cond Flag	Act Flag	Fault No	Cond Flag	Act Flag	Fault No	Cond Flag	Act Flag
0	☒	☐	16	☒	☐	32	☒	☐	48	☒	☐
1	☒	☐	17	☒	☐	33	☒	☐	49	☒	☐
2	☒	☐	18	☒	☐	34	☒	☐	50	☒	☐
3	☒	☐	19	☒	☐	35	☒	☐	51	☒	☐
4	☒	☐	20	☒	☐	36	☒	☐	52	☒	☐
5	☒	☐	21	☒	☐	37	☒	☐	53	☒	☐
6	☒	☐	22	☐	☐	38	☒	☐	54	☒	☐
7	☒	☐	23	☒	☐	39	☒	☐	55	☐	☐
8	☒	☐	24	☒	☐	40	☒	☐	56	☒	☐
9	☒	☐	25	☒	☐	41	☒	☐	57	☒	☐
10	☒	☐	26	☒	☐	42	☒	☐	58	☒	☐
11	☒	☐	27	☒	☐	43	☒	☐	59	☒	☐
12	☐	☐	28	☒	☐	44	☒	☐	60	☒	☐
13	☒	☐	29	☒	☐	45	☒	☐	61	☒	☐
14	☒	☐	30	☒	☐	46	☒	☐	62	☒	☐
15	☒	☐	31	☒	☐	47	☒	☐	63	☒	☐

Note:

Cond Flag -
If a fault occurs which sets a fault log flag that has been checked for this Cond flag option then a flag will be set that can be read in Conditioning.

Act Flag -
If a fault occurs which sets a fault log flag that has been checked for this Act flag option then firstly the lamps

will be switched OFF and secondly a flag will be set that can be read in conditioning, to allow any further actions required to be performed by conditioning.

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Instructions

EPR203						
Card Type	Rack Posn	Addr.	Port	Type	Line	Term Posn
Intelligent Backplane 16/0	Rack	01	0	I	000 - 007	2 LT1
Intelligent Backplane 16/0	Rack	01	1	I	008 - 015	2 LT1
Serial IO 24/4	1 I/O1	02	2	I	016 - 023	1 I/O1
Serial IO 24/4	1 I/O1	02	3	I	024 - 031	1 I/O1
Serial IO 24/4	1 I/O1	02	4	I	032 - 039	1 I/O1
Serial IO 24/4	1 I/O1	02	5	O	040 - 043	1 I/O1
Serial IO 24/4	1 I/O2	03	6	I	048 - 055	1 I/O2
Serial IO 24/4	1 I/O2	03	7	I	056 - 063	1 I/O2
Serial IO 24/4	1 I/O2	03	8	I	064 - 071	1 I/O2
Serial IO 24/4	1 I/O2	03	9	O	072 - 075	1 I/O2
CPU	A					

Works Order : [REDACTED]
EM Number : EPR203
Engineer : [REDACTED]
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Instructions

ST900 ELV CONTROLLER ITEMS LIST SHEET 1 (*I*L*)

ITEM	DRAWING NUMBER	DESCRIPTION	QTY	TOT	REMARKS
1					
2	667/1/32900/020	ST900 ELV Cabinet UK 20A 1 LSLS - Grey			
3	667/1/32900/040	ST900 ELV Cabinet UK 40A 1 LSLS - Grey			
4	667/1/32900/021	ST900 ELV Cabinet UK 20A 1 LSLS - Black	1		
5	667/1/32900/041	ST900 ELV Cabinet UK 40A 1 LSLS - Black			
6	667/1/32900/520	ST900ELV 20A SGL LSLS LOW INRUSH - Grey			
7	667/1/32900/521	ST900ELV 20A SGL LSLS LOW INRUSH - Black			
8					
9	667/1/32943/001	ELV Lamp switch (LSLS) kit			
10	667/1/32960/001	ELV Lamp switch (LSLS) backplane kit			
11	667/1/32995/002	ST900 I/O card kit (4 outputs)	2		
12	667/1/32995/001	ST900 I/O card kit (16 outputs)			
13					
14					
15					
16	667/1/27004/000	Integral TC12 OTU kit			
17	667/1/27005/000	SDE Facility kit			
18	667/1/32910/000	ST900 Intelligent detector backplane kit	1		
19	667/1/33002/000	ELV detector 6U rack expansion kit			
20	667/1/33074/000	ST900 ELV 24 V detector supply Kit (6A)			
21	667/1/20690/001	19" Detector Rack			
22					
23	667/1/32985/000	ELV 20A to 40A upgrade kit			
24					
25					
26	667/1/33070/000	ELV Regulatory Sign expansion kit			
27	667/1/32950/000	ELV Audible supply kit			
28	667/1/33009/000	ST900 300mA RCD kit			
29					
30	667/1/32900/001	Expansion cabinet kit - Black			
31	667/1/32900/000	Expansion cabinet kit - Grey			
32	667/1/33072/000	Cabinet mounted cut-out connection kit			
33					
34					
35					
36	667/1/27056/001	Manual Panel Full kit			
37	667/1/27110/000	Manual Panel RS232 kit			
38					
39					
40	667/1/16700/203	Configuration Eprom (Issue 4. 0)	1		

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Instructions

ST900 ELV CONTROLLER ITEMS LIST SHEET 2 (*I*L*)

ITEM	DRAWING NUMBER	DESCRIPTION	QTY	TOT	REMARKS
41					
42	667/1/32900/920	ST900 ELV cuckoo Kit - T200			
43	667/1/32900/921	ST900 ELV cuckoo Kit - T400			
44	667/1/32900/922	ST900 ELV cuckoo Kit - T800			
45	667/1/32900/923	ST900 ELV cuckoo Kit - Microsense			
46	667/1/32900/925	ST900 ELV cuckoo Kit - Peek			
47					
48					
49					
50					
51					
52	667/1/33073/000	ST900 Isolator locking kit			
53	667/2/20234/000	Screw Lock Key			
54					
55					
56	667/1/27104/000	ST800 / ST900 DFM Lens Kit			
57	667/1/21150/002	ST800 / ST900 Gas Plinth			
58	667/2/27096/000	ST800 / ST900 Mounting Stool			
59					
60					
61					
62	667/1/26271/000	Telephone Kit (Lightning protection)			
63	667/1/27118/000	Surge Arrester (Lightning protection)			
64					
65					
66					
67	667/1/32900/120	ST900 ELV Cabinet Export 20A 1 LSLS - Grey			
68	667/1/32900/140	ST900 ELV Cabinet Export 40A 1 LSLS - Grey			
69	667/1/32900/121	ST900 ELV Cabinet Export 20A 1 LSLS - Black			
70	667/1/32900/141	ST900 ELV Cabinet Export 40A 1 LSLS - Black			
71					
72					
73	667/1/32900/900	ST900 ELV export rack Kit			
74	667/1/32945/000	ST900 ELV additional LSLS rack wiring kit			
75					
76	667/1/27007/000	IRM Facility			
77					
78					
79					
80					

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Special Instructions

SIEMENS ST900 ELV INTERNAL DETECTOR BACKPLANE INSTRUCTIONS SHEET

LOOP TERMINATION BOARD LT1 = DETECTOR BACKPLANE ADDRESS: 01															
LOOP DESIGNATION AND CONNECTIONS															
DET CARD				DET CARD				DET CARD				DET CARD			
A				B				C				D			
No. LOOP ID				No. LOOP ID				No. LOOP ID				No. LOOP ID			
1	ASL	1	ESL	1	SCOOT1	1	SCOOT5	2	BSL	2	GSL	2	SCOOT2	2	SCOOT6
2	BSL	2	GSL	2	SCOOT2	2	SCOOT6	3	CSL	3	CCC	3	SCOOT3	3	SCOOT7
3	CSL	3	CCC	3	SCOOT3	3	SCOOT7	4	DSL	4		4	SCOOT4	4	SCOOT8
4	DSL	4		4	SCOOT4	4	SCOOT8								

[Template - Internal Detectors.txt Issue 1.0]

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Call Cancel

Call Cancel

Unit No.	Input Name	Call Delay	Cancel Delay	Phase Demanded (Unlatched Demand)
0	CCC	3	1	C
1		0	0	
2		0	0	
3		0	0	
4		0	0	
5		0	0	
6		0	0	
7		0	0	

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required
Check boxes

☐ Manual Allocation

Port Number & Type

Port:

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Intelligent Backplane 160

Card Address 1

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Terminal No
☐	0	0	I	ASL	☒	☒	☐	☐	☐	☐	A	0	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	A1
☐	1	1	I	BSL	☒	☒	☐	☐	☐	☐	A	0	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	A2
☐	2	2	I	CSL	☒	☒	☐	☐	☐	☐	A	1	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	A3
☐	3	3	I	DSL	☒	☒	☐	☐	☐	☐	A	1	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	A4
☐	4	4	I	ESL	☒	☒	☐	☐	☐	☐	A	1	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	B1
☐	5	5	I	GSL	☒	☒	☐	☐	☐	☐	A	0	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	B2
☐	6	6	I	CCC	☒	☒	☐	☐	☐	☐	A	0	0.0	☒	☐	☐	☐	☐	☒	☐	☐	☐	2LT1	B3
☐	7	7	I		☒	☒	☐	☐		☐	N		0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	B4

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required Check boxes

☐ Manual Allocation

Port Number & Type

Port:

1

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Intelligent Backplane 160
Card Address 1

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Terminal No
☐	8	0	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	C1
☐	9	1	I	N04121D1	☒	☒	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	C2
☐	10	2	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	C3
☐	11	3	I	N04116I1	☒	☒	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	C4
☐	12	4	I	N04135O1	☒	☒	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	D1
☐	13	5	I	N04121D2	☒	☒	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	D2
☐	14	6	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	D3
☐	15	7	I		☐	☐	☐	☐		☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	2LT1	D4

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required
Check boxes

☐ Manual Allocation

Port Number & Type

Port:

2

☐ Inputs

☐ Outputs

☒ Inputs & Outputs

Card Type & Address

Serial IO 24/16
Card Address 2

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Line No
☐	16	0	I	HPBU7	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-0
☐	17	1	I	HPBU12	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-1
☐	18	2	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-2
☐	19	3	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-3
☐	20	4	I	HONC7	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-4
☐	21	5	I	HONC12	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-5
☐	22	6	I	HTAC7	☒	☐	☐	☐	☐	☐	I	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-6
☐	23	7	I	HTAC12	☒	☐	☐	☐		☐	I	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-7

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required
Check boxes

☐ Manual Allocation

Port Number & Type

Port:

3

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Serial I/O 24/16
Card Address 2

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Line No
☐	24	0	I	IPBU1	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-8
☐	25	1	I	IPBU2	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-9
☐	26	2	I	IPBU3	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-10
☐	27	3	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-11
☐	28	4	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-12
☐	29	5	I	IONC1	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-13
☐	30	6	I	IONC3	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-14
☐	31	7	I		☐	☐	☐	☐		☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-15

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required
Check boxes

☐ Manual Allocation

Port Number & Type

Port:

4

☐ Inputs
☒ Inputs & Outputs

Card Type & Address

Serial IO 24/16
Card Address 2

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Line No
☐	32	0	I	JPBU4	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-16
☐	33	1	I	JPBU5	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-17
☐	34	2	I	JPBU6	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-18
☐	35	3	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-19
☐	36	4	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-20
☐	37	5	I	JONC5	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-21
☐	38	6	I	JONC6	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-22
☐	39	7	I		☐	☐	☐	☐		☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/01	I-23

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required Check boxes

☐ Manual Allocation

Port Number & Type

Port:

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Serial IO 24/4

Card Address 3

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Line No
☐	56	0	I	KPBU8	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-0
☐	57	1	I	KPBU9	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-1
☐	58	2	I	KPBU10	☒	☐	☐	☐	☐	☐	Y	2	0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-2
☐	59	3	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-3
☐	60	4	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-4
☐	61	5	I	KONC9	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-5
☐	62	6	I	KONC10	☒	☐	☐	☒	☐	☐	A	4	1.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-6
☐	63	7	I		☐	☐	☐	☐		☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-7

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required Check boxes

☐ Manual Allocation

Port Number & Type

Port:

8

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Serial IO 24/4

Card Address 3

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Used By				Pri	HC	CC	IG	UD	LRT	Term Block	Line No
☐	64	0	I	AMVD16	☒	☐	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-8
☐	65	1	I	BMVD11	☒	☐	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-9	
☐	66	2	I	EMVD5	☒	☐	☐	☐	☐	☐	N		0.0	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-10	
☐	67	3	I	BUSA	☒	☐	☐	☐	☐	☐	N		0.0	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-11	
☐	68	4	I	BUSB	☒	☐	☐	☐	☐	☐	N		0.0	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-12	
☐	69	5	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-13	
☐	70	6	I		☐	☐	☐	☐	☐	☐				☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-14	
☐	71	7	I	ITAC1	☒	☐	☐	☐		☐	I	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-15	

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Inputs and Outputs

Inputs and Outputs

☐ Enable Signal Required Check boxes

☐ Manual Allocation

Port Number & Type

Port:

9

☐ Inputs

☒ Inputs & Outputs

☐ Outputs

Card Type & Address

Serial IO 24/4

Card Address 3

	DET No	Bit No	Type I or O	Name	Req'd	BP	Count	Inv	U/D	Misc	DFM	DFM Group	Ext time	Phs	UTC	SDE	Pri	Used By HC	CC	IG	UD	LRT	Term Block	Line No
☐	72	0	I	ITAC2	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-16
☐	73	1	I	ITAC3	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-17
☐	74	2	I	JTAC4	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-18
☐	75	3	I	JTAC5	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-19
☐	76	4	I	JTAC6	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-20
☐	77	5	I	KTAC8	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-21
☐	78	6	I	KTAC9	☒	☐	☐	☐	☐	☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-22
☐	79	7	I	KTAC10	☒	☐	☐	☐		☐	1	5	0.0	☐	☐	☐	☐	☐	☐	☐	☐	☐	11/02	I-23

Add

Delete

Move

Clear Used By

Move to/from backplane

Manual Map Optimisation

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Aspect Drives (ELV Controllers)

Aspect Drives (ELV Controllers)

☐ Card Reversed

HPU Connection

1

Aspect Drive Configuration for LSLS 1 of 2 cards (Cabinet 1)

Output	Phase	Aspect	Use	Output	Phase	Aspect	Use
32	A	Red	Phase	16	H	Amber	Phase
31	A	Amber	Phase	15	H	Green	Phase
30	A	Green	Phase	14	H	Green	Phase
29	B	Red	Phase	13	I	Red	Phase
28	B	Amber	Phase	12	I	Amber	Phase
27	B	Green	Phase	11	I	Green	Phase
26	C	Green	Phase	10	I	Green	Phase
25	D	Green	Phase	9	J	Red	Phase
24	E	Red	Phase	8	J	Amber	Phase
23	E	Amber	Phase	7	J	Green	Phase
22	E	Green	Phase	6	J	Green	Phase
21	F	Green	Phase	5	K	Red	Phase
20	G	Red	Phase	4	K	Amber	Phase
19	G	Amber	Phase	3	K	Green	Phase
18	G	Green	Phase	2	K	Green	Phase
17	H	Red	Phase	1	N/A	N/A	N/A

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

Aspect Drives (ELV Controllers)

Aspect Drives (ELV Controllers)

☐ Card Reversed

HPU Connection

1

Aspect Drive Configuration for LSLS 2 of 2 cards (Cabinet 1)

Output	Phase	Aspect	Use	Output	Phase	Aspect	Use
32	L	Red	Phase	16	N/A	N/A	N/A
31	L	Amber	Phase	15	N/A	N/A	N/A
30	L	Green	Phase	14	N/A	N/A	N/A
29	M	Red	Phase	13	N/A	N/A	N/A
28	M	Amber	Phase	12	N/A	N/A	N/A
27	M	Green	Phase	11	N/A	N/A	N/A
26	N/A	N/A	N/A	10	N/A	N/A	N/A
25	N/A	N/A	N/A	9	N/A	N/A	N/A
24	N/A	N/A	N/A	8	N/A	N/A	N/A
23	N/A	N/A	N/A	7	N/A	N/A	N/A
22	N/A	N/A	N/A	6	N/A	N/A	N/A
21	N/A	N/A	N/A	5	N/A	N/A	N/A
20	N/A	N/A	N/A	4	N/A	N/A	N/A
19	N/A	N/A	N/A	3	N/A	N/A	N/A
18	N/A	N/A	N/A	2	N/A	N/A	N/A
17	N/A	N/A	N/A	1	N/A	N/A	N/A

Works Order :
EM Number : EPR203
Engineer :
Intersection : A4 LONDON ROAD - MORRISONS SUPERMARKET BATH

I/O - DFM Group Timings

I/O - DFM Group Timings

Input Group	State	SET A	SET B	SET C	SET D
Group 0	Active (Mins)	30	30	30	30
	InActive (Hrs)	18	18	18	18
Group 1	Active (Mins)	30	30	30	30
	InActive (Hrs)	48	48	48	48
Group 2	Active (Mins)	10	10	10	10
	InActive (Hrs)	96	96	96	96
Group 3	Active (Mins)	30	30	30	30
	InActive (Hrs)	48	48	48	48
Group 4	Active (Mins)	30	30	30	30
	InActive (Hrs)	48	48	48	48
Group 5	Active (Mins)	10	10	10	10
	InActive (Hrs)	96	96	96	96
Group 6	Active (Mins)	30	30	30	30
	InActive (Hrs)	18	18	18	18
Group 7	Active (Mins)	30	30	30	30
	InActive (Hrs)	18	18	18	18

Note - 255 or blank disables DFM monitoring of that state (active or inactive) during that timeset (A to D)

Handset Limiting Values

State	Min	Max
Active (Mins)	0	254
InActive (Hrs)	0	254

Index

- 1 General Junction Data
 - 1.1 Administration
 - 1.2 Phases, Stages and Streams
 - 1.3 Facilities/Modes Enabled and Mode Priority Levels
 - 1.4 Phases in Stages
 - 1.5 Stages in Streams
- 2 Phases
 - 2.1 Phase Type and Conditions
 - 2.2 Opposing and Conflicting Phases
 - 2.3 Timings
 - 2.3.1 Phase Minimums, Maximums, Extensions, Ped Leaving Periods
 - 2.3.2 Phase Intergreen Times
 - 2.3.3 Intergreen Handset Limits
 - 2.3.4 Phase Timing Handset Ranges
 - 2.4 VA Demand and Extend Definitions
 - 2.5 Phase Internal/Revertive Demands
 - 2.6 Pelicans, Puffins and Toucans
 - 2.6.1 Phase - On Crossing and Kerbside Detector Definitions
 - 2.6.2 Stream - Pelican/Puffin/Toucan Times
 - 2.6.3 Phase - Pelican, Puffin and Toucan Times
 - 2.6.4 IO and Link - Pelican/Puffin/Toucan Times
 - 2.6.5 Pelican, Puffin, Toucan Pushbutton/Kerbside Associations
- 3 Stage Movements
 - 3.1 Stages - Prohibited, Alternative, Ignored Moves
 - 3.2 Stage Internal Demands/Pedestrian Window Times
 - 3.3 Phase Delays
- 4 Modes and Facilities - Detailed
 - 4.1 Fixed Time
 - 4.2 Cableless Linking
 - 4.2.1 CLF - Plan(s)
 - 4.2.2 CLF - Base Time
 - 4.2.3 CLF - Demand Dependent Moves
 - 4.3 UTC and MOVA
 - 4.3.1 UTC General Data
 - 4.3.2 UTC Control and Reply Data Format
 - 4.3.3 UTC Data Definitions
 - 4.3.3.1 UTC Phase Demand and Extend Definitions
 - 4.3.3.2 UTC Stage and Mode Data Definitions
 - 4.3.3.3 UTC Demand Dependent Forces
 - 4.3.4 UTC and MOVA Detectors
 - 4.4 Master Time Clock
 - 4.4.1 MTC - Time Switch Parameters
 - 4.4.2 MTC - Time Switch Parameters Array
 - 4.4.3 MTC - Day Type
 - 4.4.4 MTC - Timetable
 - 4.5 Integral Lamp Monitoring
 - 4.5.1 LMU - General
 - 4.5.2 LMU Sensors (Built-in)
 - 4.5.3 LMU Sensors (External) for Regulatory Signs
 - 4.5.4 LMU Sensor Load Types
 - 4.5.5 RLM Additional Intergreens
 - 4.5.6 RLM Phase Inhibits
 - 4.6 Priority and Emergency Vehicle
 - 4.6.1 Priority and Emergency Vehicle - General
 - 4.6.2 Priority - Delays, Unit Inhibits and Associations
 - 4.6.3 Priority Time Sets
 - 4.6.4 Priority - Allowed and Enforced Demands
 - 4.7 Manual
 - 4.7.1 Manual Panel
 - 4.7.2 Manual Mode - Optional Phases Appearance
 - 4.8 Extend All Red
 - 4.8.1 Extend All Red - General
 - 4.8.2 Extend All Red - Stage To Stage Moves
 - 4.8.3 Extend All Red - Independent Intergreens
- 5 Conditioning Data
 - 5.1 Special Conditioning
 - 5.2 Special Conditioning Timers (No configuration data to print)

	5.3	Fault Log Flags
6		Special Instructions
7		I/O
	7.1	Call Cancel
	7.2	Inputs and Outputs
	7.3	Aspect Drives (ELV Controllers)
	7.4	I/O - DFM Group Timings