

HomeWorkspaces ▾API Network ▾ReportsExplore

Search Postman

Invite

Upgrade ▾

POST localhost:8080/createRealm

POST localhost:8080/createRealm

POST localhost:8080/createRealm

GET localhost:8080/createRealm

GET localhost:8080/createRealm

GET localhost:8080/createRealm

GET localhost:8080/createRealm

PUT localhost:8080/createRealm

DEL localhost:8080/createRealm

PUT localhost:8080/createRealm

DEL localhost:8080/createRealm

GET localhost:8080/createRealm

→

+

...

No Environment ▾

localhost:8080/createRealm

Save ▾

</>

POST ▾localhost:8080/createRealm

Send ▾

ParamsAuthorizationHeaders (8)Body ●Pre-request ScriptTestsSettings

● none● form-data● x-www-form-urlencoded● raw● binary● GraphQLJSON ▾

12345

```
"name": "Azjol",
... "region": "EU"
```

Creating a Realm

BodyCookiesHeaders (5)Test Results

Status: 201 CreatedTime: 24 msSize: 206 BSave Response ▾

PrettyRawPreviewVisualizeJSON ▾

12345

```
"id": 1,
"name": "Azjol",
"region": "EU"
```

HomeWorkspacesAPI NetworkReportsExplore

Search Postman

Invite

Upgrade

POSTlocalhost:8080/createToon

Save

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   ... "name": "Shadrock",
3   ... "level": 45,
4   ... "race": "Undead",
5   ... "clazz": "Rogue",
6   ... "gold": 12,
7   ... "user": {
8     ... "id": 1
9   },
10  ... "realm": {
11    ... "id": 1
12  }
13 }
```

BodyCookiesHeaders (5)Test Results

Status: 201 CreatedTime: 30 msSize: 319 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": 1,
3   "name": "Shadrock",
4   "level": 45,
5   "race": "Undead",
6   "clazz": "Rogue",
7   "gold": 12,
8   "user": {
9     "id": 1,
10    "name": null
11  },
12  "realm": {
13    "id": 1,
14    "name": null,
15    "region": null
16  }
17 }
```

Creating a Toon

HomeWorkspaces ▾API Network ▾ReportsExplore

Search Postman

Invite

Upgrade ▾

POST localhost:8080/getToonByld/1

POST localhost:8080/getToonByld/1

POST localhost:8080/getToonByld/1

GET localhost:8080/getToonByld/1

GET localhost:8080/getToonByld/1

GET localhost:8080/getToonByld/1

GET localhost:8080/getToonByld/1

PUT localhost:8080/getToonByld/1

DEL localhost:8080/getToonByld/1

PUT localhost:8080/getToonByld/1

DEL localhost:8080/getToonByld/1

→ + ⋮

No Environment ▾

localhost:8080/getToonByld/1

Save ▾

</>

GET ▾localhost:8080/getToonByld/1

Send ▾

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Cookies

Query Params

	KEY	VALUE	DESCRIPTION	⋮	Bulk Edit
	Key	Value	Description		

BodyCookiesHeaders (5)Test Results

🌐 Status: 200 OK Time: 69 ms Size: 319 B Save Response ▾

PrettyRawPreviewVisualizeJSON ▾

```
1  {
2    "id": 1,
3    "name": "Shadrock",
4    "level": 45,
5    "race": "Undead",
6    "clazz": "Rogue",
7    "gold": 12,
8    "realm": {
9      "id": 1,
10     "name": "Azjol",
11     "region": "EU"
12   },
13   "user": {
14     "id": 1,
15     "name": "Jack"
16   }
17 }
```

Getting Toon by Id

Find and ReplaceConsole

BootcampRunnerTrash

KEY	VALUE	DESCRIPTION	Bulk Edit
-----	-------	-------------	-----------

```
1 {
2   {
3     "id": 1,
4     "name": "Shadrock",
5     "level": 45,
6     "race": "Undead",
7     "clazz": "Rogue",
8     "gold": 12,
9     "realm": {
10      {
11        "id": 1,
12        "name": "Azjol",
13        "region": "EU"
14      },
15      "user": {
16        "id": 1,
17        "name": "Jack"
18      }
19    },
20    {
21      "id": 2,
22      "name": "Gonzalo",
23      "level": 45,
```

Getting All toons

HomeWorkspacesAPI NetworkReportsExplore

Search Postman

Invite

Upgrade

POST localhost:8080/updateToon/1PUT localhost:8080/updateToon/1DEL localhost:8080/updateToon/1GET localhost:8080/updateToon/1

No Environment

localhost:8080/updateToon/1

Save

PUTlocalhost:8080/updateToon/1

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

12345678910111213

```
1  {
2    "name": "Dave",
3    "level": 45,
4    "race": "Undead",
5    "clazz": "Rogue",
6    "gold": 23,
7    "user": {
8      "id": 1
9    },
10   "realm": {
11     "id": 1
12   }
13 }
```

Updating Toon by id

BodyCookiesHeaders (5)Test Results

Status: 202 AcceptedTime: 30 msSize: 318 BSave Response

PrettyRawPreviewVisualizeJSON

1234567891011121314151617

```
1  {
2    "id": 1,
3    "name": "Dave",
4    "level": 45,
5    "race": "Undead",
6    "clazz": "Rogue",
7    "gold": 23,
8    "user": {
9      "id": 1,
10     "name": "Jack"
11   },
12   "realm": {
13     "id": 1,
14     "name": null,
15     "region": null
16   }
17 }
```

Find and ReplaceConsole

BootcampRunnerTrash

← POST I. ● POST I. ● POST I. ● GET I... ● GET I... ● GET I... ● GET I... ● PUT I... ● DEL I... ● PUT I... ● DEL I... ● GET I...

→ + ... No Environment

localhost:8080/deleteToon/1

Save

DELETE

localhost:8080/deleteToon/1

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

KEY	VALUE	DESCRIPTION
Key	Value	Description

Deleting a Toon by id

Body Cookies Headers (3) Test Results

Status: 204 No Content Time: 31 ms Size: 112 B

Pretty Raw Preview Visualize Text

1

localhost:8080/getToonById/12

Save

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Cookies

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (5) Test Results

Status: 404 Not Found Time: 89 ms Size: 5.31 KB Save Response

Pretty

Raw

Preview

Visualize

JSON

```
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:135)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke
(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:78)\r\n\tat org.apache.
catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.
java:382)\r\n\tat org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.
AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:893)\r\n\tat org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun
(NioEndpoint.java:1726)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)\r\n\tat org.apache.tomcat.util.
threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run
(ThreadPoolExecutor.java:659)\r\n\tat org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/
java.lang.Thread.run(Thread.java:831)\r\n",
  "message": "No Character at that id",
  "path": "/getToonById/12"
```

Custom exception, trying to get a
toon by an invalid id

Postman

File Edit View Help

Home Workspaces API Network Reports Explore

Search Postman

Invite

Upgrade

localhost:8080/createToon

POST localhost:8080/createToon

Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "name": "Gonzalo",
3   "level": 455,
4   "race": "Undead",
5   "clazz": "Rogue",
6   "gold": 23,
7   "user": {
```

Body Cookies Headers (5) Test Results

Status: 412 Precondition Failed Time: 19 ms Size: 5.34 KB Save Response

Pretty Raw Preview Visualize JSON

```
invoke(StandardContextValve.java:97)\r\n\tat org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:540)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:135)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:78)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:382)\r\n\tat org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:893)\r\n\tat org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1726)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)\r\n\tat org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/java.lang.Thread.run(Thread.java:831)\r\n",
6  "message": "Level not in range, 1-60 only",
7  "path": "/createToon"
8 }
```

Custom exception, trying to create a toon with a level out of range

Find and Replace Console

Bootcamp Runner Trash

Postman

File Edit View Help

Home Workspaces API Network Reports Explore Search Postman

localhost:8080//getRealmById/1

GET localhost:8080//getRealmById/1

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

1

Body Cookies Headers (5) Test Results

Pretty Raw Preview Visualize JSON

```
1
2  {
3    "id": 1,
4    "name": "Azjol",
5    "region": "EU",
6    "toon": [
7      {
8        "id": 1,
9        "name": "Shadrock",
10       "level": 45,
11       "race": "Undead",
12       "clazz": "Rogue",
13       "gold": 12
14     }
15   ]
16 }
```

Getting a Realm by id
Toon now has no realm as you can see what realm your on
from the realm

Status: 200 OK Time: 46 ms Size: 290 B Save Response

Find and Replace Console Bootcamp Runner Trash

Home Workspaces API Network Reports Explore Search Postman

localhost:8080/getAllRealms Save

GET localhost:8080/getAllRealms Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body Cookies Headers (5) Test Results Status: 200 OK Time: 15 ms Size: 343 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 1,
4     "name": "Azjol",
5     "region": "EU",
6     "toon": [
7       {
8         "id": 2,
9         "name": "Gonzalo",
10        "level": 46,
11        "race": "Undead",
12        "clazz": "Rogue",
13        "gold": 23
14      }
15    ]
16  },
17  {
18    "id": 2,
19    "name": "Frostmane",
20    "region": "EU",
21    "toon": []
22  }
23 }
```

Getting all realms
Toon now has no realm as you can see what realm y
from the realm

Home Workspaces API Network Reports Explore Invite Upgrade

localhost:8080/getRealmByName/Azjol Save </>

GET localhost:8080/getRealmByName/Azjol Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body Cookies Headers (5) Test Results Status: 200 OK Time: 27 ms Size: 289 B Save Response

Pretty Raw Preview Visualize JSON ≡

```
1  {
2    "id": 1,
3    "name": "Azjol",
4    "region": "EU",
5    "toon": [
6      {
7        "id": 2,
8        "name": "Gonzalo",
9        "level": 45,
10       "race": "Undead",
11       "clazz": "Rogue",
12       "gold": 23
13     }
14   ]
15 }
```

Getting Realm by its name

Find and Replace Console Bootcamp Runner Trash ?

Postman

File Edit View Help

Home Workspaces API Network Reports Explore Search Postman

localhost:8080/getRealmByRegion/EU Save

GET localhost:8080/getRealmByRegion/EU Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
Key	Value	Description	

Body Cookies Headers (5) Test Results Status: 200 OK Time: 17 ms Size: 343 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 1,
4     "name": "Azjol",
5     "region": "EU",
6     "toon": [
7       {
8         "id": 2,
9         "name": "Gonzalo",
10        "level": 45,
11        "race": "Undead",
12        "clazz": "Rogue",
13        "gold": 23
14      }
15    ],
16  },
17  {
18    "id": 2,
19    "name": "Frostmane",
20    "region": "EU",
21    "toon": []
22  }
23 }
```

Getting Realm by Region

Home Workspaces API Network Reports Explore Search Postman Invite Upgrade

localhost:8080/updateRealm/1 Save

PUT localhost:8080/updateRealm/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   ... "name": "Kadgar",
3   ... "region": "EU"
4 }
```

Body Cookies Headers (5) Test Results Status: 202 Accepted Time: 20 ms Size: 208 B Save Response


Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "name": "Kadgar",
4   "region": "EU"
5 }
```

Updating Realm by id




localhost:8080/deleteRealm/2

 Save DELETE  localhost:8080/deleteRealm/2Send Params Authorization Headers (6) Body Pre-request Script Tests Settings

Cookies

Headers  6 hidden

	KEY	VALUE	DESCRIPTION	...	Bulk Edit	Presets 
	Key	Value	Description			


Deleting Realm by id

Body Cookies Headers (3) Test Results

Status: 204 No Content

Time: 15 ms

Size: 112 B

Save Response 

Pretty

Raw

Preview

Visualize

Text 

1

Home Workspaces API Network Reports Explore Search Postman

localhost:8080/createRealm Save

POST localhost:8080/createRealm Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   ... "name": "Kadgar",
3   ... "region": "EU"
4 }
5
```

Body Cookies Headers (5) Test Results Status: 409 Conflict Time: 9 ms Size: 5.32 KB Save Response

Pretty Raw Preview Visualize JSON

```
AuthenticatorBase.invoke(AuthenticatorBase.java:540)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:135)
\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.
invoke(StandardEngineValve.java:78)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.
coyote.http11.Http11Processor.service(Http11Processor.java:382)\r\n\tat org.apache.coyote.AbstractProcessorLight.process
(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:893)\r\n\tat
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1726)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.
run(SocketProcessorBase.java:49)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)\r\n\tat
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)\r\n\tat org.apache.tomcat.util.threads.
TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/java.lang.Thread.run(Thread.java:831)\r\n",
"message": "Realm already exists",
"path": "/createRealm"
```

Custom exception, trying create a realm which already exists

Find and Replace Console Bootcamp Runner Trash

Home Workspaces API Network Reports Explore Search Postman

localhost:8080//getRealmById/3

GET localhost:8080//getRealmById/3

Params Authorization Headers (6) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

1

Body Cookies Headers (5) Test Results Status: 404 Not Found Time: 13 ms Size: 5.31 KB Save Response

Pretty Raw Preview Visualize JSON

```
Catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)\r\n\tat org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:119)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:189)\r\n\tat org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:162)\r\n\tat org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:197)\r\n\tat org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:97)\r\n\tat org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:540)\r\n\tat org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:135)\r\n\tat org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:92)\r\n\tat org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:78)\r\n\tat org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:357)\r\n\tat org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:382)\r\n\tat org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:65)\r\n\tat org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:893)\r\n\tat org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1726)\r\n\tat org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)\r\n\tat org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)\r\n\tat org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)\r\n\tat java.base/java.lang.Thread.run(Thread.java:831)\r\n",
  "message": "No realm at that id",
  "path": "//getRealmById/3"
```

Custom exception, trying get a realm which does not exist

Find and Replace Console Bootcamp Runner Trash

< POST I... ● POST I... ● POST I... ● GET I... ● GET I... ● GET I... ● GET I... ● PUT I... ● DEL I... ● PUT I... ● DEL → + ...

No Environment ↓

localhost:8080/getUserByName/Jack

Save ↓

</>

GET ↓ localhost:8080/getUserByName/Jack

Send ↓

ParamsAuthorizationHeaders (6)BodyPre-request ScriptTestsSettings

Cookies

Query Params

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	Key	Value	Description		

BodyCookiesHeaders (5)Test Results

Status: 200 OKTime: 39 msSize: 334 BSave Response ↓

PrettyRawPreviewVisualizeJSON ↓

```
1 {
2   "id": 1,
3   "name": "Jack",
4   "toons": [
5     {
6       "id": 2,
7       "name": "Gonzalo",
8       "level": 45,
9       "race": "Undead",
10      "clazz": "Rogue",
11      "gold": 23,
12      "realm": 3
13    },
14    {
15      "id": 1,
16      "name": "Kadgar",
17      "region": "EU"
18    }
19  ]
20 }
```

Getting User by name

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

```
1 [
2   {
3     "id": 1,
4     "name": "Jack",
5     "toons": [
6       {
7         "id": 2,
8         "name": "Gonzalo",
9         "level": 45,
10        "race": "Undead",
11        "clazz": "Rogue",
12        "gold": 23,
13        "realm": {
14          "id": 1,
15          "name": "Kadgar",
16          "region": "EU"
```

Getting all Users

```
1 {
2   ... "name": "Jack"
3 }
```

```
6   "message": "User already exists",
7   "path": "/createUser"
8 }
```

Custom exception, trying to make a user which already exists

SCHEMAS

Filter objects

- amazon
- character_manager
 - Tables
 - realm
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - toon
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - user
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions

1 • `SELECT * FROM character_manager.toon;`

Data has stayed after restarting my project multiple times

Result Grid

Filter Rows:

	id	clazz	gold	level	name	race	realm_id	user_id
▶	1	Rogue	23	45	Gonzalo	Undead	1	1
★	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

Edit: Export/Import:

Finished after 20.306 seconds

Runs: 38/38 * Errors: 0 * Failures: 0

- > ToonDtoTest [Runner: JUnit 5] (0.302 s)
- > UserDtoTest [Runner: JUnit 5] (0.045 s)
- > ExceptionTest [Runner: JUnit 5] (0.772 s)
- > UserControllerIntergrationTest [Runner: JUnit 5] (0.316 s)
- > RealmControllerIntergrationTest [Runner: JUnit 5] (0.248 s)
- > ToonControllerIntergrationTest [Runner: JUnit 5] (0.291 s)
- > CharacterManagerApplicationTests [Runner: JUnit 5] (0.006 s)
- > RealmServiceTest [Runner: JUnit 5] (0.316 s)

Failure Trace

java (1) (14 Oct 2021 15:20:16)

Element	Coverage	Covered Instructions	Missed Instructions	Total Instructions
CharacterManager	84.7 %	2,935	531	3,466
src/main/java	72.2 %	1,376	529	1,905
com.qa.main.data	41.4 %	235	332	567
com.qa.main.dto	77.1 %	539	160	699
com.qa.main.exception	34.3 %	12	23	35
com.qa.main.service	98.0 %	441	9	450
com.qa.main	37.5 %	3	5	8
com.qa.main.config	100.0 %	7	0	7
com.qa.main.rest	100.0 %	139	0	139
src/test/java	99.9 %	1,559	2	1,561

72.2% Coverage in the src/main/java file
38 Tests passed