Nombre: Leonor Molina

Ejercico 1

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS                                swipl

1 ?-
|    [ejercicio1].
true.

2 ?- max(2,3,R).
R = 3.

3 ?- max(3,2,R).
R = 3 .

4 ?- max(3,R,3).
ERROR: Arguments are not sufficiently instantiated
ERROR: In:
ERROR:   [13] 3>=_156
ERROR:   [12] max(3,_182,3) at c:/users/leonor/repositorios/taller2prolog/ejercicio1.pl:2
ERROR:   [11] toplevel_call(user:user: ...) at c:/program files/swipl/boot/toplevel.pl:1529
   Exception: (12) max(3, _62, 3) ?
```

Ejercicio 2

ejercicio1.pl

```
ejercicio1.pl
1   max(X,Y,X):-
2       X>=Y.
3
4   max(X,Y,Y):-
5       Y>=X.
6
7   reinado('Carlos II',1665,1700).
8   reinado('Felipe V',1700,1724).
9   reinado('Luis I',1724,1724).
10  reinado('Felipe V',1724,1746).
11
12  rige(Persona,N):-
13      reinado(Persona,A,B),
14      A=<N,
15      N=<B.
16
```

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS

PS C:\Users\LEONOR\Repositorios\Taller2Prolog> swipl
Welcome to SWI-Prolog (threaded, 64 bits, version 10.0.2)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit https://www.swi-prolog.org
For built-in help, use ?- help(Topic). or ?- apropos(Word).

1 ?- ['ejercicio1.pl'].
true.

2 ?- rige(R,1724).
R = 'Felipe V' ;
R = 'Luis I' ;
R = 'Felipe V'.

3 ?-
```

Ejercicio modificado dando un rango de fecha (Desde, Hasta)

ejercicio1.pl

```
max(X,Y,X):-

max(X,Y,Y):-
    Y>=X.

reinado('Carlos II',1665,1700).
reinado('Felipe V',1700,1724).
reinado('Luis I',1724,1724).
reinado('Felipe V',1724,1746).

rige(Persona,Desde,Hasta):-
    reinado(Persona,A,B),
    A>=Desde,
    B=<Hasta.
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\LEONOR\Repositorios\Taller2Prolog> swipl
Welcome to SWI-Prolog (threaded, 64 bits, version 10.0.2)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit https://www.swi-prolog.org
For built-in help, use ?- help(Topic). or ?- apropos(Word).

1 ?- ['ejercicio1.pl'].
true.

2 ?- rige(R,1700,1724).
R = 'Felipe V' ;
R = 'Luis I' ;
false.
```

swipl
swipl
swipl

Ejercicio 3 - Conjugacion en ingles

File Edit Selection View Go Run Terminal Help Taller2Prolog Update

EXPLORER
TALLER2PROLOG
ejercicio1.pl

ejercicio1.pl

```
ser(futuro, primera, singular, "will be").
ser(futuro, segunda, singular, "will be").
ser(futuro, tercera, singular, "will be").
ser(futuro, primera, plural, "will be").
ser(futuro, segunda, plural, "will be").
ser(futuro, tercera, plural, "will be").


conjugar_verbo(Verbo, Tiempo, Persona, Numero, Conjugacion) :-
    tiempo(Tiempo),
    persona(Persona),
    numero(Numero),
    (
        Verbo = "to be" ->
        ser(Tiempo, Persona, Numero, R),
        Conjugacion = R
    ;
        Conjugacion = Verbo
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS swipl

```
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit https://www.swi-prolog.org
For built-in help, use ?- help(Topic). or ?- apropos(Word).

1 ?- ['ejercicio1.pl'].
true.

2 ?- conjugar_verbo("to play", presente, primera, singular, R).
R = "to play".

3 ?- conjugar_verbo("to be", pasado, tercera, pluarl, R).
false.

4 ?- conjugar_verbo("to be", pasado, tercera, plural, R).
R = "were"
```

OUTLINE
TIMELINE

CHAT

Build with Agent
AI responses may be inaccura
Generate Agent Instructions to onb
onto your codebase.

Tip: Try the Plan agent to research and
before implementing changes.

ejercicio1.pl
Describe what to build
Auto
Local Default Approvals