

#### **OWASP**

#### **OWASP**

The Open Web Application Security Project® (OWASP) is a nonprofit foundation that works to improve the security of software. Through community-led open source software projects, hundreds of local chapters worldwide, tens of thousands of members, and leading educational and training conferences, the OWASP Foundation is the source for developers and technologists to secure the web.

#### **Core Values**

- Open: Everything at OWASP is radically transparent from our finances to our code.
- Innovative: We encourage and support innovation and experiments for solutions to software security challenges.
- **Global**: Anyone around the world is encouraged to participate in the OWASP community.
- Integrity: Our community is respectful, supportive, truthful, and vendor neutral

## **OWASP Projects**

## **OWASP Projects**

An OWASP project is a collection of related tasks that have a defined roadmap and team members.

Project Type	Examples			
Tool	ZAP, Dependency Check, DefectDojo, Dependency-Track, Juice Shop			
Code	ModSecurity Core Rule Set, Java Encoder			
Documentation	n OWASP Top 10, Application Security Verification Standard (ASVS Cornucopia, Security Knowledge Framework, Cheat Sheet Series			

## **Project Lifecycle**

Level	lcon	Description			
Incubator	OWASP Incubator projects represent the experimental where projects are still being fleshed out, ideas are still proven, and development is still underway.				
Labs	OWASP Labs projects represent projects that have produce OWASP reviewed deliverable of value.				
Flagship	The OWASP Flagship designation is given to projects that demonstrated strategic value to OWASP and application sa whole.				

## **OWASP Chapters**

## **OWASP Chapters**

OWASP Local Chapters build community for application security professionals around the world. Our Local Chapter Meetings are free and open to anyone to attend so both members and non-members are always welcomed. Local meetings include:

- Training to improve your skills
- Talks relevant to your work
- Networking opportunities

#### **OWASP German Chapter**

There is one Chapter for Germany in total which is complemented by a so-called OWASP Stammtisch each in several metropolitan areas such as München, Frankfurt, Hamburg, Stuttgart, Köln, Hannover, Karlsruhe, Dresden, Ruhrpott, Heilbronn-Franken.



## **Mandatory Chapter Rules**


- Organize free and open meetings
- Hold a minimum of 4 chapter meetings or events each year
- Give official notice on the website and chapter mailing list
- Abide by OWASP principles and the code of ethics
- Protect the privacy of the chapter's local contacts
- Maintain vendor neutrality (act independently)
- Spend any chapter funds in accordance with the OWASP goals, code of ethics, and principles

## **OWASP Top 10**

# OWASP Top 10

1	Injection	6	Security Misconfiguration	
2	Broken Authentication	7	Cross-Site-Scripting (XSS)	
3	Sensitive Data Exposure	8	Insecure Deserialization	
4	XML External Entities	9	Using Components with Known Vulnerabilities	
5	Broken Access Control	10	Insufficient Logging & Monitoring	

## **Application Security Risks**



#### Risk Rating Table

Threat Agents	Exploitability	Weakness Prevalence	Weakness Detectability	Technical Impacts	Business Impacts	
	EASY: 3	WIDESPREAD: 3	EASY: 3	SEVERE: 3	App /	
App Specific	AVERAGE: 2	COMMON: 2	AVERAGE: 2	MODERATE: 2	Business	
	DIFFICULT: 1	UNCOMMON: 1	DIFFICULT: 1	MINOR: 1	Specific	

i Based on the OWASP Risk Rating Methodology

## **Risk Calculation Example**

Threat Agents / Attack Vectors		Security \	Weakness	Impacts	
App Specific	Exploitability: 3	Prevalence: 3	Detectability: 3	Technical: 2	Business ?
	3	3	3		
		lihood Rating		* 2	
	(Average of Ex	ploitability, Prevalence and Detectability)			-
	Risk Ranking: 6.0  (Likelihood * Impact)				

## **Top 10 Risk Factor Summary**

Risk	Threat Agents	Attack Vectors (Exploitability)	Security Weakness (Prevalence)	Security Weakness (Detectability)	Impacts (Technical)	Impacts (Business)	Score
A1:2017-Injection	App Specific	EASY: 3	COMMON: 2	EASY: 3	SEVERE: 3	App Specific	8.0
A2:2017-Broken Authentication	App Specific	EASY: 3	COMMON: 2	AVERAGE: 2	SEVERE: 3	App Specific	7.0
A3:2017-Sensitive Data  Exposure	App Specific	AVERAGE: 2	WIDESPREAD: 3	AVERAGE: 2	SEVERE: 3	App Specific	7.0
A4:2017-XML External Entities (XXE)	App Specific	AVERAGE: 2	COMMON: 2	EASY: 3	SEVERE: 3	App Specific	7.0
A5:2017-Broken Access Control	App Specific	AVERAGE: 2	COMMON: 2	AVERAGE: 2	SEVERE: 3	App Specific	6.0
A6:2017-Security Misconfiguration	App Specific	EASY: 3	WIDESPREAD: 3	EASY: 3	MODERATE: 2	App Specific	6.0
A7:2017-Cross-Site Scripting (XSS)	App Specific	EASY: 3	WIDESPREAD: 3	EASY: 3	MODERATE: 2	App Specific	6.0
A8:2017-Insecure  Deserialization	App Specific	DIFFICULT: 1	COMMON: 2	AVERAGE: 2	SEVERE: 3	App Specific	5.0
A9:2017-Vulnerable Components	App Specific	AVERAGE: 2	WIDESPREAD: 3	AVERAGE: 2	MODERATE: 2	App Specific	4.7
A10:2017-Insufficient  Logging&Monitoring	App Specific	AVERAGE: 2	WIDESPREAD: 3	DIFFICULT: 1	MODERATE: 2	App Specific	4.0

## Some(!) Additional Risks to Consider

Cross-Site Request Forgery (CSRF)	Unvalidated Forward and Redirects
Uncontrolled Resource Consumption ('Resource Exhaustion', 'AppDoS')	Improper Control of Interaction Frequency (Anti-Automation)
Unrestricted Upload of File with Dangerous Type	Inclusion of Functionality from Untrusted Control Sphere (3rd Party Content)
User Interface (UI) Misrepresentation of Critical Information (Clickjacking etc.)	Server-Side Request Forgery (SSRF)

#### Other Resources on AppSec

- **SANS** Software Security Community
  - CWE/SANS TOP 25 Most Dangerous Software Errors
  - Securing Web Application Technologies [SWAT] Checklist
- **CWE** Common Weakness Enumeration
  - Community-developed list of common software security weaknesses



## **OWASP Juice Shop**



## OWASP Juice Shop

OWASP Juice Shop is probably the most modern and sophisticated insecure web application! It can be used in security trainings, awareness demos, CTFs and as a guinea pig for security tools! Juice Shop encompasses vulnerabilities from the entire OWASP Top Ten along with many other security flaws found in real-world applications!



#### **Main Selling Points**

- Free and Open source: Licensed under the MIT license with no hidden costs or caveats
- Easy-to-install: Choose between node.js, Docker and Vagrant to run on Windows/Mac/Linux
- Self-contained: Additional dependencies are pre-packaged or will be resolved and downloaded automatically
- **Beginner-friendly**: Hacking Instructor tutorial scripts guide users through several of the easier challenges while explaining the underlying vulnerabilities
- **Gamification**: The application notifies you on solved challenges and keeps track of successfully exploited vulnerabilities on a Score Board

- **Self-healing**: The simple SQLite and MarsDB databases are wiped and repopulated from scratch on every server startup
- **Re-branding**: Fully customizable in business context and look & feel to your own corporate or customer requirements
- CTF-support: Challenge notifications optionally contain a flag code for your own Capture-The-Flag events



#### Installation


- Individual local instance per student
- Runs on node.js, Docker, Vagrant and in the




- Do not look at the source code on GitHub
- Do not look at GitHub issues, PRs etc.
- Do not cheat (with online tutorials or walkthroughs) before trying
- Report problems during exercises immediately

## Official Companion Guide

Pwning OWASP Juice Shop [...] will give you a complete overview of the vulnerabilities found in the application including hints how to spot and exploit them. In the appendix you will even find complete step-by-step solutions to every challenge. The ebook is published under CC BY-NC-ND 4.0 and is available for free online-readable. The latest officially released edition is available for free on LeanPub in PDF, Kindle and ePub format.





#### Install the OWASP Juice Shop v12.x

- 1. Install the latest Node.js 14.x (or 12.x) release on your computer
- 2. On https://github.com/juice-shop/juice-shop#setup follow the instructions for either
  - From Sources or
  - Packaged Distributions
- If you want to use Docker you need to run the container with docker run -d -e "NODE\_ENV=unsafe" -p 3000:3000 bkimminich/juice-shop or you won't be able to solve several of the exercises.

#### Happy path shopping tour

- 1. Register a user account at your local Juice Shop
- 2. Browse the inventory and purchase some products
- 3. Try out all other functionality you find in the application

#### **Score Board**

- 1. Find the hidden Score Board in the Juice Shop ( )
- i You can let the application's friendly Hacking Instructor guide you through this exercise by clicking "Help getting started" on the welcome banner or in the side bar.

#### Transfer your hacking progress

- 1. If you keep using the same computer *and* do not delete your cookies your browser will persist and restore your hacking progress.
- 2. It is still recommended to make a backup of your progress regularly.
- 3. You can also use this JSON backup to restore your progress and settings on any other computer.

