
a Positive control: AUC scores for 12 resting-state network probability maps in a young adult sample
AUC +
AUC −
Visual
Auditory
Lateral Somatomotor
Dorsal Somatomotor
Ventral Attention
Dorsal Attention
Cingulo-Opercular
Frontoparietal
Medial Parietal
Occipital Parietal
Salience
Default Mode
Z(AUC)
ICC(2, k)
AUC (normalized w.r.t. null)
Mean AUC (90% PI)
p / p_Meff < 0.05
Null median
99% PI of null means
90% PI of null means
75% PI of null means
Retest reliability
Intraclass correlation
b NEOFC curve of the DMN
Default Mode
p_AUC+ = 0.001
p_AUC− = 0.001
ICC(2, k)_AUC+ = 0.71
WCV_AUC+ = 0.13
FC
Percentile
AUC
Run
c Discovery and retest-reliability: AUC scores for 25 neurotransmitter maps in a young adult sample
AUC+
AUC−
General & Metabolic
CMR_glu
SV2A
HDAC
VMAT2
Glutamate & GABA
mGluR5
NMDA
GABA_A
GABA_A5
Noradrenaline & Acetylcholine
NET
α4β2
M1
VAChT
Dopamine
FDOPA
D1
D2/3
DAT
Serotonin
5-HT1A
5-HT1B
5-HT2A
5-HT4
5-HT6
5-HTT
Opioids & Endocannabinoids
MOR
KOR
CB1
Z(AUC)
ICC(2, k)
AUC (normalized wrt. null)
Cortex
Mean AUC (90% PI)
Whole brain
Mean AUC (90% PI)
p / p_Meff < 0.05
Null median
99% PI of null means
90% PI of null means
75% PI of null means
Retest reliability
Cortex
Intraclass correlation
Whole brain
Intraclass correlation
Stouffer's meta-analysis
p / p_Meff < 0.05
d Neurotransmitter NEOFC curves
VMAT2
p_AUC+ = 0.518
p_AUC− = 0.001
ICC(2, k)_AUC+ = 0.73
WCV_AUC+ = 0.30
Original FC mean (90% PI)
Inverted FC mean (90% PI)
Median of null means
99% PI of null means
90% PI of null means
75% PI of null means
AUC+ : p / p_Meff < 0.05
AUC− : p / p_Meff < 0.05
NET
p_AUC+ = 0.001
p_AUC− = 0.999
ICC(2, k)_AUC+ = 0.80
WCV_AUC+ = 0.17
VAChT
p_AUC+ = 0.038
p_AUC− = 0.480
ICC(2, k)_AUC+ = 0.78
WCV_AUC+ = 0.17
FC
Percentile