# Homework 02 – Algorithms

Arthur J. Redfern arthur.redfern@utdallas.edu

#### 0 Outline

- 1 Reading
- 2 Theory
- 3 Practice

## 1 Reading

1. Algorithms

Motivation: a xNN related algorithms refresher <a href="https://github.com/arthurredfern/UT-Dallas-CS-6301-CNNs/blob/master/Lectures/xNNs\_020\_Algorithms.pdf">https://github.com/arthurredfern/UT-Dallas-CS-6301-CNNs/blob/master/Lectures/xNNs\_020\_Algorithms.pdf</a>


Complete

### 2 Theory

2. 3x3/2 max pooling applied to an input feature map of size  $3 \times (2n + 1)$  generates an output feature map of size  $1 \times n$ . What is the minimum number of comparisons required to generate the output feature map? Draw a picture showing your pattern of comparisons (hand drawing is ok).

8 comparisons for the 1st 3x3 tile and 6 comparisons for each subsequent tile for a total of 8 + (n-1)6 = 6n + 2 comparisons

As a new tile adds 6 values that need to be compared to at least 1 previous, this appears to be a minimum



3. 3x3/2 max pooling applied to an input feature map of size  $(2m + 1) \times (2n + 1)$  generates an output feature map of size m x n. What is the minimum number of comparisons required to generate the output feature map? Draw a picture showing your pattern of comparisons (hand drawing is ok).

Applying the above strategy to each of the block rows of tiles yields m(6n + 2) = 6mn + 2m comparisons

It wasn't immediately obvious that there's a way to reduce this number via sharing computations in both the row and column directions

#### 3 Practice

- 4. This coding example will use CIFAR-10 (50k training and 10k testing 3 x 32 x 32 images of 10 different classes) with a simple few layer sequential CNN for image classification. Understand all lines of code in the following example (<a href="https://github.com/arthurredfern/UT-Dallas-CS-6301-CNNs/blob/master/Code/xNNs">https://github.com/arthurredfern/UT-Dallas-CS-6301-CNNs/blob/master/Code/xNNs</a> Code 021 CIFAR.py) and run it in Google Colab. Note the following examples in the code:
  - Computing the dataset mean and std dev
  - Restarting training after a crash from the last saved checkpoint
  - Saving and loading the model

Feel free to modify the code and experiment, again, this is how you gain confidence and intuition.

Complete