

animal pathogen
endophyte
plant pathogen
unlabelled
SRR2541219 · Rice · 0 pathogens
Oryza sativa
Triticum aestivum
Zea mays
ERR12013036 · Wheat · 1 pathogen
Puccinia graminis
Triticum aestivum
Puccinia coronata
Phakopsora pachyrhizi
ERR4315480 · Wheat · 1 pathogen
Puccinia striiformis
Sporobolomyces roseus
Triticum aestivum
Cladosporium allicinum
Dioszegia hungarica
Hordeum vulgare
Oryza sativa
ERR1607829 · Wheat · 2 pathogens
Puccinia striiformis
Triticum aestivum
Zymoseptoria tritici
Cladosporium allicinum
Oryza sativa
Rhizophagus clarus
ERR3856821 · Wheat · 2 pathogens
Triticum aestivum
Puccinia striiformis
Sporobolomyces roseus
Puccinia graminis
Filobasidium floriforme
Crenartium quercuum
Melampsora larici-populina
ERR15005478 · Wheat · 3 pathogens
Blumeria graminis
Zymoseptoria tritici
Cladosporium allicinum
Puccinia triticina
Sporobolomyces roseus
Triticum aestivum
Puccinia striiformis
Puccinia graminis
SRR15141141 · Maize · 5 pathogens
Puccinia sorghi
Exserohilum turcicum
Zea mays
Alternaria arborescens
Dioszegia hungarica
Epicoccum nigrum
Cladosporium allicinum
Bipolaris zeicola
Sporobolomyces ruberrimus
Alternaria tenuissima
Tilletiopsis washingtonensis
SRR8204137 · Maize · 13 pathogens
Exserohilum turcicum
Cercospora zeae-maydis
Zea mays
Puccinia sorghi
Epicoccum nigrum
Bipolaris maydis
Cercospora beticola
100%
10%
1%
0.1%
0.01%
0.001%
0.0001%
Coverage observed (distinct / taxon's db_v4 minimizers)
10^{-4}
10^{-1}
10^{2}
Redundancy available (reads × k-mers per spot / taxon's db_v4 minimizers)
solid curve: null for reads spread uniformly · long-dash: shape test (saturation 0.05) · dash: abundance floor (coverage 1%)