SE 3XA3: Module Interface Specification ScrumBot

Team 304, ScrumBot Arkin Modi, modia1 Leon So, sol4 Timothy Choy, choyt2

Last Updated: March 12, 2020

MeetingTypes Module

Module

MeetingTypes

Uses

N/A

Syntax

Exported Constants

N/A

Exported Types

MeetingT = {Grooming, StandUp, Retrospective, SprintPlanning}

Exported Access Programs

None

Semantics

State Variables

None

State Invariant

None

Generic Dictionary Module

Generic Template Module

Dict(T)

Uses

N/A

Syntax

Exported Types

Dict = ?

Exported Constants

None

Exported Access Programs

Routine Name	In	Out	Exceptions
new Dict		Dict	
add	T		
remove	N		KeyError
toSeq		set of (\mathbb{N}, T)	

Semantics

State Variables

D: set of $(\mathbb{N},\!\mathcal{T})$

 $c \colon \mathbb{N}$

State Invariant

 $|D| \ge 0$
 $c \ge 0$

Assumptions & Design Decision

• The Dict(T) constructor is called for each object instance before any other access routine is called for that object.

Access Routine Semantics

new Dict():

- transition: $D, c := \langle \rangle, 0$
- \bullet output: out := self

add(e):

• transition: $D := D \mid\mid \langle c, e \rangle, c := c + 1$

remove(id):

- transition: $D := D \langle id, e \rangle$
- exception: $exc := \langle id, e \rangle \notin D \Rightarrow \text{KeyError}$

toSeq():

• output: D

MeetingList Module

Template Module

MeetingList is a Dict of Meeting

Generic Meeting Module

Template Module

Meeting

Uses

MeetingTypes

Syntax

Exported Constants

None

Exported Types

Meeting = ?

Exported Access Programs

Routine Name	In	Out	Exceptions
new Meeting	String, Date, Time, MeetingT	Meeting	$invalid_argument$
new Meeting	String, Date, Time, MeetingT, String	Meeting	$invalid_argument$
getDetails		String	
setDescription	String		

Semantics

State Variables

Name: String

T: Time D: Date

Type: MeetingT Desc: String

State Invariant

None

Assumptions

None

Access Routine Semantics

new Meeting(name, date, time, type)

- \bullet transition:
- ullet output: out := self

Grooming Meeting

ProjectList Module

Template Module

 $\operatorname{ProjectList}$ is a Dict of $\operatorname{Project}$

Project Module

Uses

Syntax

Exported Constants

None

Exported Types

Project = ?

Exported Access Programs

Routine Name	In	Out	Exceptions
new Project	String	Project	invalid_argument
getDescription		String	
setDescription	String		

Table 1: Revision History

Date	Developer(s)	Change	
March 9, 2020	Timothy Choy	Copy template, ScrumBot Module	
March 10, 2020	Leon So	MeetingList module	
March 11, 2020	Leon So	Meeting module, MeetingTypes Mod-	
		ule	
March 11, 2020	Leon So	Project module, ProjectList Module,	
		Meeting module, MeetingTypes Mod-	
		ule, Generic Dict Module	