













**Grain boundary stability governs hardening and softening in extremely fine nanograined metals**

J. Hu, Y. N. Shi, X. Sauvage, G. Sha and K. Lu (March 23, 2017)  
*Science* **355** (6331), 1292-1296. [doi: 10.1126/science.aal5166]

Editor's Summary

**Nanograined metals avoid going soft**

The Hall-Petch relationship links a metal's increasing hardness with decreasing grain size, but it breaks down when grains become very small. This is unfortunate because nanograined metals could otherwise be extremely hard. Hu *et al.* found a way to circumvent this problem in a set of nickel-molybdenum alloys. They altered the molybdenum composition and annealed the samples at just the right temperature, which stabilized the grain boundaries in their nanograined samples. This allowed hardness to keep increasing with decreasing grain size, which could provide a route for designing superhard coatings.

*Science*, this issue p. 1292

---

This copy is for your personal, non-commercial use only.

---

**Article Tools** Visit the online version of this article to access the personalization and article tools:  
<http://science.sciencemag.org/content/355/6331/1292>

**Permissions** Obtain information about reproducing this article:  
<http://www.sciencemag.org/about/permissions.dtl>

*Science* (print ISSN 0036-8075; online ISSN 1095-9203) is published weekly, except the last week in December, by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. Copyright 2016 by the American Association for the Advancement of Science; all rights reserved. The title *Science* is a registered trademark of AAAS.