Encontro Nacional de Física Estatística - ENFE
November 07, Curitiba, Paraná, Brasil

Analysis of Socioeconomic Indicators in Brazil, USA and others Latin Americas Countries using Econophysics Techniques

Leonardo C. Rossato , Sebastián Gonçalves, J. Roberto Iglesias

Master's student at the Federal University of Rio Grande do Sul (UFRGS)

Graduated in Physics (2020/ 2 -> 2022/ 2)
at the Federal University of Santa Maria (UFSM)







This work represents the overview about my master's and future Phd theses. *

How to compare small and medium-sized cities between countries?



First impression,
it’s a simple question.

But each country
has its own unique way of
calculating, extracting, or handling
data from its administrative units.

"Therefore, it's not always easy
to match one system with another."

Regarding the **HDI**

In general, we TRY **adhere** to the **standard definition** by the United Nations Development Programme (UNDP)



Challenges:

- **USA use “Tracts” and not cities,**
  for extracting and handling your dataset.

⬇

Solution: we convert data tracts in data cities, with Data Engineering.



- **Chile reduce** the **values** of **Economic component.**
  Generating final values lower than the standard HDI.

⬇

Solution?? Very difficult to find a certain one;

"So, what is our attempt at a solution?"

--> In short:

- compare different techniques.

--> To elaborate:

1. Search and detect Visual Patterns;
2. **Create different forms of representation for comparison;**
3. Determine numerical and visual parameters to analyze the results.

Methodology for Scatter Plots:

Government data table | published research papers

Dataframe:

```
def botao_menu_dos_dataframes():
    button = widgets.ToggleButton(value=False, description='Click me', disabled=False,
                                  button_style='success', # 'success', 'info', 'warning', 'danger' or ''
                                  tooltip='Description', icon='check')

    out = widgets.interactive_output(click, {'button': button})
    display(widgets.VBox([widgets.HBox([button]), out]))

# Chama Menu Interativo dos Dataframes (com botão)
botao_menu_dos_dataframes()
```

✔ Click me

Dataframe df_Censo2010

Min_Linha 7 Max_Linha 143

	Municipio	UF	Macroregioes	IDHM_2010	IDHM_Renda_2010	IDHM_Longevidade_2010	IDHM_Educação_2010	Total_Pop_Absol	Total_Pop_Urbana_Ab
7	Abatiá PR	PR	Sul	687	676	804	596	7764	5
8	Abaíra BA	BA	Nordeste	603	577	746	510	8316	3
9	Abdon	SC	Sul	694	660	812	625	2653	

Case: **Brazil** Normal Scale

(HDI x Population)



Brazil Log-Log Scale

(HDI x Population)



How to reduce noise from these Scatter Plots?

--> One way would be: **Binscatter Process**

Case: Peru

Divided by “Bins”



Brazil





Chile





Peru





Mexico





El Salvador





USA





Some compared results

"The **bin division** is **adjusted** based on the population variation of **each country**."



IDC < HDI
Chile **reduce values** of **Economic component.**

How to represent this **Scatter Plots** in **Network graph?**

--> One way would be: **B-GCA Process**

Based on GCA: Gravitional Cluster Algorithm

"Pixel Axes" : 500 x 300 px









Cut Radius = 5



Point = City

Cut Radius

Edge = Distance on map

Based on GCA: Gravitional Cluster Algorithm

we may explore

statistical information



Metric	Value
Nº of nodes	1872.0
Nº of edges	8359.0
Average degree	8.9
Max. degree	36.0
Min. degree	0.0
Variance	46.8
Standard deviation	6.8





Node Degree



Node Degree > 0

Brazil





Chile





Peru





Brazil





Chile





- **More** number os **points**, **more hub** in **central region** in the graph

Brazil





Brazil and Peru: the visual behavior is very similar, just like Mexico in relation to the USA

Peru





Mexico





El Salvador





USA





Some Table compared results

Metric	Brazil	Chile	Peru	Mexico	ElSalvador	USA
Nº of nodes	5565	345	1874	2193	261	3142
Nº of edges	60890	456	4535	8449	112	27652
Average degree	21.9	2.6	4.8	7.7	0.9	17.6
Max. degree	59	12	15	30	4	54
Min. degree	0	0	0	0	0	0
Variance	141.4	6.0	10.4	33.2	1.0	148.9
Standard deviation	11.9	2.5	3.2	5.8	1.0	12.2
Average eccentricity	41.5	10.3	43.6	44.9	5.5	46.9

- In general, **as most number of nodes**, **more value in other Metrics.**
- **Brazil** x **USA**:
  - Brazil **more points,** more **average degree,** more **máx. degree** ;
  - but **USA more Variance.**

Some histogram compared results



References:

1. A. Gomez Jonatan, B. Dipankar D., and C. Olfa N. A New Gravitational Clustering Algorithm (2003), DOI: https://doi.org/10.1137/1.9781611972733.8.
2. Suraj K. Sheth, Measuring and Luís M. A. Bettencourt. Health and human development in cities and neighborhoods in the United States (2023), DOI: https://doi.org/10.1038s42949-023-00088-y
3. Rodríguez Miranda, A., Vial Cossani, C., & Parrao, A. (2021). Índice Compuesto y Multidimensional de Desarrollo Regional: Una propuesta para América Latina. Revista Iberoamericana De Estudios Municipales, (23), 1–30. https://doi.org/10.32457/riem.v23i1.580

Goverment Data Sites (or oficial pdf informes HDI):

1. Mexico: https://www.inegi.org.mx/siscon/
2. Chile: https://repositorio.uautonoma.cl/bitstream/handle/20.500.12728/6742/V11_digital_final.pdf?sequence=1&isAllowed=y
3. Peru: https://www.up.edu.pe/egp/programas-especializacion_copy(1)/SiteAssets/Lists/Observatorio/AllItems/Informe%20de%20Evidencia%20IDH%202019.pdf
4. El Salvador: https://www.undp.org/sites/g/files/zskgke326/files/publications/El%20Salvador_MDGReport_2005_SP.pdf
5. Brazil: https://censo2010.ibge.gov.br/resultados.html
6. USA: https://web.archive.org/web/20110615084942/http://www.census.gov/hhes/www/poverty/poverty.html

Thank you

Interactive Tools

Github | Paper

+ MORE INFO
+ others techniques