
Thematic Analysis

1. Braun V, Clarke V. Using thematic analysis in psychology. Qual Res Psychol. 2006;3(2):77–101.

What is thematic analysis?

Thematic analysis is a method for identifying, analysing, and reporting patterns (themes) within data.



What is thematic analysis?

Coding qualitative data

Interview extract	Codes
Personally, I'm not sure. I think the climate is changing, sure, but I don't know why or how. People say you should trust the experts, but who's to say they don't have their own reasons for pushing this narrative? I'm not saying they're wrong, I'm just saying there's reasons not to 100% trust them. The facts keep changing – it used to be called global warming.	• Uncertainty • Acknowledgement of climate change • Distrust of experts • Changing terminology

Caulfield, J. (2023, June 22). How to Do Thematic Analysis | Step-by-Step Guide & Examples. Scribbr. Retrieved September 21, 2023, from https://www.scribbr.com/methodology/thematic-analysis/

What is thematic analysis?

Turning codes into themes

Codes	Theme
• Uncertainty • Leave it to the experts • Alternative explanations	Uncertainty
• Changing terminology • Distrust of scientists • Resentment toward experts • Fear of government control	Distrust of experts
• Incorrect facts • Misunderstanding of science • Biased media sources	Misinformation

Caulfield, J. (2023, June 22). How to Do Thematic Analysis | Step-by-Step Guide & Examples. Scribbr. Retrieved September 21, 2023, from https://www.scribbr.com/methodology/thematic-analysis/

What counts as a theme?

A theme captures something important about the data in relation to the research question, and represents some level of patterned response or meaning within the data set.

- In RPD model, we are interested in: ***Decisions, Cues, Information, etc….***

Phases

Table 1: Phases of Thematic Analysis

Phase	Description of the process
1. Familiarising yourself with your data:	Transcribing data (if necessary), reading and re-reading the data, noting down initial ideas.
2. Generating initial codes:	Coding interesting features of the data in a systematic fashion across the entire data set, collating data relevant to each code.
3. Searching for themes:	Collating codes into potential themes, gathering all data relevant to each potential theme.
4. Reviewing themes:	Checking in the themes work in relation to the coded extracts (Level 1) and the entire data set (Level 2), generating a thematic 'map' of the analysis.
5. Defining and naming themes:	Ongoing analysis to refine the specifics of each theme, and the overall story the analysis tells; generating clear definitions and names for each theme.
6. Producing the report:	The final opportunity for analysis. Selection of vivid, compelling extract examples, final analysis of selected extracts, relating back of the analysis to the research question and literature, producing a scholarly report of the analysis.

Resources

Resources | Thematic Analysis

Thematic analysis - Wikipedia

Deductive or Inductive

The main difference between inductive and deductive reasoning is that **inductive reasoning aims at developing a theory while deductive reasoning aims at testing an existing theory**.

So, in RPD model: Cues, Information, Decision, Actions should be “looked for” in textual.

App: Taguette

Deductive or Inductive

The main difference between inductive and deductive reasoning is that **inductive reasoning aims at developing a theory while deductive reasoning aims at testing an existing theory**.

And what about Inductive ?

Text Mining R - Cran - *Natural Language Processing* - NLP




```
library(tm)
data("crude")
crude
tdm <- TermDocumentMatrix(crude)
tdm
findAssocs(tdm, c("oil", "opec", "xyz"), c(0.7, 0.75, 0.1))


#Find frequent terms in a document-term or term-document matrix.
tdm <- TermDocumentMatrix(crude)
findFreqTerms(tdm, 8, Inf)

#Find most frequent terms in a document-term or term-document matrix, or a vector of term frequencies
data("crude")
## Term frequencies:
tf <- termFreq(crude[[14L]])
findMostFreqTerms(tf)
## Document-term matrices:
dtm <- DocumentTermMatrix(crude)
## Most frequent terms for each document:
findMostFreqTerms(dtm)
## Most frequent terms for the first 10 the second 10 documents,
## respectively:
findMostFreqTerms(dtm, INDEX = rep(1 : 2, each = 10L))

#Inspect, i.e., display detailed information on a corpus, a term-document matrix, or a text document.
data("crude")
inspect(crude[1:3])
inspect(crude[[1]])
tdm <- TermDocumentMatrix(crude)[1:10, 1:10]
inspect(tdm)

#Visualize correlations between terms of a term-document matrix.
## Not run: data(crude)
tdm <- TermDocumentMatrix(crude,
                          control = list(removePunctuation = TRUE,
                                         removeNumbers = TRUE,
                                         stopwords = TRUE))
plot(tdm, corThreshold = 0.2, weighting = TRUE)
## End(Not run)
```




performance
simulation
software
experimental
test
participants
[2]
[7]
tests
atc
experiment
time
conditions
including
required
target
approach
[8]
rkload
set
weather
[5]
aircraft
data
[4]
analysis
igure
level
control
phase
scenario
trial
pilots
position
[1]
provided
simulator
pilot
flight
ratings
activity
cockpit
calculated
task
[6]
ecg
frequency
[3]
standard
difference
study
system
heart
rate
average
count
10
15
20
25
30

Leituras sobre o Tema

https://www.tidytextmining.com/

